



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 07:47 AM UTC

PDB ID : 6VQB / pdb_00006vqb
EMDB ID : EMD-21347
Title : Mammalian V-ATPase from rat brain soluble V1 region rotational state 2 with SidK and ADP (from focused refinement)
Authors : Abbas, Y.M.; Rubinstein, J.L.
Deposited on : 2020-02-04
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY



The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12797 (3.10 - 4.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	617	 93%
1	B	617	 92% 5%
1	C	617	 93%
2	D	511	 85% 5% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	511	
2	F	511	
3	H	247	
4	I	226	
4	J	226	
4	K	226	
5	M	118	
5	N	118	
5	O	118	
6	Q	301	
6	R	301	
6	S	301	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 36113 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase H⁺-transporting V1 subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	600	Total	C	N	O	S	0	0
			4651	2949	786	889	27		
1	B	600	Total	C	N	O	S	0	0
			4651	2949	786	889	27		
1	C	600	Total	C	N	O	S	0	0
			4651	2949	786	889	27		

- Molecule 2 is a protein called V-type proton ATPase subunit B, brain isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	459	Total	C	N	O	S	0	0
			3595	2282	613	680	20		
2	E	459	Total	C	N	O	S	0	0
			3595	2282	613	680	20		
2	F	459	Total	C	N	O	S	0	0
			3595	2282	613	680	20		

- Molecule 3 is a protein called ATPase H⁺-transporting V1 subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	109	Total	C	N	O	S	0	0
			914	580	171	161	2		

- Molecule 4 is a protein called V-type proton ATPase subunit E 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	161	Total	C	N	O	S	0	0
			1288	814	232	235	7		
4	J	161	Total	C	N	O	S	0	0
			1288	814	232	235	7		
4	K	161	Total	C	N	O	S	0	0
			1288	814	232	235	7		

- Molecule 5 is a protein called V-type proton ATPase subunit G.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	M	47	Total	C	N	O	S	0	0
			382	228	80	71	3		
5	N	47	Total	C	N	O	S	0	0
			382	228	80	71	3		
5	O	47	Total	C	N	O	S	0	0
			382	228	80	71	3		

- Molecule 6 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Q	232	Total	C	N	O	S	0	0
			1878	1197	316	354	11		
6	R	224	Total	C	N	O	S	0	0
			1824	1162	306	346	10		
6	S	212	Total	C	N	O	S	0	0
			1722	1096	292	325	9		

There are 69 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	0	GLY	-	expression tag	UNP Q5ZWW6
Q	279	ASP	-	expression tag	UNP Q5ZWW6
Q	280	TYR	-	expression tag	UNP Q5ZWW6
Q	281	LYS	-	expression tag	UNP Q5ZWW6
Q	282	ASP	-	expression tag	UNP Q5ZWW6
Q	283	HIS	-	expression tag	UNP Q5ZWW6
Q	284	ASP	-	expression tag	UNP Q5ZWW6
Q	285	GLY	-	expression tag	UNP Q5ZWW6
Q	286	ASP	-	expression tag	UNP Q5ZWW6
Q	287	TYR	-	expression tag	UNP Q5ZWW6
Q	288	LYS	-	expression tag	UNP Q5ZWW6
Q	289	ASP	-	expression tag	UNP Q5ZWW6
Q	290	HIS	-	expression tag	UNP Q5ZWW6
Q	291	ASP	-	expression tag	UNP Q5ZWW6
Q	292	ILE	-	expression tag	UNP Q5ZWW6
Q	293	ASP	-	expression tag	UNP Q5ZWW6
Q	294	TYR	-	expression tag	UNP Q5ZWW6
Q	295	LYS	-	expression tag	UNP Q5ZWW6
Q	296	ASP	-	expression tag	UNP Q5ZWW6
Q	297	ASP	-	expression tag	UNP Q5ZWW6
Q	298	ASP	-	expression tag	UNP Q5ZWW6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	299	ASP	-	expression tag	UNP Q5ZWW6
Q	300	LYS	-	expression tag	UNP Q5ZWW6
R	0	GLY	-	expression tag	UNP Q5ZWW6
R	279	ASP	-	expression tag	UNP Q5ZWW6
R	280	TYR	-	expression tag	UNP Q5ZWW6
R	281	LYS	-	expression tag	UNP Q5ZWW6
R	282	ASP	-	expression tag	UNP Q5ZWW6
R	283	HIS	-	expression tag	UNP Q5ZWW6
R	284	ASP	-	expression tag	UNP Q5ZWW6
R	285	GLY	-	expression tag	UNP Q5ZWW6
R	286	ASP	-	expression tag	UNP Q5ZWW6
R	287	TYR	-	expression tag	UNP Q5ZWW6
R	288	LYS	-	expression tag	UNP Q5ZWW6
R	289	ASP	-	expression tag	UNP Q5ZWW6
R	290	HIS	-	expression tag	UNP Q5ZWW6
R	291	ASP	-	expression tag	UNP Q5ZWW6
R	292	ILE	-	expression tag	UNP Q5ZWW6
R	293	ASP	-	expression tag	UNP Q5ZWW6
R	294	TYR	-	expression tag	UNP Q5ZWW6
R	295	LYS	-	expression tag	UNP Q5ZWW6
R	296	ASP	-	expression tag	UNP Q5ZWW6
R	297	ASP	-	expression tag	UNP Q5ZWW6
R	298	ASP	-	expression tag	UNP Q5ZWW6
R	299	ASP	-	expression tag	UNP Q5ZWW6
R	300	LYS	-	expression tag	UNP Q5ZWW6
S	0	GLY	-	expression tag	UNP Q5ZWW6
S	279	ASP	-	expression tag	UNP Q5ZWW6
S	280	TYR	-	expression tag	UNP Q5ZWW6
S	281	LYS	-	expression tag	UNP Q5ZWW6
S	282	ASP	-	expression tag	UNP Q5ZWW6
S	283	HIS	-	expression tag	UNP Q5ZWW6
S	284	ASP	-	expression tag	UNP Q5ZWW6
S	285	GLY	-	expression tag	UNP Q5ZWW6
S	286	ASP	-	expression tag	UNP Q5ZWW6
S	287	TYR	-	expression tag	UNP Q5ZWW6
S	288	LYS	-	expression tag	UNP Q5ZWW6
S	289	ASP	-	expression tag	UNP Q5ZWW6
S	290	HIS	-	expression tag	UNP Q5ZWW6
S	291	ASP	-	expression tag	UNP Q5ZWW6
S	292	ILE	-	expression tag	UNP Q5ZWW6
S	293	ASP	-	expression tag	UNP Q5ZWW6
S	294	TYR	-	expression tag	UNP Q5ZWW6

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	295	LYS	-	expression tag	UNP Q5ZWW6
S	296	ASP	-	expression tag	UNP Q5ZWW6
S	297	ASP	-	expression tag	UNP Q5ZWW6
S	298	ASP	-	expression tag	UNP Q5ZWW6
S	299	ASP	-	expression tag	UNP Q5ZWW6
S	300	LYS	-	expression tag	UNP Q5ZWW6


- # ADP

Mol	Chain	Residues	Atoms					AltConf
7	A	1	Total 27	C 10	N 5	O 10	P 2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATPase H⁺-transporting V1 subunit A



- Molecule 1: ATPase H⁺-transporting V1 subunit A



- Molecule 1: ATPase H⁺-transporting V1 subunit A



Chain I:

Chain J:

Chain K:

66% 5% 29%

MET ALA LEU SER ASP ALA ASP VAL GLN LYS GLN ILE LYS HIS MET MET ALA PHE ILE GLU GLN GLU ALA ASN GLU LYS ILE ASP LYS ALA ALA GLU GLU GLU PHE ASN ILE ILE LYS GLY ARG LEU VAL GLN THR GLN ARG LEU LYS ILE MET GLU TYR GLU LYS LYS

Chain M:


40% 60%

MET ALA SER MET GLN SER GLN ILE GLN LEU LEU GLN ALA GLU LYS ARG ALA ALA GLU LYS VAL ASP ALA ARG LYS ARG LYS ALA ARG ARG LEU LYS GLN ALA LYS GLU GLU GLU ALA GLN MET MET GLU VAL VAL GLN TYR ARG ARG ARG GLU GLN GLN GLU PHE GLN SER LYS GLN GLN


ALA ALA MET MET GLY SER SER GLN GLY ASN LEU S70 R78 R90 R115 I116 THR VAL

[illegible]


- Molecule 5: V-type proton ATPase subunit G




- Molecule 6: Uncharacterized protein



- Molecule 6: Uncharacterized protein



- Molecule 6: Uncharacterized protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	79654	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	43	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	2.774	Depositor
Minimum map value	-1.282	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.093	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	360.4, 360.4, 360.4	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.60	4/4746 (0.1%)	0.69	10/6425 (0.2%)
1	B	0.66	5/4746 (0.1%)	0.78	13/6425 (0.2%)
1	C	0.60	0/4746	0.71	4/6425 (0.1%)
2	D	0.59	2/3666 (0.1%)	0.68	4/4967 (0.1%)
2	E	0.57	2/3666 (0.1%)	0.63	3/4967 (0.1%)
2	F	0.60	3/3666 (0.1%)	0.68	8/4967 (0.2%)
3	H	0.56	0/921	0.59	1/1224 (0.1%)
4	I	0.51	0/1300	0.51	0/1746
4	J	0.50	0/1300	0.53	0/1746
4	K	0.50	0/1300	0.49	0/1746
5	M	0.50	0/385	0.49	0/517
5	N	0.57	0/385	0.65	2/517 (0.4%)
5	O	0.51	0/385	0.54	0/517
6	Q	0.56	0/1912	0.60	0/2575
6	R	0.55	0/1858	0.58	0/2505
6	S	0.53	0/1754	0.58	1/2362 (0.0%)
All	All	0.58	16/36736 (0.0%)	0.66	46/49631 (0.1%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	290	ASP	C-N	-9.34	1.22	1.33
2	F	391	PRO	N-CA	8.48	1.53	1.47
2	E	504	TYR	C-N	6.59	1.41	1.34
2	E	352	PRO	N-CA	5.76	1.54	1.47
2	F	396	PRO	N-CA	5.64	1.54	1.47
1	A	216	PRO	N-CA	5.61	1.53	1.47
1	A	397	ASN	C-N	5.60	1.40	1.34
2	D	487	PHE	C-N	5.59	1.40	1.33
1	B	104	ARG	C-N	5.51	1.39	1.33
1	A	104	ARG	C-N	5.38	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	170	PRO	N-CA	5.31	1.53	1.47
1	B	368	MET	C-N	5.23	1.39	1.33
2	D	165	TYR	C-N	5.23	1.39	1.33
1	B	532	CYS	C-N	5.15	1.40	1.33
2	F	190	PRO	N-CA	5.07	1.53	1.47
1	B	118	ILE	C-N	5.05	1.40	1.33

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	189	ILE	CA-C-N	9.40	129.34	119.85
2	F	189	ILE	C-N-CA	9.40	129.34	119.85
1	A	215	ARG	CA-C-N	9.28	129.31	119.76
1	A	215	ARG	C-N-CA	9.28	129.31	119.76
1	B	411	SER	CA-C-N	8.43	129.06	120.38
1	B	411	SER	C-N-CA	8.43	129.06	120.38
2	F	395	LEU	CA-C-N	7.86	128.53	120.04
2	F	395	LEU	C-N-CA	7.86	128.53	120.04
1	A	397	ASN	CA-C-N	7.68	127.35	119.82
1	A	397	ASN	C-N-CA	7.68	127.35	119.82
2	D	487	PHE	CA-C-N	7.57	127.53	120.03
2	D	487	PHE	C-N-CA	7.57	127.53	120.03
2	E	351	ILE	CA-C-N	7.37	127.37	119.78
2	E	351	ILE	C-N-CA	7.37	127.37	119.78
1	C	368	MET	CA-C-N	7.32	127.24	119.85
1	C	368	MET	C-N-CA	7.32	127.24	119.85
1	A	169	PRO	CA-C-N	7.14	127.14	119.78
1	A	169	PRO	C-N-CA	7.14	127.14	119.78
2	F	165	TYR	CA-C-N	7.07	127.04	119.76
2	F	165	TYR	C-N-CA	7.07	127.04	119.76
1	C	238	PHE	CA-C-N	6.98	126.97	119.78
1	C	238	PHE	C-N-CA	6.98	126.97	119.78
5	N	107	ARG	CA-C-N	6.87	126.79	119.85
5	N	107	ARG	C-N-CA	6.87	126.79	119.85
1	A	84	LYS	CA-C-N	6.79	127.24	120.52
1	A	84	LYS	C-N-CA	6.79	127.24	120.52
1	B	368	MET	CA-C-N	6.45	126.90	120.52
1	B	368	MET	C-N-CA	6.45	126.90	120.52
3	H	172	ILE	N-CA-C	-6.11	104.79	110.53
6	S	98	ILE	N-CA-C	-6.06	105.45	111.88
2	E	300	MET	N-CA-C	-5.90	106.09	113.28
2	D	165	TYR	CA-C-N	5.86	126.16	119.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	165	TYR	C-N-CA	5.86	126.16	119.83
1	B	532	CYS	CA-C-N	5.77	125.70	119.76
1	B	532	CYS	C-N-CA	5.77	125.70	119.76
1	B	104	ARG	CA-C-N	5.76	126.67	119.98
1	B	104	ARG	C-N-CA	5.76	126.67	119.98
1	A	104	ARG	CA-C-N	5.67	125.95	119.83
1	A	104	ARG	C-N-CA	5.67	125.95	119.83
1	B	413	PRO	N-CA-C	-5.59	106.57	113.84
1	B	118	ILE	CA-C-N	5.48	125.42	119.78
1	B	118	ILE	C-N-CA	5.48	125.42	119.78
2	F	390	PRO	CA-C-N	5.47	129.30	121.91
2	F	390	PRO	C-N-CA	5.47	129.30	121.91
1	B	76	GLY	CA-C-N	-5.03	112.90	120.60
1	B	76	GLY	C-N-CA	-5.03	112.90	120.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4651	0	4644	14	0
1	B	4651	0	4644	14	0
1	C	4651	0	4644	14	0
2	D	3595	0	3602	15	0
2	E	3595	0	3602	13	0
2	F	3595	0	3602	13	0
3	H	914	0	992	3	0
4	I	1288	0	1366	3	0
4	J	1288	0	1366	9	0
4	K	1288	0	1366	7	0
5	M	382	0	384	0	0
5	N	382	0	384	1	0
5	O	382	0	384	2	0
6	Q	1878	0	1898	5	0
6	R	1824	0	1835	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	S	1722	0	1733	8	0
7	A	27	0	12	1	0
All	All	36113	0	36458	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:266:ASP:OD1	6:S:9:LYS:NZ	2.30	0.64
2:E:189:ILE:O	2:E:189:ILE:HG23	1.99	0.61
2:D:298:THR:O	2:D:299:ASP:C	2.44	0.60
2:D:374:GLU:HA	2:D:400:ARG:HD2	1.82	0.60
2:F:89:VAL:HG23	2:F:89:VAL:O	2.03	0.59
4:J:135:ARG:NE	4:J:171:ALA:O	2.36	0.58
2:F:360:ASP:OD2	3:H:20:LYS:NZ	2.36	0.58
1:B:66:VAL:HG12	1:B:68:GLU:H	1.68	0.58
1:A:397:ASN:N	1:A:398:PRO:CD	2.66	0.58
1:C:397:ASN:N	1:C:398:PRO:CD	2.66	0.57
1:A:436:ASP:OD2	3:H:4:LYS:NZ	2.38	0.56
1:A:391:ARG:NH1	1:A:401:GLU:OE2	2.39	0.56
4:K:119:LEU:O	4:K:194:ASN:ND2	2.40	0.54
1:A:280:ARG:NH1	2:D:372:ILE:O	2.42	0.52
2:E:173:GLY:O	2:E:465:GLN:NE2	2.38	0.52
1:A:449:ASN:O	1:A:450:TRP:CG	2.63	0.51
1:B:234:LEU:HD22	1:B:433:TRP:CD2	2.45	0.51
6:R:60:TYR:O	6:R:61:ARG:HB2	2.09	0.51
2:F:505:PRO:O	2:F:506:ARG:HB2	2.11	0.51
6:R:99:SER:N	6:R:100:PRO:HD2	2.26	0.51
2:F:395:LEU:N	2:F:396:PRO:HD2	2.26	0.50
4:J:137:ARG:NH1	4:J:177:ILE:O	2.45	0.50
1:C:436:ASP:OD1	1:C:437:LYS:N	2.45	0.50
4:K:129:GLU:H	4:K:132:MET:CE	2.25	0.49
1:B:39:MET:HG2	1:B:40:TYR:CD1	2.47	0.49
1:C:100:ASP:OD1	1:C:101:GLY:N	2.45	0.49
2:E:118:ILE:O	2:E:120:ARG:N	2.46	0.48
2:E:255:ASP:OD1	4:J:80:ARG:NH1	2.44	0.48
2:E:84:GLY:CA	2:E:97:GLN:O	2.62	0.48
2:E:106:ASP:C	2:E:106:ASP:OD1	2.57	0.47
4:K:185:ASN:ND2	4:K:187:ASP:OD1	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:ASP:OD1	1:A:100:ASP:C	2.58	0.47
6:S:115:MET:SD	6:S:126:TYR:CE2	3.08	0.47
2:F:190:PRO:HA	2:F:352:PRO:O	2.16	0.46
6:S:217:LEU:HD12	6:S:217:LEU:C	2.41	0.46
6:R:199:LEU:C	6:R:199:LEU:HD23	2.40	0.46
4:I:94:LEU:C	4:I:94:LEU:HD23	2.40	0.46
2:D:365:ILE:HB	2:D:366:PRO:CD	2.46	0.46
2:F:194:ALA:H	2:F:197:LEU:HD12	1.81	0.46
2:F:273:ILE:O	2:F:274:THR:C	2.58	0.46
1:A:399:GLU:OE2	6:Q:25:LYS:NZ	2.45	0.46
2:E:273:ILE:O	2:E:274:THR:C	2.58	0.45
2:F:186:GLY:N	2:F:349:THR:HG22	2.31	0.45
1:C:353:ARG:NH2	2:F:371:TYR:O	2.47	0.45
2:E:187:GLN:CG	2:E:188:LYS:H	2.28	0.45
1:A:448:VAL:O	1:A:450:TRP:CE3	2.69	0.45
4:J:152:ILE:HG22	4:J:153:PRO:HD3	1.98	0.45
2:D:154:MET:O	2:D:337:ARG:NH2	2.49	0.45
4:J:152:ILE:N	4:J:153:PRO:HD2	2.32	0.45
6:Q:44:LYS:NZ	6:Q:113:GLU:OE2	2.50	0.45
6:R:92:LEU:HD23	6:R:92:LEU:C	2.41	0.45
6:S:8:ILE:O	6:S:9:LYS:C	2.60	0.45
2:E:194:ALA:H	2:E:197:LEU:HD12	1.81	0.45
2:F:106:ASP:OD1	2:F:106:ASP:C	2.60	0.45
1:A:66:VAL:HG12	1:A:68:GLU:H	1.82	0.44
1:C:397:ASN:N	1:C:398:PRO:HD3	2.31	0.44
4:J:185:ASN:ND2	4:J:187:ASP:OD1	2.50	0.44
5:O:96:LEU:C	5:O:96:LEU:HD23	2.42	0.44
1:B:37:ALA:HB1	1:B:54:ILE:CD1	2.48	0.44
1:B:100:ASP:OD1	1:B:101:GLY:N	2.49	0.44
2:D:188:LYS:HD3	2:D:335:TYR:O	2.18	0.44
2:E:187:GLN:CG	2:E:188:LYS:N	2.80	0.44
1:C:483:LEU:C	1:C:483:LEU:HD23	2.43	0.44
1:B:449:ASN:OD1	1:B:451:LEU:HB2	2.18	0.44
1:A:257:THR:HB	7:A:701:ADP:O2A	2.18	0.44
1:C:94:ILE:HD12	1:C:99:PHE:CZ	2.53	0.44
1:B:469:PHE:C	1:B:471:GLU:H	2.26	0.43
2:D:380:ASP:C	2:D:380:ASP:OD1	2.60	0.43
2:D:389:TYR:C	2:D:389:TYR:CD2	2.95	0.43
6:Q:126:TYR:OH	6:Q:169:THR:OG1	2.22	0.43
6:S:195:GLU:OE1	6:S:195:GLU:N	2.50	0.43
2:D:201:GLU:OE1	2:D:201:GLU:N	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:365:ILE:HB	2:E:366:PRO:CD	2.49	0.43
1:C:39:MET:HE2	1:C:40:TYR:CZ	2.53	0.43
1:C:234:LEU:HD22	1:C:433:TRP:CG	2.54	0.42
1:C:445:PHE:HA	1:C:446:PRO:C	2.43	0.42
1:B:339:ASP:O	1:B:400:ARG:NE	2.45	0.42
4:I:137:ARG:NH1	4:I:177:ILE:O	2.53	0.42
1:B:562:ASP:OD1	1:B:562:ASP:N	2.52	0.42
4:K:137:ARG:NH1	4:K:177:ILE:O	2.52	0.42
1:B:397:ASN:HB3	6:R:28:TYR:CG	2.55	0.42
2:D:504:TYR:HB3	2:D:505:PRO:HD3	2.00	0.42
2:E:389:TYR:CD2	2:E:389:TYR:C	2.97	0.42
4:I:129:GLU:H	4:I:132:MET:CE	2.32	0.42
1:A:397:ASN:HB3	6:Q:28:TYR:CG	2.55	0.42
1:C:20:TYR:CE2	5:O:115:ARG:HG3	2.55	0.42
4:K:129:GLU:H	4:K:132:MET:HE2	1.85	0.42
6:S:126:TYR:CZ	6:S:130:LEU:HD11	2.55	0.42
1:A:153:TYR:CZ	1:A:166:ILE:HG22	2.55	0.42
1:A:233:VAL:O	1:A:234:LEU:HB2	2.19	0.42
1:C:233:VAL:O	1:C:234:LEU:HB2	2.20	0.42
3:H:177:ILE:O	3:H:178:PRO:C	2.63	0.42
4:K:103:SER:O	4:K:106:VAL:HG22	2.19	0.42
1:B:233:VAL:CG1	1:B:520:LEU:O	2.67	0.41
4:J:108:ASP:CG	4:J:109:THR:N	2.78	0.41
4:K:108:ASP:OD1	4:K:109:THR:N	2.48	0.41
1:B:397:ASN:N	1:B:398:PRO:CD	2.83	0.41
2:D:269:ILE:O	2:D:272:ILE:HG12	2.21	0.41
6:S:98:ILE:C	6:S:100:PRO:HD2	2.45	0.41
2:F:395:LEU:HB2	2:F:396:PRO:HD3	2.02	0.41
4:J:108:ASP:OD1	4:J:109:THR:N	2.50	0.41
1:C:396:GLY:C	1:C:398:PRO:HD2	2.46	0.40
2:D:299:ASP:OD1	2:D:301:SER:HB2	2.21	0.40
1:B:324:GLU:HG3	1:B:354:TRP:HE1	1.87	0.40
2:D:504:TYR:N	2:D:505:PRO:CD	2.85	0.40
2:F:99:PHE:CD1	2:F:269:ILE:HG21	2.56	0.40
5:N:110:VAL:O	5:N:111:HIS:C	2.64	0.40
6:R:197:TYR:CZ	6:R:232:TYR:HB2	2.57	0.40
6:Q:98:ILE:O	6:Q:99:SER:C	2.64	0.40
1:A:266:TYR:HB3	1:A:531:PHE:CD1	2.56	0.40
1:B:229:THR:HG23	1:B:231:GLN:H	1.87	0.40
2:E:133:ASN:OD1	2:E:133:ASN:C	2.64	0.40
2:F:201:GLU:OE1	2:F:201:GLU:N	2.49	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:266:TYR:HB3	1:C:531:PHE:CD1	2.56	0.40
2:D:375:GLY:C	2:D:376:GLN:OE1	2.64	0.40
4:J:152:ILE:CG2	4:J:153:PRO:HD3	2.51	0.40
6:S:99:SER:N	6:S:100:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	598/617 (97%)	573 (96%)	24 (4%)	1 (0%)	43	72
1	B	598/617 (97%)	580 (97%)	18 (3%)	0	100	100
1	C	598/617 (97%)	575 (96%)	22 (4%)	1 (0%)	43	72
2	D	455/511 (89%)	443 (97%)	9 (2%)	3 (1%)	18	51
2	E	455/511 (89%)	442 (97%)	11 (2%)	2 (0%)	30	61
2	F	455/511 (89%)	442 (97%)	13 (3%)	0	100	100
3	H	105/247 (42%)	105 (100%)	0	0	100	100
4	I	159/226 (70%)	159 (100%)	0	0	100	100
4	J	159/226 (70%)	159 (100%)	0	0	100	100
4	K	159/226 (70%)	158 (99%)	1 (1%)	0	100	100
5	M	45/118 (38%)	44 (98%)	1 (2%)	0	100	100
5	N	45/118 (38%)	45 (100%)	0	0	100	100
5	O	45/118 (38%)	44 (98%)	1 (2%)	0	100	100
6	Q	230/301 (76%)	223 (97%)	6 (3%)	1 (0%)	30	61
6	R	222/301 (74%)	214 (96%)	7 (3%)	1 (0%)	24	57
6	S	210/301 (70%)	204 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	4538/5566 (82%)	4410 (97%)	119 (3%)	9 (0%)	44	72

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	350	SER
2	D	299	ASP
2	E	119	LEU
2	D	119	LEU
6	Q	12	GLY
1	C	278	GLY
2	D	378	TYR
2	E	378	TYR
6	R	75	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	507/524 (97%)	506 (100%)	1 (0%)	87	85
1	B	507/524 (97%)	507 (100%)	0	100	100
1	C	507/524 (97%)	506 (100%)	1 (0%)	87	85
2	D	393/431 (91%)	393 (100%)	0	100	100
2	E	393/431 (91%)	393 (100%)	0	100	100
2	F	393/431 (91%)	393 (100%)	0	100	100
3	H	100/212 (47%)	100 (100%)	0	100	100
4	I	141/198 (71%)	141 (100%)	0	100	100
4	J	141/198 (71%)	141 (100%)	0	100	100
4	K	141/198 (71%)	141 (100%)	0	100	100
5	M	43/100 (43%)	43 (100%)	0	100	100
5	N	43/100 (43%)	43 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	O	43/100 (43%)	43 (100%)	0	100	100
6	Q	208/274 (76%)	208 (100%)	0	100	100
6	R	203/274 (74%)	203 (100%)	0	100	100
6	S	191/274 (70%)	191 (100%)	0	100	100
All	All	3954/4793 (82%)	3952 (100%)	2 (0%)	87	87

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	ARG
1	C	296	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	HIS
1	A	573	HIS
1	B	103	GLN
1	B	146	HIS
1	B	242	GLN
1	B	268	ASN
1	B	441	GLN
1	C	213	GLN
1	C	231	GLN
2	D	181	ASN
2	E	73	HIS
2	F	181	ASN
2	F	384	HIS
4	J	67	GLN
4	J	206	GLN
4	K	78	GLN
6	Q	34	GLN
6	Q	184	HIS
6	Q	222	GLN
6	R	177	GLN
6	R	184	HIS
6	R	207	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	ADP	A	701	-	28,29,29	0.46	0	43,45,45	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	ADP	A	701	-	-	5/16/32/32	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	701	ADP	O4'-C4'-C5'-O5'
7	A	701	ADP	C3'-C4'-C5'-O5'
7	A	701	ADP	PA-O3A-PB-O1B
7	A	701	ADP	PA-O3A-PB-O2B
7	A	701	ADP	PA-O3A-PB-O3B

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	701	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21347. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 171



Y Index: 185




Z Index: 119


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 217 nm³; this corresponds to an approximate mass of 196 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-21347 and PDB model 6VQB. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6950	 0.4180
A	 0.7290	 0.4470
B	 0.6930	 0.4270
C	 0.6820	 0.4170
D	 0.7170	 0.4460
E	 0.7280	 0.4510
F	 0.7310	 0.4550
H	 0.6370	 0.4020
I	 0.6500	 0.3710
J	 0.6760	 0.3890
K	 0.6680	 0.3850
M	 0.6760	 0.3500
N	 0.6460	 0.3620
O	 0.6510	 0.3670
Q	 0.6670	 0.3800
R	 0.6320	 0.3490
S	 0.6700	 0.3610

