



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 08:10 AM UTC

PDB ID : 7VR1 / pdb_00007vr1
EMDB ID : EMD-32096
Title : Cryo-EM structure of the ATP-binding cassette sub-family D member 1 from Homo sapiens
Authors : Yang, G.H.; Jia, Y.T.; Zhang, Y.M.
Deposited on : 2021-10-21
Resolution : 3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14717 (2.90 - 3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	745	 66% 14% 20%
1	B	745	 67% 13% 20%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9522 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-binding cassette sub-family D member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	598	Total	C	N	O	S	0	0
			4761	3055	834	851	21		
1	A	598	Total	C	N	O	S	0	0
			4761	3055	834	851	21		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-binding cassette sub-family D member 1



- Molecule 1: ATP-binding cassette sub-family D member 1



GLU	Q574	V583	H584	L585	E592	E596	A597	M598	W601	R612	M615	A616	R617	M618	F619	Y620	Y625	A626	L627	E630	C631	T632	V635	I643	I652	I657	R660	W664	H667	L670	W679	K680	F681	L692	E695	LYS	GLN	ARG	LEU	GLU			
GLN	LEU	ALA	GLY	ILE	PRO	LYS	MET	GLN	ARG	ARG	LEU	GLN	GLU	LEU	CYS	GLN	ILE	LEU	GLY	GLU	ALA	VAL	ALA	PRO	ALA	HIS	VAL	PRO	ALA	PRO	SER	PRO	GLN	GLY	PRO	GLY	GLY	LEU	GLN	GLY	ALA	SER	THR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	472168	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.5625	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.121	Depositor
Minimum map value	-0.056	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.00361	Depositor
Map size ($\text{\AA}$)	219.58, 219.58, 219.58	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.0979, 1.0979, 1.0979	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/4863	0.29	0/6587
1	B	0.12	0/4863	0.28	0/6587
All	All	0.12	0/9726	0.28	0/13174

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4761	0	4816	73	0
1	B	4761	0	4816	68	0
All	All	9522	0	9632	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:479:ILE:HD11	1:B:493:LEU:HD22	1.68	0.73
1:A:618:MET:HE3	1:A:652:ILE:HG21	1.72	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:LYS:HB2	1:A:657:ILE:HD11	1.74	0.70
1:B:200:ASP:OD1	1:B:418:ARG:NH1	2.27	0.68
1:B:506:THR:HG21	1:B:689:ARG:HH12	1.57	0.68
1:A:467:VAL:HG12	1:A:531:LEU:HB3	1.76	0.68
1:B:670:LEU:HD21	1:B:686:SER:HB3	1.76	0.67
1:B:544:GLN:HB2	1:B:630:GLU:HB2	1.76	0.67
1:B:505:ILE:HB	1:B:657:ILE:HG13	1.77	0.66
1:A:632:THR:O	1:A:660:ARG:NH1	2.31	0.64
1:B:285:ARG:NH2	1:A:548:MET:O	2.30	0.64
1:B:550:VAL:HG13	1:A:285:ARG:HH12	1.62	0.64
1:A:517:PHE:HB2	1:A:627:LEU:HD13	1.80	0.63
1:A:519:ILE:HG22	1:A:524:TRP:HB2	1.81	0.63
1:B:548:MET:O	1:A:285:ARG:NH2	2.32	0.62
1:B:186:MET:HE1	1:B:525:PRO:HD2	1.84	0.59
1:A:583:VAL:HA	1:A:643:ILE:HD12	1.84	0.58
1:B:197:LEU:HD23	1:A:283:HIS:CE1	2.38	0.58
1:B:89:ARG:NH2	1:B:157:GLN:OE1	2.37	0.58
1:B:501:MET:SD	1:B:669:HIS:NE2	2.68	0.58
1:A:275:ARG:HD3	1:A:312:ASP:HB3	1.85	0.58
1:A:498:GLU:HB2	1:A:501:MET:HE3	1.86	0.57
1:A:364:ALA:HA	1:A:367:LYS:HZ2	1.70	0.57
1:B:349:VAL:HG23	1:B:350:PRO:HD3	1.87	0.57
1:B:518:ARG:NH1	1:A:291:GLU:OE2	2.38	0.56
1:A:397:ASP:OD2	1:A:401:ARG:NH1	2.39	0.56
1:B:517:PHE:HB2	1:B:627:LEU:HD13	1.89	0.55
1:A:511:CYS:SG	1:A:512:GLY:N	2.79	0.55
1:A:489:VAL:HG12	1:A:490:VAL:HG23	1.88	0.55
1:B:672:GLN:OE1	1:B:689:ARG:NH1	2.39	0.55
1:B:283:HIS:CE1	1:A:197:LEU:HD23	2.42	0.55
1:A:466:GLN:H	1:A:529:GLY:HA2	1.71	0.55
1:B:157:GLN:NE2	1:A:318:ASN:OD1	2.39	0.54
1:B:480:PRO:HD2	1:B:528:GLY:HA3	1.89	0.54
1:B:90:GLU:OE2	1:B:161:SER:OG	2.25	0.54
1:B:142:LEU:HB2	1:B:143:PRO:HD3	1.89	0.54
1:B:291:GLU:OE2	1:A:518:ARG:NH1	2.41	0.54
1:A:489:VAL:HG11	1:A:512:GLY:HA3	1.90	0.54
1:B:101:LEU:HD21	1:B:217:LYS:HG2	1.89	0.54
1:A:475:ILE:HG22	1:A:496:ARG:HB3	1.89	0.53
1:B:474:ILE:HB	1:B:497:VAL:HB	1.91	0.52
1:A:104:ARG:NH2	1:A:221:ASP:OD2	2.43	0.52
1:A:217:LYS:HB2	1:A:218:PRO:HD3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:477:GLU:HA	1:A:494:ASN:HA	1.92	0.51
1:B:218:PRO:HB2	1:B:402:ILE:HG13	1.92	0.51
1:A:551:GLY:O	1:A:601:TRP:NE1	2.32	0.50
1:B:293:ILE:HD13	1:B:302:GLU:HG3	1.94	0.50
1:A:477:GLU:CD	1:A:530:VAL:HG21	2.36	0.50
1:B:318:ASN:OD1	1:A:157:GLN:NE2	2.44	0.50
1:A:142:LEU:HB2	1:A:143:PRO:HD3	1.92	0.50
1:B:591:ARG:NH1	1:B:592:GLU:OE2	2.45	0.50
1:B:619:PHE:O	1:B:622:ARG:NE	2.43	0.50
1:A:596:GLU:HG3	1:A:598:MET:SD	2.53	0.49
1:B:428:ASP:OD1	1:B:431:ARG:NH2	2.45	0.49
1:A:218:PRO:HB2	1:A:402:ILE:HG13	1.93	0.49
1:A:631:CYS:SG	1:A:632:THR:HG23	2.53	0.49
1:B:505:ILE:HD11	1:B:671:LEU:HD23	1.94	0.49
1:A:531:LEU:HG	1:A:533:LYS:HD3	1.95	0.48
1:A:544:GLN:HA	1:A:630:GLU:O	2.13	0.48
1:A:679:TRP:HZ3	1:A:681:PHE:HB3	1.79	0.48
1:A:539:MET:SD	1:A:625:TYR:HB2	2.53	0.48
1:B:523:LEU:O	1:B:524:TRP:HD1	1.97	0.48
1:B:561:ASP:OD1	1:B:561:ASP:N	2.43	0.47
1:B:585:LEU:HD13	1:B:612:ARG:HD2	1.96	0.47
1:A:213:SER:O	1:A:217:LYS:HG3	2.14	0.47
1:A:612:ARG:NH2	1:A:635:VAL:HG23	2.29	0.47
1:B:547:TYR:HD1	1:A:289:ASN:HD22	1.62	0.47
1:A:90:GLU:OE2	1:A:161:SER:OG	2.31	0.47
1:A:558:ILE:HG23	1:A:620:TYR:CE2	2.50	0.47
1:A:585:LEU:HD13	1:A:612:ARG:HD2	1.96	0.47
1:B:472:GLN:HE21	1:B:499:GLU:HG2	1.79	0.47
1:A:431:ARG:O	1:A:433:HIS:ND1	2.48	0.47
1:B:640:GLU:HG3	1:B:660:ARG:NH2	2.31	0.46
1:A:135:LEU:O	1:A:139:LEU:HG	2.14	0.46
1:A:120:ARG:HB2	1:A:383:GLU:HB2	1.98	0.46
1:B:195:GLN:HG2	1:B:199:GLU:HB3	1.99	0.45
1:A:615:MET:HE2	1:A:643:ILE:HD13	1.97	0.45
1:B:538:ARG:NH2	1:B:622:ARG:O	2.37	0.45
1:A:504:LEU:HB2	1:A:667:HIS:CD2	2.52	0.45
1:B:217:LYS:HB2	1:B:218:PRO:HD3	1.99	0.44
1:B:587:HIS:CE1	1:B:588:ILE:HG13	2.52	0.44
1:B:618:MET:HE3	1:B:652:ILE:HG21	1.99	0.44
1:A:479:ILE:HD11	1:A:493:LEU:HD11	1.99	0.44
1:A:211:LEU:HD13	1:A:412:LEU:HD13	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:477:GLU:HG2	1:B:478:ASN:H	1.82	0.44
1:A:331:GLU:O	1:A:335:MET:HB2	2.18	0.44
1:B:632:THR:HG21	1:B:663:LEU:HD11	1.98	0.44
1:A:475:ILE:HG13	1:A:532:TYR:HB2	2.00	0.44
1:B:186:MET:HE2	1:B:434:PHE:HE2	1.83	0.43
1:B:658:THR:HG21	1:B:663:LEU:HD12	2.00	0.43
1:A:509:ASN:HA	1:A:513:LYS:HE2	2.00	0.43
1:B:474:ILE:O	1:B:497:VAL:N	2.46	0.43
1:B:676:GLU:H	1:B:676:GLU:CD	2.25	0.43
1:A:101:LEU:CD2	1:A:217:LYS:HG2	2.48	0.43
1:B:516:LEU:C	1:B:518:ARG:H	2.24	0.43
1:A:466:GLN:NE2	1:A:529:GLY:O	2.41	0.43
1:B:186:MET:HE2	1:B:434:PHE:CE2	2.53	0.43
1:A:583:VAL:HG21	1:A:616:ALA:HB2	2.00	0.43
1:B:436:ARG:HA	1:B:436:ARG:HD2	1.73	0.43
1:B:542:ILE:HD11	1:B:628:LEU:HG	2.00	0.43
1:B:290:SER:C	1:B:292:GLU:H	2.27	0.42
1:A:372:LYS:HD3	1:A:377:LEU:HD13	2.00	0.42
1:B:656:SER:OG	1:B:667:HIS:NE2	2.33	0.42
1:A:290:SER:C	1:A:292:GLU:H	2.27	0.42
1:B:392:LEU:HD23	1:B:392:LEU:HA	1.86	0.42
1:B:587:HIS:ND1	1:B:588:ILE:HG13	2.35	0.42
1:B:638:ASP:OD1	1:B:638:ASP:N	2.52	0.42
1:A:506:THR:HG21	1:A:670:LEU:HD22	2.02	0.42
1:A:254:THR:HG22	1:A:334:LEU:HD22	2.02	0.42
1:B:548:MET:HA	1:B:548:MET:HE2	2.01	0.41
1:A:229:LEU:HD23	1:A:229:LEU:HA	1.87	0.41
1:B:662:SER:O	1:B:665:LYS:NZ	2.44	0.41
1:A:479:ILE:HG21	1:A:531:LEU:HD13	2.01	0.41
1:B:557:VAL:O	1:B:617:ARG:HG2	2.21	0.41
1:B:188:GLY:N	1:B:436:ARG:O	2.54	0.41
1:A:664:TRP:HH2	1:A:692:LEU:HG	1.86	0.41
1:B:558:ILE:HG23	1:B:558:ILE:O	2.21	0.41
1:B:322:LEU:HD23	1:B:322:LEU:HA	1.96	0.41
1:B:548:MET:HE2	1:B:617:ARG:HH22	1.85	0.41
1:A:306:LEU:HD23	1:A:306:LEU:HA	1.92	0.41
1:A:479:ILE:HG13	1:A:479:ILE:O	2.21	0.41
1:A:559:TYR:HB3	1:A:560:PRO:HD3	2.03	0.41
1:B:433:HIS:HB3	1:B:435:LYS:NZ	2.36	0.41
1:A:107:LEU:HD23	1:A:107:LEU:HA	1.87	0.40
1:A:218:PRO:HB2	1:A:402:ILE:CG1	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:548:MET:HA	1:A:548:MET:HE2	2.01	0.40
1:A:592:GLU:HB2	1:A:598:MET:HE3	2.03	0.40
1:A:474:ILE:O	1:A:497:VAL:N	2.49	0.40
1:B:479:ILE:O	1:B:479:ILE:HG13	2.21	0.40
1:B:585:LEU:HD11	1:B:609:GLU:OE1	2.21	0.40
1:A:349:VAL:CG2	1:A:350:PRO:HD3	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	592/745 (80%)	556 (94%)	36 (6%)	0	100	100
1	B	592/745 (80%)	559 (94%)	33 (6%)	0	100	100
All	All	1184/1490 (80%)	1115 (94%)	69 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	503/610 (82%)	503 (100%)	0	100	100
1	B	503/610 (82%)	503 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	1006/1220 (82%)	1006 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	133	GLN
1	B	214	ASN
1	A	214	ASN
1	A	289	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32096. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 117



Y Index: 95




Z Index: 84


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00361. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 950 nm³; this corresponds to an approximate mass of 859 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32096 and PDB model 7VR1. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00361 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00361).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.00361) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9900	0.4850
A	0.9880	0.4810
B	0.9930	0.4890

