



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 28, 2026 – 03:35 PM UTC

PDB ID : 2VSU / pdb_00002vsu
Title : A ternary complex of Hydroxycinnamoyl-CoA Hydratase-Lyase (HCHL) with acetyl-Coenzyme A and vanillin gives insights into substrate specificity and mechanism.
Authors : Bennett, J.P.; Bertin, L.M.; Brzozowski, A.M.; Walton, N.J.; Grogan, G.
Deposited on : 2008-04-29
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 12342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P-HYDROXYCINNAMOYL COA HYDRATASE/LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	241	Total	C	N	O	S	0	3	1
			1862	1180	322	347	13			
1	B	248	Total	C	N	O	S	0	2	1
			1958	1245	338	363	12			
1	D	248	Total	C	N	O	S	0	3	1
			1956	1244	340	360	12			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	123	ALA	SER	engineered mutation	UNP O69762
B	123	ALA	SER	engineered mutation	UNP O69762
D	123	ALA	SER	engineered mutation	UNP O69762

- Molecule 2 is a protein called P-HYDROXYCINNAMOYL COA HYDRATASE/LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	251	Total	C	N	O	S	0	3	0
			1942	1233	339	358	12			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	123	ALA	SER	engineered mutation	UNP O69762

- Molecule 3 is a protein called P-HYDROXYCINNAMOYL COA HYDRATASE/LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	245	Total	C	N	O	S	0	4	0
			1939	1232	337	357	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	123	ALA	SER	engineered mutation	UNP O69762
E	146	TYR	TRP	conflict	UNP O69762


- Molecule 4 is a protein called P-HYDROXYCINNAMOYL COA HYDRATASE/LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	246	Total	C	N	O	S	0	2	1
			1931	1229	333	357	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	123	ALA	SER	engineered mutation	UNP O69762
F	29	ARG	LYS	conflict	UNP O69762

- Molecule 5 is ACETYL COENZYME *A (CCD ID: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
5	B	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
5	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
5	E	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	F	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

- Molecule 6 is 4-hydroxy-3-methoxybenzaldehyde (CCD ID: V55) (formula: C₈H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			11	8	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	67	Total	O	0	0
			67	67		
7	B	84	Total	O	0	0
			84	84		
7	C	67	Total	O	0	0
			67	67		
7	D	99	Total	O	0	0
			99	99		
7	E	84	Total	O	0	0
			84	84		
7	F	87	Total	O	0	0
			87	87		

MolProbity failed to run properly - this section is therefore empty.

3 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.08Å 130.12Å 144.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	96.67 – 1.90 96.67 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.7 (96.67-1.90) 96.9 (96.67-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.3.0037	Depositor
R, R_{free}	0.188 , 0.230 0.190 , 0.232	Depositor DCC
R_{free} test set	6562 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.5	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12342	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

4.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	V55	D	1251	-	11,11,11	0.97	0	14,14,14	1.18	1 (7%)
5	ACO	B	1251	-	51,53,53	1.26	5 (9%)	73,79,79	1.67	16 (21%)
5	ACO	F	1249	-	51,53,53	1.44	8 (15%)	73,79,79	1.77	14 (19%)
5	ACO	E	1250	-	51,53,53	1.27	5 (9%)	73,79,79	1.76	18 (24%)
5	ACO	D	1250	-	51,53,53	1.41	8 (15%)	73,79,79	1.71	16 (21%)
5	ACO	A	1250	-	51,53,53	1.19	6 (11%)	73,79,79	1.62	13 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	V55	D	1251	-	-	0/4/4/4	0/1/1/1
5	ACO	B	1251	-	-	1/51/67/67	0/3/3/3
5	ACO	F	1249	-	-	0/51/67/67	0/3/3/3
5	ACO	E	1250	-	-	9/51/67/67	0/3/3/3
5	ACO	D	1250	-	-	1/51/67/67	0/3/3/3
5	ACO	A	1250	-	-	13/51/67/67	0/3/3/3

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	1249	ACO	P2A-O3A	4.29	1.64	1.59
5	D	1250	ACO	P2A-O4A	3.83	1.64	1.50
5	A	1250	ACO	P2A-O4A	3.61	1.63	1.50
5	E	1250	ACO	P1A-O1A	3.56	1.63	1.50
5	A	1250	ACO	P3B-O7A	3.52	1.61	1.50
5	E	1250	ACO	P2A-O4A	3.48	1.62	1.50
5	B	1251	ACO	P1A-O1A	3.37	1.62	1.50
5	F	1249	ACO	P3B-O7A	3.28	1.60	1.50
5	B	1251	ACO	P2A-O4A	3.25	1.62	1.50
5	F	1249	ACO	O4B-C1B	3.24	1.49	1.42
5	E	1250	ACO	C5A-N7A	-3.13	1.33	1.39
5	D	1250	ACO	O4B-C1B	3.12	1.49	1.42
5	F	1249	ACO	C-S1P	3.09	1.92	1.75
5	D	1250	ACO	P3B-O7A	3.04	1.59	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	1250	ACO	P1A-O3A	-2.98	1.56	1.59
5	B	1251	ACO	P3B-O7A	2.93	1.59	1.50
5	A	1250	ACO	C5A-N7A	-2.83	1.33	1.39
5	A	1250	ACO	P1A-O1A	2.75	1.60	1.50
5	E	1250	ACO	P3B-O7A	2.75	1.59	1.50
5	B	1251	ACO	C4A-N9A	-2.74	1.32	1.37
5	D	1250	ACO	C8A-N9A	-2.71	1.32	1.37
5	B	1251	ACO	C5A-N7A	-2.62	1.34	1.39
5	F	1249	ACO	P1A-O1A	2.52	1.59	1.50
5	F	1249	ACO	P1A-O3A	2.52	1.62	1.59
5	D	1250	ACO	P1A-O1A	2.49	1.59	1.50
5	E	1250	ACO	C4A-N9A	-2.43	1.32	1.37
5	F	1249	ACO	OAP-CAP	2.30	1.46	1.42
5	D	1250	ACO	P2A-O3A	-2.24	1.57	1.59
5	F	1249	ACO	C5A-N7A	-2.18	1.35	1.39
5	A	1250	ACO	C8A-N9A	-2.13	1.33	1.37
5	D	1250	ACO	CCP-CBP	2.09	1.56	1.52
5	A	1250	ACO	P3B-O3B	2.08	1.63	1.59

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1250	ACO	C5A-C4A-N3A	-5.34	119.37	126.72
5	F	1249	ACO	C5A-C4A-N3A	-5.25	119.48	126.72
5	E	1250	ACO	N3A-C2A-N1A	-5.15	120.79	128.58
5	D	1250	ACO	C5A-C4A-N3A	-5.14	119.64	126.72
5	F	1249	ACO	N3A-C2A-N1A	-4.99	121.03	128.58
5	B	1251	ACO	N3A-C2A-N1A	-4.85	121.25	128.58
5	E	1250	ACO	C5A-C4A-N3A	-4.78	120.14	126.72
5	B	1251	ACO	C5A-C4A-N3A	-4.76	120.17	126.72
5	A	1250	ACO	N3A-C2A-N1A	-4.57	121.66	128.58
5	F	1249	ACO	C2A-N3A-C4A	3.94	121.47	111.83
5	B	1251	ACO	C7P-C6P-C5P	-3.85	105.99	112.39
5	D	1250	ACO	N3A-C2A-N1A	-3.84	122.77	128.58
5	D	1250	ACO	O3B-P3B-O7A	-3.77	95.90	109.33
5	D	1250	ACO	N3A-C4A-N9A	3.77	133.57	127.17
5	F	1249	ACO	N3A-C4A-N9A	3.76	133.56	127.17
5	F	1249	ACO	N9A-C8A-N7A	-3.74	108.63	113.94
5	B	1251	ACO	C2A-N3A-C4A	3.71	120.88	111.83
5	E	1250	ACO	C2A-N3A-C4A	3.62	120.67	111.83
5	A	1250	ACO	C2A-N3A-C4A	3.60	120.61	111.83
5	A	1250	ACO	N3A-C4A-N9A	3.59	133.26	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	1250	ACO	C4A-C5A-N7A	-3.34	106.77	110.58
5	A	1250	ACO	N9A-C8A-N7A	-3.33	109.21	113.94
5	E	1250	ACO	N9A-C8A-N7A	-3.31	109.24	113.94
5	F	1249	ACO	CEP-CBP-CAP	3.25	114.31	108.77
5	B	1251	ACO	N9A-C8A-N7A	-3.20	109.39	113.94
5	F	1249	ACO	C5A-N7A-C8A	3.17	108.43	103.45
5	D	1250	ACO	C2A-N3A-C4A	3.14	119.51	111.83
5	F	1249	ACO	C4A-C5A-N7A	-3.12	107.01	110.58
5	A	1250	ACO	C6P-C7P-N8P	-3.12	105.36	112.00
5	F	1249	ACO	C4A-N9A-C8A	3.08	108.97	105.74
5	B	1251	ACO	C4A-C5A-N7A	-3.08	107.06	110.58
5	A	1250	ACO	O2A-P1A-O3A	3.07	115.58	107.27
5	F	1249	ACO	O9A-P3B-O8A	3.06	119.26	107.80
5	E	1250	ACO	C2B-C1B-N9A	-3.03	105.77	113.30
5	E	1250	ACO	N3A-C4A-N9A	3.02	132.31	127.17
5	E	1250	ACO	C4A-C5A-N7A	-3.02	107.13	110.58
5	B	1251	ACO	O2A-P1A-O3A	2.99	115.36	107.27
5	A	1250	ACO	C5A-N7A-C8A	2.94	108.08	103.45
5	B	1251	ACO	O9A-P3B-O8A	2.90	118.68	107.80
5	D	1250	ACO	O3A-P2A-O4A	-2.86	102.10	110.70
5	E	1250	ACO	C5A-N7A-C8A	2.85	107.93	103.45
5	D	1250	ACO	O2A-P1A-O3A	2.84	114.95	107.27
5	A	1250	ACO	C4A-C5A-N7A	-2.83	107.35	110.58
5	E	1250	ACO	C7P-C6P-C5P	2.80	117.05	112.39
5	F	1249	ACO	C6P-C7P-N8P	-2.72	106.22	112.00
5	D	1250	ACO	C5A-N7A-C8A	2.71	107.71	103.45
5	B	1251	ACO	O3A-P1A-O1A	-2.66	102.71	110.70
5	E	1250	ACO	O9A-P3B-O8A	2.64	117.70	107.80
5	E	1250	ACO	C6P-C7P-N8P	-2.60	106.47	112.00
5	B	1251	ACO	N3A-C4A-N9A	2.57	131.54	127.17
5	D	1250	ACO	N9A-C8A-N7A	-2.57	110.29	113.94
5	D	1250	ACO	C4A-N9A-C8A	2.55	108.42	105.74
5	E	1250	ACO	CDP-CBP-CAP	2.52	113.06	108.77
5	E	1250	ACO	O3A-P1A-O1A	-2.52	103.12	110.70
5	B	1251	ACO	C5A-N7A-C8A	2.52	107.41	103.45
5	E	1250	ACO	O3B-P3B-O7A	-2.51	100.38	109.33
5	E	1250	ACO	O5P-C5P-C6P	-2.51	117.47	122.02
6	D	1251	V55	CAE-CAF-CAJ	-2.44	118.06	120.50
5	F	1249	ACO	O2A-P1A-O3A	2.39	113.73	107.27
5	F	1249	ACO	O-C-CH3	-2.37	113.93	123.12
5	D	1250	ACO	C7P-C6P-C5P	-2.37	108.44	112.39
5	D	1250	ACO	C2P-C3P-N4P	-2.37	107.47	112.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1250	ACO	O2A-P1A-O3A	2.36	113.65	107.27
5	D	1250	ACO	CDP-CBP-CCP	-2.36	104.33	108.22
5	E	1250	ACO	C4A-N9A-C8A	2.29	108.14	105.74
5	A	1250	ACO	O3A-P1A-O1A	-2.29	103.81	110.70
5	B	1251	ACO	O6A-P2A-O4A	-2.28	99.90	108.94
5	B	1251	ACO	C5A-C4A-N9A	2.28	108.29	105.81
5	A	1250	ACO	C6P-C5P-N4P	-2.25	112.24	116.34
5	B	1251	ACO	O4B-C1B-C2B	-2.23	101.85	106.62
5	B	1251	ACO	CDP-CBP-CAP	2.20	112.52	108.77
5	D	1250	ACO	C6P-C7P-N8P	-2.17	107.38	112.00
5	A	1250	ACO	C4A-N9A-C8A	2.16	108.00	105.74
5	F	1249	ACO	O-C-S1P	2.12	131.23	122.65
5	E	1250	ACO	C2P-C3P-N4P	2.09	116.78	112.41
5	A	1250	ACO	O4B-C1B-C2B	-2.04	102.26	106.62
5	D	1250	ACO	O3A-P1A-O1A	-2.03	104.59	110.70
5	B	1251	ACO	C4A-N9A-C8A	2.00	107.84	105.74

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1250	ACO	C5B-O5B-P1A-O1A
5	A	1250	ACO	P1A-O3A-P2A-O6A
5	A	1250	ACO	O-C-S1P-C2P
5	A	1250	ACO	CH3-C-S1P-C2P
5	E	1250	ACO	O-C-S1P-C2P
5	E	1250	ACO	CH3-C-S1P-C2P
5	E	1250	ACO	C6P-C7P-N8P-C9P
5	A	1250	ACO	O4B-C4B-C5B-O5B
5	B	1251	ACO	C3B-O3B-P3B-O7A
5	A	1250	ACO	C3B-C4B-C5B-O5B
5	E	1250	ACO	P1A-O3A-P2A-O6A
5	E	1250	ACO	O5P-C5P-C6P-C7P
5	A	1250	ACO	CDP-CBP-CCP-O6A
5	E	1250	ACO	N4P-C5P-C6P-C7P
5	E	1250	ACO	C3B-O3B-P3B-O7A
5	A	1250	ACO	CAP-CBP-CCP-O6A
5	A	1250	ACO	C5B-O5B-P1A-O2A
5	A	1250	ACO	C5B-O5B-P1A-O3A
5	A	1250	ACO	P2A-O3A-P1A-O2A
5	D	1250	ACO	C3B-O3B-P3B-O8A
5	A	1250	ACO	P2A-O3A-P1A-O1A

Continued on next page...


Continued from previous page...




Mol	Chain	Res	Type	Atoms
5	E	1250	ACO	P2A-O3A-P1A-O1A
5	E	1250	ACO	P2A-O3A-P1A-O2A
5	A	1250	ACO	CEP-CBP-CCP-O6A


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







4.7 Other polymers ⓘ

There are no such residues in this entry.

4.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	206:ARG	C	207:ASN	N	1.07

5 Fit of model and data

5.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	241/276 (87%)	0.68	8 (3%) 49 52	14, 28, 37, 47	5 (2%)
1	B	248/276 (89%)	0.14	9 (3%) 46 49	9, 22, 35, 51	8 (3%)
1	D	248/276 (89%)	-0.13	5 (2%) 65 69	10, 21, 33, 46	8 (3%)
2	C	251/275 (91%)	1.04	23 (9%) 14 15	10, 28, 38, 58	6 (2%)
3	E	245/276 (88%)	-0.02	7 (2%) 53 57	10, 22, 35, 54	8 (3%)
4	F	246/276 (89%)	-0.00	0 100 100	11, 23, 31, 37	4 (1%)
All	All	1479/1655 (89%)	0.28	52 (3%) 47 50	9, 24, 36, 58	39 (2%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	252	GLY	8.6
2	C	255	GLN	8.3
2	C	254	GLU	7.9
2	C	256	GLY	7.8
2	C	251	GLY	7.4
3	E	75	TYR	7.3
2	C	253	ARG	7.2
2	C	250	THR	6.6
1	A	250	THR	6.1
3	E	79	VAL	5.1
2	C	146	TRP	5.1
1	B	75	TYR	4.6
3	E	76	PHE	4.4
1	B	251	GLU	4.3
1	B	76	PHE	4.0
2	C	75	TYR	4.0
3	E	72	LEU	4.0
1	A	72[A]	LEU	3.8
2	C	72	LEU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	81	ALA	3.8
1	B	81	ALA	3.7
1	D	146	TRP	3.6
2	C	73	LYS	3.4
2	C	79	VAL	3.3
2	C	76	PHE	3.3
1	A	81	ALA	3.2
1	B	250	THR	2.7
2	C	6	GLY	2.7
1	D	3	THR	2.6
2	C	80	ASP	2.6
1	A	146	TRP	2.5
2	C	30	ARG	2.5
1	B	77	ARG	2.5
3	E	77	ARG	2.5
2	C	116	TRP	2.4
2	C	229[A]	LEU	2.3
2	C	237	TYR	2.3
1	B	72	LEU	2.3
1	A	74	GLU	2.3
1	D	76	PHE	2.2
2	C	246	ARG	2.2
1	B	79	VAL	2.2
1	A	184	GLU	2.2
1	B	146	TRP	2.2
1	D	249	ASP	2.2
1	A	83	PRO	2.2
1	A	73[A]	LYS	2.2
3	E	146	TYR	2.1
1	D	210	GLU	2.1
2	C	11	VAL	2.0
3	E	3	THR	2.0
2	C	25	ASN	2.0

5.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACO	A	1250	51/51	0.80	0.19	15,32,37,40	49
6	V55	D	1251	11/11	0.91	0.12	22,29,31,32	3
5	ACO	F	1249	51/51	0.92	0.09	12,29,36,40	2
5	ACO	E	1250	51/51	0.93	0.09	15,32,39,40	2
5	ACO	D	1250	51/51	0.94	0.09	19,28,34,38	1
5	ACO	B	1251	51/51	0.94	0.09	26,32,36,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACO A 1250:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACO F 1249:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ACO E 1250:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACO D 1250:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACO B 1251:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



5.5 Other polymers [i](#)

There are no such residues in this entry.