



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:54 AM UTC

PDB ID : 3VS1 / pdb_00003vs1
Title : Crystal structure of HCK complexed with a pyrrolo-pyrimidine inhibitor 1-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)phenyl]-3-phenylurea
Authors : Kuratani, M.; Tomabechi, Y.; Toyama, M.; Handa, N.; Yokoyama, S.
Deposited on : 2012-04-21
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	 9% 75% 17% • 6%
1	B	454	 10% 72% 21% • • •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein kinase HCK.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	425	Total	C	N	O	P	S	0	0	0
			3426	2187	578	640	1	20			
1	B	434	Total	C	N	O	P	S	0	0	0
			3496	2233	588	654	1	20			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	GLY	-	expression tag	UNP P08631
A	79	ALA	-	expression tag	UNP P08631
A	80	MET	-	expression tag	UNP P08631
A	81	GLY	-	expression tag	UNP P08631
A	82	SER	-	expression tag	UNP P08631
A	83	GLY	-	expression tag	UNP P08631
A	84	ILE	-	expression tag	UNP P08631
A	85	ARG	-	expression tag	UNP P08631
A	528	GLU	GLN	engineered mutation	UNP P08631
A	529	GLU	GLN	engineered mutation	UNP P08631
A	530	ILE	GLN	engineered mutation	UNP P08631
B	78	GLY	-	expression tag	UNP P08631
B	79	ALA	-	expression tag	UNP P08631
B	80	MET	-	expression tag	UNP P08631
B	81	GLY	-	expression tag	UNP P08631
B	82	SER	-	expression tag	UNP P08631
B	83	GLY	-	expression tag	UNP P08631
B	84	ILE	-	expression tag	UNP P08631
B	85	ARG	-	expression tag	UNP P08631
B	528	GLU	GLN	engineered mutation	UNP P08631
B	529	GLU	GLN	engineered mutation	UNP P08631
B	530	ILE	GLN	engineered mutation	UNP P08631

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	29	Total	O	0	0
			29	29		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.03Å 73.27Å 179.85Å 90.00° 96.21° 90.00°	Depositor
Resolution (Å)	44.70 – 2.46 44.70 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.5 (44.70-2.46) 99.6 (44.70-2.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 2.45Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.240 , 0.281 0.239 , 0.280	Depositor DCC
R_{free} test set	2296 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtrriage
Anisotropy	0.597	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.031 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7069	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PTR, CA, VSA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.29	0/3489	0.75	5/4707 (0.1%)
1	B	0.28	0/3562	0.78	8/4808 (0.2%)
All	All	0.29	0/7051	0.77	13/9515 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	468	ASN	CA-C-N	-6.67	112.84	120.04
1	B	468	ASN	C-N-CA	-6.67	112.84	120.04
1	B	502	ARG	CA-C-N	6.61	126.11	119.24
1	B	502	ARG	C-N-CA	6.61	126.11	119.24
1	A	404	ASP	CA-C-N	6.58	133.55	121.70
1	A	404	ASP	C-N-CA	6.58	133.55	121.70
1	B	404	ASP	CA-C-N	5.85	132.23	121.70
1	B	404	ASP	C-N-CA	5.85	132.23	121.70
1	A	502	ARG	CA-C-N	5.81	125.94	119.32
1	A	502	ARG	C-N-CA	5.81	125.94	119.32
1	B	215	ILE	N-CA-C	-5.51	107.07	111.81
1	B	210	ASN	N-CA-C	5.11	117.24	111.11
1	A	404	ASP	CA-C-O	-5.01	115.49	120.96

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	404	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3426	0	3391	45	0
1	B	3496	0	3455	59	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	31	0	24	2	0
4	B	31	0	24	5	0
5	A	52	0	0	1	0
5	B	29	0	0	0	0
All	All	7069	0	6894	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:ASP:HA	1:A:405:PHE:HB3	1.60	0.84
1:B:404:ASP:HA	1:B:405:PHE:HB3	1.62	0.82
1:A:318:GLN:OE1	1:A:324:LYS:NZ	2.24	0.70
1:B:149:TRP:HZ2	1:B:225:GLN:HG2	1.57	0.69
1:B:428:TRP:NE1	1:B:454:GLU:OE1	2.23	0.69
1:A:384:HIS:CD2	1:A:405:PHE:HB2	2.28	0.68
1:A:432:GLU:OE2	1:A:506:ARG:NH1	2.21	0.67
1:B:483:ARG:NH1	1:B:487:CYS:O	2.27	0.67
1:B:257:LYS:HD3	1:B:257:LYS:H	1.59	0.66
1:A:181:THR:OG1	1:A:204:LYS:NZ	2.29	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:602:VSA:H14	4:B:602:VSA:H13	1.60	0.65
1:B:318:GLN:OE1	1:B:324:LYS:NZ	2.29	0.65
1:A:325:LEU:HD21	4:A:602:VSA:H20	1.80	0.64
1:B:384:HIS:CD2	1:B:405:PHE:HB2	2.35	0.62
1:B:303:SER:HB3	1:B:306:ALA:HB3	1.81	0.61
1:B:215:ILE:HG22	1:B:530:ILE:HG21	1.82	0.61
1:A:232:LYS:O	1:A:241:LYS:NZ	2.30	0.61
1:A:252:GLN:NE2	5:A:747:HOH:O	2.32	0.60
1:B:452:LEU:HD23	1:B:495:MET:HG2	1.83	0.59
1:A:268:LYS:HE3	1:A:288:LYS:HE3	1.84	0.59
1:A:243:SER:OG	1:A:244:VAL:N	2.36	0.59
1:B:210:ASN:N	1:B:210:ASN:OD1	2.34	0.59
1:A:428:TRP:NE1	1:A:454:GLU:OE1	2.35	0.59
1:B:218:ARG:NH1	1:B:236:ASP:OD2	2.35	0.59
1:B:480:ARG:NH2	1:B:501:ASN:OD1	2.36	0.58
1:B:243:SER:OG	1:B:244:VAL:N	2.37	0.58
1:B:432:GLU:OE2	1:B:506:ARG:NH1	2.23	0.57
1:B:352:SER:OG	1:B:353:ASP:N	2.36	0.57
1:A:483:ARG:NH1	1:A:487:CYS:O	2.36	0.57
1:B:435:ASN:OD1	1:B:435:ASN:N	2.33	0.57
1:B:265:GLU:OE1	1:B:265:GLU:N	2.33	0.56
1:A:297:MET:HE3	1:A:307:PHE:HZ	1.69	0.56
1:A:452:LEU:HD23	1:A:495:MET:HG2	1.88	0.56
1:A:393:LEU:HG	1:A:403:ALA:HB2	1.88	0.55
1:A:456:VAL:HG11	1:A:487:CYS:HB2	1.89	0.55
1:B:370:ILE:HD13	1:B:451:LEU:HD21	1.89	0.55
1:B:102:LEU:HD21	1:B:129:LYS:HB2	1.87	0.55
4:B:602:VSA:H13	4:B:602:VSA:CAK	2.21	0.54
1:B:474:ALA:HB1	1:B:479:TYR:HB3	1.91	0.53
1:B:181:THR:OG1	1:B:204:LYS:NZ	2.39	0.53
1:B:456:VAL:HG11	1:B:487:CYS:HB2	1.92	0.52
1:A:235:ASN:OD1	1:A:235:ASN:N	2.42	0.52
1:A:323:VAL:HG21	1:A:393:LEU:HD12	1.91	0.51
1:A:234:GLY:H	1:A:241:LYS:HD2	1.75	0.51
1:B:119:TRP:CD1	1:B:257:LYS:HG3	2.45	0.51
1:A:386:ASP:OD2	1:A:391:ASN:ND2	2.44	0.51
1:B:432:GLU:HA	1:B:436:PHE:HD2	1.76	0.50
1:B:235:ASN:O	1:B:235:ASN:ND2	2.44	0.50
1:B:303:SER:OG	1:B:304:VAL:N	2.43	0.50
1:B:349:PHE:O	1:B:355:GLY:HA3	2.12	0.50
1:A:523:THR:O	1:B:490:GLU:HG2	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:427:LYS:HD3	1:B:463:TYR:HD1	1.77	0.49
1:B:386:ASP:OD1	1:B:388:ARG:NE	2.46	0.48
1:A:110:MET:HB3	1:A:124:SER:HA	1.93	0.48
1:B:151:PHE:CD1	1:B:174:MET:HB2	2.48	0.48
1:B:115:GLU:HA	1:B:120:TRP:CD1	2.49	0.47
1:A:490:GLU:HG2	1:B:523:THR:O	2.14	0.47
1:B:160:GLU:HA	1:B:200:VAL:HG21	1.96	0.47
1:B:210:ASN:N	1:B:211:GLY:HA2	2.28	0.47
1:B:232:LYS:HA	1:B:242:LEU:HB2	1.96	0.47
1:A:288:LYS:N	1:A:288:LYS:HD2	2.30	0.46
1:A:489:GLU:OE2	1:B:206:ARG:NH2	2.49	0.46
1:A:329:VAL:HB	1:A:335:TYR:HB2	1.97	0.46
1:A:178:SER:OG	1:A:186:SER:OG	2.35	0.45
1:B:338:THR:HG21	4:B:602:VSA:H15	1.98	0.45
1:B:530:ILE:HD12	1:B:531:PRO:HD2	1.98	0.45
1:A:360:LEU:HD21	1:A:488:PRO:HD3	1.99	0.44
1:A:228:VAL:O	1:A:232:LYS:HG3	2.16	0.44
1:B:349:PHE:O	1:B:352:SER:HB3	2.17	0.44
1:B:504:GLU:H	1:B:504:GLU:CD	2.24	0.44
1:B:193:ASP:O	1:B:197:GLY:N	2.43	0.43
1:A:231:TYR:CE1	1:A:236:ASP:HB3	2.52	0.43
1:B:150:PHE:HE2	1:B:152:LYS:HD2	1.83	0.43
1:B:440:THR:OG1	1:B:441:ILE:N	2.51	0.43
1:A:185:TYR:O	1:A:205:ILE:HB	2.17	0.43
1:B:393:LEU:HG	1:B:403:ALA:HB2	2.01	0.43
1:B:295:LYS:HG2	1:B:297:MET:HE2	2.01	0.43
1:A:468:ASN:O	1:A:472:ILE:HG13	2.19	0.43
1:A:487:CYS:HA	1:A:488:PRO:HD3	1.89	0.43
1:B:385:ARG:HD2	1:B:439:PHE:CG	2.54	0.43
1:B:467:SER:OG	1:B:468:ASN:N	2.52	0.42
1:A:328:VAL:HG23	1:A:336:ILE:HD13	2.01	0.42
1:A:460:ARG:NH2	1:A:481:MET:SD	2.92	0.42
1:A:151:PHE:CD1	1:A:174:MET:HB2	2.55	0.42
1:B:343:LYS:HB2	1:B:394:VAL:HB	2.02	0.42
1:A:432:GLU:H	1:A:432:GLU:HG3	1.39	0.42
1:B:250:LYS:HA	1:B:251:PRO:HD2	1.94	0.42
1:A:115:GLU:HA	1:A:120:TRP:CD1	2.56	0.41
1:B:323:VAL:CG1	1:B:403:ALA:HA	2.51	0.41
1:B:239:CYS:SG	1:B:240:GLN:N	2.94	0.41
1:B:530:ILE:HA	1:B:531:PRO:HD2	1.97	0.41
1:A:163:LEU:HG	1:A:174:MET:HE3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:LEU:HD21	4:A:602:VSA:CAF	2.49	0.41
1:A:427:LYS:HZ3	1:A:461:ILE:HD11	1.86	0.41
1:B:119:TRP:CG	1:B:257:LYS:HG3	2.56	0.41
1:B:342:ALA:HB3	1:B:396:ALA:HB2	2.02	0.41
1:B:483:ARG:HA	1:B:484:PRO:HD3	1.87	0.41
1:A:358:GLN:HA	1:A:359:PRO:HD3	1.89	0.41
1:A:427:LYS:NZ	1:A:461:ILE:HD11	2.36	0.41
1:A:504:GLU:H	1:A:504:GLU:CD	2.29	0.41
1:B:380:ARG:HD3	1:B:380:ARG:HA	1.80	0.41
4:B:602:VSA:H14	4:B:602:VSA:NAA	2.32	0.40
1:B:281:VAL:HG11	4:B:602:VSA:CAM	2.51	0.40
1:A:480:ARG:HG3	1:A:496:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/454 (92%)	392 (94%)	20 (5%)	6 (1%)	9	8
1	B	429/454 (94%)	402 (94%)	23 (5%)	4 (1%)	14	17
All	All	847/908 (93%)	794 (94%)	43 (5%)	10 (1%)	10	11

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	182	LYS
1	A	405	PHE
1	A	302	MET
1	B	405	PHE
1	B	432	GLU
1	A	304	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	486	ASN
1	B	434	ILE
1	B	431	PRO
1	A	410	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/393 (94%)	352 (95%)	18 (5%)	22	33
1	B	377/393 (96%)	354 (94%)	23 (6%)	17	24
All	All	747/786 (95%)	706 (94%)	41 (6%)	19	28

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	ILE
1	A	92	TYR
1	A	116	SER
1	A	143	SER
1	A	170	LEU
1	A	178	SER
1	A	219	SER
1	A	223	THR
1	A	241	LYS
1	A	269	LEU
1	A	302	MET
1	A	304	VAL
1	A	328	VAL
1	A	353	ASP
1	A	387	LEU
1	A	432	GLU
1	A	461	ILE
1	A	530	ILE
1	B	141	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	190	ARG
1	B	207	THR
1	B	210	ASN
1	B	225	GLN
1	B	233	LYS
1	B	257	LYS
1	B	280	GLU
1	B	296	THR
1	B	325	LEU
1	B	352	SER
1	B	367	SER
1	B	383	ILE
1	B	387	LEU
1	B	407	LEU
1	B	426	ILE
1	B	432	GLU
1	B	434	ILE
1	B	435	ASN
1	B	440	THR
1	B	461	ILE
1	B	468	ASN
1	B	475	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	98	HIS
1	A	358	GLN
1	A	513	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	B	527	1,2	15,16,17	1.35	1 (6%)	17,22,24	0.40	0
1	PTR	A	527	1,2	15,16,17	1.36	1 (6%)	17,22,24	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	B	527	1,2	-	0/10/11/13	0/1/1/1
1	PTR	A	527	1,2	-	1/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	PTR	OH-CZ	-4.60	1.30	1.40
1	B	527	PTR	OH-CZ	-4.60	1.30	1.40

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	527	PTR	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	VSA	A	602	-	35,35,35	1.05	3 (8%)	46,49,49	1.95	12 (26%)
4	VSA	B	602	-	35,35,35	1.05	3 (8%)	46,49,49	1.95	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	VSA	A	602	-	-	0/16/23/23	0/5/5/5
4	VSA	B	602	-	-	2/16/23/23	0/5/5/5

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	602	VSA	C5-CBA	-2.81	1.39	1.46
4	A	602	VSA	C5-C6	-2.79	1.39	1.42
4	B	602	VSA	C5-CBA	-2.72	1.39	1.46
4	B	602	VSA	CAM-NBE	-2.65	1.33	1.38
4	A	602	VSA	CAM-NBE	-2.64	1.33	1.38
4	B	602	VSA	C5-C6	-2.57	1.39	1.42

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	602	VSA	C5-C4-N3	-6.85	119.71	126.97
4	B	602	VSA	C5-C4-N3	-6.32	120.26	126.97
4	B	602	VSA	CAJ-CAY-CBA	-4.76	115.02	120.98
4	B	602	VSA	N1-C2-N3	-4.74	121.41	128.58
4	A	602	VSA	N1-C2-N3	-4.74	121.41	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	602	VSA	C6-C5-C4	3.98	118.72	115.74
4	A	602	VSA	CAJ-CAY-CBA	-3.69	116.35	120.98
4	A	602	VSA	C2-N3-C4	3.40	120.14	111.83
4	B	602	VSA	CAK-CAY-CBA	3.39	125.23	120.98
4	B	602	VSA	C2-N3-C4	3.31	119.92	111.83
4	B	602	VSA	C6-C5-C4	3.28	118.20	115.74
4	A	602	VSA	CBA-CAM-NBE	-2.84	109.35	110.54
4	B	602	VSA	CBA-CAM-NBE	-2.64	109.44	110.54
4	A	602	VSA	N3-C4-NBE	2.58	131.56	127.17
4	A	602	VSA	C4-NBE-CAM	2.43	109.08	108.08
4	B	602	VSA	CAP-CBD-NBE	-2.33	108.17	114.39
4	A	602	VSA	CAP-CBD-NBE	-2.31	108.21	114.39
4	A	602	VSA	CAK-CAY-CBA	2.22	123.77	120.98
4	B	602	VSA	C4-NBE-CAM	2.14	108.97	108.08
4	B	602	VSA	CAY-CBA-CAM	-2.12	120.25	124.37
4	A	602	VSA	CAX-NAU-CAV	2.06	130.82	126.61
4	A	602	VSA	CAQ-CBD-NBE	-2.06	108.89	114.39
4	B	602	VSA	N3-C4-NBE	2.04	130.63	127.17

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	602	VSA	CAP-CBD-NBE-CAM
4	B	602	VSA	CAP-CBD-NBE-C4


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	602	VSA	2	0
4	B	602	VSA	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/454 (93%)	0.72	40 (9%) 14 11	37, 62, 103, 117	1 (0%)
1	B	433/454 (95%)	0.96	47 (10%) 10 8	42, 74, 116, 129	1 (0%)
All	All	857/908 (94%)	0.84	87 (10%) 12 10	37, 69, 112, 129	2 (0%)

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	425	PRO	4.6
1	B	304	VAL	4.3
1	B	475	LEU	4.2
1	B	436	PHE	3.9
1	A	223	THR	3.9
1	B	407	LEU	3.8
1	A	407	LEU	3.7
1	B	411	ILE	3.6
1	B	406	GLY	3.5
1	A	425	PRO	3.4
1	A	404	ASP	3.3
1	A	242	LEU	3.3
1	B	207	THR	3.3
1	B	468	ASN	3.3
1	B	471	VAL	3.3
1	B	530	ILE	3.3
1	B	404	ASP	3.2
1	B	194	PRO	3.2
1	A	304	VAL	3.1
1	B	220	THR	3.0
1	A	217	PRO	3.0
1	B	405	PHE	3.0
1	B	466	MET	2.9
1	A	408	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	PHE	2.9
1	B	472	ILE	2.9
1	A	410	VAL	2.9
1	A	307	PHE	2.9
1	B	297	MET	2.9
1	B	531	PRO	2.9
1	B	465	GLY	2.9
1	A	220	THR	2.8
1	A	406	GLY	2.8
1	B	196	GLN	2.8
1	A	411	ILE	2.7
1	A	216	SER	2.7
1	A	530	ILE	2.7
1	B	426	ILE	2.7
1	A	409	ARG	2.7
1	A	234	GLY	2.6
1	A	224	LEU	2.6
1	A	302	MET	2.6
1	B	410	VAL	2.5
1	A	219	SER	2.5
1	B	478	GLY	2.5
1	A	185	TYR	2.5
1	A	331	LYS	2.4
1	A	227	LEU	2.4
1	B	307	PHE	2.4
1	B	193	ASP	2.4
1	B	208	LEU	2.4
1	A	206	ARG	2.4
1	B	213	PHE	2.4
1	B	233	LYS	2.4
1	B	474	ALA	2.4
1	A	531	PRO	2.3
1	A	167	GLY	2.3
1	B	296	THR	2.2
1	A	243	SER	2.2
1	A	472	ILE	2.2
1	B	239	CYS	2.2
1	A	182	LYS	2.2
1	A	405	PHE	2.2
1	A	439	PHE	2.2
1	B	131	GLY	2.2
1	B	441	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	303	SER	2.2
1	B	438	SER	2.2
1	A	229	ASP	2.2
1	A	244	VAL	2.1
1	A	289	HIS	2.1
1	B	479	TYR	2.1
1	B	257	LYS	2.1
1	B	247	MET	2.1
1	A	505	GLU	2.1
1	A	314	MET	2.1
1	A	231	TYR	2.1
1	B	248	SER	2.1
1	A	299	PRO	2.1
1	B	278	PHE	2.1
1	B	139	ALA	2.1
1	A	222	SER	2.1
1	B	428	TRP	2.0
1	B	473	ARG	2.0
1	B	469	PRO	2.0
1	B	243	SER	2.0
1	B	492	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	A	527	16/17	0.93	0.11	59,65,72,73	0
1	PTR	B	527	16/17	0.96	0.10	47,53,60,60	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	601	1/1	0.41	0.32	88,88,88,88	0
2	CA	B	601	1/1	0.60	0.23	65,65,65,65	0
4	VSA	B	602	31/31	0.91	0.13	48,64,95,97	0
4	VSA	A	602	31/31	0.93	0.11	39,50,76,86	0
3	CL	A	603	1/1	0.94	0.12	66,66,66,66	0
3	CL	B	603	1/1	0.94	0.12	78,78,78,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.