



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:09 PM UTC

PDB ID : 3VSI / pdb_00003vsi
Title : Crystal structure of native 1,6-APD (2-Animophenol-1,6-dioxygenase)
complex with 4-Nitrocatechol
Authors : Li, D.F.; Hou, Y.J.; Hu, Y.; Wang, D.C.; Liu, W.
Deposited on : 2012-04-25
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	 80% 17% .
1	C	271	 79% 19% .
2	B	312	 78% 16% . .
2	D	312	 78% 16% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-amino-5-chlorophenol 1,6-dioxygenase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	270	Total	C	N	O	S	0	0	0
			2056	1303	358	389	6			
1	C	270	Total	C	N	O	S	0	0	0
			2056	1303	358	389	6			


- Molecule 2 is a protein called 2-amino-5-chlorophenol 1,6-dioxygenase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	304	Total	C	N	O	S	0	0	0
			2410	1541	415	439	15			
2	D	299	Total	C	N	O	S	0	0	0
			2379	1524	409	431	15			

- Molecule 3 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Fe	0	0
			1	1		
3	D	1	Total	Fe	0	0
			1	1		

- Molecule 4 is 4-NITROCATÉCHOL (CCD ID: 4NC) (formula: C₆H₅NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			11	6	1	4		
4	D	1	Total	C	N	O	0	0
			11	6	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	107	Total	O	0	0
			107	107		
5	B	62	Total	O	0	0
			62	62		
5	C	59	Total	O	0	0
			59	59		
5	D	43	Total	O	0	0
			43	43		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2-amino-5-chlorophenol 1,6-dioxygenase alpha subunit




- Molecule 1: 2-amino-5-chlorophenol 1,6-dioxygenase alpha subunit




- Molecule 2: 2-amino-5-chlorophenol 1,6-dioxygenase beta subunit



- Molecule 2: 2-amino-5-chlorophenol 1,6-dioxygenase beta subunit





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	272.73Å 48.26Å 108.12Å 90.00° 109.61° 90.00°	Depositor
Resolution (Å)	48.63 – 2.50 48.63 – 2.50	Depositor EDS
% Data completeness (in resolution range)	90.8 (48.63-2.50) 90.8 (48.63-2.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.83 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.204 , 0.270 0.200 , 0.264	Depositor DCC
R_{free} test set	2121 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	48.8	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9196	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4NC, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2102	0.84	0/2860
1	C	0.47	0/2102	0.81	1/2860 (0.0%)
2	B	0.48	0/2478	0.83	2/3364 (0.1%)
2	D	0.46	0/2447	0.84	2/3322 (0.1%)
All	All	0.47	0/9129	0.83	5/12406 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	13	HIS	CA-C-N	-6.99	113.18	120.38
2	B	13	HIS	C-N-CA	-6.99	113.18	120.38
2	D	13	HIS	CA-C-N	-6.25	113.94	120.38
2	D	13	HIS	C-N-CA	-6.25	113.94	120.38
1	C	196	GLU	N-CA-C	-5.00	107.56	113.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2056	0	2027	31	0
1	C	2056	0	2027	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	2410	0	2359	42	0
2	D	2379	0	2334	39	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	B	11	0	3	1	0
4	D	11	0	3	0	0
5	A	107	0	0	1	0
5	B	62	0	0	1	0
5	C	59	0	0	1	0
5	D	43	0	0	0	0
All	All	9196	0	8753	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:22:ASN:HD21	2:B:30:SER:H	1.19	0.87
1:A:47:LEU:HD22	1:A:239:TRP:HZ2	1.46	0.81
2:B:208:MET:HA	2:B:208:MET:HE2	1.72	0.71
2:B:282:THR:HG21	4:B:402:4NC:H6	1.74	0.69
2:B:279:VAL:O	2:B:282:THR:HB	1.93	0.68
1:C:13:PRO:HB2	1:C:17:LEU:HD22	1.74	0.68
1:A:100:SER:HA	1:A:157:LEU:HD11	1.76	0.66
1:A:47:LEU:HD22	1:A:239:TRP:CZ2	2.30	0.66
2:B:164:MET:HA	2:B:164:MET:HE3	1.80	0.64
1:C:201:TRP:O	1:C:205:VAL:HG12	1.98	0.64
1:A:142:ASN:HD21	1:A:232:MET:HG2	1.62	0.64
2:B:26:ASN:HD21	2:B:91:ARG:H	1.47	0.62
1:A:77:TYR:OH	2:B:70:HIS:CD2	2.53	0.61
2:D:174:THR:O	2:D:178:ILE:HG12	2.00	0.60
1:A:142:ASN:ND2	1:A:232:MET:HG2	2.15	0.60
1:A:77:TYR:OH	2:B:70:HIS:HD2	1.84	0.59
1:C:71:HIS:HD2	2:D:126:ARG:HH22	1.51	0.59
2:B:82:VAL:HG22	2:B:91:ARG:HG2	1.85	0.59
1:A:13:PRO:HB2	1:A:17:LEU:HD22	1.85	0.58
1:A:47:LEU:HD11	1:A:158:ALA:HB3	1.85	0.58
1:C:59:GLN:HE21	1:C:59:GLN:HA	1.67	0.58
2:B:57:LEU:HG	2:B:147:VAL:HB	1.85	0.57
2:D:26:ASN:HD21	2:D:91:ARG:H	1.53	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:72:LEU:HD22	2:D:148:GLY:HA3	1.85	0.57
2:D:142:TRP:HA	2:D:142:TRP:CE3	2.39	0.57
1:C:100:SER:HA	1:C:157:LEU:HD11	1.86	0.56
2:D:208:MET:HA	2:D:208:MET:HE2	1.88	0.56
2:B:2:GLN:HG3	2:B:300:GLY:O	2.05	0.56
5:C:333:HOH:O	2:D:85:ILE:HG23	2.06	0.56
1:C:202:ASN:O	1:C:206:LEU:HB2	2.06	0.56
2:D:84:PRO:HG2	2:D:85:ILE:HD12	1.87	0.55
2:D:229:MET:CB	2:D:287:MET:HE1	2.37	0.55
1:C:187:ASP:HB3	1:C:190:GLU:HG2	1.88	0.55
2:D:241:LEU:O	2:D:245:ILE:HG12	2.07	0.54
1:A:53:TRP:CH2	1:A:115:PHE:HZ	2.25	0.54
1:C:205:VAL:HG11	1:C:224:TYR:CE2	2.42	0.54
1:A:202:ASN:O	1:A:206:LEU:HB2	2.07	0.53
1:A:152:GLU:HG2	1:A:238:HIS:O	2.08	0.53
2:B:28:PRO:HB3	2:B:91:ARG:HH21	1.72	0.53
2:D:142:TRP:HA	2:D:142:TRP:HE3	1.74	0.52
2:B:13:HIS:HE1	2:B:61:PRO:HG2	1.74	0.52
2:D:229:MET:HB3	2:D:287:MET:HE1	1.92	0.51
2:D:264:MET:O	2:D:265:GLN:HB2	2.10	0.51
1:A:49:TYR:HB2	1:A:239:TRP:CD2	2.45	0.51
2:B:174:THR:O	2:B:178:ILE:HG12	2.10	0.51
1:C:186:ILE:HD13	1:C:260:TYR:CZ	2.46	0.51
2:B:219:TYR:CZ	2:D:208:MET:HG3	2.47	0.50
2:B:26:ASN:ND2	2:B:91:ARG:H	2.10	0.50
2:B:22:ASN:HD21	2:B:30:SER:N	1.99	0.50
2:D:55:VAL:HG11	2:D:102:LEU:CD2	2.41	0.50
2:B:292:ARG:C	2:B:294:ALA:H	2.19	0.50
1:A:85:ASP:OD2	1:A:87:ARG:NH1	2.44	0.50
2:B:195:HIS:HE1	5:B:512:HOH:O	1.93	0.49
1:C:205:VAL:HG11	1:C:224:TYR:CZ	2.46	0.49
2:B:92:TYR:OH	2:B:136:HIS:CD2	2.65	0.49
2:B:152:ASN:OD1	2:B:154:SER:OG	2.26	0.49
1:C:183:ARG:HH22	2:D:153:ASN:HB3	1.75	0.49
1:C:49:TYR:HB2	1:C:239:TRP:CE2	2.47	0.49
2:D:26:ASN:ND2	2:D:91:ARG:H	2.10	0.49
2:D:57:LEU:HD23	2:D:147:VAL:HB	1.94	0.49
1:A:205:VAL:HG21	1:A:224:TYR:CE2	2.48	0.49
1:A:35:GLY:O	1:A:38:LEU:HB3	2.12	0.49
1:A:236:HIS:CD2	1:A:236:HIS:H	2.31	0.49
1:C:152:GLU:HG2	1:C:238:HIS:O	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:53:TRP:CH2	1:C:60:GLN:OE1	2.66	0.49
2:B:14:PRO:HB2	2:B:279:VAL:HG11	1.94	0.48
2:B:92:TYR:OH	2:B:136:HIS:HD2	1.96	0.48
2:B:58:VAL:HG11	2:B:131:THR:HG23	1.95	0.48
2:D:35:GLU:H	2:D:35:GLU:HG2	1.43	0.48
1:A:55:ALA:O	1:A:143:ASN:HA	2.14	0.48
1:C:6:ALA:HB3	1:C:269:PHE:HB2	1.94	0.48
1:C:59:GLN:HA	1:C:59:GLN:NE2	2.29	0.48
1:C:143:ASN:HB3	1:C:146:HIS:CG	2.48	0.48
1:A:5:SER:HB3	1:A:7:PHE:HE1	1.79	0.47
2:D:13:HIS:N	2:D:14:PRO:CD	2.78	0.47
2:B:154:SER:HB2	2:B:163:GLY:HA2	1.96	0.46
2:D:17:LEU:HB2	2:D:137:LEU:HD21	1.97	0.46
2:D:273:LEU:HG	2:D:275:GLY:H	1.80	0.46
1:A:234:PHE:CE1	1:A:237:LEU:HD22	2.50	0.46
2:D:18:VAL:CG1	2:D:133:THR:HG23	2.46	0.46
2:D:63:TRP:CZ3	2:D:72:LEU:HD13	2.51	0.46
2:B:230:ARG:HH22	2:D:42:GLU:HG2	1.81	0.46
1:C:124:ALA:O	1:C:128:MET:HB2	2.16	0.45
2:D:176:GLU:HA	2:D:179:ARG:HG2	1.98	0.45
1:C:49:TYR:HB2	1:C:239:TRP:CD2	2.52	0.45
1:C:58:ASP:HB2	1:C:106:HIS:O	2.17	0.45
1:C:259:SER:O	1:C:262:SER:HB2	2.17	0.45
1:C:47:LEU:HD22	1:C:239:TRP:CZ2	2.51	0.45
1:A:142:ASN:HD21	1:A:232:MET:CG	2.29	0.44
2:D:48:LEU:HD22	2:D:138:ILE:HG12	1.99	0.44
1:A:157:LEU:C	1:A:157:LEU:HD23	2.43	0.44
2:B:208:MET:HG3	2:D:219:TYR:CE2	2.52	0.44
2:D:245:ILE:HD12	2:D:253:LYS:HB2	2.00	0.44
1:A:6:ALA:HB3	1:A:269:PHE:HB2	2.00	0.44
2:B:223:ILE:HG13	2:D:35:GLU:HG3	1.99	0.44
1:C:77:TYR:OH	2:D:70:HIS:HD2	2.00	0.44
1:A:181:LEU:HD21	5:A:379:HOH:O	2.17	0.43
2:B:213:PRO:HA	2:B:278:THR:HG21	1.99	0.43
2:B:154:SER:HB2	2:B:155:PRO:HD3	2.00	0.43
2:D:102:LEU:HD11	2:D:178:ILE:HD13	1.99	0.43
1:A:125:CYS:HA	1:A:130:ILE:HG13	2.00	0.43
2:B:219:TYR:OH	2:D:35:GLU:HG2	2.18	0.43
1:A:134:ALA:C	1:A:136:PRO:HD3	2.44	0.43
2:B:278:THR:HA	2:B:282:THR:O	2.19	0.43
1:A:58:ASP:OD2	1:A:58:ASP:N	2.41	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:153:ASN:HD22	2:B:153:ASN:HA	1.59	0.42
2:B:228:LEU:HB3	2:B:237:VAL:HG12	2.02	0.42
1:C:48:VAL:HG21	1:C:137:LEU:HD22	2.02	0.42
2:B:3:GLY:HA3	2:B:179:ARG:HA	2.01	0.42
2:B:111:ARG:HA	2:B:115:LEU:O	2.19	0.42
1:C:22:PRO:O	1:C:26:GLN:HG2	2.20	0.42
2:D:86:PHE:HB3	2:D:89:VAL:HG22	2.01	0.42
1:A:49:TYR:HB2	1:A:239:TRP:CE2	2.55	0.42
1:A:225:ALA:HA	1:A:230:VAL:HB	2.02	0.42
2:B:22:ASN:N	2:B:23:PRO:HD3	2.35	0.42
2:B:129:TYR:CD1	2:B:129:TYR:C	2.97	0.42
2:D:167:MET:HG2	2:D:255:GLY:HA3	2.02	0.41
2:D:278:THR:HA	2:D:282:THR:O	2.20	0.41
2:B:60:SER:HA	2:B:61:PRO:HD2	1.89	0.41
1:C:183:ARG:HH22	2:D:153:ASN:CB	2.33	0.41
2:D:57:LEU:HD11	2:D:178:ILE:HD11	2.01	0.41
2:B:212:TYR:O	2:B:281:GLY:HA2	2.20	0.41
1:A:53:TRP:HE3	1:A:53:TRP:C	2.29	0.41
1:A:216:ALA:O	1:A:219:GLU:HG3	2.21	0.40
2:B:45:ARG:HH21	2:B:137:LEU:HA	1.86	0.40
2:B:223:ILE:HD12	2:D:39:TRP:CH2	2.56	0.40
1:C:177:LEU:O	1:C:230:VAL:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/271 (99%)	257 (96%)	9 (3%)	2 (1%)	18	34
1	C	268/271 (99%)	258 (96%)	8 (3%)	2 (1%)	18	34
2	B	302/312 (97%)	285 (94%)	13 (4%)	4 (1%)	9	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	297/312 (95%)	286 (96%)	9 (3%)	2 (1%)	18	34
All	All	1135/1166 (97%)	1086 (96%)	39 (3%)	10 (1%)	14	27

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	197	HIS
1	A	57	LEU
2	B	153	ASN
1	A	231	ASP
2	B	293	LYS
1	C	231	ASP
1	C	249	SER
2	D	207	ASP
2	D	265	GLN
2	B	207	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/213 (100%)	193 (91%)	19 (9%)	9	19
1	C	212/213 (100%)	193 (91%)	19 (9%)	9	19
2	B	253/258 (98%)	238 (94%)	15 (6%)	18	37
2	D	251/258 (97%)	236 (94%)	15 (6%)	17	36
All	All	928/942 (98%)	860 (93%)	68 (7%)	13	27

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	14	LEU
1	A	16	GLN
1	A	17	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	20	GLU
1	A	38	LEU
1	A	47	LEU
1	A	53	TRP
1	A	58	ASP
1	A	62	LEU
1	A	127	LEU
1	A	144	LEU
1	A	154	LEU
1	A	157	LEU
1	A	206	LEU
1	A	208	LEU
1	A	234	PHE
1	A	260	TYR
1	A	271	LEU
2	B	18	VAL
2	B	26	ASN
2	B	35	GLU
2	B	72	LEU
2	B	96	LEU
2	B	116	VAL
2	B	124	LYS
2	B	137	LEU
2	B	153	ASN
2	B	154	SER
2	B	164	MET
2	B	179	ARG
2	B	192	THR
2	B	237	VAL
2	B	282	THR
1	C	5	SER
1	C	12	THR
1	C	14	LEU
1	C	17	LEU
1	C	27	LEU
1	C	53	TRP
1	C	62	LEU
1	C	90	THR
1	C	102	LEU
1	C	127	LEU
1	C	149	GLU
1	C	154	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	164	ASP
1	C	186	ILE
1	C	192	ARG
1	C	206	LEU
1	C	234	PHE
1	C	245	LYS
1	C	260	TYR
2	D	18	VAL
2	D	35	GLU
2	D	38	ARG
2	D	72	LEU
2	D	96	LEU
2	D	116	VAL
2	D	137	LEU
2	D	142	TRP
2	D	153	ASN
2	D	203	THR
2	D	204	ILE
2	D	231	GLN
2	D	237	VAL
2	D	268	GLU
2	D	269	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	71	HIS
1	A	236	HIS
2	B	22	ASN
2	B	26	ASN
2	B	70	HIS
2	B	136	HIS
2	B	153	ASN
2	B	231	GLN
1	C	59	GLN
1	C	71	HIS
1	C	252	ASN
2	D	26	ASN
2	D	31	GLN
2	D	59	HIS
2	D	70	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	136	HIS
2	D	153	ASN
2	D	220	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	4NC	B	402	3	11,11,11	1.70	1 (9%)	13,15,15	0.76	0
4	4NC	D	402	3	11,11,11	1.79	1 (9%)	13,15,15	1.08	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	4NC	B	402	3	-	0/2/4/4	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	4NC	D	402	3	-	0/2/4/4	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	402	4NC	C2-C1	5.13	1.48	1.40
4	B	402	4NC	C2-C1	4.82	1.48	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	402	4NC	C4-C3-C2	2.12	120.24	118.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	402	4NC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/271 (99%)	-0.37	0 100 100	19, 37, 62, 74	0
1	C	270/271 (99%)	0.08	2 (0%) 84 81	36, 52, 75, 82	0
2	B	304/312 (97%)	0.08	5 (1%) 70 67	34, 50, 72, 107	0
2	D	299/312 (95%)	0.15	10 (3%) 49 45	32, 51, 74, 107	0
All	All	1143/1166 (98%)	-0.01	17 (1%) 72 68	19, 49, 73, 107	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	198	PHE	3.5
2	B	198	PHE	3.4
2	D	199	HIS	3.0
2	B	199	HIS	2.8
2	D	195	HIS	2.8
2	D	226	ILE	2.6
2	B	226	ILE	2.4
2	B	129	TYR	2.4
2	D	196	TRP	2.4
2	D	1	MET	2.3
2	D	204	ILE	2.3
2	D	197	HIS	2.2
2	D	299	LEU	2.2
1	C	195	ASN	2.1
2	D	43	ARG	2.1
1	C	58	ASP	2.1
2	B	1	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	4NC	D	402	11/11	0.95	0.07	34,41,49,50	0
4	4NC	B	402	11/11	0.97	0.06	40,44,49,51	0
3	FE	B	401	1/1	0.99	0.02	45,45,45,45	0
3	FE	D	401	1/1	0.99	0.02	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.