



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:06 PM UTC

PDB ID : 3VVH / pdb_00003vvh
Title : X-ray structure of the human mitogen-activated protein kinase kinase 1 (MEK1) in complex with an inhibitor and MgATP
Authors : Kudo, N.; Kato, R.; Wakatsuki, S.
Deposited on : 2012-07-24
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	 3% 73% 11% 16%
1	B	341	 74% 10% 15%
1	C	341	 74% 9% 17%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dual specificity mitogen-activated protein kinase kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	6	0
			2276	1457	387	413	19			
1	B	290	Total	C	N	O	S	0	2	0
			2277	1458	383	418	18			
1	C	283	Total	C	N	O	S	0	1	0
			2211	1414	374	406	17			

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	61	MET	-	expression tag	UNP Q02750
A	394	LEU	-	expression tag	UNP Q02750
A	395	GLU	-	expression tag	UNP Q02750
A	396	HIS	-	expression tag	UNP Q02750
A	397	HIS	-	expression tag	UNP Q02750
A	398	HIS	-	expression tag	UNP Q02750
A	399	HIS	-	expression tag	UNP Q02750
A	400	HIS	-	expression tag	UNP Q02750
A	401	HIS	-	expression tag	UNP Q02750
B	61	MET	-	expression tag	UNP Q02750
B	394	LEU	-	expression tag	UNP Q02750
B	395	GLU	-	expression tag	UNP Q02750
B	396	HIS	-	expression tag	UNP Q02750
B	397	HIS	-	expression tag	UNP Q02750
B	398	HIS	-	expression tag	UNP Q02750
B	399	HIS	-	expression tag	UNP Q02750
B	400	HIS	-	expression tag	UNP Q02750
B	401	HIS	-	expression tag	UNP Q02750
C	61	MET	-	expression tag	UNP Q02750
C	394	LEU	-	expression tag	UNP Q02750
C	395	GLU	-	expression tag	UNP Q02750
C	396	HIS	-	expression tag	UNP Q02750
C	397	HIS	-	expression tag	UNP Q02750

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	398	HIS	-	expression tag	UNP Q02750
C	399	HIS	-	expression tag	UNP Q02750
C	400	HIS	-	expression tag	UNP Q02750
C	401	HIS	-	expression tag	UNP Q02750

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0


- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O P 31 10 5 13 3	0	0
3	B	1	Total C N O P 31 10 5 13 3	0	0
3	C	1	Total C N O P 31 10 5 13 3	0	0

- Molecule 4 is N-[[[(2R)-2,3-dihydroxypropyl]oxy}-3,4-difluoro-2-[(2-fluoro-4-iodophenyl)ami

no]benzamide (CCD ID: 4BM) (formula: C₁₆H₁₄F₃IN₂O₄).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	F	I	N	O	0	0
			26	16	3	1	2	4		
4	B	1	Total	C	F	I	N	O	0	0
			26	16	3	1	2	4		
4	C	1	Total	C	F	I	N	O	0	0
			26	16	3	1	2	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	72	Total	O	0	0
			72	72		
5	B	93	Total	O	0	0
			93	93		
5	C	65	Total	O	0	0
			65	65		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dual specificity mitogen-activated protein kinase kinase 1



- Molecule 1: Dual specificity mitogen-activated protein kinase kinase 1



- Molecule 1: Dual specificity mitogen-activated protein kinase kinase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.89Å 129.09Å 135.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	94.2 (20.00-2.00) 94.1 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.198 , 0.225 (Not available) , 0.224	Depositor DCC
R_{free} test set	3542 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	36.0	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 30.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.008 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7168	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4BM, MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/2350	0.80	0/3162
1	B	0.66	0/2331	0.80	0/3141
1	C	0.65	0/2261	0.79	0/3048
All	All	0.66	0/6942	0.79	0/9351

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2276	0	2322	20	0
1	B	2277	0	2304	21	0
1	C	2211	0	2236	23	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	1	0
3	C	31	0	12	2	0
4	A	26	0	14	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	26	0	14	1	0
4	C	26	0	14	3	0
5	A	72	0	0	1	0
5	B	93	0	0	3	0
5	C	65	0	0	2	0
All	All	7168	0	6940	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:MET:HE1	4:A:703:4BM:H19	1.52	0.91
1:A:103:ILE:HG12	1:A:108:ARG:HG2	1.64	0.79
1:C:108:ARG:HD2	1:C:134:TYR:CD1	2.22	0.74
3:B:502:ATP:O1G	5:B:602:HOH:O	2.08	0.71
1:A:186:ILE:HD13	1:A:211:VAL:HG12	1.74	0.69
1:B:108:ARG:HD2	1:B:134:TYR:CE1	2.27	0.69
1:B:119:HIS:HD2	5:B:612:HOH:O	1.76	0.69
1:C:61:MET:HE3	1:C:130:TYR:CD1	2.32	0.64
1:B:108:ARG:HD2	1:B:134:TYR:CD1	2.33	0.63
3:C:502:ATP:O1G	5:C:601:HOH:O	2.16	0.62
1:A:374:TRP:O	1:A:378:THR:HG23	2.00	0.61
1:C:264:PRO:HD3	1:C:308:MET:HE2	1.84	0.60
1:B:251:LEU:CD1	1:B:323:PRO:HG2	2.31	0.60
1:C:87:HIS:HD2	1:C:90:SER:OG	1.85	0.60
1:C:260:ARG:HH11	1:C:260:ARG:CG	2.15	0.59
1:A:87:HIS:HD2	1:A:90:SER:OG	1.85	0.58
1:B:188:HIS:CD2	1:B:209:PHE:HB3	2.40	0.57
1:A:230[A]:MET:HE3	1:A:234:ARG:HB3	1.89	0.55
1:A:201[A]:ARG:NH1	1:A:203:GLU:OE1	2.39	0.55
1:A:187:MET:HE2	1:A:189:ARG:HG2	1.89	0.54
1:C:188:HIS:CD2	1:C:209:PHE:HB3	2.42	0.54
1:B:87:HIS:HD2	1:B:90:SER:OG	1.92	0.53
1:C:162:PRO:HG2	1:C:165:ILE:HD12	1.89	0.53
1:B:162:PRO:HG2	1:B:165:ILE:HD12	1.92	0.52
1:A:186:ILE:CD1	1:A:211:VAL:HG12	2.39	0.52
1:B:322:PRO:HG3	1:B:344:LYS:HG3	1.93	0.51
4:A:703:4BM:H18	5:A:809:HOH:O	2.11	0.50
1:A:310:ILE:O	1:A:314:LEU:HG	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97:LYS:NZ	4:C:503:4BM:H18A	2.27	0.50
1:A:127:VAL:HG21	1:A:197:LEU:HD12	1.94	0.49
4:B:503:4BM:H18	5:B:644:HOH:O	2.12	0.49
1:C:260:ARG:HG3	1:C:260:ARG:NH1	2.28	0.48
1:B:381:LEU:HD22	1:B:382:ASN:H	1.79	0.48
1:C:325:LEU:HG	1:C:338:VAL:HG21	1.96	0.47
1:B:316:TYR:CE1	1:B:320:GLU:HG3	2.50	0.47
1:C:316:TYR:CE2	1:C:320:GLU:HG3	2.50	0.47
1:A:97:LYS:NZ	4:A:703:4BM:H18A	2.30	0.46
1:C:97:LYS:HZ2	4:C:503:4BM:H18A	1.80	0.46
1:C:127:VAL:HG21	1:C:197:LEU:HD12	1.96	0.46
1:C:260:ARG:CG	1:C:260:ARG:NH1	2.75	0.46
1:C:145:HIS:HE1	5:C:662:HOH:O	2.00	0.45
1:B:316:TYR:CD1	1:B:320:GLU:HG3	2.51	0.45
1:C:150:SER:HB3	3:C:502:ATP:O2'	2.16	0.45
1:B:363:ARG:HD3	1:B:367:GLU:OE2	2.16	0.45
1:B:165:ILE:HD13	1:B:374:TRP:CD2	2.52	0.45
1:C:320:GLU:HB3	1:C:321:PRO:HD2	1.99	0.45
1:B:187:MET:HE2	1:B:187:MET:HB2	1.81	0.44
1:A:165:ILE:HD12	1:A:371:PHE:HD1	1.83	0.44
1:B:251:LEU:HD11	1:B:323:PRO:HG2	1.99	0.44
1:B:134:TYR:OH	1:B:137:GLY:HA2	2.18	0.43
1:C:108:ARG:HD2	1:C:134:TYR:CG	2.51	0.43
1:C:127:VAL:O	4:C:503:4BM:I23	3.06	0.43
1:A:374:TRP:CE2	1:A:378:THR:HG21	2.52	0.43
1:B:210:GLY:HA3	1:B:216:ILE:HD11	2.00	0.43
1:C:308:MET:HE3	1:C:313:LEU:CD1	2.49	0.43
1:A:145:HIS:HD2	1:C:368:GLU:OE1	2.01	0.43
1:C:215:LEU:O	1:C:219:MET:HG2	2.20	0.42
1:C:229:TYR:HA	1:C:251:LEU:HD23	2.01	0.42
1:B:143:MET:SD	1:B:207[B]:CYS:SG	3.18	0.41
1:B:219:MET:O	1:B:220:ALA:C	2.63	0.41
1:B:215:LEU:HG	1:B:219:MET:HE2	2.03	0.41
1:A:188:HIS:CD2	1:A:209:PHE:HB3	2.55	0.41
1:A:189:ARG:NH2	1:A:240:TYR:OH	2.36	0.41
1:A:234:ARG:HG2	1:A:240:TYR:CG	2.55	0.41
1:B:173:VAL:HG22	1:B:206:LEU:HD21	2.02	0.40
1:A:179:TYR:OH	1:A:184:HIS:HE1	2.04	0.40
1:A:274:MET:HA	1:A:274:MET:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/341 (84%)	282 (98%)	4 (1%)	1 (0%)	36	35
1	B	288/341 (84%)	284 (99%)	4 (1%)	0	100	100
1	C	280/341 (82%)	275 (98%)	4 (1%)	1 (0%)	30	27
All	All	855/1023 (84%)	841 (98%)	12 (1%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	136	ASP
1	A	267	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/294 (87%)	244 (95%)	12 (5%)	23	22
1	B	254/294 (86%)	247 (97%)	7 (3%)	38	41
1	C	246/294 (84%)	244 (99%)	2 (1%)	73	80
All	All	756/882 (86%)	735 (97%)	21 (3%)	38	41

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	103	ILE
1	A	104	LYS
1	A	136	ASP
1	A	139	ILE
1	A	153	GLN
1	A	274	MET
1	A	310	ILE
1	A	313	LEU
1	A	329	VAL
1	A	353	LYS
1	A	357	VAL
1	B	126	ILE
1	B	154	VAL
1	B	181	ARG
1	B	186	ILE
1	B	187	MET
1	B	329	VAL
1	B	381	LEU
1	C	260	ARG
1	C	362	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	HIS
1	A	109	ASN
1	A	145	HIS
1	A	184	HIS
1	A	236	GLN
1	B	87	HIS
1	B	116	GLN
1	B	119	HIS
1	B	319	ASN
1	B	382	ASN
1	C	78	ASN
1	C	87	HIS
1	C	116	GLN
1	C	145	HIS
1	C	214	GLN
1	C	319	ASN
1	C	335	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ATP	B	502	2	32,33,33	1.31	6 (18%)	48,52,52	1.75	11 (22%)
4	4BM	C	503	-	26,27,27	2.45	5 (19%)	31,37,37	1.45	7 (22%)
3	ATP	A	702	2	32,33,33	1.35	4 (12%)	48,52,52	1.83	11 (22%)
4	4BM	B	503	-	26,27,27	2.54	5 (19%)	31,37,37	1.44	8 (25%)
4	4BM	A	703	-	26,27,27	2.42	5 (19%)	31,37,37	1.34	5 (16%)
3	ATP	C	502	2	32,33,33	1.38	4 (12%)	48,52,52	1.83	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	B	502	2	-	1/22/38/38	0/3/3/3
4	4BM	C	503	-	-	7/16/16/16	0/2/2/2
3	ATP	A	702	2	-	0/22/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	4BM	B	503	-	-	5/16/16/16	0/2/2/2
4	4BM	A	703	-	-	7/16/16/16	0/2/2/2
3	ATP	C	502	2	-	1/22/38/38	0/3/3/3

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	503	4BM	C01-C06	7.55	1.48	1.39
4	A	703	4BM	C01-C06	7.05	1.47	1.39
4	C	503	4BM	C01-C06	6.95	1.47	1.39
4	B	503	4BM	C09-C08	6.10	1.49	1.41
4	C	503	4BM	C09-C08	5.68	1.49	1.41
4	C	503	4BM	C12-C13	5.64	1.48	1.37
4	B	503	4BM	C12-C13	5.44	1.48	1.37
4	A	703	4BM	C09-C08	5.40	1.48	1.41
4	A	703	4BM	C12-C13	5.16	1.47	1.37
4	B	503	4BM	C08-C13	5.03	1.47	1.39
4	C	503	4BM	C08-C13	4.98	1.47	1.39
4	A	703	4BM	C08-C13	4.97	1.47	1.39
3	C	502	ATP	C5-C4	4.69	1.47	1.39
3	A	702	ATP	C5-C4	4.56	1.47	1.39
3	B	502	ATP	C5-C4	4.15	1.46	1.39
4	A	703	4BM	O17-N15	-2.93	1.34	1.40
3	C	502	ATP	C5-C6	2.70	1.48	1.41
4	C	503	4BM	O17-N15	-2.61	1.35	1.40
3	B	502	ATP	C5-C6	2.43	1.47	1.41
3	B	502	ATP	PB-O3B	2.42	1.62	1.59
4	B	503	4BM	O17-N15	-2.33	1.35	1.40
3	A	702	ATP	C4-N9	-2.31	1.32	1.37
3	C	502	ATP	C5-N7	-2.26	1.35	1.39
3	B	502	ATP	C5-N7	-2.20	1.35	1.39
3	B	502	ATP	C8-N7	2.15	1.35	1.31
3	A	702	ATP	C5-N7	-2.15	1.35	1.39
3	A	702	ATP	C5-C6	2.11	1.46	1.41
3	B	502	ATP	C4-N9	-2.07	1.33	1.37
3	C	502	ATP	C8-N7	2.06	1.35	1.31

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	ATP	C5-C4-N3	-5.93	118.56	126.72
3	B	502	ATP	C5-C4-N3	-5.14	119.64	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	ATP	N3-C4-N9	4.98	135.64	127.17
3	A	702	ATP	C5-C4-N3	-4.81	120.09	126.72
3	B	502	ATP	N3-C4-N9	4.60	134.98	127.17
3	A	702	ATP	N3-C4-N9	4.54	134.88	127.17
3	C	502	ATP	C2-N3-C4	3.79	121.08	111.83
3	B	502	ATP	N3-C2-N1	-3.69	123.00	128.58
3	A	702	ATP	C4-N9-C8	3.66	109.58	105.74
3	C	502	ATP	N3-C2-N1	-3.53	123.24	128.58
3	B	502	ATP	C2-N3-C4	3.48	120.32	111.83
3	B	502	ATP	C4-N9-C8	3.46	109.37	105.74
3	A	702	ATP	N3-C2-N1	-3.34	123.52	128.58
3	C	502	ATP	C4-C5-N7	-3.29	106.83	110.58
3	C	502	ATP	O2A-PA-O3A	3.25	116.05	107.27
4	C	503	4BM	C08-C09-C14	-3.11	117.70	120.85
3	A	702	ATP	C2-N3-C4	3.04	119.27	111.83
4	A	703	4BM	C02-C01-N07	2.97	127.27	121.32
4	B	503	4BM	C02-C01-N07	2.92	127.16	121.32
3	A	702	ATP	O3A-PA-O1A	-2.89	102.00	110.70
3	C	502	ATP	C4-N9-C8	2.85	108.73	105.74
3	A	702	ATP	O3B-PG-O1G	-2.84	96.09	111.04
3	B	502	ATP	O2A-PA-O3A	2.79	114.81	107.27
4	C	503	4BM	C05-C06-C01	-2.78	120.59	123.43
4	A	703	4BM	C08-C13-C12	-2.76	118.08	121.78
4	B	503	4BM	C08-C09-C14	-2.57	118.25	120.85
4	B	503	4BM	C05-C06-C01	-2.55	120.82	123.43
4	C	503	4BM	C02-C01-N07	2.53	126.37	121.32
3	B	502	ATP	C4-C5-N7	-2.51	107.71	110.58
4	C	503	4BM	O16-C14-C09	-2.48	116.48	121.03
4	C	503	4BM	C08-C13-C12	-2.47	118.47	121.78
3	C	502	ATP	C5-N7-C8	2.45	107.30	103.45
3	A	702	ATP	C4-C5-N7	-2.40	107.84	110.58
4	A	703	4BM	C08-C09-C14	-2.38	118.44	120.85
4	C	503	4BM	C10-C11-C12	2.38	121.97	119.04
3	B	502	ATP	N9-C8-N7	-2.27	110.72	113.94
3	C	502	ATP	O3G-PG-O2G	2.26	116.27	107.80
3	B	502	ATP	C2-N1-C6	2.24	122.40	118.73
3	A	702	ATP	C2-N1-C6	2.22	122.37	118.73
4	A	703	4BM	C05-C06-C01	-2.19	121.19	123.43
4	B	503	4BM	C08-N07-C01	2.18	127.73	123.02
3	A	702	ATP	C2'-C3'-C4'	2.16	106.78	102.61
3	B	502	ATP	C5-N7-C8	2.15	106.83	103.45
4	B	503	4BM	O16-C14-C09	-2.13	117.12	121.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	ATP	O2B-PB-O1B	2.12	122.32	112.44
4	B	503	4BM	C10-C11-C12	2.10	121.63	119.04
4	A	703	4BM	C08-N07-C01	2.08	127.53	123.02
4	B	503	4BM	F24-C06-C05	2.04	122.72	118.64
4	B	503	4BM	C08-C13-C12	-2.04	119.04	121.78
3	A	702	ATP	N9-C8-N7	-2.03	111.05	113.94
4	C	503	4BM	C08-N07-C01	2.02	127.39	123.02

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	703	4BM	C09-C14-N15-O17
4	A	703	4BM	O16-C14-N15-O17
4	A	703	4BM	O17-C18-C19-C20
4	A	703	4BM	C18-C19-C20-O22
4	B	503	4BM	C09-C14-N15-O17
4	B	503	4BM	O16-C14-N15-O17
4	B	503	4BM	C19-C18-O17-N15
4	C	503	4BM	C09-C14-N15-O17
4	C	503	4BM	O16-C14-N15-O17
4	C	503	4BM	C19-C18-O17-N15
4	C	503	4BM	O17-C18-C19-C20
4	C	503	4BM	C18-C19-C20-O22
4	A	703	4BM	O17-C18-C19-O21
4	C	503	4BM	O17-C18-C19-O21
4	A	703	4BM	O21-C19-C20-O22
4	B	503	4BM	O17-C18-C19-O21
4	B	503	4BM	O17-C18-C19-C20
4	C	503	4BM	O21-C19-C20-O22
4	A	703	4BM	C19-C18-O17-N15
3	B	502	ATP	PB-O3A-PA-O1A
3	C	502	ATP	PB-O3A-PA-O2A

There are no ring outliers.

5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	ATP	1	0
4	C	503	4BM	3	0
4	B	503	4BM	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	703	4BM	3	0
3	C	502	ATP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 4BM C 503




Ligand ATP A 702




Ligand 4BM B 503



Ligand 4BM A 703





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/341 (84%)	0.03	10 (3%) 47 46	21, 38, 70, 108	6 (2%)
1	B	290/341 (85%)	-0.22	1 (0%) 90 89	21, 36, 53, 84	2 (0%)
1	C	283/341 (82%)	-0.04	4 (1%) 73 73	22, 39, 59, 84	1 (0%)
All	All	860/1023 (84%)	-0.08	15 (1%) 69 68	21, 38, 61, 108	9 (1%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	268	ALA	4.8
1	A	273	LEU	3.4
1	A	311	PHE	3.4
1	C	329	VAL	2.7
1	A	306	PRO	2.6
1	A	269	LYS	2.4
1	A	309	ALA	2.3
1	A	274	MET	2.3
1	C	307	PRO	2.1
1	A	226	THR	2.1
1	A	275	PHE	2.1
1	A	266	PRO	2.1
1	A	268	ALA	2.1
1	B	274	MET	2.0
1	C	381	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ATP	A	702	31/31	0.97	0.06	25,32,42,44	0
2	MG	A	701	1/1	0.98	0.03	26,26,26,26	0
3	ATP	B	502	31/31	0.98	0.04	26,33,38,40	0
3	ATP	C	502	31/31	0.98	0.04	29,34,38,38	0
2	MG	C	501	1/1	0.99	0.05	27,27,27,27	0
4	4BM	A	703	26/26	0.99	0.09	31,40,63,71	0
4	4BM	B	503	26/26	0.99	0.07	28,34,56,59	0
4	4BM	C	503	26/26	0.99	0.09	30,34,57,61	0
2	MG	B	501	1/1	1.00	0.01	25,25,25,25	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP C 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4BM A 703:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4BM B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 4BM C 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.