



Full wwPDB EM Validation Report ⓘ

Mar 29, 2026 – 05:41 AM UTC

PDB ID : 8VWP / pdb_00008vwp
EMDB ID : EMD-43593
Title : Langya Virus attachment (G) glycoprotein with K85L/L86K mutation
Authors : Gibson, C.G.; McCallum, M.M.; Veesler, D.V.; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2024-02-02
Resolution : 3.21 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14613 (2.71 - 3.71)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	540	 84% 9% 7%
1	B	540	 84% 9% 7%
1	C	540	 84% 9% 7%
1	D	540	 84% 9% 7%

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 14820 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Langya virus attachment (G) protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	503	Total	C	N	O	S	0	1
			3691	2390	624	653	24		
1	B	503	Total	C	N	O	S	0	1
			3691	2390	624	653	24		
1	C	503	Total	C	N	O	S	0	1
			3691	2390	624	653	24		
1	D	503	Total	C	N	O	S	0	1
			3691	2390	624	653	24		

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total	C	N	O	0
			14	8	1	5	
2	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
2	C	1	Total	C	N	O	0
			14	8	1	5	
2	D	1	Total	C	N	O	0
			14	8	1	5	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	79301	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.042	Depositor
Minimum map value	-1.314	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.036	Depositor
Recommended contour level	0.265	Depositor
Map size ($\text{\AA}$)	391.6, 391.6, 391.6	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.89, 0.89, 0.89	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/3774	1.16	60/5142 (1.2%)
1	B	0.68	0/3774	1.16	60/5142 (1.2%)
1	C	0.68	0/3774	1.16	60/5142 (1.2%)
1	D	0.68	0/3774	1.16	60/5142 (1.2%)
All	All	0.68	0/15096	1.16	240/20568 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

There are no bond length outliers.

All (240) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168	THR	N-CA-C	14.72	128.64	111.71
1	B	168	THR	N-CA-C	14.72	128.64	111.71
1	C	168	THR	N-CA-C	14.72	128.64	111.71
1	D	168	THR	N-CA-C	14.72	128.64	111.71
1	A	407	GLU	N-CA-C	11.46	126.79	113.15
1	B	407	GLU	N-CA-C	11.46	126.79	113.15
1	C	407	GLU	N-CA-C	11.46	126.79	113.15
1	D	407	GLU	N-CA-C	11.46	126.79	113.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	313	MET	N-CA-C	-8.39	96.60	109.85
1	B	313	MET	N-CA-C	-8.39	96.60	109.85
1	C	313	MET	N-CA-C	-8.39	96.60	109.85
1	D	313	MET	N-CA-C	-8.39	96.60	109.85
1	A	168	THR	N-CA-CB	-7.70	98.36	110.22
1	B	168	THR	N-CA-CB	-7.70	98.36	110.22
1	C	168	THR	N-CA-CB	-7.70	98.36	110.22
1	D	168	THR	N-CA-CB	-7.70	98.36	110.22
1	A	432	PHE	CA-C-N	7.10	124.77	119.66
1	A	432	PHE	C-N-CA	7.10	124.77	119.66
1	B	432	PHE	CA-C-N	7.10	124.77	119.66
1	B	432	PHE	C-N-CA	7.10	124.77	119.66
1	C	432	PHE	CA-C-N	7.10	124.77	119.66
1	C	432	PHE	C-N-CA	7.10	124.77	119.66
1	D	432	PHE	CA-C-N	7.10	124.77	119.66
1	D	432	PHE	C-N-CA	7.10	124.77	119.66
1	A	308	GLU	CA-C-N	6.94	126.90	120.03
1	A	308	GLU	C-N-CA	6.94	126.90	120.03
1	B	308	GLU	CA-C-N	6.94	126.90	120.03
1	B	308	GLU	C-N-CA	6.94	126.90	120.03
1	C	308	GLU	CA-C-N	6.94	126.90	120.03
1	C	308	GLU	C-N-CA	6.94	126.90	120.03
1	D	308	GLU	CA-C-N	6.94	126.90	120.03
1	D	308	GLU	C-N-CA	6.94	126.90	120.03
1	A	265	GLY	CA-C-N	6.91	126.83	119.85
1	A	265	GLY	C-N-CA	6.91	126.83	119.85
1	B	265	GLY	CA-C-N	6.91	126.83	119.85
1	B	265	GLY	C-N-CA	6.91	126.83	119.85
1	C	265	GLY	CA-C-N	6.91	126.83	119.85
1	C	265	GLY	C-N-CA	6.91	126.83	119.85
1	D	265	GLY	CA-C-N	6.91	126.83	119.85
1	D	265	GLY	C-N-CA	6.91	126.83	119.85
1	A	433	PRO	CA-C-N	6.87	126.50	119.56
1	A	433	PRO	C-N-CA	6.87	126.50	119.56
1	B	433	PRO	CA-C-N	6.87	126.50	119.56
1	B	433	PRO	C-N-CA	6.87	126.50	119.56
1	C	433	PRO	CA-C-N	6.87	126.50	119.56
1	C	433	PRO	C-N-CA	6.87	126.50	119.56
1	D	433	PRO	CA-C-N	6.87	126.50	119.56
1	D	433	PRO	C-N-CA	6.87	126.50	119.56
1	A	407	GLU	N-CA-CB	-6.51	100.44	110.46
1	B	407	GLU	N-CA-CB	-6.51	100.44	110.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	407	GLU	N-CA-CB	-6.51	100.44	110.46
1	D	407	GLU	N-CA-CB	-6.51	100.44	110.46
1	A	424	LYS	CA-C-N	6.42	126.33	119.85
1	A	424	LYS	C-N-CA	6.42	126.33	119.85
1	B	424	LYS	CA-C-N	6.42	126.33	119.85
1	B	424	LYS	C-N-CA	6.42	126.33	119.85
1	C	424	LYS	CA-C-N	6.42	126.33	119.85
1	C	424	LYS	C-N-CA	6.42	126.33	119.85
1	D	424	LYS	CA-C-N	6.42	126.33	119.85
1	D	424	LYS	C-N-CA	6.42	126.33	119.85
1	A	167	THR	CB-CA-C	6.41	122.49	110.63
1	B	167	THR	CB-CA-C	6.41	122.49	110.63
1	C	167	THR	CB-CA-C	6.41	122.49	110.63
1	D	167	THR	CB-CA-C	6.41	122.49	110.63
1	A	555	LEU	CA-C-N	6.31	125.93	119.56
1	A	555	LEU	C-N-CA	6.31	125.93	119.56
1	B	555	LEU	CA-C-N	6.31	125.93	119.56
1	B	555	LEU	C-N-CA	6.31	125.93	119.56
1	C	555	LEU	CA-C-N	6.31	125.93	119.56
1	C	555	LEU	C-N-CA	6.31	125.93	119.56
1	D	555	LEU	CA-C-N	6.31	125.93	119.56
1	D	555	LEU	C-N-CA	6.31	125.93	119.56
1	A	269	SER	CA-C-N	6.26	126.21	119.76
1	A	269	SER	C-N-CA	6.26	126.21	119.76
1	B	269	SER	CA-C-N	6.26	126.21	119.76
1	B	269	SER	C-N-CA	6.26	126.21	119.76
1	C	269	SER	CA-C-N	6.26	126.21	119.76
1	C	269	SER	C-N-CA	6.26	126.21	119.76
1	D	269	SER	CA-C-N	6.26	126.21	119.76
1	D	269	SER	C-N-CA	6.26	126.21	119.76
1	A	278	ASN	CA-C-N	6.25	125.94	119.56
1	A	278	ASN	C-N-CA	6.25	125.94	119.56
1	B	278	ASN	CA-C-N	6.25	125.94	119.56
1	B	278	ASN	C-N-CA	6.25	125.94	119.56
1	C	278	ASN	CA-C-N	6.25	125.94	119.56
1	C	278	ASN	C-N-CA	6.25	125.94	119.56
1	D	278	ASN	CA-C-N	6.25	125.94	119.56
1	D	278	ASN	C-N-CA	6.25	125.94	119.56
1	A	575	ILE	N-CA-C	6.22	117.10	108.89
1	B	575	ILE	N-CA-C	6.22	117.10	108.89
1	C	575	ILE	N-CA-C	6.22	117.10	108.89
1	D	575	ILE	N-CA-C	6.22	117.10	108.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	502	CYS	CA-C-N	6.20	126.15	119.76
1	A	502	CYS	C-N-CA	6.20	126.15	119.76
1	B	502	CYS	CA-C-N	6.20	126.15	119.76
1	B	502	CYS	C-N-CA	6.20	126.15	119.76
1	C	502	CYS	CA-C-N	6.20	126.15	119.76
1	C	502	CYS	C-N-CA	6.20	126.15	119.76
1	D	502	CYS	CA-C-N	6.20	126.15	119.76
1	D	502	CYS	C-N-CA	6.20	126.15	119.76
1	A	206	VAL	CA-C-N	6.20	126.16	120.03
1	A	206	VAL	C-N-CA	6.20	126.16	120.03
1	B	206	VAL	CA-C-N	6.20	126.16	120.03
1	B	206	VAL	C-N-CA	6.20	126.16	120.03
1	C	206	VAL	CA-C-N	6.20	126.16	120.03
1	C	206	VAL	C-N-CA	6.20	126.16	120.03
1	D	206	VAL	CA-C-N	6.20	126.16	120.03
1	D	206	VAL	C-N-CA	6.20	126.16	120.03
1	A	178	LYS	CA-C-N	6.08	126.04	119.78
1	A	178	LYS	C-N-CA	6.08	126.04	119.78
1	B	178	LYS	CA-C-N	6.08	126.04	119.78
1	B	178	LYS	C-N-CA	6.08	126.04	119.78
1	C	178	LYS	CA-C-N	6.08	126.04	119.78
1	C	178	LYS	C-N-CA	6.08	126.04	119.78
1	D	178	LYS	CA-C-N	6.08	126.04	119.78
1	D	178	LYS	C-N-CA	6.08	126.04	119.78
1	A	515	PHE	CA-C-N	6.03	126.34	119.83
1	A	515	PHE	C-N-CA	6.03	126.34	119.83
1	B	515	PHE	CA-C-N	6.03	126.34	119.83
1	B	515	PHE	C-N-CA	6.03	126.34	119.83
1	C	515	PHE	CA-C-N	6.03	126.34	119.83
1	C	515	PHE	C-N-CA	6.03	126.34	119.83
1	D	515	PHE	CA-C-N	6.03	126.34	119.83
1	D	515	PHE	C-N-CA	6.03	126.34	119.83
1	A	323	GLU	CA-C-N	5.93	125.87	119.76
1	A	323	GLU	C-N-CA	5.93	125.87	119.76
1	B	323	GLU	CA-C-N	5.93	125.87	119.76
1	B	323	GLU	C-N-CA	5.93	125.87	119.76
1	C	323	GLU	CA-C-N	5.93	125.87	119.76
1	C	323	GLU	C-N-CA	5.93	125.87	119.76
1	D	323	GLU	CA-C-N	5.93	125.87	119.76
1	D	323	GLU	C-N-CA	5.93	125.87	119.76
1	A	405	SER	N-CA-C	5.89	119.12	109.76
1	B	405	SER	N-CA-C	5.89	119.12	109.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	405	SER	N-CA-C	5.89	119.12	109.76
1	D	405	SER	N-CA-C	5.89	119.12	109.76
1	A	470	THR	CA-C-N	5.89	125.50	119.56
1	A	470	THR	C-N-CA	5.89	125.50	119.56
1	B	470	THR	CA-C-N	5.89	125.50	119.56
1	B	470	THR	C-N-CA	5.89	125.50	119.56
1	C	470	THR	CA-C-N	5.89	125.50	119.56
1	C	470	THR	C-N-CA	5.89	125.50	119.56
1	D	470	THR	CA-C-N	5.89	125.50	119.56
1	D	470	THR	C-N-CA	5.89	125.50	119.56
1	A	101	LYS	CA-C-N	5.84	125.32	119.24
1	A	101	LYS	C-N-CA	5.84	125.32	119.24
1	B	101	LYS	CA-C-N	5.84	125.32	119.24
1	B	101	LYS	C-N-CA	5.84	125.32	119.24
1	C	101	LYS	CA-C-N	5.84	125.32	119.24
1	C	101	LYS	C-N-CA	5.84	125.32	119.24
1	D	101	LYS	CA-C-N	5.84	125.32	119.24
1	D	101	LYS	C-N-CA	5.84	125.32	119.24
1	A	589	ASN	CA-C-N	5.84	125.81	120.03
1	A	589	ASN	C-N-CA	5.84	125.81	120.03
1	B	589	ASN	CA-C-N	5.84	125.81	120.03
1	B	589	ASN	C-N-CA	5.84	125.81	120.03
1	C	589	ASN	CA-C-N	5.84	125.81	120.03
1	C	589	ASN	C-N-CA	5.84	125.81	120.03
1	D	589	ASN	CA-C-N	5.84	125.81	120.03
1	D	589	ASN	C-N-CA	5.84	125.81	120.03
1	A	573	GLU	N-CA-C	5.76	119.37	111.54
1	B	573	GLU	N-CA-C	5.76	119.37	111.54
1	C	573	GLU	N-CA-C	5.76	119.37	111.54
1	D	573	GLU	N-CA-C	5.76	119.37	111.54
1	A	167	THR	N-CA-C	5.71	118.28	111.71
1	B	167	THR	N-CA-C	5.71	118.28	111.71
1	C	167	THR	N-CA-C	5.71	118.28	111.71
1	D	167	THR	N-CA-C	5.71	118.28	111.71
1	A	566	ILE	N-CA-C	5.65	116.02	108.11
1	B	566	ILE	N-CA-C	5.65	116.02	108.11
1	C	566	ILE	N-CA-C	5.65	116.02	108.11
1	D	566	ILE	N-CA-C	5.65	116.02	108.11
1	A	457	ALA	CA-C-N	5.44	125.39	119.78
1	A	457	ALA	C-N-CA	5.44	125.39	119.78
1	B	457	ALA	CA-C-N	5.44	125.39	119.78
1	B	457	ALA	C-N-CA	5.44	125.39	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	457	ALA	CA-C-N	5.44	125.39	119.78
1	C	457	ALA	C-N-CA	5.44	125.39	119.78
1	D	457	ALA	CA-C-N	5.44	125.39	119.78
1	D	457	ALA	C-N-CA	5.44	125.39	119.78
1	A	276	VAL	CA-C-N	5.41	125.31	119.85
1	A	276	VAL	C-N-CA	5.41	125.31	119.85
1	B	276	VAL	CA-C-N	5.41	125.31	119.85
1	B	276	VAL	C-N-CA	5.41	125.31	119.85
1	C	276	VAL	CA-C-N	5.41	125.31	119.85
1	C	276	VAL	C-N-CA	5.41	125.31	119.85
1	D	276	VAL	CA-C-N	5.41	125.31	119.85
1	D	276	VAL	C-N-CA	5.41	125.31	119.85
1	A	311	PRO	N-CA-C	5.39	120.04	111.26
1	B	311	PRO	N-CA-C	5.39	120.04	111.26
1	C	311	PRO	N-CA-C	5.39	120.04	111.26
1	D	311	PRO	N-CA-C	5.39	120.04	111.26
1	A	222	ASN	CA-C-N	5.23	125.13	119.85
1	A	222	ASN	C-N-CA	5.23	125.13	119.85
1	B	222	ASN	CA-C-N	5.23	125.13	119.85
1	B	222	ASN	C-N-CA	5.23	125.13	119.85
1	C	222	ASN	CA-C-N	5.23	125.13	119.85
1	C	222	ASN	C-N-CA	5.23	125.13	119.85
1	D	222	ASN	CA-C-N	5.23	125.13	119.85
1	D	222	ASN	C-N-CA	5.23	125.13	119.85
1	A	198	GLN	CA-C-N	5.20	125.11	119.85
1	A	198	GLN	C-N-CA	5.20	125.11	119.85
1	B	198	GLN	CA-C-N	5.20	125.11	119.85
1	B	198	GLN	C-N-CA	5.20	125.11	119.85
1	C	198	GLN	CA-C-N	5.20	125.11	119.85
1	C	198	GLN	C-N-CA	5.20	125.11	119.85
1	D	198	GLN	CA-C-N	5.20	125.11	119.85
1	D	198	GLN	C-N-CA	5.20	125.11	119.85
1	A	312	HIS	N-CA-C	5.17	118.45	111.17
1	B	312	HIS	N-CA-C	5.17	118.45	111.17
1	C	312	HIS	N-CA-C	5.17	118.45	111.17
1	D	312	HIS	N-CA-C	5.17	118.45	111.17
1	A	472	ASP	CA-C-N	-5.16	116.28	122.22
1	A	472	ASP	C-N-CA	-5.16	116.28	122.22
1	B	472	ASP	CA-C-N	-5.16	116.28	122.22
1	B	472	ASP	C-N-CA	-5.16	116.28	122.22
1	C	472	ASP	CA-C-N	-5.16	116.28	122.22
1	C	472	ASP	C-N-CA	-5.16	116.28	122.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	472	ASP	CA-C-N	-5.16	116.28	122.22
1	D	472	ASP	C-N-CA	-5.16	116.28	122.22
1	A	427	ILE	N-CA-C	5.09	115.24	108.11
1	B	427	ILE	N-CA-C	5.09	115.24	108.11
1	C	427	ILE	N-CA-C	5.09	115.24	108.11
1	D	427	ILE	N-CA-C	5.09	115.24	108.11
1	A	530	THR	CA-C-N	5.07	124.97	119.85
1	A	530	THR	C-N-CA	5.07	124.97	119.85
1	B	530	THR	CA-C-N	5.07	124.97	119.85
1	B	530	THR	C-N-CA	5.07	124.97	119.85
1	C	530	THR	CA-C-N	5.07	124.97	119.85
1	C	530	THR	C-N-CA	5.07	124.97	119.85
1	D	530	THR	CA-C-N	5.07	124.97	119.85
1	D	530	THR	C-N-CA	5.07	124.97	119.85
1	A	310	ILE	CA-C-N	5.01	125.29	119.93
1	A	310	ILE	C-N-CA	5.01	125.29	119.93
1	B	310	ILE	CA-C-N	5.01	125.29	119.93
1	B	310	ILE	C-N-CA	5.01	125.29	119.93
1	C	310	ILE	CA-C-N	5.01	125.29	119.93
1	C	310	ILE	C-N-CA	5.01	125.29	119.93
1	D	310	ILE	CA-C-N	5.01	125.29	119.93
1	D	310	ILE	C-N-CA	5.01	125.29	119.93

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	398	ARG	Sidechain
1	B	398	ARG	Sidechain
1	C	398	ARG	Sidechain
1	D	398	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3691	0	3433	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3691	0	3433	10	0
1	C	3691	0	3433	11	0
1	D	3691	0	3433	10	0
2	A	14	0	13	1	0
2	B	14	0	13	1	0
2	C	14	0	13	1	0
2	D	14	0	13	1	0
All	All	14820	0	13784	40	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:LYS:O	1:B:79:GLN:HG2	2.08	0.54
1:C:76:LYS:O	1:C:79:GLN:HG2	2.08	0.54
1:D:253:ILE:HD13	1:D:296:VAL:HG21	1.90	0.54
1:A:253:ILE:HD13	1:A:296:VAL:HG21	1.90	0.54
1:A:190:LYS:HD3	2:A:701:NAG:H82	1.90	0.53
1:C:253:ILE:HD13	1:C:296:VAL:HG21	1.90	0.53
1:B:253:ILE:HD13	1:B:296:VAL:HG21	1.90	0.53
1:B:190:LYS:HD3	2:B:701:NAG:H82	1.90	0.53
1:D:76:LYS:O	1:D:79:GLN:HG2	2.08	0.52
1:A:76:LYS:O	1:A:79:GLN:HG2	2.08	0.52
1:C:190:LYS:HD3	2:C:701:NAG:H82	1.90	0.52
1:D:190:LYS:HD3	2:D:701:NAG:H82	1.90	0.52
1:B:101:LYS:HB3	1:B:102:PRO:HD3	1.92	0.52
1:A:101:LYS:HB3	1:A:102:PRO:HD3	1.92	0.52
1:C:101:LYS:HB3	1:C:102:PRO:HD3	1.92	0.50
1:D:101:LYS:HB3	1:D:102:PRO:HD3	1.92	0.50
1:B:211:PRO:HD2	1:B:254:VAL:HG21	1.97	0.47
1:A:211:PRO:HD2	1:A:254:VAL:HG21	1.97	0.46
1:B:125:LYS:O	1:B:129:LYS:HG2	2.16	0.46
1:D:211:PRO:HD2	1:D:254:VAL:HG21	1.97	0.46
1:C:211:PRO:HD2	1:C:254:VAL:HG21	1.97	0.46
1:A:125:LYS:O	1:A:129:LYS:HG2	2.16	0.46
1:D:125:LYS:O	1:D:129:LYS:HG2	2.16	0.46
1:C:125:LYS:O	1:C:129:LYS:HG2	2.16	0.45
1:A:76:LYS:HA	1:A:79:GLN:HG2	1.99	0.44
1:B:76:LYS:HA	1:B:79:GLN:HG2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:LYS:HA	1:C:79:GLN:HG2	1.99	0.43
1:D:76:LYS:HA	1:D:79:GLN:HG2	1.99	0.43
1:D:133:LEU:O	1:D:137:ILE:HG13	2.19	0.43
1:B:133:LEU:O	1:B:137:ILE:HG13	2.19	0.43
1:C:502:CYS:HA	1:C:503:PRO:HD3	1.91	0.42
1:A:133:LEU:O	1:A:137:ILE:HG13	2.19	0.42
1:C:133:LEU:O	1:C:137:ILE:HG13	2.19	0.42
1:D:502:CYS:HA	1:D:503:PRO:HD3	1.91	0.41
1:B:75:LEU:HD23	1:B:75:LEU:HA	1.80	0.41
1:B:573:GLU:O	1:B:574:GLU:HG3	2.21	0.41
1:A:78:ILE:C	1:A:80:ASP:N	2.79	0.41
1:C:78:ILE:C	1:C:80:ASP:N	2.79	0.40
1:C:573:GLU:O	1:C:574:GLU:HG3	2.21	0.40
1:D:573:GLU:O	1:D:574:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	495/540 (92%)	483 (98%)	11 (2%)	1 (0%)	43	73
1	B	495/540 (92%)	483 (98%)	11 (2%)	1 (0%)	43	73
1	C	495/540 (92%)	483 (98%)	11 (2%)	1 (0%)	43	73
1	D	495/540 (92%)	483 (98%)	11 (2%)	1 (0%)	43	73
All	All	1980/2160 (92%)	1932 (98%)	44 (2%)	4 (0%)	44	73

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	241	THR
1	C	241	THR
1	D	241	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/455 (77%)	349 (100%)	0	100	100
1	B	349/455 (77%)	349 (100%)	0	100	100
1	C	349/455 (77%)	349 (100%)	0	100	100
1	D	349/455 (77%)	349 (100%)	0	100	100
All	All	1396/1820 (77%)	1396 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	701	1	14,14,15	1.67	2 (14%)	17,19,21	0.92	1 (5%)
2	NAG	C	701	1	14,14,15	1.67	2 (14%)	17,19,21	0.92	1 (5%)
2	NAG	B	701	1	14,14,15	1.67	2 (14%)	17,19,21	0.92	1 (5%)
2	NAG	A	701	1	14,14,15	1.67	2 (14%)	17,19,21	0.92	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	701	1	-	0/6/23/26	0/1/1/1
2	NAG	C	701	1	-	0/6/23/26	0/1/1/1
2	NAG	B	701	1	-	0/6/23/26	0/1/1/1
2	NAG	A	701	1	-	0/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	NAG	C1-C2	4.58	1.58	1.52
2	B	701	NAG	C1-C2	4.58	1.58	1.52
2	C	701	NAG	C1-C2	4.58	1.58	1.52
2	D	701	NAG	C1-C2	4.58	1.58	1.52
2	A	701	NAG	O5-C5	2.54	1.48	1.43
2	B	701	NAG	O5-C5	2.54	1.48	1.43
2	C	701	NAG	O5-C5	2.54	1.48	1.43
2	D	701	NAG	O5-C5	2.54	1.48	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	NAG	C8-C7-N2	2.25	119.84	116.12
2	B	701	NAG	C8-C7-N2	2.25	119.84	116.12
2	C	701	NAG	C8-C7-N2	2.25	119.84	116.12
2	D	701	NAG	C8-C7-N2	2.25	119.84	116.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	701	NAG	1	0
2	C	701	NAG	1	0
2	B	701	NAG	1	0
2	A	701	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-43593. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 220




Y Index: 220




Z Index: 220


6.2.2 Raw map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 192




Y Index: 192




Z Index: 238


6.3.2 Raw map



X Index: 226



Y Index: 214




Z Index: 233


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.265. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 96 nm³; this corresponds to an approximate mass of 86 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.21	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.73	4.13	3.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.73 differs from the reported value 3.21 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-43593 and PDB model 8VWP. Per-residue inclusion information can be found in [section 3](#) on [page 5](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.265 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.265).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.265) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8450	0.5430
A	0.8450	0.5410
B	0.8450	0.5430
C	0.8450	0.5440
D	0.8450	0.5420

