



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:57 PM UTC

PDB ID : 3VXD / pdb_00003vxd
Title : Crystal structure of unsaturated glucuronyl hydrolase mutant D115N from *Streptococcus agalactiae*
Authors : Nakamichi, Y.; Maruyama, Y.; Mikami, B.; Hashimoto, W.; Murata, K.
Deposited on : 2012-09-11
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	4% 79% 10% • 10%
1	B	398	2% 78% 10% • 11%
1	C	398	2% 80% 9% • 10%
1	D	398	5% 78% 9% • 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12955 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative uncharacterized protein gbs1889.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	18	0
			3120	2005	519	584	12			
1	B	354	Total	C	N	O	S	0	12	0
			3033	1953	504	563	13			
1	C	359	Total	C	N	O	S	0	9	0
			3064	1975	512	564	13			
1	D	353	Total	C	N	O	S	0	11	0
			3017	1945	497	562	13			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	115	ASN	ASP	engineered mutation	UNP Q8E372
B	115	ASN	ASP	engineered mutation	UNP Q8E372
C	115	ASN	ASP	engineered mutation	UNP Q8E372
D	115	ASN	ASP	engineered mutation	UNP Q8E372

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	213	Total	O	0	0
			213	213		
3	B	161	Total	O	0	0
			161	161		
3	C	186	Total	O	0	0
			186	186		
3	D	131	Total	O	0	0
			131	131		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Putative uncharacterized protein gbs1889




• Molecule 1: Putative uncharacterized protein gbs1889





• Molecule 1: Putative uncharacterized protein gbs1889





● Molecule 1: Putative uncharacterized protein gbs1889



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.07Å 95.91Å 110.89Å 90.00° 104.06° 90.00°	Depositor
Resolution (Å)	27.48 – 2.00 27.48 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.3 (27.48-2.00) 98.3 (27.48-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.76 (at 1.87Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.183 , 0.219 0.184 , 0.219	Depositor DCC
R_{free} test set	6717 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12955	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/3200	0.75	0/4333
1	B	0.45	0/3111	0.74	0/4212
1	C	0.48	0/3145	0.74	0/4258
1	D	0.45	0/3095	0.75	1/4190 (0.0%)
All	All	0.46	0/12551	0.75	1/16993 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	114	HIS	N-CA-C	6.27	119.08	107.99

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	114	HIS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3120	0	2997	33	0
1	B	3033	0	2933	38	0
1	C	3064	0	2963	32	0
1	D	3017	0	2914	31	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	10	0	0	0	0
2	D	10	0	0	0	0
3	A	213	0	0	1	0
3	B	161	0	0	1	0
3	C	186	0	0	2	0
3	D	131	0	0	1	0
All	All	12955	0	11807	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197[A]:GLN:HE21	1:B:197[A]:GLN:HA	1.00	1.13
1:B:197[A]:GLN:HE21	1:B:197[A]:GLN:CA	1.78	0.97
1:C:24:LEU:H	1:C:337:HIS:HD2	1.18	0.92
1:B:197[A]:GLN:HA	1:B:197[A]:GLN:NE2	1.85	0.90
1:A:24:LEU:H	1:A:337:HIS:HD2	1.20	0.89
1:B:24:LEU:H	1:B:337:HIS:HD2	1.18	0.87
1:D:24:LEU:H	1:D:337:HIS:HD2	1.30	0.77
1:A:68:GLU:H	1:A:71:ASN:HD21	1.34	0.76
1:D:4[B]:ILE:HD11	1:D:271:LEU:HD22	1.70	0.74
1:C:316:HIS:HD2	1:C:389:ARG:HH11	1.38	0.71
1:A:24:LEU:H	1:A:337:HIS:CD2	2.08	0.71
1:D:68:GLU:H	1:D:71:ASN:HD21	1.39	0.70
1:D:334:TYR:O	1:D:338:THR:HG23	1.93	0.68
1:C:376:ASN:ND2	1:C:379:GLY:H	1.90	0.68
1:A:316:HIS:HD2	1:A:389:ARG:HH11	1.40	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:GLU:OE2	1:D:337:HIS:HE1	1.77	0.66
1:C:68:GLU:H	1:C:71:ASN:HD21	1.40	0.66
1:B:316:HIS:HD2	1:B:389:ARG:HH11	1.43	0.66
1:A:324:GLU:OE2	1:C:337:HIS:HE1	1.79	0.65
1:C:108:ARG:HD2	1:C:146:LYS:HE2	1.77	0.65
1:C:14[A]:ASN:O	1:C:17[A]:ARG:HG2	1.97	0.64
1:D:131:ASN:HD22	1:D:131:ASN:C	2.05	0.64
1:C:24:LEU:H	1:C:337:HIS:CD2	2.09	0.63
1:C:316:HIS:CD2	1:C:389:ARG:HH11	2.17	0.63
1:C:131:ASN:C	1:C:131:ASN:HD22	2.07	0.62
1:B:131:ASN:C	1:B:131:ASN:HD22	2.07	0.62
1:D:206:SER:O	1:D:210:VAL:HG22	2.00	0.62
1:C:376:ASN:HD22	1:C:379:GLY:H	1.48	0.61
1:B:30:GLU:HG3	1:B:391:TYR:CE1	2.35	0.60
1:A:14[A]:ASN:O	1:A:17[A]:ARG:HG2	2.01	0.60
1:B:316:HIS:CD2	1:B:389:ARG:HH11	2.20	0.59
1:D:301:GLN:HG3	1:D:302:PRO:HD2	1.84	0.59
1:D:376:ASN:HD22	1:D:379:GLY:H	1.49	0.58
1:A:376:ASN:ND2	1:A:379:GLY:H	2.01	0.58
1:A:376:ASN:HD22	1:A:379:GLY:H	1.50	0.58
1:D:316:HIS:HD2	1:D:389:ARG:HH11	1.52	0.58
1:A:316:HIS:CD2	1:A:389:ARG:HH11	2.19	0.58
1:D:330[A]:GLU:HA	1:D:330[A]:GLU:OE1	2.02	0.58
1:D:376:ASN:ND2	1:D:379:GLY:H	2.02	0.58
1:B:216:SER:HA	1:B:249:GLN:HE22	1.69	0.57
1:A:131:ASN:HD22	1:A:131:ASN:C	2.12	0.57
1:A:334:TYR:O	1:A:338[A]:THR:HG23	2.04	0.57
1:B:376:ASN:ND2	1:B:379:GLY:H	2.03	0.56
1:B:24:LEU:H	1:B:337:HIS:CD2	2.10	0.56
1:A:206:SER:O	1:A:210:VAL:HG12	2.07	0.55
1:B:337:HIS:HE1	1:D:324:GLU:OE2	1.89	0.55
1:B:376:ASN:HD22	1:B:379:GLY:H	1.54	0.55
1:B:117:GLY:H	1:B:179:ASN:ND2	2.05	0.54
1:B:114:HIS:CD2	1:B:173:ILE:HD11	2.43	0.54
1:C:285[B]:GLU:OE1	1:C:285[B]:GLU:C	2.51	0.53
1:A:3:LYS:HG3	1:A:267[B]:GLN:HE22	1.74	0.53
1:A:330[B]:GLU:HG3	1:C:23:LEU:CD1	2.39	0.52
1:C:181:GLN:NE2	1:C:261:ARG:HH21	2.07	0.52
1:B:197[A]:GLN:CA	1:B:197[A]:GLN:NE2	2.53	0.52
1:D:4[B]:ILE:CG2	1:D:4[B]:ILE:O	2.56	0.52
1:B:131:ASN:HD21	1:B:133:ASP:HB2	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:GLU:HG3	1:D:23:LEU:CD1	2.41	0.51
1:C:316:HIS:HD2	1:C:389:ARG:NH1	2.08	0.50
1:B:131:ASN:HD22	1:B:133:ASP:H	1.59	0.50
1:D:4[B]:ILE:O	1:D:4[B]:ILE:HG23	2.11	0.50
1:B:79:TRP:CZ2	1:B:127:GLU:HB2	2.47	0.49
1:B:41:TYR:HA	1:B:44:ILE:HD12	1.94	0.49
1:A:117:GLY:H	1:A:179:ASN:ND2	2.10	0.49
1:B:330:GLU:HG3	1:D:23:LEU:HD11	1.95	0.49
1:C:79:TRP:CZ2	1:C:127:GLU:HB2	2.49	0.48
1:A:173:ILE:O	1:A:176:CYS:HB2	2.13	0.48
1:D:137:LEU:HD11	1:D:189[B]:GLN:HG2	1.95	0.47
1:A:79:TRP:CZ2	1:A:127:GLU:HB2	2.49	0.47
1:B:316:HIS:HD2	1:B:389:ARG:NH1	2.12	0.47
1:D:295:PHE:CD2	1:D:301:GLN:HG2	2.49	0.47
1:C:85:ASN:HD21	1:C:90:LEU:HD12	1.79	0.47
1:B:112[A]:ASP:C	1:B:112[A]:ASP:OD1	2.57	0.47
1:B:108:ARG:HA	1:B:111:LEU:HD12	1.97	0.47
1:D:24:LEU:H	1:D:337:HIS:CD2	2.20	0.47
1:A:316:HIS:HD2	1:A:389:ARG:NH1	2.10	0.46
1:D:318:MET:HE3	1:D:318:MET:HA	1.97	0.46
1:A:337:HIS:HE1	1:C:324:GLU:OE2	1.98	0.46
1:A:131:ASN:HD22	1:A:133:ASP:H	1.62	0.46
1:C:290:TYR:HA	1:C:303:ARG:HA	1.97	0.46
1:B:131:ASN:ND2	1:B:133:ASP:H	2.13	0.46
1:D:316:HIS:CD2	1:D:389:ARG:HH11	2.30	0.46
1:D:330[B]:GLU:HG2	3:D:607:HOH:O	2.16	0.45
1:A:68:GLU:N	1:A:71:ASN:HD21	2.10	0.45
1:A:85:ASN:C	1:A:85:ASN:HD22	2.24	0.45
1:A:243:SER:HA	1:A:294:ILE:CG2	2.47	0.45
1:A:150:ARG:HA	1:A:153:GLU:HG2	1.98	0.45
1:C:108:ARG:CD	1:C:146:LYS:HE2	2.46	0.44
1:C:318:MET:HA	1:C:318:MET:HE3	1.99	0.44
1:D:85:ASN:C	1:D:85:ASN:HD22	2.26	0.44
1:A:64:MET:HE1	1:A:68:GLU:HG2	2.00	0.44
1:C:4:ILE:H	1:C:267:GLN:NE2	2.15	0.44
1:B:121:THR:HB	1:B:122:PRO:HD3	1.99	0.44
1:B:214:ASP:O	1:B:215:SER:HB2	2.17	0.44
1:A:176:CYS:HA	1:A:179:ASN:HB2	1.99	0.44
1:C:364:TYR:HB3	1:C:370:LYS:O	2.18	0.43
1:A:21:SER:CB	1:A:338[A]:THR:HG22	2.48	0.43
1:D:290:TYR:HA	1:D:303:ARG:HA	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:214:ASP:O	1:C:215:SER:HB2	2.19	0.43
1:B:359:LEU:HD22	1:B:383:TYR:HB2	2.01	0.43
1:B:316:HIS:HE1	3:B:505:HOH:O	2.02	0.43
1:D:112:ASP:O	1:D:113:HIS:HB2	2.19	0.43
1:A:318:MET:HA	1:A:318:MET:HE3	2.00	0.42
1:C:131:ASN:HD22	1:C:133:ASP:H	1.67	0.42
1:D:203:PHE:CZ	1:D:268:GLN:HG2	2.55	0.42
1:B:4:ILE:H	1:B:267:GLN:NE2	2.18	0.42
1:D:26:LYS:NZ	1:D:30:GLU:OE2	2.52	0.41
1:A:85:ASN:HD21	1:A:90:LEU:HD12	1.84	0.41
1:C:334:TYR:O	1:C:338:THR:HG23	2.20	0.41
1:D:79:TRP:CZ2	1:D:127:GLU:HB2	2.56	0.41
1:B:64:MET:HE2	1:B:65:ASP:O	2.21	0.41
1:C:85:ASN:C	1:C:85:ASN:HD22	2.28	0.41
1:A:121:THR:HB	1:A:122:PRO:HD3	2.02	0.41
1:A:359:LEU:HD22	1:A:383:TYR:HB2	2.02	0.41
1:C:131:ASN:HD21	1:C:133:ASP:HB2	1.85	0.41
1:C:316:HIS:HE1	3:C:504:HOH:O	2.04	0.41
1:B:26:LYS:HA	1:D:325:VAL:HB	2.03	0.41
1:B:79:TRP:HA	1:B:79:TRP:CE3	2.56	0.41
1:A:316:HIS:HE1	3:A:502:HOH:O	2.03	0.40
1:B:146:LYS:HE3	1:B:150:ARG:HE	1.86	0.40
1:B:325:VAL:HB	1:D:26:LYS:HA	2.03	0.40
1:C:330:GLU:HG2	3:C:674:HOH:O	2.21	0.40
1:A:216:SER:HA	1:A:249:GLN:HE22	1.85	0.40
1:B:290:TYR:HA	1:B:303:ARG:HA	2.02	0.40
1:C:296:THR:HG22	1:C:297:ASP:H	1.86	0.40
1:C:319:LEU:CD2	1:C:329:LYS:HG3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/398 (93%)	365 (99%)	5 (1%)	0	100	100
1	B	360/398 (90%)	353 (98%)	7 (2%)	0	100	100
1	C	362/398 (91%)	354 (98%)	8 (2%)	0	100	100
1	D	358/398 (90%)	351 (98%)	7 (2%)	0	100	100
All	All	1450/1592 (91%)	1423 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/347 (96%)	326 (98%)	7 (2%)	47	52
1	B	323/347 (93%)	315 (98%)	8 (2%)	42	45
1	C	325/347 (94%)	317 (98%)	8 (2%)	42	45
1	D	321/347 (92%)	314 (98%)	7 (2%)	45	50
All	All	1302/1388 (94%)	1272 (98%)	30 (2%)	45	49

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	105	ILE
1	A	108[A]	ARG
1	A	108[B]	ARG
1	A	131	ASN
1	A	179	ASN
1	A	376	ASN
1	B	3	LYS
1	B	131	ASN
1	B	173	ILE
1	B	178	LEU
1	B	179	ASN
1	B	197[A]	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	197[B]	GLN
1	B	376	ASN
1	C	1	MET
1	C	85	ASN
1	C	116	LEU
1	C	131	ASN
1	C	178	LEU
1	C	296	THR
1	C	330	GLU
1	C	376	ASN
1	D	85	ASN
1	D	116	LEU
1	D	131	ASN
1	D	172	LEU
1	D	178	LEU
1	D	197	GLN
1	D	376	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	85	ASN
1	A	107	ASN
1	A	131	ASN
1	A	179	ASN
1	A	181	GLN
1	A	197	GLN
1	A	219	HIS
1	A	249	GLN
1	A	316	HIS
1	A	337	HIS
1	A	376	ASN
1	B	131	ASN
1	B	179	ASN
1	B	181	GLN
1	B	189	GLN
1	B	249	GLN
1	B	267	GLN
1	B	316	HIS
1	B	337	HIS
1	B	376	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	71	ASN
1	C	85	ASN
1	C	103	ASN
1	C	131	ASN
1	C	181	GLN
1	C	219	HIS
1	C	249	GLN
1	C	267	GLN
1	C	316	HIS
1	C	337	HIS
1	C	376	ASN
1	D	71	ASN
1	D	85	ASN
1	D	131	ASN
1	D	181	GLN
1	D	197	GLN
1	D	249	GLN
1	D	267	GLN
1	D	316	HIS
1	D	337	HIS
1	D	376	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	401	-	4,4,4	0.24	0	6,6,6	0.09	0
2	SO4	A	401	-	4,4,4	0.23	0	6,6,6	0.15	0
2	SO4	C	402	-	4,4,4	0.29	0	6,6,6	0.12	0
2	SO4	C	401	-	4,4,4	0.24	0	6,6,6	0.11	0
2	SO4	D	401	-	4,4,4	0.23	0	6,6,6	0.20	0
2	SO4	D	402	-	4,4,4	0.23	0	6,6,6	0.13	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	358/398 (89%)	-0.16	14 (3%) 43 42	5, 17, 45, 64	18 (5%)
1	B	354/398 (88%)	0.12	7 (1%) 65 64	9, 25, 39, 49	12 (3%)
1	C	359/398 (90%)	-0.15	9 (2%) 58 58	8, 20, 33, 52	9 (2%)
1	D	353/398 (88%)	0.30	21 (5%) 28 27	10, 26, 46, 59	12 (3%)
All	All	1424/1592 (89%)	0.02	51 (3%) 46 45	5, 22, 41, 64	51 (3%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	218	PHE	5.2
1	D	172	LEU	4.5
1	D	218	PHE	4.4
1	A	221	PHE	4.3
1	C	221	PHE	4.2
1	D	114	HIS	4.1
1	B	367	HIS	3.5
1	C	1	MET	3.5
1	C	222	TYR	3.5
1	D	173	ILE	3.4
1	A	217	ALA	3.4
1	D	244	SER	3.4
1	A	219	HIS	3.4
1	A	220	THR	3.4
1	C	112	ASP	3.3
1	C	367[A]	HIS	3.3
1	D	1	MET	3.3
1	B	114	HIS	3.2
1	D	113	HIS	3.1
1	D	367	HIS	3.0
1	A	2	MET	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	4[A]	ILE	3.0
1	D	150	ARG	2.8
1	D	151	TYR	2.8
1	D	217	ALA	2.7
1	C	149[A]	GLU	2.7
1	D	209	ASN	2.7
1	B	244	SER	2.5
1	A	152	GLN	2.5
1	A	367	HIS	2.5
1	C	219	HIS	2.4
1	D	210	VAL	2.4
1	B	44	ILE	2.3
1	B	218	PHE	2.3
1	B	93	ILE	2.3
1	B	1	MET	2.3
1	A	213	ASP	2.2
1	A	108[A]	ARG	2.2
1	D	212	ARG	2.2
1	C	220	THR	2.2
1	D	369	GLY	2.2
1	D	366	TRP	2.2
1	A	294	ILE	2.1
1	A	209	ASN	2.1
1	D	301	GLN	2.1
1	D	111	LEU	2.1
1	C	152	GLN	2.1
1	A	151	TYR	2.1
1	D	2	MET	2.0
1	A	173	ILE	2.0
1	D	175	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	C	401	5/5	0.75	0.15	68,68,68,69	0
2	SO4	D	402	5/5	0.85	0.11	61,62,62,62	0
2	SO4	D	401	5/5	0.91	0.11	43,43,43,44	0
2	SO4	B	401	5/5	0.94	0.10	37,38,39,39	0
2	SO4	A	401	5/5	0.97	0.09	24,25,26,27	0
2	SO4	C	402	5/5	0.97	0.09	29,30,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.