



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 05:03 AM UTC

PDB ID : 7VY3 / pdb_00007vy3
EMDB ID : EMD-32193
Title : STRUCTURE OF PHOTOSYNTHETIC LH1-RC SUPER-COMPLEX OF RHODOBACTER SPHAEROIDES LACKING PROTEIN-U
Authors : Tani, K.; Kanno, R.; Kawamura, S.; Kikuchi, R.; Nagashima, K.V.P.; Hall, M.; Takahashi, A.; Yu, L.-J.; Kimura, Y.; Madigan, M.T.; Mizoguchi, A.; Humbel, B.M.; Wang-Otomo, Z.-Y.
Deposited on : 2021-11-13
Resolution : 2.63 Å(reported)
Based on initial model : 7F0L

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8888 (2.13 - 3.13)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	 80% 19% .
2	M	307	 79% 19% .
3	H	260	 82% 13% 5%

Continued on next page...

Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	1	54	
4	A	54	
4	D	54	
4	F	54	
4	I	54	
4	K	54	
4	O	54	
4	Q	54	
4	S	54	
4	V	54	
4	Y	54	
5	B	48	
5	E	48	
5	G	48	
5	J	48	
5	N	48	
5	P	48	
5	R	48	
5	T	48	
5	W	48	
5	Z	48	
6	X	81	

2 Entry composition [i](#)

There are 16 unique types of molecules in this entry. The entry contains 18831 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center L subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L	281	Total	C	N	O	S	0	0
			2233	1508	355	362	8		

- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	306	Total	C	N	O	S	0	0
			2437	1627	398	401	11		

- Molecule 3 is a protein called Photosynthetic reaction center subunit H.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	246	Total	C	N	O	S	1	0
			1867	1199	314	344	10		

- Molecule 4 is a protein called Antenna pigment protein alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	45	Total	C	N	O	S	0	0
			386	266	59	58	3		
4	D	54	Total	C	N	O	S	0	0
			455	309	73	70	3		
4	F	54	Total	C	N	O	S	0	0
			457	311	73	70	3		
4	I	54	Total	C	N	O	S	0	0
			457	311	73	70	3		
4	K	54	Total	C	N	O	S	0	0
			457	311	73	70	3		
4	O	54	Total	C	N	O	S	0	0
			453	308	72	70	3		
4	Q	54	Total	C	N	O	S	0	0
			457	311	73	70	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	S	54	Total	C	N	O	S	0	0
			454	309	73	70	2		
4	V	52	Total	C	N	O	S	0	0
			441	302	71	66	2		
4	Y	39	Total	C	N	O	S	0	0
			318	217	50	50	1		
4	1	27	Total	C	N	O	S	0	0
			216	147	36	32	1		


- Molecule 5 is a protein called Antenna pigment protein beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	44	Total	C	N	O	S	0	0
			359	240	56	62	1		
5	E	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	G	45	Total	C	N	O	S	0	0
			365	243	57	64	1		
5	J	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	N	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	P	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	R	43	Total	C	N	O	S	0	0
			347	234	55	57	1		
5	T	43	Total	C	N	O	S	0	0
			351	236	55	59	1		
5	W	42	Total	C	N	O	S	0	0
			339	228	54	56	1		
5	Z	31	Total	C	N	O	S	0	0
			261	181	41	38	1		

- Molecule 6 is a protein called PufX.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	X	52	Total	C	N	O	S	0	0
			401	267	68	63	3		

- Molecule 7 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
7	L	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	L	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	M	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	M	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	A	1	Total 61	C 50	Mg 1	N 4	O 6	0
7	B	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	D	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	E	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	F	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	G	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	I	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	J	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	K	1	Total 66	C 55	Mg 1	N 4	O 6	0
7	N	1	Total 66	C 55	Mg 1	N 4	O 6	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
7	O	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	P	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	Q	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	Q	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	S	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	T	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	V	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	W	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	Y	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	Z	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
7	1	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

- Molecule 8 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				AltConf
8	L	1	Total	C	N	O	0
			65	55	4	6	
8	M	1	Total	C	N	O	0
			65	55	4	6	

- Molecule 9 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$).




Mol	Chain	Residues	Atoms			AltConf
9	L	1	Total	C	O	0
			35	31	4	
9	L	1	Total	C	O	0
			28	24	4	
9	M	1	Total	C	O	0
			63	59	4	
9	D	1	Total	C	O	0
			63	59	4	

- Molecule 10 is (1R)-2-{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (CCD ID: PGV) (formula: $C_{40}H_{77}O_{10}P$).




Mol	Chain	Residues	Atoms				AltConf
10	L	1	Total	C	O	P	0
			39	28	10	1	
10	M	1	Total	C	O	P	0
			38	27	10	1	
10	H	1	Total	C	O	P	0
			47	36	10	1	
10	F	1	Total	C	O	P	0
			40	29	10	1	
10	F	1	Total	C	O	P	0
			47	36	10	1	
10	K	1	Total	C	O	P	0
			41	34	6	1	
10	Q	1	Total	C	O	P	0
			39	28	10	1	
10	Y	1	Total	C	O	P	0
			43	32	10	1	

- Molecule 11 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: C₁₄H₃₁NO).



Mol	Chain	Residues	Atoms				AltConf
11	L	1	Total	C	N	O	0
			16	14	1	1	
11	H	1	Total	C	N	O	0
			16	14	1	1	
11	Y	1	Total	C	N	O	0
			12	10	1	1	
11	X	1	Total	C	N	O	0
			13	11	1	1	

- Molecule 12 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: C₂₄H₄₆O₁₁).




Mol	Chain	Residues	Atoms			AltConf
12	L	1	Total	C	O	0
			35	24	11	
12	L	1	Total	C	O	0
			34	23	11	
12	M	1	Total	C	O	0
			27	20	7	
12	M	1	Total	C	O	0
			25	19	6	
12	H	1	Total	C	O	0
			35	24	11	
12	H	1	Total	C	O	0
			35	24	11	
12	H	1	Total	C	O	0
			30	19	11	
12	A	1	Total	C	O	0
			35	24	11	
12	A	1	Total	C	O	0
			35	24	11	
12	B	1	Total	C	O	0
			27	16	11	
12	D	1	Total	C	O	0
			27	16	11	
12	F	1	Total	C	O	0
			17	11	6	
12	I	1	Total	C	O	0
			26	16	10	
12	I	1	Total	C	O	0
			27	16	11	
12	K	1	Total	C	O	0
			35	24	11	
12	Q	1	Total	C	O	0
			24	18	6	
12	Q	1	Total	C	O	0
			19	13	6	

- Molecule 13 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		AltConf
13	M	1	Total	Fe	0
			1	1	

- Molecule 14 is SPHEROIDENE (CCD ID: SPO) (formula: C₄₁H₆₀O).




Mol	Chain	Residues	Atoms			AltConf
14	M	1	Total	C	O	0
			42	41	1	
14	B	1	Total	C	O	0
			42	41	1	
14	B	1	Total	C	O	0
			42	41	1	
14	D	1	Total	C	O	0
			42	41	1	
14	D	1	Total	C	O	0
			42	41	1	
14	F	1	Total	C	O	0
			42	41	1	
14	G	1	Total	C	O	0
			42	41	1	
14	G	1	Total	C	O	0
			42	41	1	
14	J	1	Total	C	O	0
			42	41	1	
14	K	1	Total	C	O	0
			42	41	1	
14	K	1	Total	C	O	0
			42	41	1	
14	O	1	Total	C	O	0
			42	41	1	
14	P	1	Total	C	O	0
			42	41	1	
14	Q	1	Total	C	O	0
			42	41	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
14	S	1	Total	C	O	0
			42	41	1	
14	S	1	Total	C	O	0
			42	41	1	
14	V	1	Total	C	O	0
			42	41	1	
14	V	1	Total	C	O	0
			42	41	1	
14	Z	1	Total	C	O	0
			42	41	1	

- Molecule 15 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				AltConf
15	M	1	Total	C	O	P	0
			79	60	17	2	
15	H	1	Total	C	O	P	0
			61	42	17	2	
15	Y	1	Total	C	O	P	0
			35	19	14	2	

- Molecule 16 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: $C_{40}H_{80}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
16	H	1	Total	C	N	O	P	0
			46	36	1	8	1	
16	F	1	Total	C	N	O	P	0
			48	38	1	8	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center L subunit



- Molecule 2: Reaction center protein M chain




- Molecule 3: Photosynthetic reaction center subunit H



- Molecule 4: Antenna pigment protein alpha chain








- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain





- Molecule 4: Antenna pigment protein alpha chain







- Molecule 4: Antenna pigment protein alpha chain





- Molecule 4: Antenna pigment protein alpha chain




- Molecule 4: Antenna pigment protein alpha chain




- Molecule 5: Antenna pigment protein beta chain



- Molecule 5: Antenna pigment protein beta chain



- Molecule 5: Antenna pigment protein beta chain



- Molecule 5: Antenna pigment protein beta chain

Chain J:  79% 10% 10%




- Molecule 5: Antenna pigment protein beta chain

Chain N:  69% 19% 10%



- Molecule 5: Antenna pigment protein beta chain

Chain P:  77% 12% 10%




- Molecule 5: Antenna pigment protein beta chain

Chain R:  73% 17% 10%



- Molecule 5: Antenna pigment protein beta chain

Chain T:  6% 75% 15% 10%




- Molecule 5: Antenna pigment protein beta chain

Chain W:  23% 75% 12% 12%




- Molecule 5: Antenna pigment protein beta chain

Chain Z:  60% 56% 8% 35%



● Molecule 6: PufX



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	124589	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.265	Depositor
Minimum map value	-0.146	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.03	Depositor
Map size ($\text{\AA}$)	295.2, 295.2, 295.2	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.82000005, 0.82000005, 0.82000005	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPO, PGV, PTY, LMT, LDA, BPH, BCL, U10, CDL, FE, FME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.13	0/2321	0.24	0/3177
2	M	0.13	0/2530	0.25	0/3455
3	H	0.12	0/1920	0.26	0/2615
4	1	0.06	0/220	0.16	0/298
4	A	0.12	0/389	0.21	0/528
4	D	0.14	0/459	0.25	0/622
4	F	0.13	0/461	0.22	0/625
4	I	0.14	0/461	0.21	0/625
4	K	0.13	0/461	0.22	0/625
4	O	0.12	0/457	0.21	0/621
4	Q	0.11	0/461	0.22	0/625
4	S	0.11	0/461	0.20	0/625
4	V	0.11	0/455	0.21	0/617
4	Y	0.08	0/327	0.21	0/446
5	B	0.10	0/372	0.18	0/510
5	E	0.11	0/364	0.18	0/499
5	G	0.12	0/378	0.20	0/518
5	J	0.11	0/364	0.19	0/499
5	N	0.12	0/364	0.20	0/499
5	P	0.11	0/364	0.25	0/499
5	R	0.10	0/360	0.18	0/494
5	T	0.08	0/364	0.16	0/499
5	W	0.08	0/352	0.18	0/483
5	Z	0.06	0/273	0.16	0/375
6	X	0.10	0/413	0.25	0/561
All	All	0.12	0/15351	0.23	0/20940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2233	0	2189	41	0
2	M	2437	0	2355	45	0
3	H	1867	0	1867	23	0
4	1	216	0	236	5	0
4	A	386	0	400	14	0
4	D	455	0	469	15	0
4	F	457	0	476	11	0
4	I	457	0	476	12	0
4	K	457	0	476	15	0
4	O	453	0	465	15	0
4	Q	457	0	476	10	0
4	S	454	0	469	8	0
4	V	441	0	460	11	0
4	Y	318	0	331	7	0
5	B	359	0	340	3	0
5	E	351	0	336	6	0
5	G	365	0	345	4	0
5	J	351	0	336	6	0
5	N	351	0	336	10	0
5	P	351	0	336	8	0
5	R	347	0	332	8	0
5	T	351	0	336	9	0
5	W	339	0	321	6	0
5	Z	261	0	254	6	0
6	X	401	0	409	8	0
7	1	66	0	74	8	0
7	A	61	0	61	5	0
7	B	66	0	74	4	0
7	D	66	0	74	12	0
7	E	66	0	74	2	0
7	F	66	0	74	8	0
7	G	66	0	74	3	0
7	I	66	0	74	3	0
7	J	66	0	74	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	K	66	0	74	5	0
7	L	132	0	148	4	0
7	M	132	0	148	7	0
7	N	66	0	74	6	0
7	O	66	0	74	4	0
7	P	66	0	74	5	0
7	Q	132	0	148	16	0
7	S	66	0	74	6	0
7	T	66	0	74	5	0
7	V	66	0	74	3	0
7	W	66	0	74	2	0
7	Y	66	0	74	5	0
7	Z	66	0	74	4	0
8	L	65	0	76	3	0
8	M	65	0	76	8	0
9	D	63	0	90	11	0
9	L	63	0	74	4	0
9	M	63	0	90	6	0
10	F	87	0	110	6	0
10	H	47	0	65	1	0
10	K	41	0	60	2	0
10	L	39	0	47	2	0
10	M	38	0	45	4	0
10	Q	39	0	48	2	0
10	Y	43	0	54	3	0
11	H	16	0	31	1	0
11	L	16	0	31	0	0
11	X	13	0	22	0	0
11	Y	12	0	20	2	0
12	A	70	0	92	4	0
12	B	27	0	27	0	0
12	D	27	0	27	1	0
12	F	17	0	16	0	0
12	H	100	0	125	10	0
12	I	53	0	51	4	0
12	K	35	0	46	4	0
12	L	69	0	87	2	0
12	M	52	0	71	1	0
12	Q	43	0	55	3	0
13	M	1	0	0	0	0
14	B	84	0	120	11	0
14	D	84	0	120	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	F	42	0	60	6	0
14	G	84	0	120	11	0
14	J	42	0	60	6	0
14	K	84	0	120	11	0
14	M	42	0	60	5	0
14	O	42	0	60	4	0
14	P	42	0	60	8	0
14	Q	42	0	60	6	0
14	S	84	0	120	9	0
14	V	84	0	120	10	0
14	Z	42	0	60	11	0
15	H	61	0	66	5	0
15	M	79	0	105	5	0
15	Y	35	0	32	2	0
16	F	48	0	72	4	0
16	H	46	0	68	6	0
All	All	18831	0	19682	399	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 399 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:B:104:SPO:H342	9:D:105:U10:H38	1.61	0.81
4:F:1:FME:HCN	4:F:3:LYS:H	1.47	0.78
2:M:109:LEU:HB2	11:Y:101:LDA:H11	1.63	0.78
2:M:119:SER:HB3	14:M:405:SPO:H311	1.66	0.76
14:Z:101:SPO:HM11	4:1:29:VAL:HG13	1.69	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/281 (99%)	271 (97%)	8 (3%)	0	100	100
2	M	304/307 (99%)	292 (96%)	12 (4%)	0	100	100
3	H	245/260 (94%)	238 (97%)	7 (3%)	0	100	100
4	1	25/54 (46%)	25 (100%)	0	0	100	100
4	A	43/54 (80%)	43 (100%)	0	0	100	100
4	D	52/54 (96%)	52 (100%)	0	0	100	100
4	F	52/54 (96%)	52 (100%)	0	0	100	100
4	I	52/54 (96%)	52 (100%)	0	0	100	100
4	K	52/54 (96%)	52 (100%)	0	0	100	100
4	O	52/54 (96%)	52 (100%)	0	0	100	100
4	Q	52/54 (96%)	52 (100%)	0	0	100	100
4	S	52/54 (96%)	51 (98%)	1 (2%)	0	100	100
4	V	50/54 (93%)	49 (98%)	1 (2%)	0	100	100
4	Y	37/54 (68%)	37 (100%)	0	0	100	100
5	B	42/48 (88%)	41 (98%)	1 (2%)	0	100	100
5	E	41/48 (85%)	41 (100%)	0	0	100	100
5	G	43/48 (90%)	42 (98%)	1 (2%)	0	100	100
5	J	41/48 (85%)	41 (100%)	0	0	100	100
5	N	41/48 (85%)	41 (100%)	0	0	100	100
5	P	41/48 (85%)	39 (95%)	2 (5%)	0	100	100
5	R	41/48 (85%)	41 (100%)	0	0	100	100
5	T	41/48 (85%)	41 (100%)	0	0	100	100
5	W	40/48 (83%)	39 (98%)	1 (2%)	0	100	100
5	Z	29/48 (60%)	29 (100%)	0	0	100	100
6	X	50/81 (62%)	48 (96%)	2 (4%)	0	100	100
All	All	1797/2003 (90%)	1761 (98%)	36 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	220/220 (100%)	214 (97%)	6 (3%)	39	60
2	M	239/240 (100%)	234 (98%)	5 (2%)	47	67
3	H	198/208 (95%)	193 (98%)	5 (2%)	42	63
4	1	24/48 (50%)	23 (96%)	1 (4%)	26	44
4	A	41/48 (85%)	39 (95%)	2 (5%)	22	37
4	D	47/48 (98%)	46 (98%)	1 (2%)	47	67
4	F	48/48 (100%)	48 (100%)	0	100	100
4	I	48/48 (100%)	47 (98%)	1 (2%)	47	67
4	K	48/48 (100%)	48 (100%)	0	100	100
4	O	47/48 (98%)	46 (98%)	1 (2%)	47	67
4	Q	48/48 (100%)	48 (100%)	0	100	100
4	S	48/48 (100%)	46 (96%)	2 (4%)	26	44
4	V	47/48 (98%)	47 (100%)	0	100	100
4	Y	35/48 (73%)	33 (94%)	2 (6%)	18	31
5	B	36/39 (92%)	34 (94%)	2 (6%)	19	31
5	E	35/39 (90%)	34 (97%)	1 (3%)	37	57
5	G	37/39 (95%)	35 (95%)	2 (5%)	20	33
5	J	35/39 (90%)	35 (100%)	0	100	100
5	N	35/39 (90%)	34 (97%)	1 (3%)	37	57
5	P	35/39 (90%)	35 (100%)	0	100	100
5	R	34/39 (87%)	33 (97%)	1 (3%)	37	57
5	T	35/39 (90%)	34 (97%)	1 (3%)	37	57
5	W	33/39 (85%)	33 (100%)	0	100	100
5	Z	26/39 (67%)	26 (100%)	0	100	100
6	X	40/65 (62%)	39 (98%)	1 (2%)	42	63
All	All	1519/1651 (92%)	1484 (98%)	35 (2%)	44	65

5 of 35 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	S	20	GLN
4	S	29	VAL
4	Y	36	LEU
3	H	66	LEU
3	H	42	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
6	X	60	ASN
4	1	20	GLN
5	G	17	GLN
4	S	20	GLN
4	F	20	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FME	A	1	4	8,9,10	0.57	0	8,9,11	0.88	1 (12%)
4	FME	I	1	4	8,9,10	0.55	0	8,9,11	0.95	1 (12%)
4	FME	F	1	4	8,9,10	0.54	0	8,9,11	1.02	1 (12%)
4	FME	K	1	4	8,9,10	0.56	0	8,9,11	1.00	1 (12%)
4	FME	O	1	4	8,9,10	0.55	0	8,9,11	1.00	1 (12%)
4	FME	D	1	4	8,9,10	0.54	0	8,9,11	1.03	1 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FME	S	1	4	5,6,10	0.80	0	4,6,11	1.07	0
4	FME	Q	1	4	8,9,10	0.56	0	8,9,11	0.90	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FME	A	1	4	-	3/7/9/11	-
4	FME	I	1	4	-	1/7/9/11	-
4	FME	F	1	4	-	1/7/9/11	-
4	FME	K	1	4	-	0/7/9/11	-
4	FME	O	1	4	-	1/7/9/11	-
4	FME	D	1	4	-	0/7/9/11	-
4	FME	S	1	4	-	2/3/5/11	-
4	FME	Q	1	4	-	0/7/9/11	-

There are no bond length outliers.

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1	FME	O-C-CA	-2.64	117.98	124.77
4	O	1	FME	O-C-CA	-2.61	118.06	124.77
4	K	1	FME	O-C-CA	-2.60	118.07	124.77
4	F	1	FME	O-C-CA	-2.56	118.20	124.77
4	I	1	FME	O-C-CA	-2.49	118.37	124.77

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1	FME	O1-CN-N-CA
4	A	1	FME	N-CA-CB-CG
4	F	1	FME	O1-CN-N-CA
4	O	1	FME	O1-CN-N-CA
4	S	1	FME	O1-CN-N-CA

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1	FME	1	0
4	F	1	FME	2	0
4	O	1	FME	1	0
4	D	1	FME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 85 ligands modelled in this entry, 1 is monoatomic - leaving 84 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	BCL	K	102	-	69,74,74	1.76	17 (24%)	79,115,115	2.26	23 (29%)
7	BCL	M	401	-	69,74,74	1.77	17 (24%)	79,115,115	2.23	23 (29%)
10	PGV	L	305	-	38,38,50	1.06	2 (5%)	41,44,56	1.12	2 (4%)
16	PTY	H	306	-	45,45,49	0.30	0	48,50,54	0.43	0
15	CDL	Y	102	-	34,34,99	0.85	1 (2%)	37,43,111	0.76	1 (2%)
9	U10	D	105	-	63,63,63	0.62	2 (3%)	78,79,79	0.59	0
12	LMT	H	303	-	36,36,36	0.37	0	47,47,47	0.80	2 (4%)
7	BCL	Y	103	-	69,74,74	1.82	17 (24%)	79,115,115	2.13	19 (24%)
12	LMT	Q	101	-	24,24,36	0.40	0	29,29,47	0.70	0
14	SPO	V	102	-	41,41,41	0.58	0	47,50,50	2.09	16 (34%)
12	LMT	H	304	-	36,36,36	0.39	0	47,47,47	0.89	1 (2%)
14	SPO	S	102	-	41,41,41	0.58	0	47,50,50	1.95	13 (27%)
14	SPO	J	102	-	41,41,41	0.60	0	47,50,50	1.97	15 (31%)
14	SPO	V	103	-	41,41,41	0.60	0	47,50,50	1.93	15 (31%)
7	BCL	E	101	-	69,74,74	1.78	17 (24%)	79,115,115	2.14	22 (27%)
10	PGV	Q	103	-	38,38,50	1.04	2 (5%)	41,44,56	1.10	3 (7%)
10	PGV	F	103	-	46,46,50	0.96	2 (4%)	49,52,56	1.08	4 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	BCL	T	101	-	69,74,74	1.77	17 (24%)	79,115,115	2.19	23 (29%)
12	LMT	B	102	-	28,28,36	0.45	0	39,39,47	0.71	1 (2%)
11	LDA	X	101	-	10,12,15	2.47	2 (20%)	11,14,17	0.50	0
8	BPH	L	302	-	59,70,70	0.81	4 (6%)	59,101,101	0.91	3 (5%)
7	BCL	W	101	-	69,74,74	1.84	17 (24%)	79,115,115	2.07	21 (26%)
9	U10	M	410	-	63,63,63	0.63	2 (3%)	78,79,79	0.59	1 (1%)
7	BCL	Q	104	-	69,74,74	1.78	17 (24%)	79,115,115	2.21	23 (29%)
10	PGV	K	104	-	37,40,50	1.04	2 (5%)	39,42,56	1.11	3 (7%)
14	SPO	B	104	-	41,41,41	0.57	0	47,50,50	2.18	16 (34%)
14	SPO	G	102	-	41,41,41	0.57	0	47,50,50	2.05	12 (25%)
8	BPH	M	403	-	59,70,70	0.76	3 (5%)	59,101,101	0.93	2 (3%)
12	LMT	I	101	-	27,27,36	0.47	0	38,38,47	0.81	1 (2%)
12	LMT	K	101	-	36,36,36	0.40	0	47,47,47	0.85	2 (4%)
7	BCL	S	101	-	69,74,74	1.77	17 (24%)	79,115,115	2.25	23 (29%)
10	PGV	M	409	-	37,37,50	1.06	2 (5%)	40,43,56	1.15	3 (7%)
11	LDA	Y	101	-	9,11,15	2.61	2 (22%)	10,13,17	0.42	0
12	LMT	Q	102	-	19,19,36	0.45	0	24,24,47	0.54	0
12	LMT	L	308	-	35,35,36	0.42	0	46,46,47	0.80	1 (2%)
7	BCL	J	101	-	69,74,74	1.77	17 (24%)	79,115,115	2.15	23 (29%)
14	SPO	D	102	-	41,41,41	0.57	0	47,50,50	1.97	15 (31%)
14	SPO	K	103	-	41,41,41	0.58	0	47,50,50	1.96	14 (29%)
14	SPO	P	102	-	41,41,41	0.61	0	47,50,50	2.20	16 (34%)
11	LDA	H	302	-	13,15,15	2.17	2 (15%)	14,17,17	0.51	0
7	BCL	D	101	-	69,74,74	1.78	18 (26%)	79,115,115	2.28	22 (27%)
7	BCL	P	101	-	69,74,74	1.80	18 (26%)	79,115,115	2.13	23 (29%)
9	U10	L	303	-	35,35,63	0.83	2 (5%)	43,45,79	0.78	0
7	BCL	L	309	-	69,74,74	1.83	17 (24%)	79,115,115	2.11	22 (27%)
7	BCL	N	101	-	69,74,74	1.78	17 (24%)	79,115,115	2.16	22 (27%)
12	LMT	F	106	-	17,17,36	0.47	0	22,22,47	0.52	0
12	LMT	I	103	-	28,28,36	0.44	0	39,39,47	0.59	1 (2%)
7	BCL	G	101	-	69,74,74	1.78	17 (24%)	79,115,115	2.16	23 (29%)
14	SPO	Z	101	-	41,41,41	0.59	0	47,50,50	1.90	16 (34%)
14	SPO	Q	105	-	41,41,41	0.58	0	47,50,50	1.99	16 (34%)
12	LMT	M	407	-	25,25,36	0.41	0	30,30,47	0.64	0
7	BCL	A	103	-	64,69,74	1.89	17 (26%)	73,109,115	2.24	21 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	LDA	L	306	-	13,15,15	2.19	2 (15%)	14,17,17	0.49	0
12	LMT	D	103	-	28,28,36	0.46	0	39,39,47	0.69	1 (2%)
12	LMT	L	307	-	36,36,36	0.43	0	47,47,47	1.08	3 (6%)
7	BCL	O	101	-	69,74,74	1.78	17 (24%)	79,115,115	2.30	25 (31%)
14	SPO	S	103	-	41,41,41	0.58	0	47,50,50	2.00	15 (31%)
16	PTY	F	104	-	47,47,49	0.29	0	50,52,54	0.57	1 (2%)
7	BCL	Q	106	-	69,74,74	1.79	17 (24%)	79,115,115	2.17	23 (29%)
7	BCL	L	301	-	69,74,74	1.79	18 (26%)	79,115,115	2.27	24 (30%)
7	BCL	F	101	-	69,74,74	1.77	17 (24%)	79,115,115	2.28	23 (29%)
14	SPO	B	101	-	41,41,41	0.59	0	47,50,50	1.96	13 (27%)
14	SPO	F	105	-	41,41,41	0.58	0	47,50,50	2.01	17 (36%)
15	CDL	H	307	-	60,60,99	1.18	4 (6%)	66,72,111	1.14	5 (7%)
10	PGV	H	301	-	46,46,50	0.94	2 (4%)	49,52,56	1.07	5 (10%)
10	PGV	F	102	-	39,39,50	1.04	2 (5%)	42,45,56	1.28	5 (11%)
15	CDL	M	408	-	78,78,99	1.05	4 (5%)	84,90,111	1.14	8 (9%)
12	LMT	H	305	-	31,31,36	0.48	0	42,42,47	0.95	1 (2%)
7	BCL	V	101	-	69,74,74	1.78	18 (26%)	79,115,115	2.29	23 (29%)
14	SPO	K	105	-	41,41,41	0.58	0	47,50,50	2.01	15 (31%)
7	BCL	1	101	-	69,74,74	1.86	16 (23%)	79,115,115	2.12	20 (25%)
10	PGV	Y	104	-	42,42,50	1.01	2 (4%)	45,48,56	1.07	3 (6%)
9	U10	L	304	-	28,28,63	0.86	2 (7%)	36,37,79	0.89	3 (8%)
14	SPO	G	103	-	41,41,41	0.59	0	47,50,50	1.92	14 (29%)
7	BCL	Z	102	-	69,74,74	1.89	18 (26%)	79,115,115	2.13	22 (27%)
12	LMT	A	101	-	36,36,36	0.37	0	47,47,47	0.69	0
12	LMT	A	102	-	36,36,36	0.39	0	47,47,47	0.76	1 (2%)
12	LMT	M	406	-	27,27,36	0.50	0	32,33,47	0.72	1 (3%)
7	BCL	I	102	-	69,74,74	1.76	17 (24%)	79,115,115	2.26	24 (30%)
14	SPO	M	405	-	41,41,41	0.60	0	47,50,50	1.87	14 (29%)
14	SPO	O	102	-	41,41,41	0.60	0	47,50,50	1.91	15 (31%)
14	SPO	D	104	-	41,41,41	0.57	0	47,50,50	1.94	13 (27%)
7	BCL	M	402	-	69,74,74	1.79	17 (24%)	79,115,115	2.27	24 (30%)
7	BCL	B	103	-	69,74,74	1.80	17 (24%)	79,115,115	2.14	21 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BCL	K	102	-	-	2/41/137/137	-
7	BCL	M	401	-	-	12/41/137/137	-
10	PGV	L	305	-	-	9/43/43/55	-
16	PTY	H	306	-	-	7/49/49/53	-
15	CDL	Y	102	-	-	14/40/40/110	-
9	U10	D	105	-	-	20/63/87/87	0/1/1/1
12	LMT	H	303	-	-	5/21/61/61	0/2/2/2
7	BCL	Y	103	-	-	18/41/137/137	-
12	LMT	Q	101	-	-	3/15/35/61	0/1/1/2
14	SPO	V	102	-	-	5/47/47/47	-
12	LMT	H	304	-	-	8/21/61/61	0/2/2/2
14	SPO	S	102	-	-	2/47/47/47	-
14	SPO	J	102	-	-	9/47/47/47	-
14	SPO	V	103	-	-	5/47/47/47	-
7	BCL	E	101	-	-	14/41/137/137	-
10	PGV	Q	103	-	-	8/43/43/55	-
10	PGV	F	103	-	-	9/51/51/55	-
7	BCL	T	101	-	-	13/41/137/137	-
12	LMT	B	102	-	-	1/13/53/61	0/2/2/2
11	LDA	X	101	-	-	0/10/10/13	-
8	BPH	L	302	-	-	3/37/105/105	0/5/6/6
7	BCL	W	101	-	-	12/41/137/137	-
9	U10	M	410	-	-	6/63/87/87	0/1/1/1
7	BCL	Q	104	-	-	14/41/137/137	-
10	PGV	K	104	-	-	12/40/42/55	-
14	SPO	B	104	-	-	12/47/47/47	-
14	SPO	G	102	-	-	4/47/47/47	-
8	BPH	M	403	-	-	6/37/105/105	0/5/6/6
12	LMT	I	101	-	-	3/11/51/61	0/2/2/2
12	LMT	K	101	-	-	4/21/61/61	0/2/2/2
7	BCL	S	101	-	-	11/41/137/137	-
10	PGV	M	409	-	-	19/42/42/55	-
11	LDA	Y	101	-	-	1/9/9/13	-
12	LMT	Q	102	-	-	2/11/31/61	0/1/1/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	LMT	L	308	-	-	6/20/60/61	0/2/2/2
7	BCL	J	101	-	-	17/41/137/137	-
14	SPO	D	102	-	-	2/47/47/47	-
14	SPO	K	103	-	-	6/47/47/47	-
14	SPO	P	102	-	-	15/47/47/47	-
11	LDA	H	302	-	-	1/13/13/13	-
7	BCL	D	101	-	-	10/41/137/137	-
7	BCL	P	101	-	-	15/41/137/137	-
9	U10	L	303	-	-	7/30/54/87	0/1/1/1
7	BCL	L	309	-	-	17/41/137/137	-
7	BCL	N	101	-	-	17/41/137/137	-
12	LMT	F	106	-	-	0/9/29/61	0/1/1/2
12	LMT	I	103	-	-	4/13/53/61	0/2/2/2
7	BCL	G	101	-	-	12/41/137/137	-
14	SPO	Z	101	-	-	4/47/47/47	-
14	SPO	Q	105	-	-	2/47/47/47	-
12	LMT	M	407	-	-	6/17/37/61	0/1/1/2
7	BCL	A	103	-	-	13/35/131/137	-
11	LDA	L	306	-	-	2/13/13/13	-
12	LMT	D	103	-	-	4/13/53/61	0/2/2/2
12	LMT	L	307	-	-	6/21/61/61	0/2/2/2
7	BCL	O	101	-	-	8/41/137/137	-
14	SPO	S	103	-	-	6/47/47/47	-
16	PTY	F	104	-	-	9/51/51/53	-
7	BCL	Q	106	-	-	17/41/137/137	-
7	BCL	L	301	-	-	10/41/137/137	-
7	BCL	F	101	-	-	12/41/137/137	-
14	SPO	B	101	-	-	1/47/47/47	-
14	SPO	F	105	-	-	6/47/47/47	-
15	CDL	H	307	-	-	18/71/71/110	-
10	PGV	H	301	-	-	13/51/51/55	-
10	PGV	F	102	-	-	11/44/44/55	-
15	CDL	M	408	-	-	25/89/89/110	-
12	LMT	H	305	-	-	6/16/56/61	0/2/2/2
7	BCL	V	101	-	-	11/41/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	SPO	K	105	-	-	2/47/47/47	-
7	BCL	1	101	-	-	8/41/137/137	-
10	PGV	Y	104	-	-	6/47/47/55	-
9	U10	L	304	-	-	3/21/45/87	0/1/1/1
14	SPO	G	103	-	-	8/47/47/47	-
7	BCL	Z	102	-	-	13/41/137/137	-
12	LMT	A	101	-	-	6/21/61/61	0/2/2/2
12	LMT	A	102	-	-	4/21/61/61	0/2/2/2
12	LMT	M	406	-	-	2/19/39/61	0/1/1/2
7	BCL	I	102	-	-	13/41/137/137	-
14	SPO	M	405	-	-	2/47/47/47	-
14	SPO	O	102	-	-	6/47/47/47	-
14	SPO	D	104	-	-	4/47/47/47	-
7	BCL	M	402	-	-	3/41/137/137	-
7	BCL	B	103	-	-	11/41/137/137	-

The worst 5 of 477 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	X	101	LDA	O1-N1	-6.86	1.25	1.42
11	L	306	LDA	O1-N1	-6.85	1.25	1.42
11	H	302	LDA	O1-N1	-6.83	1.25	1.42
11	Y	101	LDA	O1-N1	-6.79	1.25	1.42
7	L	301	BCL	O2D-CGD	5.15	1.45	1.33

The worst 5 of 910 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	1	101	BCL	CMD-C2D-C1D	8.22	139.21	124.73
7	M	402	BCL	CMD-C2D-C1D	8.19	139.15	124.73
7	Y	103	BCL	CMD-C2D-C1D	8.19	139.15	124.73
7	L	301	BCL	CMD-C2D-C1D	8.18	139.13	124.73
7	A	103	BCL	CMD-C2D-C1D	8.07	138.93	124.73

There are no chirality outliers.

5 of 683 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	L	301	BCL	C2-C3-C5-C6
7	L	309	BCL	CHA-CBD-CGD-O1D
7	L	309	BCL	CHA-CBD-CGD-O2D
7	M	401	BCL	CHA-CBD-CGD-O1D
7	M	401	BCL	CHA-CBD-CGD-O2D

There are no ring outliers.

77 monomers are involved in 280 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	K	102	BCL	5	0
7	M	401	BCL	3	0
10	L	305	PGV	2	0
16	H	306	PTY	6	0
15	Y	102	CDL	2	0
9	D	105	U10	11	0
12	H	303	LMT	2	0
7	Y	103	BCL	5	0
14	V	102	SPO	8	0
12	H	304	LMT	4	0
14	S	102	SPO	6	0
14	J	102	SPO	6	0
14	V	103	SPO	2	0
7	E	101	BCL	2	0
10	Q	103	PGV	2	0
10	F	103	PGV	4	0
7	T	101	BCL	5	0
8	L	302	BPH	3	0
7	W	101	BCL	2	0
9	M	410	U10	6	0
7	Q	104	BCL	8	0
10	K	104	PGV	2	0
14	B	104	SPO	7	0
14	G	102	SPO	8	0
8	M	403	BPH	8	0
12	I	101	LMT	3	0
12	K	101	LMT	4	0
7	S	101	BCL	6	0
10	M	409	PGV	4	0
11	Y	101	LDA	2	0
12	Q	102	LMT	3	0
12	L	308	LMT	2	0
7	J	101	BCL	4	0

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	D	102	SPO	4	0
14	K	103	SPO	4	0
14	P	102	SPO	8	0
11	H	302	LDA	1	0
7	D	101	BCL	12	0
7	P	101	BCL	5	0
9	L	303	U10	3	0
7	L	309	BCL	2	0
7	N	101	BCL	6	0
12	I	103	LMT	1	0
7	G	101	BCL	3	0
14	Z	101	SPO	11	0
14	Q	105	SPO	6	0
12	M	407	LMT	1	0
7	A	103	BCL	5	0
12	D	103	LMT	1	0
7	O	101	BCL	4	0
14	S	103	SPO	3	0
16	F	104	PTY	4	0
7	Q	106	BCL	8	0
7	L	301	BCL	2	0
7	F	101	BCL	8	0
14	B	101	SPO	4	0
14	F	105	SPO	6	0
15	H	307	CDL	5	0
10	H	301	PGV	1	0
10	F	102	PGV	2	0
15	M	408	CDL	5	0
12	H	305	LMT	4	0
7	V	101	BCL	3	0
14	K	105	SPO	7	0
7	I	101	BCL	8	0
10	Y	104	PGV	3	0
9	L	304	U10	1	0
14	G	103	SPO	3	0
7	Z	102	BCL	4	0
12	A	101	LMT	1	0
12	A	102	LMT	3	0
7	I	102	BCL	3	0
14	M	405	SPO	5	0
14	O	102	SPO	4	0
14	D	104	SPO	4	0



Continued on next page...


Continued from previous page...




Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	M	402	BCL	4	0
7	B	103	BCL	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































































Ligand SPO K 103	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand SPO P 102	
	
Bond lengths	Bond angles
	
Torsions	Rings



































































Ligand SPO M 405	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand SPO O 102	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand SPO D 104	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand BCL M 402	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand BCL B 103	
	
Bond lengths	Bond angles
	
Torsions	Rings

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32193. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 169



Y Index: 185




Z Index: 168


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 110 nm³; this corresponds to an approximate mass of 100 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.380 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.380 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.63	-	-
Author-provided FSC curve	2.61	3.01	2.64
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-32193 and PDB model 7VY3. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8620	 0.6280
1	 0.2040	 0.3620
A	 0.9210	 0.6360
B	 0.8550	 0.6120
D	 0.9070	 0.6430
E	 0.9330	 0.6520
F	 0.9070	 0.6460
G	 0.9140	 0.6500
H	 0.9030	 0.6430
I	 0.9270	 0.6470
J	 0.9280	 0.6550
K	 0.9070	 0.6410
L	 0.9560	 0.6780
M	 0.9550	 0.6760
N	 0.9260	 0.6500
O	 0.9190	 0.6440
P	 0.8730	 0.6150
Q	 0.8430	 0.6100
R	 0.8790	 0.6260
S	 0.8460	 0.6120
T	 0.8020	 0.5860
V	 0.6940	 0.5490
W	 0.6740	 0.5360
X	 0.7780	 0.6000
Y	 0.3450	 0.4390
Z	 0.2350	 0.3920

