



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:53 AM UTC

PDB ID : 5VZ2 / pdb_00005vz2
Title : Structure of ClpP from Staphylococcus aureus in complex with Acyldepsipeptide
Authors : Griffith, E.C.; Lee, R.E.
Deposited on : 2017-05-26
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	0% 83% 12%
1	B	203	3% 81% 6% 12%
1	C	203	2% 82% 5% 12%
1	D	203	3% 85% 13%
1	E	203	2% 82% 5% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	203	
1	G	203	
1	I	203	
1	K	203	
1	L	203	
1	M	203	
1	N	203	
1	S	203	
1	T	203	
2	H	7	
2	J	7	
2	O	7	
2	P	7	
2	Q	7	
2	R	7	
2	U	7	
2	V	7	
2	X	7	
2	Y	7	
2	Z	7	
2	a	7	
2	b	7	
2	c	7	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 20469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	179	Total	C	N	O	S	0	0	0
			1364	858	233	267	6			
1	B	179	Total	C	N	O	S	0	0	0
			1363	857	233	267	6			
1	C	178	Total	C	N	O	S	0	0	0
			1358	854	232	266	6			
1	D	177	Total	C	N	O	S	0	0	0
			1355	852	231	266	6			
1	E	178	Total	C	N	O	S	0	0	0
			1351	850	231	264	6			
1	F	179	Total	C	N	O	S	0	0	0
			1364	857	233	268	6			
1	G	180	Total	C	N	O	S	0	0	0
			1365	859	233	267	6			
1	I	179	Total	C	N	O	S	0	0	0
			1369	862	233	268	6			
1	K	178	Total	C	N	O	S	0	0	0
			1365	859	232	268	6			
1	L	179	Total	C	N	O	S	0	0	0
			1364	858	233	267	6			
1	M	179	Total	C	N	O	S	0	0	0
			1363	857	233	267	6			
1	N	178	Total	C	N	O	S	0	0	0
			1361	856	232	267	6			
1	S	179	Total	C	N	O	S	0	0	0
			1360	855	232	267	6			
1	T	181	Total	C	N	O	S	0	0	0
			1376	865	235	270	6			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	196	LEU	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	197	GLU	-	expression tag	UNP Q2G036
A	198	HIS	-	expression tag	UNP Q2G036
A	199	HIS	-	expression tag	UNP Q2G036
A	200	HIS	-	expression tag	UNP Q2G036
A	201	HIS	-	expression tag	UNP Q2G036
A	202	HIS	-	expression tag	UNP Q2G036
A	203	HIS	-	expression tag	UNP Q2G036
B	196	LEU	-	expression tag	UNP Q2G036
B	197	GLU	-	expression tag	UNP Q2G036
B	198	HIS	-	expression tag	UNP Q2G036
B	199	HIS	-	expression tag	UNP Q2G036
B	200	HIS	-	expression tag	UNP Q2G036
B	201	HIS	-	expression tag	UNP Q2G036
B	202	HIS	-	expression tag	UNP Q2G036
B	203	HIS	-	expression tag	UNP Q2G036
C	196	LEU	-	expression tag	UNP Q2G036
C	197	GLU	-	expression tag	UNP Q2G036
C	198	HIS	-	expression tag	UNP Q2G036
C	199	HIS	-	expression tag	UNP Q2G036
C	200	HIS	-	expression tag	UNP Q2G036
C	201	HIS	-	expression tag	UNP Q2G036
C	202	HIS	-	expression tag	UNP Q2G036
C	203	HIS	-	expression tag	UNP Q2G036
D	196	LEU	-	expression tag	UNP Q2G036
D	197	GLU	-	expression tag	UNP Q2G036
D	198	HIS	-	expression tag	UNP Q2G036
D	199	HIS	-	expression tag	UNP Q2G036
D	200	HIS	-	expression tag	UNP Q2G036
D	201	HIS	-	expression tag	UNP Q2G036
D	202	HIS	-	expression tag	UNP Q2G036
D	203	HIS	-	expression tag	UNP Q2G036
E	196	LEU	-	expression tag	UNP Q2G036
E	197	GLU	-	expression tag	UNP Q2G036
E	198	HIS	-	expression tag	UNP Q2G036
E	199	HIS	-	expression tag	UNP Q2G036
E	200	HIS	-	expression tag	UNP Q2G036
E	201	HIS	-	expression tag	UNP Q2G036
E	202	HIS	-	expression tag	UNP Q2G036
E	203	HIS	-	expression tag	UNP Q2G036
F	196	LEU	-	expression tag	UNP Q2G036
F	197	GLU	-	expression tag	UNP Q2G036
F	198	HIS	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	199	HIS	-	expression tag	UNP Q2G036
F	200	HIS	-	expression tag	UNP Q2G036
F	201	HIS	-	expression tag	UNP Q2G036
F	202	HIS	-	expression tag	UNP Q2G036
F	203	HIS	-	expression tag	UNP Q2G036
G	196	LEU	-	expression tag	UNP Q2G036
G	197	GLU	-	expression tag	UNP Q2G036
G	198	HIS	-	expression tag	UNP Q2G036
G	199	HIS	-	expression tag	UNP Q2G036
G	200	HIS	-	expression tag	UNP Q2G036
G	201	HIS	-	expression tag	UNP Q2G036
G	202	HIS	-	expression tag	UNP Q2G036
G	203	HIS	-	expression tag	UNP Q2G036
I	196	LEU	-	expression tag	UNP Q2G036
I	197	GLU	-	expression tag	UNP Q2G036
I	198	HIS	-	expression tag	UNP Q2G036
I	199	HIS	-	expression tag	UNP Q2G036
I	200	HIS	-	expression tag	UNP Q2G036
I	201	HIS	-	expression tag	UNP Q2G036
I	202	HIS	-	expression tag	UNP Q2G036
I	203	HIS	-	expression tag	UNP Q2G036
K	196	LEU	-	expression tag	UNP Q2G036
K	197	GLU	-	expression tag	UNP Q2G036
K	198	HIS	-	expression tag	UNP Q2G036
K	199	HIS	-	expression tag	UNP Q2G036
K	200	HIS	-	expression tag	UNP Q2G036
K	201	HIS	-	expression tag	UNP Q2G036
K	202	HIS	-	expression tag	UNP Q2G036
K	203	HIS	-	expression tag	UNP Q2G036
L	196	LEU	-	expression tag	UNP Q2G036
L	197	GLU	-	expression tag	UNP Q2G036
L	198	HIS	-	expression tag	UNP Q2G036
L	199	HIS	-	expression tag	UNP Q2G036
L	200	HIS	-	expression tag	UNP Q2G036
L	201	HIS	-	expression tag	UNP Q2G036
L	202	HIS	-	expression tag	UNP Q2G036
L	203	HIS	-	expression tag	UNP Q2G036
M	196	LEU	-	expression tag	UNP Q2G036
M	197	GLU	-	expression tag	UNP Q2G036
M	198	HIS	-	expression tag	UNP Q2G036
M	199	HIS	-	expression tag	UNP Q2G036
M	200	HIS	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	201	HIS	-	expression tag	UNP Q2G036
M	202	HIS	-	expression tag	UNP Q2G036
M	203	HIS	-	expression tag	UNP Q2G036
N	196	LEU	-	expression tag	UNP Q2G036
N	197	GLU	-	expression tag	UNP Q2G036
N	198	HIS	-	expression tag	UNP Q2G036
N	199	HIS	-	expression tag	UNP Q2G036
N	200	HIS	-	expression tag	UNP Q2G036
N	201	HIS	-	expression tag	UNP Q2G036
N	202	HIS	-	expression tag	UNP Q2G036
N	203	HIS	-	expression tag	UNP Q2G036
S	196	LEU	-	expression tag	UNP Q2G036
S	197	GLU	-	expression tag	UNP Q2G036
S	198	HIS	-	expression tag	UNP Q2G036
S	199	HIS	-	expression tag	UNP Q2G036
S	200	HIS	-	expression tag	UNP Q2G036
S	201	HIS	-	expression tag	UNP Q2G036
S	202	HIS	-	expression tag	UNP Q2G036
S	203	HIS	-	expression tag	UNP Q2G036
T	196	LEU	-	expression tag	UNP Q2G036
T	197	GLU	-	expression tag	UNP Q2G036
T	198	HIS	-	expression tag	UNP Q2G036
T	199	HIS	-	expression tag	UNP Q2G036
T	200	HIS	-	expression tag	UNP Q2G036
T	201	HIS	-	expression tag	UNP Q2G036
T	202	HIS	-	expression tag	UNP Q2G036
T	203	HIS	-	expression tag	UNP Q2G036

- Molecule 2 is a protein called Acyldepsipeptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	H	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	J	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	O	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	P	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	Q	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	R	7	Total	C	N	O	0	0	0
			51	37	6	8			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	U	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	V	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	X	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	Y	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	Z	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	a	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	b	7	Total	C	N	O	0	0	0
			51	37	6	8			
2	c	7	Total	C	N	O	0	0	0
			51	37	6	8			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	60	Total	O	0	0
			60	60		
3	B	62	Total	O	0	0
			62	62		
3	C	21	Total	O	0	0
			21	21		
3	D	23	Total	O	0	0
			23	23		
3	E	27	Total	O	0	0
			27	27		
3	F	54	Total	O	0	0
			54	54		
3	G	63	Total	O	0	0
			63	63		
3	I	68	Total	O	0	0
			68	68		
3	K	61	Total	O	0	0
			61	61		
3	L	64	Total	O	0	0
			64	64		
3	M	48	Total	O	0	0
			48	48		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	N	33	Total 33	O 33	0	0
3	S	40	Total 40	O 40	0	0
3	T	50	Total 50	O 50	0	0
3	U	1	Total 1	O 1	0	0
3	X	1	Total 1	O 1	0	0
3	a	1	Total 1	O 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit



- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit







- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide




- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide




- Molecule 2: Acyldepsipeptide




- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide




- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide




- Molecule 2: Acyldepsipeptide



- Molecule 2: Acyldepsipeptide

Chain a:  57% 43%



● Molecule 2: Acyldepsipeptide

Chain b:  14% 86% 14%



● Molecule 2: Acyldepsipeptide

Chain c:  86% 14%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.56Å 126.13Å 145.79Å 90.00° 93.42° 90.00°	Depositor
Resolution (Å)	50.00 – 2.26 50.00 – 2.26	Depositor EDS
% Data completeness (in resolution range)	97.4 (50.00-2.26) 97.4 (50.00-2.26)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.179 , 0.219 0.185 , 0.220	Depositor DCC
R_{free} test set	1996 reflections (1.25%)	wwPDB-VP
Wilson B-factor (Å ²)	33.9	Xtriage
Anisotropy	0.116	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 26.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20469	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YCP, 9TS, MP8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.25	0/1381	1.12	0/1864
1	B	1.23	0/1380	1.16	4/1863 (0.2%)
1	C	1.15	1/1375 (0.1%)	1.10	1/1856 (0.1%)
1	D	1.16	2/1372 (0.1%)	1.15	0/1851
1	E	1.16	0/1368	1.12	0/1847
1	F	1.23	0/1381	1.13	2/1865 (0.1%)
1	G	1.27	2/1382 (0.1%)	1.13	3/1867 (0.2%)
1	I	1.29	3/1386 (0.2%)	1.10	0/1871
1	K	1.28	4/1382 (0.3%)	1.14	1/1864 (0.1%)
1	L	1.25	2/1381 (0.1%)	1.11	1/1864 (0.1%)
1	M	1.15	0/1380	1.09	0/1864
1	N	1.17	0/1378	1.13	1/1860 (0.1%)
1	S	1.14	4/1377 (0.3%)	1.10	1/1860 (0.1%)
1	T	1.22	1/1393 (0.1%)	1.13	2/1881 (0.1%)
2	H	1.30	0/29	0.98	0/37
2	J	1.52	1/29 (3.4%)	0.92	0/37
2	O	1.57	1/29 (3.4%)	1.00	0/37
2	P	1.26	0/29	0.88	0/37
2	Q	1.48	1/29 (3.4%)	0.97	0/37
2	R	1.12	0/29	0.96	0/37
2	U	1.31	0/29	1.04	0/37
2	V	1.36	1/29 (3.4%)	1.23	0/37
2	X	1.39	1/29 (3.4%)	0.97	0/37
2	Y	1.12	0/29	0.87	0/37
2	Z	1.59	1/29 (3.4%)	0.84	0/37
2	a	1.18	0/29	0.89	0/37
2	b	1.26	0/29	0.83	0/37
2	c	1.16	0/29	0.93	0/37
All	All	1.22	25/19722 (0.1%)	1.12	16/26595 (0.1%)

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	3	SER	CA-C	6.88	1.58	1.52
2	Z	3	SER	CA-C	6.61	1.58	1.52
1	G	148	GLU	C-O	-6.17	1.17	1.24
1	K	82	GLN	C-O	-6.01	1.16	1.24
1	I	102	PHE	C-O	-5.98	1.17	1.24
1	L	161	SER	CA-C	5.90	1.61	1.53
1	I	109	LYS	C-O	-5.89	1.16	1.23
1	S	148	GLU	CA-C	5.76	1.60	1.52
1	C	97	ALA	N-CA	5.69	1.52	1.45
1	K	99	MET	SD-CE	-5.69	1.65	1.79
1	G	123	HIS	C-O	-5.68	1.18	1.24
2	O	3	SER	CA-C	5.68	1.58	1.52
2	Q	3	SER	CA-C	5.67	1.58	1.52
1	D	157	ARG	C-O	5.55	1.31	1.24
1	S	98	SER	C-O	-5.46	1.19	1.24
1	S	120	VAL	C-O	-5.35	1.18	1.24
2	V	3	SER	CA-C	5.30	1.57	1.52
1	K	173	ASN	CA-C	5.29	1.58	1.52
1	T	98	SER	C-O	-5.28	1.19	1.24
1	S	135	GLU	N-CA	5.27	1.52	1.46
1	L	38	ASP	CA-C	5.26	1.59	1.52
1	D	28	ARG	CA-C	5.14	1.60	1.53
1	I	30	ILE	CA-CB	-5.12	1.48	1.54
2	X	3	SER	CA-C	5.02	1.56	1.52
1	K	114	ALA	N-CA	5.00	1.52	1.45

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	85	LYS	CA-C-N	-6.44	113.12	119.76
1	B	85	LYS	C-N-CA	-6.44	113.12	119.76
1	B	155	SER	CA-C-O	6.05	127.35	121.00
1	K	99	MET	CG-SD-CE	-6.03	87.63	100.90
1	G	179	GLU	N-CA-C	5.84	117.65	111.28
1	F	157	ARG	N-CA-C	5.84	118.88	111.69
1	F	145	LYS	N-CA-C	-5.84	105.00	111.36
1	S	83	HIS	N-CA-C	5.81	117.42	111.14
1	T	157	ARG	N-CA-C	5.49	118.45	111.69
1	T	45	VAL	N-CA-C	-5.46	105.18	110.42
1	B	157	ARG	N-CA-C	5.33	118.94	112.23
1	L	5	PRO	N-CA-C	5.28	118.62	111.22
1	N	157	ARG	N-CA-C	5.26	117.93	111.82
1	C	5	PRO	N-CA-C	5.09	119.30	111.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	85	LYS	CA-C-N	-5.02	114.61	119.78
1	G	85	LYS	C-N-CA	-5.02	114.61	119.78

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1364	0	1365	7	0
1	B	1363	0	1363	8	0
1	C	1358	0	1361	9	0
1	D	1355	0	1361	3	0
1	E	1351	0	1349	6	0
1	F	1364	0	1362	7	0
1	G	1365	0	1357	10	0
1	I	1369	0	1368	13	0
1	K	1365	0	1366	10	0
1	L	1364	0	1365	5	0
1	M	1363	0	1362	3	0
1	N	1361	0	1364	5	0
1	S	1360	0	1354	7	0
1	T	1376	0	1370	9	0
2	H	51	0	42	0	0
2	J	51	0	42	2	0
2	O	51	0	42	3	0
2	P	51	0	42	0	0
2	Q	51	0	42	1	0
2	R	51	0	42	0	0
2	U	51	0	42	0	0
2	V	51	0	42	1	0
2	X	51	0	42	0	0
2	Y	51	0	42	1	0
2	Z	51	0	42	0	0
2	a	51	0	42	2	0
2	b	51	0	42	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	c	51	0	42	0	0
3	A	60	0	0	0	0
3	B	62	0	0	0	0
3	C	21	0	0	0	0
3	D	23	0	0	1	0
3	E	27	0	0	0	0
3	F	54	0	0	0	0
3	G	63	0	0	0	0
3	I	68	0	0	0	0
3	K	61	0	0	0	0
3	L	64	0	0	0	0
3	M	48	0	0	0	0
3	N	33	0	0	0	0
3	S	40	0	0	0	0
3	T	50	0	0	0	0
3	U	1	0	0	0	0
3	X	1	0	0	0	0
3	a	1	0	0	0	0
All	All	20469	0	19655	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:71:VAL:HG22	1:I:99:MET:HE3	1.59	0.83
1:N:71:VAL:HG22	1:N:99:MET:HE3	1.69	0.74
1:C:190:MET:HE3	1:D:83:HIS:CE1	2.25	0.71
1:I:42:ASN:ND2	1:T:33:GLY:HA3	2.08	0.69
1:K:119:GLU:OE1	1:L:72:THR:HG21	1.96	0.66
1:I:190:MET:HE3	1:K:83:HIS:CE1	2.32	0.64
1:B:71:VAL:HG22	1:B:99:MET:HE3	1.79	0.64
1:K:119:GLU:OE1	1:L:72:THR:CG2	2.48	0.62
1:F:63:TYR:CE1	1:F:91:ILE:HD13	2.38	0.59
1:T:71:VAL:HG22	1:T:99:MET:HE3	1.85	0.59
1:K:109:LYS:HE3	1:K:157:ARG:NH1	2.17	0.58
1:E:71:VAL:HG22	1:E:99:MET:HE3	1.84	0.58
1:L:71:VAL:HG22	1:L:99:MET:HE3	1.86	0.58
1:T:90:THR:C	1:T:91:ILE:HD12	2.29	0.57
1:I:115:LEU:HD21	1:I:190:MET:HE2	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:LEU:HD21	1:B:190:MET:HE2	1.88	0.55
1:C:190:MET:HE1	2:O:2:PHE:CD1	2.42	0.55
1:A:93:ILE:HG22	1:A:115:LEU:CD1	2.37	0.54
1:B:115:LEU:CD2	1:B:190:MET:HE2	2.38	0.53
1:C:115:LEU:HD21	1:C:190:MET:HE2	1.90	0.52
1:I:115:LEU:CD2	1:I:190:MET:HE2	2.40	0.51
1:G:71:VAL:HG22	1:G:99:MET:HE3	1.93	0.51
1:G:93:ILE:HG22	1:G:115:LEU:HD12	1.93	0.50
1:A:93:ILE:HG22	1:A:115:LEU:HD12	1.92	0.50
1:K:99:MET:HE1	1:K:150:LEU:CD2	2.41	0.50
1:M:33:GLY:HA3	1:N:42:ASN:OD1	2.12	0.49
1:N:91:ILE:HD11	2:a:6:ALA:HB1	1.94	0.48
3:D:301:HOH:O	1:S:134:THR:HG21	2.14	0.48
1:S:93:ILE:HG22	1:S:115:LEU:CD1	2.43	0.48
1:C:105:ALA:O	1:C:157:ARG:HD3	2.14	0.48
1:E:58:LYS:O	1:E:86:PRO:HB3	2.13	0.48
1:A:71:VAL:HG22	1:A:99:MET:HE3	1.95	0.47
1:M:99:MET:HA	1:M:99:MET:HE2	1.96	0.47
1:I:148:GLU:OE2	1:I:152:ARG:NH1	2.47	0.47
1:C:99:MET:HA	1:C:99:MET:HE2	1.96	0.47
1:B:63:TYR:CE1	1:B:91:ILE:HD13	2.49	0.47
1:T:91:ILE:HD12	1:T:91:ILE:N	2.31	0.46
1:I:142:HIS:HE2	1:T:119:GLU:CD	2.23	0.46
1:S:155:SER:OG	1:S:160:GLN:O	2.28	0.46
1:I:190:MET:HE1	2:V:2:PHE:CD1	2.51	0.46
1:M:105:ALA:O	1:M:157:ARG:HD3	2.16	0.46
1:B:105:ALA:O	1:B:157:ARG:HD3	2.17	0.45
1:G:29:ILE:HG21	1:G:31:MET:HE2	1.97	0.45
1:K:99:MET:HE1	1:K:150:LEU:HD21	1.98	0.45
1:L:99:MET:HA	1:L:99:MET:HE2	1.99	0.45
1:E:20:ILE:HD11	1:F:50:PHE:HB2	1.99	0.45
1:F:105:ALA:O	1:F:157:ARG:HD3	2.17	0.44
1:F:84:ILE:HB	1:F:86:PRO:HD2	1.99	0.44
1:C:190:MET:HE1	2:O:2:PHE:CG	2.52	0.44
1:L:27:ASP:OD2	2:Y:1:9TS:C6	2.66	0.44
1:I:99:MET:HA	1:I:99:MET:HE2	1.99	0.43
1:G:105:ALA:O	1:G:157:ARG:HD3	2.18	0.43
1:N:20:ILE:HD11	1:S:50:PHE:HB2	2.00	0.43
1:A:99:MET:HA	1:A:99:MET:HE2	2.00	0.43
1:B:190:MET:HE1	2:J:2:PHE:CD1	2.54	0.43
1:K:124:GLN:HB2	1:K:125:PRO:HD2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:S:71:VAL:HG22	1:S:99:MET:HE3	2.00	0.43
1:B:161:SER:O	1:B:165:ILE:HG12	2.19	0.42
1:N:63:TYR:HH	2:a:2:PHE:N	2.17	0.42
1:A:85:LYS:N	1:A:86:PRO:CD	2.82	0.42
1:I:42:ASN:ND2	1:T:33:GLY:CA	2.80	0.42
1:G:63:TYR:CE1	1:G:91:ILE:HD13	2.55	0.42
1:C:91:ILE:HD11	2:O:6:ALA:HB1	2.01	0.41
1:I:42:ASN:ND2	1:T:33:GLY:O	2.52	0.41
1:I:79:ASP:HB3	1:T:115:LEU:HD13	2.01	0.41
1:K:71:VAL:HG22	1:K:99:MET:HE3	2.02	0.41
1:F:28:ARG:HG2	1:F:51:LEU:HD22	2.01	0.41
1:K:115:LEU:HD21	1:K:190:MET:CE	2.50	0.41
1:A:79:ASP:HB3	1:G:115:LEU:HD13	2.02	0.41
1:A:123:HIS:CD2	1:A:123:HIS:C	2.97	0.41
1:C:190:MET:HE3	1:D:83:HIS:NE2	2.34	0.41
1:F:93:ILE:HD12	1:G:45:VAL:HG11	2.02	0.41
1:S:33:GLY:HA3	1:T:42:ASN:ND2	2.36	0.41
1:E:105:ALA:O	1:E:157:ARG:HD3	2.21	0.41
1:G:123:HIS:CD2	1:G:123:HIS:C	2.99	0.41
1:I:115:LEU:HD13	1:K:79:ASP:HB3	2.03	0.41
1:G:124:GLN:HB2	1:G:125:PRO:HD2	2.03	0.41
1:B:91:ILE:HD11	2:J:6:ALA:HB1	2.02	0.40
1:E:23:ARG:NH1	1:E:27:ASP:OD2	2.54	0.40
1:E:61:TYR:CZ	2:Q:7:MP8:HB	2.56	0.40
1:G:24:LEU:HD13	1:G:31:MET:CE	2.51	0.40
1:F:63:TYR:CD1	1:F:91:ILE:HD13	2.57	0.40
1:C:152:ARG:O	1:C:155:SER:HB3	2.21	0.40
1:D:133:ALA:HB3	1:S:124:GLN:OE1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/203 (86%)	173 (99%)	2 (1%)	0	100	100
1	B	175/203 (86%)	170 (97%)	5 (3%)	0	100	100
1	C	174/203 (86%)	170 (98%)	4 (2%)	0	100	100
1	D	173/203 (85%)	167 (96%)	6 (4%)	0	100	100
1	E	174/203 (86%)	172 (99%)	2 (1%)	0	100	100
1	F	175/203 (86%)	172 (98%)	3 (2%)	0	100	100
1	G	176/203 (87%)	173 (98%)	3 (2%)	0	100	100
1	I	175/203 (86%)	171 (98%)	4 (2%)	0	100	100
1	K	174/203 (86%)	169 (97%)	5 (3%)	0	100	100
1	L	175/203 (86%)	171 (98%)	4 (2%)	0	100	100
1	M	175/203 (86%)	173 (99%)	2 (1%)	0	100	100
1	N	174/203 (86%)	171 (98%)	3 (2%)	0	100	100
1	S	175/203 (86%)	174 (99%)	1 (1%)	0	100	100
1	T	177/203 (87%)	172 (97%)	5 (3%)	0	100	100
2	H	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	J	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	O	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	P	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	Q	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	R	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	U	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	V	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	X	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	Y	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	Z	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	a	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	b	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	c	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
All	All	2489/2940 (85%)	2426 (98%)	63 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	145/171 (85%)	142 (98%)	3 (2%)	47	58
1	B	145/171 (85%)	142 (98%)	3 (2%)	47	58
1	C	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	D	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	E	143/171 (84%)	140 (98%)	3 (2%)	47	58
1	F	145/171 (85%)	142 (98%)	3 (2%)	47	58
1	G	143/171 (84%)	141 (99%)	2 (1%)	59	70
1	I	146/171 (85%)	145 (99%)	1 (1%)	76	82
1	K	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	L	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	M	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	N	145/171 (85%)	143 (99%)	2 (1%)	59	70
1	S	144/171 (84%)	141 (98%)	3 (2%)	47	58
1	T	145/171 (85%)	143 (99%)	2 (1%)	59	70
2	H	3/3 (100%)	3 (100%)	0	100	100
2	J	3/3 (100%)	3 (100%)	0	100	100
2	O	3/3 (100%)	3 (100%)	0	100	100
2	P	3/3 (100%)	3 (100%)	0	100	100
2	Q	3/3 (100%)	3 (100%)	0	100	100
2	R	3/3 (100%)	3 (100%)	0	100	100
2	U	3/3 (100%)	3 (100%)	0	100	100
2	V	3/3 (100%)	3 (100%)	0	100	100
2	X	3/3 (100%)	3 (100%)	0	100	100
2	Y	3/3 (100%)	3 (100%)	0	100	100
2	Z	3/3 (100%)	3 (100%)	0	100	100
2	a	3/3 (100%)	3 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	3/3 (100%)	3 (100%)	0	100	100
2	c	3/3 (100%)	3 (100%)	0	100	100
All	All	2068/2436 (85%)	2036 (98%)	32 (2%)	57	68

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	HIS
1	A	157	ARG
1	A	166	GLN
1	B	31	MET
1	B	123	HIS
1	B	157	ARG
1	C	123	HIS
1	C	157	ARG
1	D	123	HIS
1	D	157	ARG
1	E	44	ILE
1	E	91	ILE
1	E	157	ARG
1	F	157	ARG
1	F	165	ILE
1	F	167	LYS
1	G	123	HIS
1	G	157	ARG
1	I	157	ARG
1	K	99	MET
1	K	157	ARG
1	L	123	HIS
1	L	157	ARG
1	M	157	ARG
1	M	188	GLU
1	N	123	HIS
1	N	157	ARG
1	S	95	MET
1	S	157	ARG
1	S	192	PRO
1	T	91	ILE
1	T	157	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	151	ASN
1	C	42	ASN
1	E	47	GLN
1	F	65	ASN
1	G	42	ASN
1	G	151	ASN
1	I	42	ASN
1	I	65	ASN
1	I	151	ASN
1	K	42	ASN
1	M	42	ASN
1	M	54	GLN
1	M	117	ASN
1	N	54	GLN
1	T	47	GLN
1	T	65	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

28 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	YCP	R	5	2	6,8,9	0.73	0	7,9,11	1.13	1 (14%)
2	YCP	U	5	2	6,8,9	0.84	0	7,9,11	1.13	1 (14%)
2	YCP	Y	5	2	6,8,9	0.76	0	7,9,11	1.00	1 (14%)
2	MP8	J	7	2	6,8,9	0.29	0	3,10,12	0.44	0
2	YCP	P	5	2	6,8,9	0.75	0	7,9,11	1.03	1 (14%)
2	MP8	a	7	2	6,8,9	0.35	0	3,10,12	0.43	0
2	MP8	R	7	2	6,8,9	0.36	0	3,10,12	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MP8	X	7	2	6,8,9	0.42	0	3,10,12	0.51	0
2	MP8	Q	7	2	6,8,9	0.39	0	3,10,12	0.31	0
2	YCP	Q	5	2	6,8,9	0.79	0	7,9,11	1.22	1 (14%)
2	MP8	b	7	2	6,8,9	0.33	0	3,10,12	0.27	0
2	YCP	O	5	2	6,8,9	0.80	0	7,9,11	0.99	1 (14%)
2	MP8	c	7	2	6,8,9	0.40	0	3,10,12	0.31	0
2	MP8	U	7	2	6,8,9	0.51	0	3,10,12	0.31	0
2	YCP	b	5	2	6,8,9	0.59	0	7,9,11	1.08	1 (14%)
2	MP8	Y	7	2	6,8,9	0.45	0	3,10,12	0.33	0
2	MP8	H	7	2	6,8,9	0.31	0	3,10,12	0.44	0
2	YCP	Z	5	2	6,8,9	0.56	0	7,9,11	1.06	1 (14%)
2	YCP	c	5	2	6,8,9	0.72	0	7,9,11	1.18	1 (14%)
2	MP8	V	7	2	6,8,9	0.55	0	3,10,12	0.18	0
2	YCP	V	5	2	6,8,9	0.51	0	7,9,11	1.12	1 (14%)
2	MP8	O	7	2	6,8,9	0.35	0	3,10,12	0.45	0
2	YCP	X	5	2	6,8,9	0.73	0	7,9,11	1.09	1 (14%)
2	MP8	P	7	2	6,8,9	0.49	0	3,10,12	0.27	0
2	YCP	a	5	2	6,8,9	0.56	0	7,9,11	1.20	1 (14%)
2	MP8	Z	7	2	6,8,9	0.32	0	3,10,12	0.50	0
2	YCP	H	5	2	6,8,9	0.50	0	7,9,11	0.98	1 (14%)
2	YCP	J	5	2	6,8,9	0.91	0	7,9,11	0.96	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YCP	R	5	2	-	0/1/10/12	0/1/1/1
2	YCP	U	5	2	-	0/1/10/12	0/1/1/1
2	YCP	Y	5	2	-	0/1/10/12	0/1/1/1
2	MP8	J	7	2	-	0/0/11/13	0/1/1/1
2	YCP	P	5	2	-	0/1/10/12	0/1/1/1
2	MP8	a	7	2	-	0/0/11/13	0/1/1/1
2	MP8	R	7	2	-	0/0/11/13	0/1/1/1
2	MP8	X	7	2	-	0/0/11/13	0/1/1/1
2	MP8	Q	7	2	-	0/0/11/13	0/1/1/1
2	YCP	Q	5	2	-	0/1/10/12	0/1/1/1
2	MP8	b	7	2	-	0/0/11/13	0/1/1/1
2	YCP	O	5	2	-	0/1/10/12	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MP8	c	7	2	-	0/0/11/13	0/1/1/1
2	MP8	U	7	2	-	0/0/11/13	0/1/1/1
2	YCP	b	5	2	-	0/1/10/12	0/1/1/1
2	MP8	Y	7	2	-	0/0/11/13	0/1/1/1
2	MP8	H	7	2	-	0/0/11/13	0/1/1/1
2	YCP	Z	5	2	-	0/1/10/12	0/1/1/1
2	YCP	c	5	2	-	0/1/10/12	0/1/1/1
2	MP8	V	7	2	-	0/0/11/13	0/1/1/1
2	YCP	V	5	2	-	0/1/10/12	0/1/1/1
2	MP8	O	7	2	-	0/0/11/13	0/1/1/1
2	YCP	X	5	2	-	0/1/10/12	0/1/1/1
2	MP8	P	7	2	-	0/0/11/13	0/1/1/1
2	YCP	a	5	2	-	0/1/10/12	0/1/1/1
2	MP8	Z	7	2	-	0/0/11/13	0/1/1/1
2	YCP	H	5	2	-	0/1/10/12	0/1/1/1
2	YCP	J	5	2	-	0/1/10/12	0/1/1/1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	a	5	YCP	O-C-CA	-3.03	116.97	124.77
2	Q	5	YCP	O-C-CA	-2.99	117.08	124.77
2	c	5	YCP	O-C-CA	-2.97	117.13	124.77
2	U	5	YCP	O-C-CA	-2.91	117.28	124.77
2	V	5	YCP	O-C-CA	-2.83	117.48	124.77
2	R	5	YCP	O-C-CA	-2.83	117.48	124.77
2	b	5	YCP	O-C-CA	-2.70	117.82	124.77
2	X	5	YCP	O-C-CA	-2.70	117.83	124.77
2	Z	5	YCP	O-C-CA	-2.69	117.85	124.77
2	P	5	YCP	O-C-CA	-2.55	118.22	124.77
2	Y	5	YCP	O-C-CA	-2.53	118.26	124.77
2	H	5	YCP	O-C-CA	-2.51	118.31	124.77
2	J	5	YCP	O-C-CA	-2.46	118.44	124.77
2	O	5	YCP	O-C-CA	-2.43	118.53	124.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Q	7	MP8	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	179/203 (88%)	-0.36	3 (1%) 69 70	22, 29, 51, 62	0
1	B	179/203 (88%)	-0.18	6 (3%) 48 48	24, 33, 57, 79	0
1	C	178/203 (87%)	0.18	5 (2%) 55 55	25, 43, 66, 98	0
1	D	177/203 (87%)	0.33	6 (3%) 48 48	33, 44, 68, 92	0
1	E	178/203 (87%)	0.24	5 (2%) 55 55	31, 43, 63, 80	0
1	F	179/203 (88%)	-0.23	5 (2%) 55 55	24, 34, 54, 67	0
1	G	180/203 (88%)	-0.39	4 (2%) 62 63	21, 28, 48, 77	0
1	I	179/203 (88%)	-0.43	4 (2%) 62 63	20, 28, 50, 69	0
1	K	178/203 (87%)	-0.41	4 (2%) 62 63	21, 29, 50, 78	0
1	L	179/203 (88%)	-0.36	4 (2%) 62 63	21, 31, 54, 76	0
1	M	179/203 (88%)	-0.16	5 (2%) 55 55	27, 37, 56, 83	0
1	N	178/203 (87%)	-0.09	4 (2%) 62 63	26, 37, 59, 74	0
1	S	179/203 (88%)	-0.02	5 (2%) 55 55	30, 40, 61, 75	0
1	T	181/203 (89%)	-0.13	4 (2%) 62 63	23, 33, 58, 88	0
2	H	4/7 (57%)	0.14	0 100 100	37, 42, 47, 54	0
2	J	4/7 (57%)	0.35	0 100 100	40, 47, 52, 57	0
2	O	4/7 (57%)	1.18	0 100 100	47, 54, 56, 62	0
2	P	4/7 (57%)	0.72	0 100 100	46, 56, 59, 65	0
2	Q	4/7 (57%)	1.22	1 (25%) 2 1	47, 53, 57, 75	0
2	R	4/7 (57%)	0.74	0 100 100	37, 46, 48, 57	0
2	U	4/7 (57%)	1.11	0 100 100	44, 54, 56, 64	0
2	V	4/7 (57%)	0.40	0 100 100	38, 44, 51, 58	0
2	X	4/7 (57%)	0.47	0 100 100	37, 42, 46, 57	0
2	Y	4/7 (57%)	0.73	1 (25%) 2 1	40, 50, 55, 62	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
2	Z	4/7 (57%)	0.86	1 (25%) 2 1	44, 51, 52, 61	0
2	a	4/7 (57%)	0.49	0 100 100	43, 47, 55, 62	0
2	b	4/7 (57%)	1.01	1 (25%) 2 1	44, 52, 54, 65	0
2	c	4/7 (57%)	0.71	0 100 100	38, 50, 50, 64	0
All	All	2559/2940 (87%)	-0.13	68 (2%) 56 57	20, 36, 59, 98	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	7	VAL	9.1
1	T	194	THR	7.4
1	C	7	VAL	6.5
1	B	193	GLU	6.1
1	S	7	VAL	6.0
1	G	193	GLU	5.9
1	L	7	VAL	5.8
1	T	4	ILE	5.5
1	B	7	VAL	5.4
1	A	7	VAL	5.3
1	I	4	ILE	5.2
1	E	193	GLU	5.1
1	B	4	ILE	5.0
1	L	4	ILE	5.0
1	M	4	ILE	4.7
1	M	7	VAL	4.6
1	N	4	ILE	4.5
1	S	4	ILE	4.4
1	E	5	PRO	4.3
1	K	18	TYR	4.3
1	N	18	TYR	4.0
1	T	193	GLU	4.0
1	G	4	ILE	3.9
1	C	4	ILE	3.7
1	D	7	VAL	3.7
2	Q	4	PRO	3.7
1	A	4	ILE	3.6
1	I	7	VAL	3.6
1	K	4	ILE	3.5
1	N	6	THR	3.4
1	C	6	THR	3.3
1	E	6	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	4	ILE	3.2
1	T	7	VAL	3.1
1	I	18	TYR	3.0
1	F	31	MET	3.0
1	C	191	VAL	3.0
1	L	18	TYR	3.0
1	K	119	GLU	2.9
1	A	18	TYR	2.9
1	M	18	TYR	2.8
1	D	5	PRO	2.7
1	E	31	MET	2.7
1	B	6	THR	2.6
1	N	192	PRO	2.6
1	S	6	THR	2.6
1	F	7	VAL	2.6
1	S	18	TYR	2.6
1	M	6	THR	2.5
1	F	6	THR	2.5
1	D	152	ARG	2.5
1	B	31	MET	2.5
1	F	18	TYR	2.4
1	S	192	PRO	2.4
1	L	31	MET	2.4
1	B	19	ASP	2.3
1	K	6	THR	2.3
1	G	18	TYR	2.3
1	D	26	LYS	2.3
1	G	7	VAL	2.2
1	C	5	PRO	2.2
1	D	31	MET	2.2
1	I	31	MET	2.1
2	Z	4	PRO	2.1
1	D	19	ASP	2.0
1	M	192	PRO	2.0
2	Y	4	PRO	2.0
2	b	4	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	YCP	O	5	8/9	0.82	0.15	57,62,66,67	0
2	YCP	U	5	8/9	0.84	0.17	57,60,63,67	0
2	MP8	U	7	8/9	0.84	0.15	44,46,52,60	0
2	YCP	R	5	8/9	0.87	0.14	51,54,58,62	0
2	YCP	P	5	8/9	0.87	0.15	55,63,69,70	0
2	YCP	Q	5	8/9	0.87	0.16	56,67,72,72	0
2	MP8	O	7	8/9	0.88	0.12	47,50,60,65	0
2	MP8	P	7	8/9	0.89	0.13	54,58,62,64	0
2	YCP	a	5	8/9	0.89	0.13	54,62,67,71	0
2	YCP	b	5	8/9	0.90	0.15	57,65,72,72	0
2	MP8	c	7	8/9	0.90	0.15	42,47,50,51	0
2	YCP	X	5	8/9	0.91	0.11	39,54,56,59	0
2	MP8	Y	7	8/9	0.91	0.10	40,44,50,55	0
2	YCP	c	5	8/9	0.91	0.12	52,58,63,64	0
2	YCP	J	5	8/9	0.92	0.13	47,59,61,61	0
2	YCP	Z	5	8/9	0.92	0.13	58,63,69,70	0
2	MP8	V	7	8/9	0.92	0.11	39,40,46,49	0
2	MP8	J	7	8/9	0.92	0.10	43,46,48,50	0
2	YCP	V	5	8/9	0.92	0.10	48,55,61,61	0
2	MP8	Z	7	8/9	0.93	0.10	42,46,54,56	0
2	MP8	b	7	8/9	0.93	0.10	45,48,51,52	0
2	YCP	Y	5	8/9	0.93	0.11	46,60,64,65	0
2	YCP	H	5	8/9	0.94	0.11	46,54,61,61	0
2	MP8	a	7	8/9	0.94	0.10	46,48,51,52	0
2	MP8	Q	7	8/9	0.94	0.08	44,48,53,56	0
2	MP8	R	7	8/9	0.94	0.10	41,44,46,47	0
2	MP8	X	7	8/9	0.96	0.07	37,40,42,44	0
2	MP8	H	7	8/9	0.97	0.08	39,41,45,45	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.