



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:13 PM UTC

PDB ID : 6VZD / pdb_00006vzd
Title : N-terminal domain of mouse surfactant protein B (K46E/R51E mutant) with bound lipid
Authors : Rapoport, T.A.; Bodnar, N.O.
Deposited on : 2020-02-28
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	87	89% . 9%
1	B	87	87% . 10%
1	C	87	10% 80% 9% 10%
1	E	87	91% 7% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6494 atoms, of which 3176 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pulmonary surfactant-associated protein B.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	79	Total	C	H	N	O	S	0	1	0
			1279	410	638	102	122	7			
1	E	85	Total	C	H	N	O	S	0	2	0
			1369	435	683	113	131	7			
1	B	78	Total	C	H	N	O	S	0	2	0
			1286	412	642	103	122	7			
1	C	78	Total	C	H	N	O	S	0	1	0
			1266	407	629	101	122	7			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP P50405
A	46	GLU	LYS	engineered mutation	UNP P50405
A	51	GLU	ARG	engineered mutation	UNP P50405
E	1	SER	-	expression tag	UNP P50405
E	46	GLU	LYS	engineered mutation	UNP P50405
E	51	GLU	ARG	engineered mutation	UNP P50405
B	1	SER	-	expression tag	UNP P50405
B	46	GLU	LYS	engineered mutation	UNP P50405
B	51	GLU	ARG	engineered mutation	UNP P50405
C	1	SER	-	expression tag	UNP P50405
C	46	GLU	LYS	engineered mutation	UNP P50405
C	51	GLU	ARG	engineered mutation	UNP P50405

- Molecule 2 is (7Z,19R,22R)-25-amino-22-hydroxy-16,22-dioxo-17,21,23-trioxa-22lambda 5 -p hosphapentacos-7-en-19-yl (9Z)-octadec-9-enoate (CCD ID: RXY) (formula: C₃₉H₇₄NO₈P).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	1
			244	78	146	2	16	2		
2	A	1	Total	C	H	N	O	P	0	0
			122	39	73	1	8	1		
2	E	1	Total	C	H	N	O	P	0	0
			122	39	73	1	8	1		
2	B	1	Total	C	H	N	O	P	0	0
			122	39	73	1	8	1		
2	B	1	Total	C	H	N	O	P	0	1
			244	78	146	2	16	2		
2	B	1	Total	C	H	N	O	P	0	0
			122	39	73	1	8	1		



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	94	Total	O	0	0
			94	94		
3	E	100	Total	O	0	0
			100	100		
3	B	80	Total	O	0	0
			80	80		
3	C	44	Total	O	0	0
			44	44		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pulmonary surfactant-associated protein B




- Molecule 1: Pulmonary surfactant-associated protein B



- Molecule 1: Pulmonary surfactant-associated protein B



- Molecule 1: Pulmonary surfactant-associated protein B



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.79Å 66.12Å 59.62Å 90.00° 97.37° 90.00°	Depositor
Resolution (Å)	59.13 – 1.88 59.13 – 1.88	Depositor EDS
% Data completeness (in resolution range)	91.8 (59.13-1.88) 87.3 (59.13-1.88)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.88Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.170 , 0.217 (Not available) , 0.223	Depositor DCC
R_{free} test set	1841 reflections (5.85%)	wwPDB-VP
Wilson B-factor (Å ²)	18.8	Xtriage
Anisotropy	0.001	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 58.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6494	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RXY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/655	0.44	0/890
1	B	0.31	0/658	0.41	0/893
1	C	0.21	0/648	0.33	0/880
1	E	0.31	0/703	0.40	0/952
All	All	0.30	0/2664	0.40	0/3615

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	641	638	638	1	0
1	B	644	642	640	1	0
1	C	637	629	628	4	0
1	E	686	683	683	4	0
2	A	147	219	0	0	0
2	B	196	292	0	0	0
2	E	49	73	0	0	0
3	A	94	0	0	0	0
3	B	80	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	44	0	0	1	0
3	E	100	0	0	2	0
All	All	3318	3176	2589	10	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (10) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:21:LYS:NZ	3:E:302:HOH:O	2.23	0.71
1:B:34:LYS:NZ	3:B:501:HOH:O	2.25	0.70
1:C:30:GLU:OE2	1:C:33:ARG:NH2	2.39	0.54
1:C:22:MET:HE2	1:C:28:PHE:CE1	2.48	0.49
1:E:16:VAL:O	1:E:20[B]:THR:HG23	2.14	0.48
1:C:51:GLU:OE1	3:C:101:HOH:O	2.20	0.45
1:A:16:VAL:O	1:A:20[B]:THR:HG23	2.18	0.43
1:E:29[A]:GLN:HG3	3:E:305:HOH:O	2.18	0.42
1:C:66:TYR:O	1:C:69:SER:HB3	2.19	0.42
1:E:66:TYR:CE1	1:E:70:GLN:HG3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	78/87 (90%)	78 (100%)	0	0	100	100
1	B	78/87 (90%)	78 (100%)	0	0	100	100
1	C	77/87 (88%)	77 (100%)	0	0	100	100
1	E	85/87 (98%)	85 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	318/348 (91%)	318 (100%)	0	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	76/79 (96%)	76 (100%)	0	100	100
1	B	76/79 (96%)	75 (99%)	1 (1%)	61	50
1	C	75/79 (95%)	74 (99%)	1 (1%)	61	50
1	E	79/79 (100%)	79 (100%)	0	100	100
All	All	306/316 (97%)	304 (99%)	2 (1%)	76	69

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	38	GLN
1	C	26	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	RXY	A	102	-	48,48,48	1.09	3 (6%)	51,53,53	0.91	2 (3%)
2	RXY	A	101[A]	-	48,48,48	1.10	3 (6%)	51,53,53	0.85	2 (3%)
2	RXY	B	402[B]	-	48,48,48	1.09	3 (6%)	51,53,53	0.85	2 (3%)
2	RXY	B	401	-	48,48,48	1.06	3 (6%)	51,53,53	0.83	2 (3%)
2	RXY	A	101[B]	-	48,48,48	1.08	3 (6%)	51,53,53	0.80	2 (3%)
2	RXY	E	201	-	48,48,48	1.07	3 (6%)	51,53,53	0.92	2 (3%)
2	RXY	B	403	-	48,48,48	1.11	3 (6%)	51,53,53	0.93	2 (3%)
2	RXY	B	402[A]	-	48,48,48	1.11	3 (6%)	51,53,53	0.94	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RXY	A	102	-	-	30/52/52/52	-
2	RXY	A	101[A]	-	-	21/52/52/52	-
2	RXY	B	402[B]	-	-	25/52/52/52	-
2	RXY	B	401	-	-	26/52/52/52	-
2	RXY	A	101[B]	-	-	24/52/52/52	-
2	RXY	E	201	-	-	20/52/52/52	-
2	RXY	B	403	-	-	16/52/52/52	-
2	RXY	B	402[A]	-	-	21/52/52/52	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	403	RXY	OAU-CAT	3.37	1.43	1.33
2	B	402[A]	RXY	OAU-CAT	3.29	1.42	1.33
2	B	401	RXY	OAU-CAT	3.28	1.42	1.33
2	A	102	RXY	OAU-CAT	3.27	1.42	1.33
2	A	101[A]	RXY	OAU-CAT	3.26	1.42	1.33
2	E	201	RXY	OAU-CAT	3.16	1.42	1.33
2	A	101[B]	RXY	OAU-CAT	3.15	1.42	1.33
2	B	402[B]	RXY	OAU-CAT	3.04	1.42	1.33
2	B	403	RXY	OBW-CAW	-2.90	1.39	1.46
2	B	403	RXY	OBW-CBV	2.78	1.42	1.34
2	A	101[B]	RXY	OBW-CBV	2.70	1.41	1.34
2	B	402[A]	RXY	OBW-CBV	2.70	1.41	1.34
2	B	402[A]	RXY	OBW-CAW	-2.70	1.40	1.46
2	A	102	RXY	OBW-CAW	-2.68	1.40	1.46
2	B	402[B]	RXY	OBW-CAW	-2.64	1.40	1.46
2	E	201	RXY	OBW-CBV	2.61	1.41	1.34
2	A	102	RXY	OBW-CBV	2.60	1.41	1.34
2	A	101[A]	RXY	OBW-CBV	2.60	1.41	1.34
2	E	201	RXY	OBW-CAW	-2.59	1.40	1.46
2	B	402[B]	RXY	OBW-CBV	2.59	1.41	1.34
2	A	101[A]	RXY	OBW-CAW	-2.54	1.40	1.46
2	B	401	RXY	OBW-CBV	2.50	1.41	1.34
2	A	101[B]	RXY	OBW-CAW	-2.39	1.41	1.46
2	B	401	RXY	OBW-CAW	-2.24	1.41	1.46

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	402[A]	RXY	OBW-CBV-CBU	4.10	120.34	111.48
2	A	102	RXY	OBW-CBV-CBU	4.08	120.30	111.48
2	E	201	RXY	OBW-CBV-CBU	4.03	120.19	111.48
2	A	101[A]	RXY	OBW-CBV-CBU	4.01	120.16	111.48
2	B	403	RXY	OBW-CBV-CBU	4.00	120.13	111.48
2	B	401	RXY	OBW-CBV-CBU	3.88	119.88	111.48
2	A	101[B]	RXY	OBW-CBV-CBU	3.49	119.02	111.48
2	B	402[B]	RXY	OBW-CBV-CBU	3.35	118.74	111.48
2	A	102	RXY	OAU-CAT-CAS	2.96	120.87	111.83
2	B	402[B]	RXY	OAU-CAT-CAS	2.93	120.78	111.83
2	E	201	RXY	OAU-CAT-CAS	2.90	120.69	111.83
2	B	402[A]	RXY	OAU-CAT-CAS	2.73	120.17	111.83
2	B	403	RXY	OAU-CAT-CAS	2.73	120.17	111.83
2	A	101[B]	RXY	OAU-CAT-CAS	2.73	120.16	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	101[A]	RXY	OAU-CAT-CAS	2.53	119.56	111.83
2	B	401	RXY	OAU-CAT-CAS	2.47	119.38	111.83

There are no chirality outliers.

All (183) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	101[A]	RXY	CBB-OBA-PAZ-OAY
2	A	101[A]	RXY	CBB-OBA-PAZ-OBX
2	A	101[A]	RXY	CBB-OBA-PAZ-OAB
2	A	101[A]	RXY	OBA-CBB-CBC-NBD
2	A	101[B]	RXY	CBB-OBA-PAZ-OAY
2	A	101[B]	RXY	CBB-OBA-PAZ-OAB
2	A	102	RXY	CBU-CBV-OBW-CAW
2	A	102	RXY	OBY-CBV-OBW-CAW
2	A	102	RXY	CAX-OAY-PAZ-OBX
2	A	102	RXY	CAX-OAY-PAZ-OBA
2	A	102	RXY	CBB-OBA-PAZ-OAB
2	A	102	RXY	CBC-CBB-OBA-PAZ
2	E	201	RXY	OBY-CBV-OBW-CAW
2	E	201	RXY	OBA-CBB-CBC-NBD
2	B	401	RXY	CAX-OAY-PAZ-OBX
2	B	401	RXY	CAX-OAY-PAZ-OAB
2	B	401	RXY	CAX-OAY-PAZ-OBA
2	B	401	RXY	OBA-CBB-CBC-NBD
2	B	402[A]	RXY	CBU-CBV-OBW-CAW
2	B	402[A]	RXY	CBB-OBA-PAZ-OBX
2	B	402[B]	RXY	CBB-OBA-PAZ-OAY
2	B	402[B]	RXY	CBB-OBA-PAZ-OBX
2	B	402[B]	RXY	CBB-OBA-PAZ-OAB
2	B	402[B]	RXY	OBA-CBB-CBC-NBD
2	B	403	RXY	CBB-OBA-PAZ-OAY
2	B	403	RXY	CBB-OBA-PAZ-OBX
2	B	403	RXY	OBA-CBB-CBC-NBD
2	B	402[B]	RXY	OAA-CAT-OAU-CAV
2	B	402[A]	RXY	OBY-CBV-OBW-CAW
2	B	401	RXY	CAS-CAT-OAU-CAV
2	E	201	RXY	CBU-CBV-OBW-CAW
2	A	102	RXY	CAS-CAT-OAU-CAV
2	B	402[B]	RXY	CAS-CAT-OAU-CAV
2	A	102	RXY	OAA-CAT-OAU-CAV
2	B	401	RXY	OAA-CAT-OAU-CAV

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	101[B]	RXY	CAS-CAT-OAU-CAV
2	A	101[B]	RXY	OAA-CAT-OAU-CAV
2	B	402[A]	RXY	CAS-CAT-OAU-CAV
2	B	401	RXY	CBO-CBP-CBQ-CBR
2	A	101[B]	RXY	CAQ-CAR-CAS-CAT
2	B	403	RXY	CBS-CBT-CBU-CBV
2	B	402[B]	RXY	CAW-CAX-OAY-PAZ
2	A	102	RXY	CAQ-CAR-CAS-CAT
2	B	402[A]	RXY	OAA-CAT-OAU-CAV
2	E	201	RXY	CAQ-CAR-CAS-CAT
2	A	101[A]	RXY	CBU-CBV-OBW-CAW
2	A	101[A]	RXY	OBY-CBV-OBW-CAW
2	E	201	RXY	CAS-CAT-OAU-CAV
2	B	402[B]	RXY	CBI-CBJ-CBK-CBL
2	B	402[B]	RXY	CBS-CBT-CBU-CBV
2	E	201	RXY	CAO-CAP-CAQ-CAR
2	A	101[A]	RXY	CBH-CBI-CBJ-CBK
2	B	401	RXY	CAF-CAG-CAH-CAI
2	B	402[B]	RXY	CAM-CAN-CAO-CAP
2	A	102	RXY	CAP-CAQ-CAR-CAS
2	E	201	RXY	CAN-CAO-CAP-CAQ
2	A	101[A]	RXY	CAN-CAO-CAP-CAQ
2	B	402[B]	RXY	CBG-CBH-CBI-CBJ
2	A	102	RXY	CAN-CAO-CAP-CAQ
2	B	402[A]	RXY	CAP-CAQ-CAR-CAS
2	B	402[B]	RXY	CAN-CAO-CAP-CAQ
2	B	403	RXY	CAG-CAH-CAI-CAJ
2	A	102	RXY	CBH-CBI-CBJ-CBK
2	A	102	RXY	CBO-CBP-CBQ-CBR
2	E	201	RXY	CBH-CBI-CBJ-CBK
2	E	201	RXY	OAA-CAT-OAU-CAV
2	B	402[B]	RXY	CAO-CAP-CAQ-CAR
2	A	101[A]	RXY	CBO-CBP-CBQ-CBR
2	E	201	RXY	CAP-CAQ-CAR-CAS
2	B	402[A]	RXY	CAM-CAN-CAO-CAP
2	A	101[B]	RXY	CBS-CBT-CBU-CBV
2	A	102	RXY	CBI-CBJ-CBK-CBL
2	B	401	RXY	CBP-CBQ-CBR-CBS
2	B	402[B]	RXY	CBO-CBP-CBQ-CBR
2	A	101[B]	RXY	CAM-CAN-CAO-CAP
2	A	101[A]	RXY	CBR-CBS-CBT-CBU
2	A	101[A]	RXY	CAG-CAH-CAI-CAJ

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	101[A]	RXY	CBS-CBT-CBU-CBV
2	A	102	RXY	CBN-CBO-CBP-CBQ
2	A	102	RXY	OAU-CAV-CAW-OBW
2	B	402[A]	RXY	CBR-CBS-CBT-CBU
2	B	401	RXY	CBQ-CBR-CBS-CBT
2	B	402[B]	RXY	CAG-CAH-CAI-CAJ
2	A	102	RXY	CAM-CAN-CAO-CAP
2	A	101[B]	RXY	CAL-CAM-CAN-CAO
2	B	402[A]	RXY	CBN-CBO-CBP-CBQ
2	B	401	RXY	CAG-CAH-CAI-CAJ
2	B	401	RXY	CBU-CBV-OBW-CAW
2	A	101[A]	RXY	CAI-CAJ-CAK-CAL
2	B	402[A]	RXY	CBO-CBP-CBQ-CBR
2	A	102	RXY	OAU-CAV-CAW-CAX
2	A	101[A]	RXY	CBN-CBO-CBP-CBQ
2	A	102	RXY	CAH-CAI-CAJ-CAK
2	B	401	RXY	CAH-CAI-CAJ-CAK
2	B	402[A]	RXY	CBJ-CBK-CBL-CBM
2	B	403	RXY	CBR-CBS-CBT-CBU
2	B	402[B]	RXY	CBR-CBS-CBT-CBU
2	B	402[B]	RXY	CAL-CAM-CAN-CAO
2	B	401	RXY	CBH-CBI-CBJ-CBK
2	A	102	RXY	CBG-CBH-CBI-CBJ
2	E	201	RXY	CBP-CBQ-CBR-CBS
2	B	403	RXY	CBF-CBG-CBH-CBI
2	B	401	RXY	CBF-CBG-CBH-CBI
2	B	402[A]	RXY	CAG-CAH-CAI-CAJ
2	A	101[B]	RXY	CAW-CAX-OAY-PAZ
2	E	201	RXY	CBN-CBO-CBP-CBQ
2	B	403	RXY	CAM-CAN-CAO-CAP
2	A	102	RXY	CAW-CAV-OAU-CAT
2	A	102	RXY	CBF-CBG-CBH-CBI
2	B	403	RXY	CAF-CAG-CAH-CAI
2	A	101[A]	RXY	CAL-CAM-CAN-CAO
2	E	201	RXY	OAU-CAV-CAW-CAX
2	B	402[B]	RXY	OBW-CAW-CAX-OAY
2	B	403	RXY	CAE-CAF-CAG-CAH
2	E	201	RXY	CAH-CAI-CAJ-CAK
2	B	403	RXY	CAL-CAM-CAN-CAO
2	A	101[A]	RXY	CAM-CAN-CAO-CAP
2	B	401	RXY	OBY-CBV-OBW-CAW
2	A	101[B]	RXY	CAO-CAP-CAQ-CAR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	101[B]	RXY	CBG-CBH-CBI-CBJ
2	B	402[A]	RXY	CAN-CAO-CAP-CAQ
2	A	101[B]	RXY	CBR-CBS-CBT-CBU
2	A	102	RXY	CBQ-CBR-CBS-CBT
2	B	401	RXY	OBW-CAW-CAX-OAY
2	A	101[B]	RXY	CAE-CAF-CAG-CAH
2	B	402[B]	RXY	OAU-CAV-CAW-CAX
2	B	403	RXY	CBC-CBB-OBA-PAZ
2	E	201	RXY	OAU-CAV-CAW-OBW
2	B	401	RXY	CAN-CAO-CAP-CAQ
2	B	402[B]	RXY	CAH-CAI-CAJ-CAK
2	B	402[A]	RXY	CAO-CAP-CAQ-CAR
2	B	401	RXY	CAV-CAW-CAX-OAY
2	B	401	RXY	CBE-CBF-CBG-CBH
2	E	201	RXY	CBK-CBL-CBM-CBN
2	B	402[B]	RXY	OAU-CAV-CAW-OBW
2	A	101[B]	RXY	CAX-OAY-PAZ-OAB
2	A	101[B]	RXY	CAX-OAY-PAZ-OBA
2	A	101[B]	RXY	OBA-CBB-CBC-NBD
2	A	102	RXY	CBB-OBA-PAZ-OAY
2	A	102	RXY	CBB-OBA-PAZ-OBX
2	E	201	RXY	CBB-OBA-PAZ-OAB
2	B	402[A]	RXY	CBB-OBA-PAZ-OAY
2	B	402[A]	RXY	CBB-OBA-PAZ-OAB
2	B	402[B]	RXY	CBM-CBN-CBO-CBP
2	B	402[B]	RXY	CBK-CBL-CBM-CBN
2	B	402[A]	RXY	CBG-CBH-CBI-CBJ
2	E	201	RXY	CAE-CAF-CAG-CAH
2	E	201	RXY	CAK-CAL-CAM-CAN
2	B	401	RXY	CBK-CBL-CBM-CBN
2	B	402[A]	RXY	CAF-CAG-CAH-CAI
2	B	401	RXY	CAP-CAQ-CAR-CAS
2	B	403	RXY	CAH-CAI-CAJ-CAK
2	B	401	RXY	CAM-CAN-CAO-CAP
2	B	402[B]	RXY	CAI-CAJ-CAK-CAL
2	A	102	RXY	CAE-CAF-CAG-CAH
2	B	401	RXY	CBI-CBJ-CBK-CBL
2	B	403	RXY	CAN-CAO-CAP-CAQ
2	A	101[A]	RXY	CAK-CAL-CAM-CAN
2	B	402[A]	RXY	CAI-CAJ-CAK-CAL
2	B	402[B]	RXY	CAV-CAW-CAX-OAY
2	A	101[B]	RXY	CAI-CAJ-CAK-CAL

Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	403	RXY	CAI-CAJ-CAK-CAL
2	B	403	RXY	CBK-CBL-CBM-CBN
2	A	102	RXY	CBK-CBL-CBM-CBN
2	A	101[A]	RXY	CBK-CBL-CBM-CBN
2	A	101[B]	RXY	CBK-CBL-CBM-CBN
2	B	402[A]	RXY	CBK-CBL-CBM-CBN
2	A	102	RXY	CAR-CAS-CAT-OAU
2	B	402[A]	RXY	CAK-CAL-CAM-CAN
2	A	101[B]	RXY	CBF-CBG-CBH-CBI
2	A	102	RXY	CAI-CAJ-CAK-CAL
2	A	101[B]	RXY	CAR-CAS-CAT-OAU
2	A	101[B]	RXY	CBH-CBI-CBJ-CBK
2	A	101[A]	RXY	CBT-CBU-CBV-OBW
2	E	201	RXY	CBF-CBG-CBH-CBI
2	A	101[B]	RXY	CAK-CAL-CAM-CAN
2	A	101[B]	RXY	CAR-CAS-CAT-OAA
2	B	401	RXY	CBM-CBN-CBO-CBP
2	A	102	RXY	CAR-CAS-CAT-OAA
2	A	101[B]	RXY	CBQ-CBR-CBS-CBT
2	A	101[A]	RXY	CBT-CBU-CBV-OBV
2	A	101[A]	RXY	CAH-CAI-CAJ-CAK
2	B	401	RXY	CBS-CBT-CBU-CBV


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	79/87 (90%)	-0.42	1 (1%) 75 80	9, 22, 53, 66	1 (1%)
1	B	78/87 (89%)	-0.12	0 100 100	18, 28, 56, 66	2 (2%)
1	C	78/87 (89%)	0.67	9 (11%) 9 11	22, 42, 92, 119	1 (1%)
1	E	85/87 (97%)	-0.24	1 (1%) 76 81	12, 24, 56, 72	2 (2%)
All	All	320/348 (91%)	-0.03	11 (3%) 48 53	9, 29, 66, 119	6 (1%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	84	PRO	3.8
1	C	69	SER	3.4
1	C	71	ILE	3.4
1	C	84	PRO	3.3
1	E	3	ALA	2.9
1	C	68	GLN	2.9
1	C	72	ASN	2.7
1	C	70	GLN	2.3
1	C	74	LYS	2.1
1	C	21	LYS	2.1
1	C	7	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	RXY	A	101[A]	49/49	0.77	0.25	29,59,77,82	122
2	RXY	A	101[B]	49/49	0.77	0.25	37,60,78,86	122
2	RXY	B	402[A]	49/49	0.78	0.25	15,57,80,87	122
2	RXY	B	402[B]	49/49	0.78	0.25	30,59,79,85	122
2	RXY	B	401	49/49	0.84	0.19	33,68,133,146	0
2	RXY	B	403	49/49	0.84	0.17	32,56,93,112	0
2	RXY	A	102	49/49	0.85	0.20	29,65,137,149	0
2	RXY	E	201	49/49	0.86	0.19	29,52,148,168	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around RXY A 101 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around RXY B 402 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RXY B 402 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around RXY B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around RXY B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RXY A 102:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.