



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:37 AM UTC

PDB ID : 6VZM / pdb_00006vzm
Title : Crystal structure of human PPARgamma ligand binding domain Y473E mutant in complex with Darglitazone
Authors : Shang, J.; Kojetin, D.J.
Deposited on : 2020-02-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	6% 71% 19% • 8%
1	B	275	8% 75% 16% • 7%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4340 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	0	0
			2026	1307	331	378	10			
1	B	255	Total	C	N	O	S	0	0	0
			2049	1324	336	380	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	473	GLU	TYR	engineered mutation	UNP P37231
B	473	GLU	TYR	engineered mutation	UNP P37231

- Molecule 2 is (5Z)-5-({4-[3-(5-methyl-2-phenyl-1,3-oxazol-4-yl)propanoyl]phenyl}methylene)-1,3-thiazolidine-2,4-dione (CCD ID: GEV) (formula: C₂₃H₁₈N₂O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			30	23	2	4	1		
2	B	1	Total	C	N	O	S	0	0
			30	23	2	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	98	Total	O	0	0
			98	98		
3	B	107	Total	O	0	0
			107	107		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.07Å 61.59Å 120.53Å 90.00° 102.17° 90.00°	Depositor
Resolution (Å)	33.41 – 2.40 33.41 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.2 (33.41-2.40) 98.2 (33.41-2.40)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.217 , 0.278 0.223 , 0.278	Depositor DCC
R_{free} test set	2000 reflections (7.60%)	wwPDB-VP
Wilson B-factor (Å ²)	24.0	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4340	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GEV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/2057	0.67	2/2767 (0.1%)
1	B	0.60	2/2081 (0.1%)	0.77	5/2798 (0.2%)
All	All	0.52	2/4138 (0.0%)	0.72	7/5565 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	405	PRO	C-O	-8.40	1.13	1.24
1	B	393	LEU	C-O	-7.58	1.14	1.23

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	457	LYS	N-CA-C	-6.17	105.73	113.20
1	A	250	TYR	CA-C-O	-5.78	112.26	118.79
1	B	267	ILE	N-CA-CB	-5.68	104.18	110.99
1	A	472	ILE	N-CA-C	-5.60	104.89	111.00
1	B	356	LEU	CA-C-N	5.40	128.76	120.82
1	B	356	LEU	C-N-CA	5.40	128.76	120.82
1	B	357	ARG	CB-CG-CD	5.21	123.28	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2026	0	2090	55	0
1	B	2049	0	2111	36	0
2	A	30	0	0	0	0
2	B	30	0	0	0	0
3	A	98	0	0	6	0
3	B	107	0	0	2	0
All	All	4340	0	4201	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:ARG:CD	1:A:358:LYS:HG2	1.62	1.27
1:A:358:LYS:CB	1:A:359:PRO:CD	2.17	1.21
1:A:357:ARG:HD2	1:A:358:LYS:CG	1.74	1.16
1:A:358:LYS:HB2	1:A:359:PRO:HD2	1.28	1.11
1:A:358:LYS:HB3	1:A:359:PRO:HD3	1.13	1.10
1:A:358:LYS:HB2	1:A:359:PRO:CD	1.79	1.07
1:A:358:LYS:CB	1:A:359:PRO:HD3	1.80	1.04
1:A:470:GLN:HA	1:A:473:GLU:HB2	1.47	0.95
1:B:358:LYS:HB2	1:B:359:PRO:CD	1.99	0.92
1:B:358:LYS:CB	1:B:359:PRO:CD	2.49	0.90
1:B:358:LYS:CB	1:B:359:PRO:HD3	2.06	0.84
1:B:325:ILE:HD12	1:B:388:ILE:HG23	1.61	0.81
1:A:325:ILE:HG23	1:A:388:ILE:HD12	1.65	0.79
1:B:358:LYS:HB2	1:B:359:PRO:HD2	1.67	0.77
1:A:357:ARG:CD	1:A:358:LYS:CG	2.45	0.76
1:B:325:ILE:HG23	1:B:388:ILE:HD12	1.67	0.76
1:B:358:LYS:HB3	1:B:359:PRO:HD3	1.64	0.76
1:B:394:SER:O	1:B:397:ARG:HG2	1.86	0.75
1:A:357:ARG:CZ	1:A:358:LYS:HG3	2.17	0.74
1:A:207:GLU:N	3:A:602:HOH:O	2.22	0.72
1:A:357:ARG:HD2	1:A:358:LYS:HG2	0.82	0.72
1:A:437:GLN:NE2	3:A:603:HOH:O	2.23	0.72
1:A:298:GLU:HA	1:A:301:LYS:HE2	1.72	0.71
1:A:357:ARG:NE	1:A:358:LYS:CG	2.55	0.69
1:A:440:THR:OG1	1:B:440:THR:HG22	1.94	0.67
1:B:300:ALA:HA	1:B:303:ILE:HD12	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:LEU:HD12	1:B:343:GLU:HA	1.82	0.61
1:A:348:MET:HE2	1:A:353:LEU:HG	1.84	0.59
1:A:438:LYS:NZ	3:A:607:HOH:O	2.31	0.59
1:A:357:ARG:NE	1:A:358:LYS:HG3	2.17	0.59
1:B:358:LYS:HB2	1:B:359:PRO:HD3	1.74	0.58
1:B:474:LYS:HG2	1:B:474:LYS:O	2.05	0.57
1:B:466:HIS:N	1:B:467:PRO:HD3	2.21	0.56
1:B:321:GLY:O	1:B:325:ILE:HG12	2.07	0.55
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.89	0.54
1:A:247:PHE:HB3	1:A:262:ILE:HD11	1.89	0.54
1:B:415:GLN:NE2	3:B:602:HOH:O	2.29	0.54
1:A:354:LYS:HG3	3:A:621:HOH:O	2.07	0.53
1:A:325:ILE:O	1:A:329:MET:HG3	2.09	0.53
1:B:343:GLU:O	1:B:343:GLU:HG3	2.09	0.52
1:B:293:VAL:HG22	1:B:322:VAL:HG11	1.91	0.52
1:B:289:SER:O	1:B:293:VAL:HG23	2.10	0.51
1:B:246:PRO:HB3	1:B:344:GLY:O	2.10	0.51
1:B:411:ASP:O	1:B:415:GLN:HG3	2.11	0.51
1:B:358:LYS:HB3	1:B:359:PRO:CD	2.32	0.50
1:B:369:GLU:O	1:B:373:LYS:HE2	2.11	0.50
1:A:395:GLY:HA2	1:A:400:LEU:HD13	1.94	0.49
1:B:327:TYR:CZ	1:B:367:LYS:HE2	2.47	0.49
1:A:395:GLY:HA2	1:A:400:LEU:CD1	2.43	0.49
1:A:357:ARG:NH2	1:A:460:GLU:OE2	2.40	0.49
1:A:357:ARG:HH21	1:A:360:PHE:HE1	1.62	0.48
1:A:393:LEU:HD22	1:A:409:ILE:CG2	2.44	0.47
1:A:393:LEU:HD22	1:A:409:ILE:HG21	1.96	0.47
1:A:452:LEU:O	1:A:456:ILE:HG12	2.15	0.47
1:B:363:PHE:CE1	1:B:452:LEU:HD22	2.50	0.46
1:A:288:ARG:HH11	1:A:291:GLU:HB3	1.80	0.46
1:A:442:LEU:HD23	1:A:445:ILE:HD11	1.97	0.46
1:B:356:LEU:HB2	1:B:361:GLY:HA2	1.98	0.45
1:A:363:PHE:CZ	1:A:452:LEU:HB3	2.51	0.45
1:A:317:LEU:HD11	1:A:406:ILE:HD13	1.99	0.44
1:B:446:VAL:O	1:B:450:VAL:HG13	2.17	0.44
1:A:457:LYS:HA	1:A:457:LYS:HD2	1.83	0.44
1:A:244:LYS:HA	1:A:244:LYS:HD3	1.57	0.44
1:A:320:TYR:CB	1:A:397:ARG:HD2	2.48	0.44
1:B:363:PHE:CE2	1:B:449:HIS:CE1	3.06	0.43
1:B:393:LEU:O	1:B:410:GLN:HB2	2.18	0.43
1:B:277:VAL:HG23	3:B:670:HOH:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:395:GLY:O	3:A:601:HOH:O	2.21	0.43
1:A:460:GLU:HB3	1:A:463:MET:HB3	2.01	0.43
1:A:279:ILE:HG22	1:A:360:PHE:CZ	2.54	0.43
1:B:234:ARG:NH2	1:B:334:MET:O	2.41	0.42
1:A:251:ASP:OD1	1:A:251:ASP:C	2.62	0.42
1:B:262:ILE:HB	1:B:264:PHE:CE2	2.53	0.42
1:A:281:ILE:HD12	1:A:356:LEU:HD21	2.01	0.42
1:A:348:MET:HE3	1:A:352:PHE:CE2	2.55	0.42
1:A:421:LEU:HD11	1:A:435:LEU:HD23	2.01	0.42
1:B:291:GLU:O	1:B:295:GLU:HG3	2.19	0.42
1:A:320:TYR:CZ	1:A:398:PRO:HG2	2.55	0.41
1:B:333:LEU:HB3	1:B:340:LEU:HB2	2.02	0.41
1:A:290:VAL:HG21	1:A:466:HIS:CD2	2.55	0.41
1:A:367:LYS:H	1:A:367:LYS:HG2	1.70	0.41
1:B:356:LEU:HA	1:B:356:LEU:HD23	1.78	0.41
1:A:207:GLU:HG3	1:A:209:ALA:H	1.85	0.41
1:A:286:GLN:HE21	1:A:465:LEU:HD23	1.86	0.41
1:A:442:LEU:O	1:A:445:ILE:HG12	2.21	0.41
1:A:289:SER:O	1:A:293:VAL:HG23	2.20	0.40
1:A:320:TYR:HB2	1:A:397:ARG:HD2	2.02	0.40
1:A:281:ILE:HD13	1:A:348:MET:HE1	2.04	0.40
1:B:363:PHE:HE2	1:B:449:HIS:CE1	2.39	0.40
1:A:443:ARG:HB3	3:A:605:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/275 (90%)	238 (96%)	8 (3%)	1 (0%)	30	43
1	B	247/275 (90%)	241 (98%)	5 (2%)	1 (0%)	30	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	494/550 (90%)	479 (97%)	13 (3%)	2 (0%)	30	43

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	358	LYS
1	B	358	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/248 (92%)	221 (97%)	6 (3%)	40	63
1	B	229/248 (92%)	225 (98%)	4 (2%)	53	74
All	All	456/496 (92%)	446 (98%)	10 (2%)	45	67

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	244	LYS
1	A	357	ARG
1	A	359	PRO
1	A	393	LEU
1	A	435	LEU
1	A	472	ILE
1	B	265	LYS
1	B	354	LYS
1	B	357	ARG
1	B	457	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	437	GLN
1	B	449	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GEV	A	501	-	32,33,33	5.13	14 (43%)	44,46,46	5.27	19 (43%)
2	GEV	B	501	-	32,33,33	5.16	14 (43%)	44,46,46	4.47	21 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GEV	A	501	-	-	5/17/29/29	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GEV	B	501	-	-	4/17/29/29	0/4/4/4

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	GEV	C23-C24	18.58	1.54	1.34
2	A	501	GEV	C23-C24	18.44	1.54	1.34
2	A	501	GEV	O29-C28	13.44	1.41	1.22
2	B	501	GEV	O29-C28	13.31	1.41	1.22
2	B	501	GEV	O16-C15	10.74	1.41	1.22
2	A	501	GEV	O16-C15	10.26	1.40	1.22
2	A	501	GEV	O26-C25	8.92	1.40	1.23
2	B	501	GEV	O26-C25	8.79	1.40	1.23
2	B	501	GEV	C28-S30	-6.27	1.70	1.78
2	A	501	GEV	C28-S30	-6.20	1.70	1.78
2	B	501	GEV	O06-C02	-4.39	1.31	1.38
2	B	501	GEV	C20-C23	4.12	1.54	1.46
2	B	501	GEV	C25-C24	-4.11	1.41	1.48
2	A	501	GEV	C25-C24	-3.90	1.41	1.48
2	A	501	GEV	O06-C02	-3.67	1.32	1.38
2	A	501	GEV	C20-C23	3.60	1.53	1.46
2	B	501	GEV	O06-C05	-3.45	1.31	1.37
2	A	501	GEV	O06-C05	-3.43	1.31	1.37
2	A	501	GEV	C05-N04	3.37	1.34	1.30
2	A	501	GEV	C07-C05	3.18	1.54	1.47
2	B	501	GEV	C17-C15	2.87	1.53	1.49
2	B	501	GEV	C07-C05	2.81	1.53	1.47
2	A	501	GEV	C17-C15	2.63	1.53	1.49
2	B	501	GEV	C05-N04	2.20	1.33	1.30
2	A	501	GEV	C28-N27	-2.09	1.34	1.36
2	A	501	GEV	C01-C02	2.07	1.53	1.49
2	B	501	GEV	C01-C02	2.02	1.53	1.49
2	B	501	GEV	C28-N27	-2.01	1.34	1.36

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	GEV	C24-S30-C28	22.23	98.17	91.70
2	B	501	GEV	C24-S30-C28	17.90	96.91	91.70
2	A	501	GEV	C01-C02-C03	-10.70	126.47	135.22
2	A	501	GEV	C20-C23-C24	-10.54	116.75	130.92
2	A	501	GEV	C23-C24-C25	9.48	127.82	120.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	GEV	O16-C15-C17	-9.25	108.36	120.73
2	A	501	GEV	O16-C15-C17	-8.98	108.71	120.73
2	B	501	GEV	C01-C02-C03	-8.81	128.01	135.22
2	A	501	GEV	O06-C02-C01	8.27	126.70	115.88
2	B	501	GEV	C20-C23-C24	-8.11	120.01	130.92
2	A	501	GEV	C25-C24-S30	-7.64	104.20	109.85
2	B	501	GEV	O06-C02-C01	7.40	125.56	115.88
2	B	501	GEV	C25-C24-S30	-7.03	104.65	109.85
2	B	501	GEV	O16-C15-C14	-6.90	108.22	120.37
2	A	501	GEV	O16-C15-C14	-6.36	109.16	120.37
2	B	501	GEV	C24-C25-N27	5.95	115.02	110.21
2	A	501	GEV	C24-C25-N27	5.69	114.81	110.21
2	A	501	GEV	C14-C15-C17	-5.29	111.69	119.07
2	B	501	GEV	O06-C05-N04	-4.63	109.32	114.37
2	A	501	GEV	O06-C05-N04	-4.50	109.45	114.37
2	B	501	GEV	C13-C14-C15	-4.02	107.69	112.60
2	B	501	GEV	O06-C05-C07	3.94	125.59	118.73
2	A	501	GEV	O06-C05-C07	3.48	124.80	118.73
2	B	501	GEV	C23-C24-C25	3.36	123.06	120.45
2	A	501	GEV	S30-C28-N27	-3.31	106.06	109.16
2	B	501	GEV	C05-O06-C02	3.26	110.88	105.20
2	B	501	GEV	O26-C25-C24	-3.11	122.14	126.00
2	A	501	GEV	C05-O06-C02	3.04	110.49	105.20
2	B	501	GEV	C25-N27-C28	-3.02	116.27	117.83
2	A	501	GEV	C13-C14-C15	-2.84	109.13	112.60
2	B	501	GEV	C14-C15-C17	-2.74	115.25	119.07
2	B	501	GEV	O06-C02-C03	-2.60	106.42	108.03
2	A	501	GEV	C13-C03-N04	2.51	126.78	119.03
2	A	501	GEV	O29-C28-S30	2.39	127.69	124.59
2	B	501	GEV	C23-C24-S30	2.36	132.28	129.25
2	B	501	GEV	S30-C28-N27	-2.15	107.15	109.16
2	B	501	GEV	C13-C03-N04	2.15	125.65	119.03
2	A	501	GEV	O26-C25-C24	-2.09	123.40	126.00
2	A	501	GEV	C25-N27-C28	-2.07	116.76	117.83
2	B	501	GEV	O29-C28-S30	2.02	127.21	124.59

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	GEV	C20-C23-C24-C25
2	A	501	GEV	C20-C23-C24-S30

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	501	GEV	C21-C20-C23-C24
2	B	501	GEV	C19-C20-C23-C24
2	B	501	GEV	C14-C15-C17-C18
2	B	501	GEV	C14-C15-C17-C22
2	A	501	GEV	O16-C15-C17-C22
2	A	501	GEV	O16-C15-C17-C18
2	A	501	GEV	C13-C14-C15-C17

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	253/275 (92%)	0.40	16 (6%) 26 22	10, 30, 62, 74	0
1	B	255/275 (92%)	0.50	23 (9%) 15 12	11, 29, 61, 83	0
All	All	508/550 (92%)	0.45	39 (7%) 19 16	10, 30, 62, 83	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	268	THR	5.0
1	B	461	THR	4.8
1	B	466	HIS	3.7
1	A	243	ASP	3.4
1	A	276	GLU	3.3
1	B	242	THR	3.3
1	B	362	ASP	3.2
1	B	404	LYS	3.2
1	B	459	THR	3.2
1	B	473	GLU	3.2
1	B	358	LYS	3.2
1	A	252	MET	3.1
1	B	474	LYS	2.9
1	A	257	MET	2.9
1	B	396	ASP	2.8
1	B	457	LYS	2.8
1	B	263	LYS	2.7
1	A	474	LYS	2.7
1	B	467	PRO	2.6
1	A	251	ASP	2.6
1	A	358	LYS	2.6
1	B	456	ILE	2.5
1	A	250	TYR	2.5
1	B	243	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	244	LYS	2.5
1	A	256	MET	2.5
1	A	262	ILE	2.4
1	A	255	LEU	2.4
1	A	363	PHE	2.4
1	B	475	ASP	2.3
1	A	253	ASN	2.3
1	A	467	PRO	2.3
1	B	237	LEU	2.3
1	B	267	ILE	2.2
1	A	254	SER	2.2
1	A	396	ASP	2.1
1	B	310	ASP	2.1
1	B	453	LEU	2.1
1	B	363	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GEV	A	501	30/30	0.73	0.17	39,47,79,81	0
2	GEV	B	501	30/30	0.88	0.12	20,32,48,50	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around GEV A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GEV B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.