



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:52 AM UTC

PDB ID : 6VZR / pdb_00006vzr
Title : Engineered TTLL6 bound to the initiation analog
Authors : Mahalingan, K.K.; Keenen, E.K.; Strickland, M.; Li, Y.; Liu, Y.; Ball, H.L.;
Tanner, M.E.; Tjandra, N.; Roll-Mecak, A.
Deposited on : 2020-02-28
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	 78% 11% 12%
1	B	453	 79% 10% 11%
1	C	453	 79% 10% 11%
1	D	453	 77% 12% 11%
2	F	12	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	11	 100%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 13457 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin polyglutamylase TTLL6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	400	Total	C	N	O	S	0	4	0
			3155	2022	542	570	21			
1	B	402	Total	C	N	O	S	0	3	0
			3142	2018	536	567	21			
1	C	404	Total	C	N	O	S	0	2	0
			3136	2009	536	571	20			
1	D	404	Total	C	N	O	S	0	0	0
			3139	2010	540	570	19			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	179	ALA	CYS	engineered mutation	UNP A4Q9E8
A	180	ARG	GLN	engineered mutation	UNP A4Q9E8
A	362	ILE	HIS	engineered mutation	UNP A4Q9E8
B	179	ALA	CYS	engineered mutation	UNP A4Q9E8
B	180	ARG	GLN	engineered mutation	UNP A4Q9E8
B	362	ILE	HIS	engineered mutation	UNP A4Q9E8
C	179	ALA	CYS	engineered mutation	UNP A4Q9E8
C	180	ARG	GLN	engineered mutation	UNP A4Q9E8
C	362	ILE	HIS	engineered mutation	UNP A4Q9E8
D	179	ALA	CYS	engineered mutation	UNP A4Q9E8
D	180	ARG	GLN	engineered mutation	UNP A4Q9E8
D	362	ILE	HIS	engineered mutation	UNP A4Q9E8


- Molecule 2 is a protein called TTLL6 unregistered chain.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	F	12	Total	C	N	O	0	0	0
			60	36	12	12			

- Molecule 3 is a protein called TTLL6 unregistered chain.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	11	Total	C	N	O	0	0	0
			55	33	11	11			

- Molecule 4 is (2 {S})-2-[[[(3 {R})-3-acetamido-4-(ethylamino)-4-oxidanylidene-butyl]-phosphonoxy-phosphoryl]methyl]pentanedioic acid (CCD ID: 2TI) (formula: $C_{14}H_{26}N_2O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			29	14	2	11	2		
4	B	1	Total	C	N	O	P	0	0
			29	14	2	11	2		
4	C	1	Total	C	N	O	P	0	0
			29	14	2	11	2		
4	D	1	Total	C	N	O	P	0	0
			29	14	2	11	2		

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	D	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Mg	0	0
			2	2		
7	B	2	Total	Mg	0	0
			2	2		
7	C	2	Total	Mg	0	0
			2	2		
7	D	2	Total	Mg	0	0
			2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	111	Total	O	0	0
			111	111		
8	B	81	Total	O	0	0
			81	81		
8	C	120	Total	O	0	0
			120	120		
8	D	70	Total	O	0	0
			70	70		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin polyglutamylase TTL6



• Molecule 1: Tubulin polyglutamylase TTL6




• Molecule 1: Tubulin polyglutamylase TTL6




- Molecule 1: Tubulin polyglutamylase TTLL6

Chain D:  77% 12% 11%



- Molecule 2: TTLL6 unregistered chain

Chain F:  100%

There are no outlier residues recorded for this chain.

- Molecule 3: TTLL6 unregistered chain

Chain G:  100%

There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.10Å 108.81Å 171.62Å 90.00° 90.03° 90.00°	Depositor
Resolution (Å)	45.95 – 2.60 45.95 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (45.95-2.60) 99.8 (45.95-2.60)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.230 , 0.249 0.227 , 0.245	Depositor DCC
R_{free} test set	4223 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	42.9	Xtriage
Anisotropy	0.377	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.468 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13457	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.6523e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 2TI, GOL, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.09	0/3242	0.27	0/4392
1	B	0.08	0/3227	0.26	0/4375
1	C	0.09	0/3219	0.26	0/4368
1	D	0.08	0/3215	0.26	0/4361
All	All	0.08	0/12903	0.26	0/17496

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3155	0	2977	27	0
1	B	3142	0	2955	31	0
1	C	3136	0	2916	26	0
1	D	3139	0	2931	32	0
2	F	60	0	14	0	0
3	G	55	0	13	0	0
4	A	29	0	0	0	0
4	B	29	0	0	1	0
4	C	29	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	29	0	0	0	0
5	A	27	0	12	0	0
5	B	27	0	12	0	0
5	C	27	0	12	0	0
5	D	27	0	12	0	0
6	A	48	0	64	0	0
6	B	42	0	56	3	0
6	C	54	0	72	2	0
6	D	12	0	16	1	0
7	A	2	0	0	0	0
7	B	2	0	0	0	0
7	C	2	0	0	0	0
7	D	2	0	0	0	0
8	A	111	0	0	2	0
8	B	81	0	0	1	0
8	C	120	0	0	2	0
8	D	70	0	0	0	0
All	All	13457	0	12062	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:334:THR:HG21	1:D:405:ARG:HD2	1.70	0.73
1:B:208:PRO:HA	1:B:350:ASP:HA	1.75	0.67
1:C:208:PRO:HA	1:C:350:ASP:HA	1.76	0.67
1:B:207:LYS:HB3	1:B:351:ARG:HD3	1.77	0.65
1:A:208:PRO:HA	1:A:350:ASP:HA	1.80	0.64
1:C:190:VAL:HG23	1:C:193:ILE:HD12	1.80	0.63
1:B:99:VAL:HG13	1:B:115:HIS:HB2	1.81	0.62
1:B:290:ASN:HB3	6:B:605:GOL:H2	1.82	0.61
1:D:208:PRO:HA	1:D:350:ASP:HA	1.83	0.61
1:C:74:ARG:NH2	8:C:706:HOH:O	2.34	0.60
1:C:99:VAL:HG13	1:C:115:HIS:HB2	1.84	0.60
1:B:140:PRO:O	1:B:144:HIS:NE2	2.35	0.58
1:A:350:ASP:OD2	1:A:354:LYS:HB3	2.04	0.57
1:D:368:THR:HB	1:D:374:LYS:HG3	1.87	0.57
1:C:140:PRO:O	1:C:144:HIS:NE2	2.38	0.55
1:D:181:GLY:HA2	1:D:184:ILE:HD12	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:229:PRO:HG3	1:D:430:LEU:HD12	1.89	0.55
1:C:387:LEU:HD13	1:C:441:CYS:HA	1.90	0.54
1:A:181:GLY:HA2	1:A:184:ILE:HD12	1.88	0.53
1:A:368:THR:HB	1:A:374:LYS:HG3	1.91	0.53
1:D:161:THR:HG22	1:D:164:ARG:HH21	1.74	0.52
1:C:181:GLY:HA2	1:C:184:ILE:HD12	1.91	0.51
1:B:180[B]:ARG:NH1	1:D:192:GLU:O	2.43	0.51
1:D:99:VAL:HG13	1:D:115:HIS:HB2	1.93	0.51
1:D:207:LYS:HD2	1:D:351:ARG:HE	1.76	0.51
1:D:425:PHE:HA	1:D:428:MET:HE2	1.93	0.51
1:C:368:THR:HB	1:C:374:LYS:HG3	1.94	0.50
1:B:368:THR:HB	1:B:374:LYS:HG3	1.93	0.50
1:C:231:ARG:NE	1:C:437:GLU:OE1	2.31	0.50
6:B:608:GOL:H31	6:B:609:GOL:H2	1.94	0.49
1:A:100:SER:O	1:A:104:VAL:HG23	2.13	0.49
1:B:159:LEU:HG	1:B:190:VAL:HG11	1.94	0.49
1:D:350:ASP:OD2	1:D:354:LYS:HB3	2.12	0.49
1:B:148:ARG:HH11	6:B:609:GOL:H31	1.77	0.49
1:D:386:VAL:HG12	1:D:440:ASN:HB3	1.93	0.49
1:D:314:THR:O	1:D:317:SER:OG	2.32	0.48
1:C:350:ASP:OD2	1:C:354:LYS:HB3	2.14	0.48
1:A:107:MET:HE3	1:A:330:PHE:HE1	1.79	0.48
1:C:298:TYR:CD1	1:C:353:LEU:HD11	2.49	0.47
1:A:454:GLU:HA	1:A:457:ASP:OD2	2.14	0.47
1:C:247:TYR:HE2	6:C:607:GOL:H11	1.80	0.47
1:B:180[B]:ARG:HH11	1:B:182:ARG:HH12	1.61	0.47
1:B:181:GLY:HA2	1:B:184:ILE:HD12	1.95	0.47
1:C:161:THR:HG22	1:C:164:ARG:HH22	1.80	0.47
1:D:367:SER:HA	6:D:603:GOL:H31	1.96	0.46
1:A:314:THR:O	1:A:317:SER:OG	2.30	0.46
1:D:303:ILE:HD11	1:D:353:LEU:HD13	1.97	0.46
1:B:180[B]:ARG:NH2	4:B:601:2TI:O29	2.48	0.46
1:D:140:PRO:O	1:D:144:HIS:NE2	2.48	0.46
1:B:400:GLU:O	1:B:404:GLN:HG2	2.16	0.46
1:C:107:MET:HE3	1:C:330:PHE:HE1	1.81	0.46
1:D:334:THR:HG22	1:D:402:GLU:OE1	2.16	0.45
1:B:180[B]:ARG:HH11	1:B:182:ARG:NH1	2.15	0.45
1:A:350:ASP:OD2	1:A:356:TRP:NE1	2.39	0.45
1:B:107:MET:HE3	1:B:330:PHE:HE1	1.82	0.45
1:A:110:TYR:CZ	1:A:395:LYS:HE2	2.52	0.45
1:A:285:LYS:NZ	1:A:375:GLU:OE1	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:301:GLU:O	1:D:305:ARG:HG2	2.17	0.45
1:B:161:THR:HG22	1:B:164:ARG:HH22	1.82	0.45
1:A:147:PRO:HG3	1:A:205:ILE:HD11	1.97	0.45
1:A:229:PRO:HG3	1:A:430:LEU:HD12	1.98	0.45
1:B:430:LEU:HD21	1:B:434:GLU:OE2	2.16	0.45
1:B:192:GLU:OE1	1:D:182:ARG:NH2	2.49	0.44
1:D:333:HIS:CG	1:D:338:ALA:HB2	2.52	0.44
1:A:120:SER:HA	1:A:123:CYS:HB2	2.00	0.44
1:A:303:ILE:HD11	1:A:353:LEU:HD13	2.00	0.44
1:D:99:VAL:HG12	1:D:113:ILE:HD13	2.00	0.44
1:C:301:GLU:O	1:C:305:ARG:HG2	2.17	0.44
1:D:122:ILE:HG23	1:D:318:ALA:HB2	2.00	0.43
1:D:350:ASP:OD2	1:D:356:TRP:NE1	2.40	0.43
1:B:244:THR:HG23	1:B:268:ASN:HB3	1.99	0.43
1:A:298:TYR:CD1	1:A:353:LEU:HD11	2.53	0.43
1:B:125:LYS:NZ	8:B:706:HOH:O	2.49	0.43
1:C:147:PRO:HG3	1:C:205:ILE:HD11	1.99	0.43
1:C:430:LEU:HD21	1:C:434:GLU:OE2	2.18	0.43
1:B:147:PRO:HG3	1:B:205:ILE:HD11	2.01	0.43
1:B:180[B]:ARG:HB2	1:B:182:ARG:HH11	1.84	0.42
1:D:90:TRP:CZ3	1:D:93:TYR:HB2	2.54	0.42
1:B:301:GLU:O	1:B:305:ARG:HG2	2.19	0.42
1:C:100:SER:O	1:C:104:VAL:HG23	2.18	0.42
1:D:120:SER:HA	1:D:123:CYS:HB2	2.01	0.42
1:A:301:GLU:O	1:A:305:ARG:HG2	2.19	0.42
1:A:74:ARG:NH2	8:A:712:HOH:O	2.52	0.42
1:B:350:ASP:OD2	1:B:356:TRP:NE1	2.40	0.42
1:D:298:TYR:CD1	1:D:353:LEU:HD11	2.54	0.42
1:C:109:SER:HB2	1:C:402:GLU:HG3	2.02	0.42
1:A:161:THR:HG22	1:A:164:ARG:HH22	1.85	0.42
1:B:298:TYR:CD1	1:B:353:LEU:HD11	2.55	0.42
1:A:386:VAL:HG12	1:A:440:ASN:HB3	2.01	0.42
1:A:308:GLU:HG2	1:A:447:ILE:HG21	2.01	0.42
1:B:100:SER:O	1:B:104:VAL:HG23	2.20	0.41
1:D:109:SER:HB2	1:D:402:GLU:HG3	2.02	0.41
1:C:244:THR:HG23	1:C:268:ASN:HB3	2.02	0.41
1:A:186:ILE:HG22	1:A:255:LEU:HD22	2.02	0.41
1:A:182[A]:ARG:NH2	8:A:710:HOH:O	2.50	0.41
1:A:333:HIS:CG	1:A:338:ALA:HB2	2.56	0.41
1:C:112:LYS:HD3	1:C:337:SER:O	2.21	0.41
1:D:244:THR:HG23	1:D:268:ASN:HB3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:454:GLU:HA	1:C:457:ASP:OD2	2.21	0.41
1:C:298:TYR:HD1	1:C:353:LEU:HD11	1.85	0.41
1:A:90:TRP:CZ3	1:A:93:TYR:HB2	2.55	0.41
1:B:197:GLU:HG2	1:D:177:SER:O	2.21	0.41
1:C:77:GLN:O	6:C:603:GOL:H12	2.20	0.41
1:C:186:ILE:HG22	1:C:255:LEU:HD22	2.03	0.41
1:D:107:MET:HE3	1:D:330:PHE:HE1	1.85	0.41
1:B:90:TRP:CZ3	1:B:93:TYR:HB2	2.56	0.41
1:B:180[A]:ARG:HB2	1:B:182:ARG:HH11	1.85	0.40
1:D:223:LEU:HD23	1:D:387:LEU:HD23	2.03	0.40
1:A:244:THR:HB	1:A:273:ASN:HB2	2.03	0.40
1:A:244:THR:HG23	1:A:268:ASN:HB3	2.04	0.40
1:B:242:PHE:HB2	1:B:282:SER:HA	2.03	0.40
1:B:386:VAL:HG12	1:B:440:ASN:HB3	2.03	0.40
1:C:180:ARG:NH2	8:C:717:HOH:O	2.55	0.40
1:D:186:ILE:HG22	1:D:255:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	400/453 (88%)	389 (97%)	11 (3%)	0	100	100
1	B	401/453 (88%)	391 (98%)	10 (2%)	0	100	100
1	C	404/453 (89%)	393 (97%)	11 (3%)	0	100	100
1	D	402/453 (89%)	389 (97%)	13 (3%)	0	100	100
All	All	1607/1812 (89%)	1562 (97%)	45 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/415 (78%)	322 (100%)	0	100	100
1	B	321/415 (77%)	321 (100%)	0	100	100
1	C	316/415 (76%)	316 (100%)	0	100	100
1	D	315/415 (76%)	315 (100%)	0	100	100
All	All	1274/1660 (77%)	1274 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	268	ASN
1	C	361	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 42 ligands modelled in this entry, 8 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GOL	B	609	-	5,5,5	0.91	0	5,5,5	1.27	1 (20%)
4	2TI	B	601	7	23,28,28	1.83	5 (21%)	26,39,39	1.53	4 (15%)
5	ADP	C	602	7	28,29,29	1.45	5 (17%)	43,45,45	1.80	7 (16%)
6	GOL	C	607	-	5,5,5	0.89	0	5,5,5	1.28	1 (20%)
6	GOL	C	613	-	5,5,5	0.92	0	5,5,5	1.08	0
6	GOL	C	605	-	5,5,5	0.96	0	5,5,5	1.08	0
6	GOL	C	604	-	5,5,5	1.05	0	5,5,5	1.21	1 (20%)
6	GOL	C	611	-	5,5,5	0.95	0	5,5,5	1.08	0
6	GOL	A	612	-	5,5,5	0.94	0	5,5,5	1.08	0
4	2TI	A	601	7	23,28,28	1.81	5 (21%)	26,39,39	1.54	5 (19%)
5	ADP	B	602	7	28,29,29	1.42	4 (14%)	43,45,45	1.80	7 (16%)
6	GOL	C	606	-	5,5,5	0.93	0	5,5,5	1.07	0
5	ADP	D	602	7	28,29,29	1.42	4 (14%)	43,45,45	1.80	7 (16%)
6	GOL	B	608	-	5,5,5	0.90	0	5,5,5	1.28	1 (20%)
4	2TI	C	601	7	23,28,28	1.81	5 (21%)	26,39,39	1.52	4 (15%)
6	GOL	A	608	-	5,5,5	0.93	0	5,5,5	1.07	0
5	ADP	A	602	7	28,29,29	1.43	5 (17%)	43,45,45	1.80	7 (16%)
6	GOL	A	605	-	5,5,5	0.99	0	5,5,5	1.08	0
6	GOL	B	603	-	5,5,5	0.79	0	5,5,5	1.19	1 (20%)
6	GOL	B	611	-	5,5,5	0.94	0	5,5,5	1.08	0
6	GOL	A	603	-	5,5,5	1.00	0	5,5,5	1.15	1 (20%)
6	GOL	D	606	-	5,5,5	0.90	0	5,5,5	1.27	1 (20%)
6	GOL	C	612	-	5,5,5	0.94	0	5,5,5	1.10	0
6	GOL	B	610	-	5,5,5	0.97	0	5,5,5	1.16	1 (20%)
6	GOL	D	603	-	5,5,5	0.97	0	5,5,5	1.12	0
6	GOL	A	609	-	5,5,5	0.95	0	5,5,5	1.08	0
6	GOL	C	610	-	5,5,5	0.95	0	5,5,5	1.15	1 (20%)
6	GOL	A	607	-	5,5,5	0.95	0	5,5,5	1.11	1 (20%)
6	GOL	B	605	-	5,5,5	0.89	0	5,5,5	1.29	1 (20%)
4	2TI	D	601	7	23,28,28	1.80	5 (21%)	26,39,39	1.57	6 (23%)
6	GOL	C	603	-	5,5,5	1.03	0	5,5,5	1.10	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	A	606	-	5,5,5	0.90	0	5,5,5	1.31	1 (20%)
6	GOL	B	604	-	5,5,5	0.88	0	5,5,5	1.30	1 (20%)
6	GOL	A	604	-	5,5,5	0.94	0	5,5,5	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	609	-	-	0/4/4/4	-
4	2TI	B	601	7	-	8/33/37/37	-
5	ADP	C	602	7	-	2/16/32/32	0/3/3/3
6	GOL	C	607	-	-	0/4/4/4	-
6	GOL	C	613	-	-	0/4/4/4	-
6	GOL	C	605	-	-	1/4/4/4	-
6	GOL	C	604	-	-	0/4/4/4	-
6	GOL	C	611	-	-	1/4/4/4	-
6	GOL	A	612	-	-	0/4/4/4	-
4	2TI	A	601	7	-	5/33/37/37	-
5	ADP	B	602	7	-	1/16/32/32	0/3/3/3
6	GOL	C	606	-	-	0/4/4/4	-
5	ADP	D	602	7	-	1/16/32/32	0/3/3/3
6	GOL	B	608	-	-	0/4/4/4	-
4	2TI	C	601	7	-	5/33/37/37	-
6	GOL	A	608	-	-	0/4/4/4	-
5	ADP	A	602	7	-	2/16/32/32	0/3/3/3
6	GOL	A	605	-	-	0/4/4/4	-
6	GOL	B	603	-	-	0/4/4/4	-
6	GOL	B	611	-	-	2/4/4/4	-
6	GOL	A	603	-	-	0/4/4/4	-
6	GOL	D	606	-	-	0/4/4/4	-
6	GOL	C	612	-	-	0/4/4/4	-
6	GOL	B	610	-	-	0/4/4/4	-
6	GOL	D	603	-	-	0/4/4/4	-
6	GOL	A	609	-	-	0/4/4/4	-
6	GOL	C	610	-	-	0/4/4/4	-
6	GOL	A	607	-	-	0/4/4/4	-
6	GOL	B	605	-	-	0/4/4/4	-
4	2TI	D	601	7	-	8/33/37/37	-
6	GOL	C	603	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	606	-	-	0/4/4/4	-
6	GOL	B	604	-	-	0/4/4/4	-
6	GOL	A	604	-	-	0/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	2TI	C03-N05	5.48	1.46	1.33
4	C	601	2TI	C03-N05	5.29	1.46	1.33
4	A	601	2TI	C03-N05	5.27	1.46	1.33
4	D	601	2TI	C03-N05	5.13	1.45	1.33
5	D	602	ADP	C5-C4	4.76	1.47	1.39
5	B	602	ADP	C5-C4	4.75	1.47	1.39
5	A	602	ADP	C5-C4	4.75	1.47	1.39
5	C	602	ADP	C5-C4	4.72	1.47	1.39
4	D	601	2TI	C27-N01	3.47	1.45	1.34
4	B	601	2TI	C27-N01	3.47	1.45	1.34
4	A	601	2TI	C27-N01	3.46	1.45	1.34
4	C	601	2TI	C27-N01	3.43	1.45	1.34
5	C	602	ADP	C5-C6	2.70	1.48	1.41
5	B	602	ADP	C5-C6	2.70	1.48	1.41
5	A	602	ADP	C5-C6	2.69	1.48	1.41
5	D	602	ADP	C5-C6	2.69	1.48	1.41
5	C	602	ADP	PA-O3A	2.48	1.62	1.59
5	D	602	ADP	C8-N7	2.37	1.36	1.31
5	C	602	ADP	C5-N7	-2.34	1.34	1.39
5	A	602	ADP	C8-N7	2.32	1.36	1.31
4	A	601	2TI	P13-O14	-2.32	1.46	1.54
4	B	601	2TI	O04-C03	-2.32	1.19	1.23
4	C	601	2TI	P13-O14	-2.31	1.46	1.54
4	A	601	2TI	O04-C03	-2.30	1.19	1.23
5	C	602	ADP	C8-N7	2.30	1.36	1.31
4	D	601	2TI	P13-O14	-2.30	1.46	1.54
5	D	602	ADP	C5-N7	-2.29	1.34	1.39
5	A	602	ADP	C5-N7	-2.29	1.34	1.39
4	D	601	2TI	O04-C03	-2.28	1.19	1.23
5	B	602	ADP	C8-N7	2.28	1.36	1.31
4	A	601	2TI	P13-O16	-2.28	1.46	1.54
4	C	601	2TI	O04-C03	-2.28	1.19	1.23
5	B	602	ADP	C5-N7	-2.27	1.34	1.39
4	B	601	2TI	P13-O16	-2.26	1.46	1.54
4	D	601	2TI	P13-O16	-2.25	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	601	2TI	P13-O16	-2.25	1.46	1.54
4	B	601	2TI	P13-O14	-2.24	1.46	1.54
5	A	602	ADP	PA-O3A	2.07	1.61	1.59

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	602	ADP	C5-C4-N3	-5.94	118.53	126.72
5	B	602	ADP	C5-C4-N3	-5.93	118.55	126.72
5	A	602	ADP	C5-C4-N3	-5.87	118.64	126.72
5	C	602	ADP	C5-C4-N3	-5.87	118.64	126.72
5	B	602	ADP	N3-C4-N9	4.74	135.23	127.17
5	C	602	ADP	N3-C4-N9	4.72	135.19	127.17
5	D	602	ADP	N3-C4-N9	4.70	135.16	127.17
5	A	602	ADP	N3-C4-N9	4.67	135.12	127.17
5	D	602	ADP	C2-N3-C4	3.71	120.89	111.83
5	A	602	ADP	C2-N3-C4	3.70	120.88	111.83
5	B	602	ADP	C2-N3-C4	3.70	120.86	111.83
5	C	602	ADP	C2-N3-C4	3.68	120.81	111.83
5	D	602	ADP	C4-C5-N7	-3.42	106.67	110.58
4	C	601	2TI	O16-P13-O12	3.42	116.09	104.64
4	A	601	2TI	O16-P13-O12	3.38	115.97	104.64
5	A	602	ADP	C4-C5-N7	-3.37	106.73	110.58
5	B	602	ADP	C4-C5-N7	-3.34	106.76	110.58
5	C	602	ADP	C4-C5-N7	-3.27	106.84	110.58
5	A	602	ADP	N3-C2-N1	-3.25	123.66	128.58
4	D	601	2TI	O16-P13-O12	3.22	115.44	104.64
5	B	602	ADP	N3-C2-N1	-3.19	123.75	128.58
5	D	602	ADP	N3-C2-N1	-3.19	123.75	128.58
4	B	601	2TI	O16-P13-O12	3.19	115.33	104.64
5	C	602	ADP	N3-C2-N1	-3.18	123.76	128.58
4	B	601	2TI	O14-P13-O12	2.71	113.71	104.64
4	D	601	2TI	O14-P13-O12	2.56	113.22	104.64
5	A	602	ADP	C4-N9-C8	2.55	108.41	105.74
5	D	602	ADP	C5-N7-C8	2.54	107.44	103.45
4	A	601	2TI	O14-P13-O12	2.52	113.10	104.64
5	C	602	ADP	C4-N9-C8	2.52	108.39	105.74
5	B	602	ADP	C4-N9-C8	2.52	108.38	105.74
5	A	602	ADP	C5-N7-C8	2.51	107.40	103.45
5	D	602	ADP	C4-N9-C8	2.51	108.37	105.74
5	B	602	ADP	C5-N7-C8	2.48	107.36	103.45
5	C	602	ADP	C5-N7-C8	2.47	107.33	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	601	2TI	C23-C22-C18	-2.45	109.10	113.45
4	B	601	2TI	C28-C27-N01	2.43	120.15	116.12
4	D	601	2TI	C23-C22-C18	-2.31	109.34	113.45
4	C	601	2TI	O14-P13-O12	2.29	112.33	104.64
4	B	601	2TI	O21-C19-C18	2.29	120.09	114.16
4	D	601	2TI	O21-C19-C18	2.27	120.04	114.16
4	A	601	2TI	O21-C19-C18	2.24	119.96	114.16
6	C	607	GOL	C3-C2-C1	-2.24	103.60	111.80
4	C	601	2TI	O21-C19-C18	2.22	119.92	114.16
6	B	604	GOL	C3-C2-C1	-2.20	103.72	111.80
6	C	610	GOL	C3-C2-C1	-2.20	103.74	111.80
6	B	610	GOL	C3-C2-C1	-2.19	103.78	111.80
6	B	608	GOL	C3-C2-C1	-2.17	103.85	111.80
4	C	601	2TI	C23-C22-C18	-2.16	109.61	113.45
6	D	606	GOL	C3-C2-C1	-2.16	103.89	111.80
6	A	603	GOL	C3-C2-C1	-2.14	103.96	111.80
6	B	609	GOL	C3-C2-C1	-2.13	103.98	111.80
6	C	604	GOL	C3-C2-C1	-2.13	103.98	111.80
6	B	605	GOL	C3-C2-C1	-2.13	103.98	111.80
6	B	603	GOL	C3-C2-C1	-2.11	104.06	111.80
4	D	601	2TI	C02-C03-N05	2.11	121.06	116.54
6	A	606	GOL	C3-C2-C1	-2.09	104.13	111.80
4	A	601	2TI	C28-C27-N01	2.06	119.53	116.12
4	D	601	2TI	C28-C27-N01	2.05	119.51	116.12
6	A	607	GOL	C3-C2-C1	-2.01	104.43	111.80

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	2TI	C08-C09-P10-O12
4	B	601	2TI	C07-C06-N05-C03
4	B	601	2TI	C08-C09-P10-O12
4	C	601	2TI	C08-C09-P10-O11
4	C	601	2TI	C08-C09-P10-O12
4	D	601	2TI	C08-C09-P10-O11
4	D	601	2TI	C08-C09-P10-O12
6	B	611	GOL	O1-C1-C2-C3
6	B	611	GOL	O1-C1-C2-O2
4	D	601	2TI	C08-C09-P10-C17
5	A	602	ADP	PB-O3A-PA-O2A
5	C	602	ADP	PB-O3A-PA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	601	2TI	C08-C09-P10-O11
4	B	601	2TI	C08-C09-P10-O11
4	A	601	2TI	P10-C17-C18-C22
4	D	601	2TI	P10-C17-C18-C22
4	D	601	2TI	P10-C17-C18-C19
4	D	601	2TI	N01-C02-C08-C09
6	C	605	GOL	O2-C2-C3-O3
4	D	601	2TI	C22-C23-C24-O26
4	A	601	2TI	C22-C23-C24-O26
4	B	601	2TI	C22-C23-C24-O26
4	C	601	2TI	C22-C23-C24-O26
4	B	601	2TI	C22-C23-C24-O25
4	A	601	2TI	C22-C23-C24-O25
4	C	601	2TI	C22-C23-C24-O25
4	D	601	2TI	C22-C23-C24-O25
5	B	602	ADP	PB-O3A-PA-O1A
5	D	602	ADP	PB-O3A-PA-O1A
6	C	611	GOL	O2-C2-C3-O3
4	B	601	2TI	N01-C02-C03-O04
5	A	602	ADP	PB-O3A-PA-O1A
4	B	601	2TI	N01-C02-C03-N05
4	B	601	2TI	P10-C17-C18-C22
4	C	601	2TI	P10-C17-C18-C22
5	C	602	ADP	PB-O3A-PA-O1A


There are no ring outliers.



7 monomers are involved in 7 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	609	GOL	2	0
4	B	601	2TI	1	0
6	C	607	GOL	1	0
6	B	608	GOL	1	0
6	D	603	GOL	1	0
6	B	605	GOL	1	0
6	C	603	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand 2TI C 601



Ligand ADP A 602





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	400/453 (88%)	-1.08	1 (0%) 90 88	18, 45, 97, 128	4 (1%)
1	B	402/453 (88%)	-1.07	0 100 100	24, 57, 95, 130	3 (0%)
1	C	404/453 (89%)	-1.11	0 100 100	20, 46, 93, 120	2 (0%)
1	D	404/453 (89%)	-1.01	0 100 100	35, 58, 103, 136	0
2	F	0/12	-	-	-	-
3	G	0/11	-	-	-	-
All	All	1610/1835 (87%)	-1.07	1 (0%) 92 90	18, 52, 98, 136	9 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	408	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	B	608	6/6	0.96	0.09	83,90,98,99	0
6	GOL	A	609	6/6	0.97	0.09	80,89,89,90	0
6	GOL	A	612	6/6	0.97	0.07	85,87,90,93	0
6	GOL	A	604	6/6	0.97	0.08	45,54,62,63	0
6	GOL	A	608	6/6	0.98	0.06	45,49,51,60	0
6	GOL	B	605	6/6	0.98	0.07	60,67,76,78	0
6	GOL	A	603	6/6	0.98	0.08	93,99,100,102	0
6	GOL	B	609	6/6	0.98	0.06	77,82,83,86	0
6	GOL	B	610	6/6	0.98	0.07	80,84,90,93	0
6	GOL	B	611	6/6	0.98	0.09	84,88,90,91	0
6	GOL	C	603	6/6	0.98	0.06	69,74,79,80	0
6	GOL	C	605	6/6	0.98	0.08	64,73,76,80	0
6	GOL	C	606	6/6	0.98	0.11	75,88,90,91	0
6	GOL	C	611	6/6	0.98	0.07	54,58,62,64	0
4	2TI	B	601	29/29	0.99	0.04	32,43,59,65	0
4	2TI	C	601	29/29	0.99	0.04	13,29,50,61	0
6	GOL	A	605	6/6	0.99	0.07	32,59,62,64	0
6	GOL	B	603	6/6	0.99	0.06	82,84,89,89	0
6	GOL	C	604	6/6	0.99	0.04	43,61,64,66	0
6	GOL	B	604	6/6	0.99	0.05	58,69,73,73	0
6	GOL	A	606	6/6	0.99	0.09	79,83,85,88	0
6	GOL	C	607	6/6	0.99	0.08	63,64,65,69	0
6	GOL	C	610	6/6	0.99	0.05	39,63,68,69	0
6	GOL	A	607	6/6	0.99	0.07	48,55,59,59	0
6	GOL	C	612	6/6	0.99	0.05	67,71,74,75	0
6	GOL	C	613	6/6	0.99	0.08	68,75,82,85	0
6	GOL	D	603	6/6	0.99	0.06	56,68,76,79	0
6	GOL	D	606	6/6	0.99	0.04	54,59,65,74	0
7	MG	A	610	1/1	0.99	0.02	26,26,26,26	0
7	MG	B	607	1/1	0.99	0.03	48,48,48,48	0
7	MG	C	609	1/1	0.99	0.03	35,35,35,35	0
5	ADP	D	602	27/27	1.00	0.03	30,39,46,55	0
4	2TI	A	601	29/29	1.00	0.03	16,29,50,60	0
4	2TI	D	601	29/29	1.00	0.03	34,42,59,62	0
5	ADP	A	602	27/27	1.00	0.03	10,25,35,42	0
7	MG	A	611	1/1	1.00	0.02	35,35,35,35	0
7	MG	B	606	1/1	1.00	0.02	42,42,42,42	0
5	ADP	B	602	27/27	1.00	0.03	29,40,48,53	0
7	MG	C	608	1/1	1.00	0.01	24,24,24,24	0
5	ADP	C	602	27/27	1.00	0.03	10,22,33,48	0
7	MG	D	604	1/1	1.00	0.02	38,38,38,38	0
7	MG	D	605	1/1	1.00	0.02	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 2TI B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2TI C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2TI A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2TI D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ADP A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.