



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:57 AM UTC

PDB ID : 8VZB / pdb_00008vzb
Title : Crystal Structure of 2-Hydroxacyl-CoA Lyase/Synthase ApbHACS from Alphaproteobacteria bacterium in the Complex with THDP, D-Lactyl-CoA, and ADP
Authors : Gade, P.; Kim, Y.; Endres, M.; Lee, S.; Yoshikuni, Y.; Gonzalez, R.; Michalska, K.; Joachimiak, A.
Deposited on : 2024-02-11
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	560	% 96% ..
1	B	560	2% 96% .
1	C	560	2% 95% 5%
1	D	560	% 96% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	8FL	A	602	X	-	-	-
3	8FL	B	602	X	-	-	-
3	8FL	C	602	X	-	-	-
3	8FL	D	602	X	-	-	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 18767 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oxalyl-CoA decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	557	Total	C	N	O	S	0	3	0
			4201	2650	757	771	23			
1	B	558	Total	C	N	O	S	0	0	0
			4179	2638	751	767	23			
1	C	558	Total	C	N	O	S	0	1	0
			4190	2644	755	768	23			
1	D	558	Total	C	N	O	S	0	1	0
			4190	2644	755	768	23			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	TYR	-	expression tag	UNP A0A3C0TX30
A	-4	PHE	-	expression tag	UNP A0A3C0TX30
A	-3	GLN	-	expression tag	UNP A0A3C0TX30
A	-2	SER	-	expression tag	UNP A0A3C0TX30
A	-1	ASN	-	expression tag	UNP A0A3C0TX30
A	0	ALA	-	expression tag	UNP A0A3C0TX30
B	-5	TYR	-	expression tag	UNP A0A3C0TX30
B	-4	PHE	-	expression tag	UNP A0A3C0TX30
B	-3	GLN	-	expression tag	UNP A0A3C0TX30
B	-2	SER	-	expression tag	UNP A0A3C0TX30
B	-1	ASN	-	expression tag	UNP A0A3C0TX30
B	0	ALA	-	expression tag	UNP A0A3C0TX30
C	-5	TYR	-	expression tag	UNP A0A3C0TX30
C	-4	PHE	-	expression tag	UNP A0A3C0TX30
C	-3	GLN	-	expression tag	UNP A0A3C0TX30
C	-2	SER	-	expression tag	UNP A0A3C0TX30
C	-1	ASN	-	expression tag	UNP A0A3C0TX30
C	0	ALA	-	expression tag	UNP A0A3C0TX30
D	-5	TYR	-	expression tag	UNP A0A3C0TX30
D	-4	PHE	-	expression tag	UNP A0A3C0TX30
D	-3	GLN	-	expression tag	UNP A0A3C0TX30

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	SER	-	expression tag	UNP A0A3C0TX30
D	-1	ASN	-	expression tag	UNP A0A3C0TX30
D	0	ALA	-	expression tag	UNP A0A3C0TX30

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is 2-[(2R)-3-[(4-azanyl-2-methyl-pyrimidin-5-yl)methyl]-4-methyl-2-oxidanyl-2H-1,3-thiazol-5-yl]ethyl phosphono hydrogen phosphate (CCD ID: 8FL) (formula: C₁₂H₂₀N₄O₈P₂S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			27	12	4	8	2	1		
3	B	1	Total	C	N	O	P	S	0	0
			27	12	4	8	2	1		
3	C	1	Total	C	N	O	P	S	0	0
			27	12	4	8	2	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	S	0	0
			27	12	4	8	2	1		

- Molecule 4 is S-{(3S,5R,9R)-1-[(2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-4-hydroxy-3-(phosphonooxy)oxolan-2-yl]-3,5,9-trihydroxy-8,8-dimethyl-3,5,10,14-tetraoxo-2,4,6-trioxa-11,15-diaza-3lambda 5 ,5lambda 5 -diphosphaheptadecan-17-yl} (2R)-2-hydroxypropanethioate (CCD ID: UQ3) (formula: C₂₄H₄₀N₇O₁₈P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			53	24	7	18	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			53	24	7	18	3	1		
4	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	D	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is ACETIC ACID (CCD ID: ACY) (formula: $C_2H_4O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	P	0	0
			5	4	1		
8	A	1	Total	O	P	0	0
			5	4	1		
8	A	1	Total	O	P	0	0
			5	4	1		
8	B	1	Total	O	P	0	0
			5	4	1		
8	B	1	Total	O	P	0	0
			5	4	1		
8	B	1	Total	O	P	0	0
			5	4	1		
8	C	1	Total	O	P	0	0
			5	4	1		
8	C	1	Total	O	P	0	0
			5	4	1		
8	C	1	Total	O	P	0	0
			5	4	1		
8	D	1	Total	O	P	0	0
			5	4	1		
8	D	1	Total	O	P	0	0
			5	4	1		
8	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 9 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Cl	0	0
			1	1		
9	C	1	Total	Cl	0	0
			1	1		

- Molecule 10 is ACETYL GROUP (CCD ID: ACE) (formula: C_2H_4O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			3	2	1		
10	D	1	Total	C	O	0	0
			3	2	1		

- Molecule 11 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	C	1	Total	C	O	0	0
			7	4	3		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	398	Total	O	0	0
			398	398		
12	B	350	Total	O	0	0
			350	350		
12	C	361	Total	O	0	0
			361	361		
12	D	368	Total	O	0	0
			368	368		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Oxalyl-CoA decarboxylase




- Molecule 1: Oxalyl-CoA decarboxylase



- Molecule 1: Oxalyl-CoA decarboxylase



- Molecule 1: Oxalyl-CoA decarboxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.71Å 178.00Å 196.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.27 – 1.98 47.27 – 1.98	Depositor EDS
% Data completeness (in resolution range)	96.6 (47.27-1.98) 96.7 (47.27-1.98)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 1.98Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.179 , 0.218 0.179 , 0.218	Depositor DCC
R_{free} test set	8180 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.284	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	18767	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.49 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7941e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACY, MG, 8FL, CL, ADP, ACE, UQ3, PO4, EDO, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/4294	0.32	0/5829
1	B	0.13	0/4272	0.31	0/5800
1	C	0.13	0/4283	0.31	0/5814
1	D	0.13	0/4283	0.31	0/5814
All	All	0.13	0/17132	0.32	0/23257

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4201	0	4159	12	0
1	B	4179	0	4139	12	0
1	C	4190	0	4151	13	0
1	D	4190	0	4151	12	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	27	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	0	0	0
3	C	27	0	0	0	0
3	D	27	0	0	1	0
4	A	53	0	0	0	0
4	B	48	0	0	0	0
4	C	53	0	0	0	0
4	D	48	0	0	0	0
5	A	27	0	12	0	0
5	B	27	0	12	0	0
5	C	27	0	12	0	0
5	D	27	0	12	0	0
6	A	8	0	12	0	0
6	B	4	0	6	0	0
6	C	4	0	6	0	0
6	D	8	0	12	0	0
7	A	4	0	3	0	0
8	A	15	0	0	0	0
8	B	20	0	0	0	0
8	C	15	0	0	0	0
8	D	15	0	0	0	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	B	3	0	3	0	0
10	D	3	0	3	0	0
11	C	7	0	10	0	0
12	A	398	0	0	3	0
12	B	350	0	0	0	0
12	C	361	0	0	0	0
12	D	368	0	0	1	0
All	All	18767	0	16703	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:THR:HG22	1:A:16[B]:ARG:HD2	1.85	0.57
1:A:137:ARG:NH2	12:A:703:HOH:O	2.38	0.56
1:A:153:LEU:HG	1:A:187:PRO:HG3	1.89	0.55
1:C:51:MET:HG3	1:C:57:ALA:HB2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ARG:NH2	12:A:706:HOH:O	2.41	0.54
1:B:70:ARG:NH2	1:B:184:VAL:O	2.38	0.51
1:B:202:ASP:OD1	1:B:333:ARG:NH1	2.34	0.51
1:C:16[A]:ARG:NH1	1:C:175:GLU:OE2	2.32	0.50
1:A:453:MET:HE2	1:B:449:GLY:HA2	1.92	0.50
1:A:245:LYS:NZ	1:A:250:ASP:OD2	2.45	0.48
1:B:65:SER:HB3	1:B:98:PRO:HG2	1.96	0.48
1:A:-2:SER:O	1:A:3:LYS:NZ	2.47	0.48
1:A:291:LYS:HG3	12:A:923:HOH:O	2.14	0.47
1:B:391:GLU:OE2	1:B:421:GLY:N	2.43	0.45
1:C:27:PHE:O	1:C:74:CYS:HA	2.17	0.45
1:A:51:MET:HG3	1:A:57:ALA:HB2	1.99	0.45
1:A:388:ILE:HD12	1:A:405:ASN:HD21	1.80	0.45
1:B:27:PHE:O	1:B:74:CYS:HA	2.18	0.44
1:B:51:MET:HG3	1:B:57:ALA:HB2	1.98	0.44
3:A:602:8FL:N4'	3:A:602:8FL:OC2	2.51	0.44
1:C:215:GLY:HA3	1:C:275:ALA:HB2	1.99	0.43
1:A:135:VAL:HG11	1:A:141:ILE:HG12	2.01	0.43
1:D:43:ARG:NH1	12:D:710:HOH:O	2.49	0.43
1:D:134:GLN:HA	1:D:163:ASP:HB3	2.01	0.43
1:A:291:LYS:HE3	1:A:291:LYS:HB2	1.82	0.43
1:B:134:GLN:HA	1:B:163:ASP:HB3	2.01	0.43
1:C:65:SER:HB3	1:C:98:PRO:HG2	2.01	0.42
1:D:201:LEU:O	1:D:205:GLN:HG3	2.19	0.42
1:C:478:GLY:HA3	1:C:541:ALA:HB1	2.02	0.42
1:D:167:ASP:OD1	1:D:167:ASP:N	2.50	0.42
1:B:167:ASP:OD1	1:B:167:ASP:N	2.52	0.42
1:B:71:PRO:HD3	1:B:153:LEU:HD13	2.00	0.42
1:C:134:GLN:HA	1:C:163:ASP:HB3	2.00	0.42
1:D:27:PHE:O	1:D:74:CYS:HA	2.20	0.42
1:B:32:PHE:HA	1:B:33:PRO:HA	1.92	0.42
1:D:205:GLN:HG2	1:D:335:TRP:CG	2.55	0.42
1:D:343:TRP:CE2	1:D:347:ILE:HD11	2.55	0.42
1:C:94:VAL:HG12	1:C:416:SER:HB2	2.02	0.41
1:C:245:LYS:NZ	1:C:250:ASP:OD2	2.49	0.41
1:C:-5:TYR:C	1:C:-3:GLN:H	2.28	0.41
1:C:232:GLU:O	1:C:235:ARG:HD2	2.19	0.41
1:D:455:PHE:CZ	1:D:532:PRO:HB2	2.55	0.41
1:D:130:LYS:HE2	1:D:130:LYS:HB3	1.93	0.40
1:C:494:SER:HB2	1:C:497:ALA:HB2	2.03	0.40
1:B:1:MET:HE3	1:B:1:MET:HB3	1.78	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:453:MET:HE2	1:D:449:GLY:HA2	2.04	0.40
1:D:205:GLN:HG2	1:D:335:TRP:CD2	2.56	0.40
1:D:446:SER:HB3	3:D:602:8FL:PA	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/560 (99%)	546 (98%)	10 (2%)	0	100	100
1	B	554/560 (99%)	541 (98%)	13 (2%)	0	100	100
1	C	555/560 (99%)	540 (97%)	15 (3%)	0	100	100
1	D	555/560 (99%)	543 (98%)	12 (2%)	0	100	100
All	All	2220/2240 (99%)	2170 (98%)	50 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/417 (100%)	411 (99%)	4 (1%)	68	65
1	B	412/417 (99%)	410 (100%)	2 (0%)	81	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	413/417 (99%)	411 (100%)	2 (0%)	81	79
1	D	413/417 (99%)	411 (100%)	2 (0%)	81	79
All	All	1653/1668 (99%)	1643 (99%)	10 (1%)	78	76

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	140	ARG
1	A	175	GLU
1	A	417	TYR
1	B	417	TYR
1	B	489	MET
1	C	307	ASN
1	C	417	TYR
1	D	334	GLN
1	D	417	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	GLN
1	A	402	GLN
1	B	24	GLN
1	B	265	GLN
1	B	443	GLN
1	C	265	GLN
1	C	334	GLN
1	C	443	GLN
1	D	91	ASN
1	D	110	GLN
1	D	443	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 6 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ADP	B	604	-	28,29,29	1.43	5 (17%)	43,45,45	1.80	10 (23%)
8	PO4	B	608	-	4,4,4	0.91	0	6,6,6	0.48	0
11	PEG	C	607	-	6,6,6	0.13	0	5,5,5	0.09	0
8	PO4	A	608	-	4,4,4	0.91	0	6,6,6	0.48	0
6	EDO	D	609	-	3,3,3	0.44	0	2,2,2	0.40	0
10	ACE	B	605	-	1,2,2	0.86	0	0,1,1	-	-
3	8FL	D	602	2	25,28,28	1.02	1 (4%)	32,42,42	0.86	0
8	PO4	D	607	-	4,4,4	0.93	0	6,6,6	0.44	0
8	PO4	D	610	-	4,4,4	0.91	0	6,6,6	0.45	0
4	UQ3	C	603	-	52,55,55	1.68	5 (9%)	74,82,82	1.51	11 (14%)
8	PO4	A	611	-	4,4,4	0.91	0	6,6,6	0.41	0
5	ADP	D	604	-	28,29,29	1.40	5 (17%)	43,45,45	1.81	9 (20%)
4	UQ3	A	603	-	52,55,55	1.67	5 (9%)	74,82,82	1.57	13 (17%)
6	EDO	B	609	-	3,3,3	0.45	0	2,2,2	0.31	0
8	PO4	B	607	-	4,4,4	0.93	0	6,6,6	0.47	0
4	UQ3	B	603	-	47,50,55	0.88	3 (6%)	69,75,82	1.45	9 (13%)
3	8FL	C	602	2	25,28,28	1.03	1 (4%)	32,42,42	0.93	1 (3%)
6	EDO	A	607	-	3,3,3	0.46	0	2,2,2	0.28	0
3	8FL	A	602	2	25,28,28	1.04	1 (4%)	32,42,42	0.88	1 (3%)
8	PO4	A	609	-	4,4,4	0.96	0	6,6,6	0.46	0
6	EDO	D	608	-	3,3,3	0.44	0	2,2,2	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ADP	A	604	-	28,29,29	1.39	5 (17%)	43,45,45	1.83	9 (20%)
6	EDO	A	605	-	3,3,3	0.41	0	2,2,2	0.45	0
8	PO4	C	606	-	4,4,4	0.95	0	6,6,6	0.44	0
8	PO4	B	610	-	4,4,4	0.93	0	6,6,6	0.47	0
4	UQ3	D	603	-	47,50,55	0.87	3 (6%)	69,75,82	1.44	9 (13%)
8	PO4	C	605	-	4,4,4	0.93	0	6,6,6	0.45	0
8	PO4	D	606	-	4,4,4	0.90	0	6,6,6	0.47	0
10	ACE	D	605	-	1,2,2	0.81	0	0,1,1	-	-
3	8FL	B	602	2	25,28,28	1.04	1 (4%)	32,42,42	0.84	0
8	PO4	C	610	-	4,4,4	0.93	0	6,6,6	0.43	0
5	ADP	C	604	-	28,29,29	1.40	5 (17%)	43,45,45	1.84	9 (20%)
7	ACY	A	606	-	3,3,3	1.58	0	3,3,3	1.68	1 (33%)
6	EDO	C	608	-	3,3,3	0.43	0	2,2,2	0.36	0
8	PO4	B	606	-	4,4,4	0.97	0	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ADP	B	604	-	-	5/16/32/32	0/3/3/3
11	PEG	C	607	-	-	2/4/4/4	-
6	EDO	D	609	-	-	0/1/1/1	-
3	8FL	D	602	2	1/1/6/6	3/17/33/33	0/2/2/2
4	UQ3	C	603	-	-	9/54/71/71	0/3/3/3
5	ADP	D	604	-	-	5/16/32/32	0/3/3/3
4	UQ3	A	603	-	-	9/54/71/71	0/3/3/3
6	EDO	B	609	-	-	0/1/1/1	-
4	UQ3	B	603	-	-	9/48/64/71	0/3/3/3
3	8FL	C	602	2	1/1/6/6	4/17/33/33	0/2/2/2
6	EDO	A	607	-	-	0/1/1/1	-
3	8FL	A	602	2	1/1/6/6	3/17/33/33	0/2/2/2
6	EDO	D	608	-	-	0/1/1/1	-
5	ADP	A	604	-	-	4/16/32/32	0/3/3/3
6	EDO	A	605	-	-	0/1/1/1	-
4	UQ3	D	603	-	-	8/48/64/71	0/3/3/3
3	8FL	B	602	2	1/1/6/6	3/17/33/33	0/2/2/2
5	ADP	C	604	-	-	4/16/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	C	608	-	-	0/1/1/1	-

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	UQ3	O04-C03	9.38	1.34	1.20
4	C	603	UQ3	O04-C03	9.32	1.34	1.20
5	B	604	ADP	C5-C4	4.66	1.47	1.39
5	D	604	ADP	C5-C4	4.47	1.47	1.39
5	C	604	ADP	C5-C4	4.42	1.47	1.39
5	A	604	ADP	C5-C4	4.38	1.46	1.39
4	C	603	UQ3	C03-S05	-4.29	1.60	1.75
4	A	603	UQ3	C03-S05	-4.05	1.61	1.75
3	A	602	8FL	OC2-C2	-3.57	1.32	1.40
3	C	602	8FL	OC2-C2	-3.45	1.32	1.40
3	B	602	8FL	OC2-C2	-3.41	1.32	1.40
3	D	602	8FL	OC2-C2	-3.38	1.32	1.40
5	B	604	ADP	C5-C6	2.76	1.48	1.41
5	C	604	ADP	C5-C6	2.68	1.48	1.41
5	D	604	ADP	C5-C6	2.65	1.48	1.41
5	A	604	ADP	C5-C6	2.57	1.48	1.41
5	B	604	ADP	C8-N7	2.52	1.36	1.31
4	C	603	UQ3	C06-S05	-2.51	1.71	1.81
4	A	603	UQ3	C06-S05	-2.51	1.71	1.81
5	A	604	ADP	C8-N7	2.41	1.36	1.31
4	B	603	UQ3	C06-S05	-2.38	1.70	1.80
5	C	604	ADP	C8-N7	2.37	1.36	1.31
4	D	603	UQ3	C06-S05	-2.34	1.71	1.80
5	D	604	ADP	C8-N7	2.34	1.36	1.31
5	A	604	ADP	PA-O3A	2.30	1.62	1.59
5	B	604	ADP	PA-O3A	2.25	1.61	1.59
4	A	603	UQ3	C37-N38	2.24	1.36	1.31
5	C	604	ADP	C5-N7	-2.23	1.35	1.39
4	C	603	UQ3	C37-N38	2.17	1.35	1.31
5	D	604	ADP	C5-N7	-2.17	1.35	1.39
5	D	604	ADP	PA-O3A	2.15	1.61	1.59
5	A	604	ADP	C5-N7	-2.12	1.35	1.39
4	D	603	UQ3	C39-N38	-2.10	1.35	1.39
5	C	604	ADP	PA-O3A	2.10	1.61	1.59
4	A	603	UQ3	C39-N38	-2.10	1.35	1.39
4	C	603	UQ3	C39-N38	-2.06	1.35	1.39
4	B	603	UQ3	C37-N38	2.05	1.35	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	603	UQ3	C39-N38	-2.04	1.35	1.39
5	B	604	ADP	C5-N7	-2.03	1.35	1.39
4	D	603	UQ3	C37-N38	2.01	1.35	1.31

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	604	ADP	C5-C4-N3	-5.63	118.96	126.72
5	C	604	ADP	C5-C4-N3	-5.53	119.10	126.72
5	A	604	ADP	C5-C4-N3	-5.41	119.27	126.72
5	B	604	ADP	C5-C4-N3	-5.37	119.32	126.72
4	D	603	UQ3	C39-C44-N43	-5.09	119.71	126.72
4	C	603	UQ3	C39-C44-N43	-5.00	119.84	126.72
4	B	603	UQ3	C39-C44-N43	-4.99	119.84	126.72
4	D	603	UQ3	N43-C42-N41	-4.96	121.07	128.58
4	B	603	UQ3	N43-C42-N41	-4.95	121.09	128.58
4	A	603	UQ3	C39-C44-N43	-4.94	119.92	126.72
4	C	603	UQ3	N43-C42-N41	-4.87	121.21	128.58
4	A	603	UQ3	N43-C42-N41	-4.86	121.23	128.58
5	D	604	ADP	N3-C4-N9	4.52	134.86	127.17
5	A	604	ADP	N3-C4-N9	4.48	134.79	127.17
5	C	604	ADP	N3-C4-N9	4.44	134.72	127.17
4	A	603	UQ3	C06-C07-N08	-4.18	103.69	112.41
5	B	604	ADP	N3-C4-N9	4.15	134.23	127.17
4	C	603	UQ3	C06-C07-N08	-3.96	104.14	112.41
4	A	603	UQ3	N36-C37-N38	-3.79	108.57	113.94
4	B	603	UQ3	N36-C37-N38	-3.73	108.64	113.94
5	C	604	ADP	C2-N3-C4	3.68	120.83	111.83
5	B	604	ADP	C4-C5-N7	-3.68	106.38	110.58
4	C	603	UQ3	N36-C37-N38	-3.67	108.73	113.94
5	B	604	ADP	C2-N3-C4	3.65	120.74	111.83
5	D	604	ADP	C2-N3-C4	3.64	120.71	111.83
5	A	604	ADP	C2-N3-C4	3.58	120.58	111.83
5	B	604	ADP	N3-C2-N1	-3.57	123.19	128.58
5	D	604	ADP	C4-C5-N7	-3.50	106.58	110.58
5	C	604	ADP	C4-C5-N7	-3.48	106.60	110.58
4	D	603	UQ3	N36-C37-N38	-3.47	109.01	113.94
5	C	604	ADP	N3-C2-N1	-3.46	123.35	128.58
4	D	603	UQ3	C42-N43-C44	3.42	120.18	111.83
5	A	604	ADP	N3-C2-N1	-3.41	123.43	128.58
4	C	603	UQ3	C42-N43-C44	3.40	120.13	111.83
4	B	603	UQ3	C42-N43-C44	3.37	120.07	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	UQ3	C42-N43-C44	3.35	120.00	111.83
5	A	604	ADP	C4-N9-C8	3.35	109.25	105.74
4	B	603	UQ3	N43-C44-N36	3.35	132.86	127.17
5	D	604	ADP	N3-C2-N1	-3.33	123.55	128.58
4	D	603	UQ3	N43-C44-N36	3.29	132.76	127.17
5	A	604	ADP	C4-C5-N7	-3.25	106.87	110.58
4	C	603	UQ3	N43-C44-N36	3.15	132.52	127.17
5	C	604	ADP	C4-N9-C8	3.13	109.02	105.74
4	A	603	UQ3	N43-C44-N36	3.07	132.39	127.17
5	D	604	ADP	C4-N9-C8	2.97	108.85	105.74
4	B	603	UQ3	C44-N36-C37	2.96	108.84	105.74
5	B	604	ADP	C4-N9-C8	2.92	108.81	105.74
4	A	603	UQ3	C44-C39-N38	-2.87	107.30	110.58
4	A	603	UQ3	C11-C09-N08	-2.82	111.20	116.34
4	A	603	UQ3	C39-N38-C37	2.77	107.80	103.45
4	A	603	UQ3	C44-N36-C37	2.76	108.64	105.74
4	C	603	UQ3	C44-C39-N38	-2.75	107.44	110.58
4	B	603	UQ3	C39-N38-C37	2.71	107.70	103.45
4	C	603	UQ3	C44-N36-C37	2.70	108.57	105.74
4	B	603	UQ3	C44-C39-N38	-2.69	107.51	110.58
5	D	604	ADP	C5-N7-C8	2.67	107.65	103.45
4	D	603	UQ3	C44-C39-N38	-2.66	107.54	110.58
5	C	604	ADP	C5-N7-C8	2.65	107.61	103.45
4	C	603	UQ3	C39-N38-C37	2.64	107.61	103.45
5	B	604	ADP	C5-N7-C8	2.64	107.59	103.45
4	A	603	UQ3	C11-C12-N13	-2.62	106.43	112.00
4	D	603	UQ3	C44-N36-C37	2.59	108.46	105.74
4	A	603	UQ3	C06-S05-C03	2.57	109.10	101.73
4	D	603	UQ3	C06-C07-N08	-2.56	106.50	112.31
5	A	604	ADP	C5-N7-C8	2.56	107.47	103.45
4	D	603	UQ3	C39-N38-C37	2.55	107.46	103.45
5	A	604	ADP	N9-C8-N7	-2.44	110.47	113.94
5	B	604	ADP	C6-C5-N7	2.44	136.79	132.09
4	C	603	UQ3	C06-S05-C03	2.38	108.57	101.73
5	C	604	ADP	N9-C8-N7	-2.35	110.60	113.94
4	B	603	UQ3	C06-C07-N08	-2.35	106.97	112.31
7	A	606	ACY	O-C-CH3	-2.29	113.12	122.53
5	D	604	ADP	N9-C8-N7	-2.25	110.74	113.94
5	B	604	ADP	N9-C8-N7	-2.23	110.77	113.94
5	C	604	ADP	C6-C5-N7	2.21	136.35	132.09
5	B	604	ADP	C2-N1-C6	2.21	122.36	118.73
4	A	603	UQ3	O04-C03-S05	-2.19	120.86	123.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	602	8FL	C7'-N3-C2	-2.16	119.91	122.07
5	A	604	ADP	C6-C5-N7	2.08	136.11	132.09
5	D	604	ADP	C6-C5-N7	2.07	136.08	132.09
3	A	602	8FL	C4-C5-S1	2.05	113.01	110.74
4	C	603	UQ3	O04-C03-S05	-2.04	121.05	123.80

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	602	8FL	C2
3	B	602	8FL	C2
3	C	602	8FL	C2
3	D	602	8FL	C2

All (68) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	8FL	PA-O3A-PB-O3B
3	A	602	8FL	PA-O3A-PB-O2B
3	B	602	8FL	PA-O3A-PB-O2B
3	C	602	8FL	PA-O3A-PB-O3B
3	C	602	8FL	PA-O3A-PB-O2B
3	D	602	8FL	PA-O3A-PB-O3B
3	D	602	8FL	PA-O3A-PB-O2B
4	A	603	UQ3	C02-C03-S05-C06
4	A	603	UQ3	C07-C06-S05-C03
4	C	603	UQ3	C20-O21-P22-O23
5	C	604	ADP	C3'-C4'-C5'-O5'
5	D	604	ADP	C3'-C4'-C5'-O5'
5	C	604	ADP	O4'-C4'-C5'-O5'
5	D	604	ADP	O4'-C4'-C5'-O5'
5	B	604	ADP	O4'-C4'-C5'-O5'
4	A	603	UQ3	O04-C03-S05-C06
5	A	604	ADP	O4'-C4'-C5'-O5'
5	B	604	ADP	C3'-C4'-C5'-O5'
5	A	604	ADP	C3'-C4'-C5'-O5'
4	C	603	UQ3	O53-C02-C03-O04
4	D	603	UQ3	N13-C14-C16-C17
3	C	602	8FL	PB-O3A-PA-O7
3	B	602	8FL	PA-O3A-PB-O3B
11	C	607	PEG	C4-C3-O2-C2
4	D	603	UQ3	C33-C34-N36-C37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	604	ADP	C2'-C1'-N9-C8
5	B	604	ADP	C2'-C1'-N9-C8
5	C	604	ADP	C2'-C1'-N9-C8
5	D	604	ADP	C2'-C1'-N9-C8
4	C	603	UQ3	C07-C06-S05-C03
4	B	603	UQ3	S05-C06-C07-N08
4	D	603	UQ3	S05-C06-C07-N08
4	A	603	UQ3	C30-O29-P26-O28
4	B	603	UQ3	C20-O21-P22-O23
4	B	603	UQ3	C30-O29-P26-O28
4	C	603	UQ3	C30-O29-P26-O28
4	D	603	UQ3	C30-O29-P26-O28
4	B	603	UQ3	C09-C11-C12-N13
4	C	603	UQ3	O15-C14-C16-C17
4	C	603	UQ3	C33-C34-N36-C37
4	B	603	UQ3	N13-C14-C16-C17
4	C	603	UQ3	N13-C14-C16-C17
5	D	604	ADP	PA-O3A-PB-O1B
4	D	603	UQ3	P22-O25-P26-O27
3	D	602	8FL	PB-O3A-PA-O7
5	B	604	ADP	O4'-C1'-N9-C8
4	A	603	UQ3	C01-C02-C03-S05
3	B	602	8FL	PA-O3A-PB-O1B
5	B	604	ADP	PA-O3A-PB-O1B
11	C	607	PEG	C1-C2-O2-C3
4	A	603	UQ3	C33-C34-N36-C37
5	A	604	ADP	O4'-C1'-N9-C8
3	A	602	8FL	C5-C6-C7-O7
3	C	602	8FL	C5-C6-C7-O7
4	A	603	UQ3	P22-O25-P26-O28
4	B	603	UQ3	P26-O25-P22-O24
4	D	603	UQ3	P26-O25-P22-O24
4	B	603	UQ3	O15-C14-C16-C17
4	D	603	UQ3	O15-C14-C16-C17
5	D	604	ADP	O4'-C1'-N9-C8
4	B	603	UQ3	C33-C34-N36-C37
5	C	604	ADP	O4'-C1'-N9-C8
4	D	603	UQ3	C09-C11-C12-N13
4	A	603	UQ3	P26-O25-P22-O24
4	A	603	UQ3	P22-O25-P26-O27
4	B	603	UQ3	P22-O25-P26-O27
4	C	603	UQ3	P22-O25-P26-O27

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	C	603	UQ3	P22-O25-P26-O28



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	602	8FL	1	0
3	A	602	8FL	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	557/560 (99%)	-0.34	8 (1%) 73 81	13, 23, 39, 84	3 (0%)
1	B	558/560 (99%)	-0.29	10 (1%) 67 76	17, 24, 42, 79	0
1	C	558/560 (99%)	-0.29	11 (1%) 65 74	13, 24, 40, 79	1 (0%)
1	D	558/560 (99%)	-0.27	8 (1%) 73 81	13, 25, 42, 77	1 (0%)
All	All	2231/2240 (99%)	-0.30	37 (1%) 69 78	13, 24, 40, 84	5 (0%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	-4	PHE	7.3
1	A	482	PRO	5.6
1	B	-4	PHE	5.5
1	B	-5	TYR	5.2
1	D	-5	TYR	5.2
1	C	-5	TYR	4.9
1	C	-4	PHE	4.9
1	B	482	PRO	4.5
1	D	-4	PHE	4.4
1	A	-5	TYR	4.0
1	A	1	MET	3.9
1	C	482	PRO	3.8
1	B	4	SER	3.7
1	A	-3	GLN	3.6
1	C	481	ALA	3.6
1	B	481	ALA	3.6
1	D	-3	GLN	3.5
1	B	485	GLY	3.4
1	B	554	GLY	3.4
1	D	1	MET	3.3
1	D	481	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	481	ALA	3.0
1	D	482	PRO	2.9
1	B	5	GLU	2.8
1	C	-3	GLN	2.7
1	B	1	MET	2.6
1	C	1	MET	2.5
1	D	485	GLY	2.4
1	C	4	SER	2.2
1	C	6	GLY	2.2
1	B	-3	GLN	2.1
1	A	4	SER	2.1
1	C	0	ALA	2.1
1	D	3	LYS	2.0
1	A	480	PRO	2.0
1	C	515	ASP	2.0
1	C	554	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	PO4	A	611	5/5	0.59	0.14	51,54,64,73	0
8	PO4	D	610	5/5	0.61	0.13	59,62,66,74	0
8	PO4	B	608	5/5	0.67	0.10	55,61,69,73	0
8	PO4	D	607	5/5	0.69	0.12	65,66,70,74	0
8	PO4	C	606	5/5	0.71	0.11	52,64,68,70	0
8	PO4	C	610	5/5	0.72	0.12	54,57,64,70	0
10	ACE	D	605	3/3	0.72	0.26	44,44,45,50	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	A	605	4/4	0.75	0.14	32,36,39,41	0
10	ACE	B	605	3/3	0.77	0.23	41,41,45,49	0
6	EDO	A	607	4/4	0.78	0.13	40,41,42,47	0
8	PO4	B	610	5/5	0.79	0.10	58,58,63,65	0
7	ACY	A	606	4/4	0.80	0.11	26,31,32,32	0
8	PO4	D	606	5/5	0.81	0.09	46,51,55,61	0
8	PO4	A	608	5/5	0.83	0.08	55,56,65,67	0
8	PO4	B	607	5/5	0.84	0.08	50,54,61,62	0
6	EDO	D	608	4/4	0.85	0.12	38,39,39,44	0
6	EDO	C	608	4/4	0.86	0.11	38,39,40,41	0
6	EDO	B	609	4/4	0.87	0.11	37,40,40,40	0
11	PEG	C	607	7/7	0.87	0.14	33,34,36,36	0
6	EDO	D	609	4/4	0.88	0.11	30,31,37,43	0
8	PO4	A	609	5/5	0.89	0.16	40,42,47,49	0
9	CL	A	610	1/1	0.92	0.13	44,44,44,44	0
8	PO4	C	605	5/5	0.93	0.08	37,40,44,45	0
4	UQ3	C	603	53/53	0.95	0.08	22,29,38,42	6
8	PO4	B	606	5/5	0.95	0.10	37,40,45,49	0
9	CL	C	609	1/1	0.95	0.11	46,46,46,46	0
4	UQ3	A	603	53/53	0.96	0.07	23,27,35,37	6
4	UQ3	D	603	48/53	0.96	0.07	22,28,35,41	0
4	UQ3	B	603	48/53	0.96	0.07	21,26,34,46	0
5	ADP	B	604	27/27	0.98	0.04	20,23,24,25	0
5	ADP	C	604	27/27	0.98	0.05	20,22,25,27	0
5	ADP	D	604	27/27	0.98	0.05	20,23,25,26	0
3	8FL	C	602	27/27	0.98	0.05	16,21,24,25	0
3	8FL	D	602	27/27	0.98	0.05	18,22,25,26	1
3	8FL	A	602	27/27	0.98	0.05	17,20,23,24	1
5	ADP	A	604	27/27	0.98	0.04	19,22,25,26	0
3	8FL	B	602	27/27	0.99	0.04	19,21,24,25	1
2	MG	D	601	1/1	0.99	0.04	19,19,19,19	0
2	MG	C	601	1/1	1.00	0.06	18,18,18,18	0
2	MG	A	601	1/1	1.00	0.05	15,15,15,15	0
2	MG	B	601	1/1	1.00	0.04	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACY A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ3 C 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UQ3 A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ3 D 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UQ3 B 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8FL C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8FL D 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8FL A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 8FL B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.