



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 01:53 PM UTC

PDB ID : 2W0Q / pdb_00002w0q
Title : E. coli copper amine oxidase in complex with Xenon
Authors : Pirrat, P.; Smith, M.A.; Pearson, A.R.; McPherson, M.J.; Phillips, S.E.V.
Deposited on : 2008-08-20
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	727	
1	B	727	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	TPQ	A	466	-	-	X	-
1	TPQ	B	466	-	-	X	-
4	XE	A	904	-	-	X	-
4	XE	A	907	-	-	X	-
4	XE	A	908	-	-	X	-
4	XE	A	909	-	-	X	-
4	XE	B	905	-	-	X	-
4	XE	B	910	-	-	X	-
4	XE	B	911	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COPPER AMINE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	719	Total	C	N	O	S	0	0	1
			5665	3602	965	1076	22			
1	B	721	Total	C	N	O	S	0	0	1
			5683	3614	969	1078	22			

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		
2	B	1	Total	Cu	0	0
			1	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		
3	B	2	Total	Ca	0	0
			2	2		

- Molecule 4 is XENON (CCD ID: XE) (formula: Xe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	Xe	0	0
			6	6		
4	B	5	Total	Xe	0	0
			5	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	328	Total 328	O 328	0	0
5	B	254	Total 254	O 254	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: COPPER AMINE OXIDASE



• Molecule 1: COPPER AMINE OXIDASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	134.59Å 166.87Å 80.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.27 – 2.48 49.27 – 2.48	Depositor EDS
% Data completeness (in resolution range)	98.1 (49.27-2.48) 98.1 (49.27-2.48)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.70 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.158 , 0.219 0.159 , 0.220	Depositor DCC
R_{free} test set	3207 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 49.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11947	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CU, TPQ, XE, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.16	5/5794 (0.1%)	1.22	13/7888 (0.2%)
1	B	0.98	1/5813 (0.0%)	1.04	11/7912 (0.1%)
All	All	1.07	6/11607 (0.1%)	1.13	24/15800 (0.2%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	699	MET	C-O	-27.55	0.87	1.24
1	A	699	MET	CA-C	-26.51	1.20	1.52
1	A	699	MET	C-N	20.79	1.59	1.33
1	B	725	LYS	C-N	-6.50	1.24	1.33
1	A	326	ARG	C-O	-6.25	1.18	1.24
1	A	724	LYS	C-N	-6.02	1.25	1.33

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	699	MET	CA-C-O	38.69	151.86	119.36
1	A	699	MET	O-C-N	-34.19	89.05	121.19
1	A	699	MET	CA-C-N	8.29	128.36	119.90
1	A	699	MET	C-N-CA	8.29	128.36	119.90
1	B	445	GLN	CA-C-N	-7.57	112.20	119.85
1	B	445	GLN	C-N-CA	-7.57	112.20	119.85
1	A	119	PRO	CA-C-N	-7.24	111.68	122.83
1	A	119	PRO	C-N-CA	-7.24	111.68	122.83
1	B	339	GLY	CA-C-N	7.14	127.13	119.78
1	B	339	GLY	C-N-CA	7.14	127.13	119.78
1	A	615	VAL	CB-CA-C	-6.03	102.77	111.34
1	B	143	ASN	N-CA-C	5.89	120.27	113.38
1	A	435	GLY	CA-C-N	-5.89	113.63	119.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	435	GLY	C-N-CA	-5.89	113.63	119.99
1	B	299	VAL	CB-CA-C	-5.75	104.35	111.08
1	A	538	GLY	N-CA-C	-5.74	104.13	110.96
1	B	176	SER	N-CA-C	5.73	117.17	108.07
1	B	251	VAL	N-CA-C	-5.67	107.61	113.10
1	A	626	TRP	N-CA-C	5.53	117.31	111.28
1	A	326	ARG	CB-CA-C	-5.15	110.22	117.23
1	B	216	ASP	N-CA-C	5.15	117.56	107.57
1	B	720	LEU	N-CA-C	5.08	118.25	111.75
1	B	172	ASN	N-CA-C	5.03	118.53	111.74
1	A	605	ILE	CB-CA-C	-5.01	104.12	110.98

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5665	0	5539	133	0
1	B	5683	0	5559	112	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	6	0	0	20	0
4	B	5	0	0	11	0
5	A	328	0	0	7	0
5	B	254	0	0	6	0
All	All	11947	0	11098	231	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (231) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:465:ASN:C	1:B:466:TPQ:H2	1.25	1.43
1:B:466:TPQ:C	1:B:467:ASP:N	1.94	1.31
1:A:605:ILE:HG13	4:A:909:XE:XE	2.10	1.30
1:A:28:GLN:HG3	5:A:2015:HOH:O	1.33	1.24
1:A:460:ILE:H	4:A:908:XE:XE	2.02	1.20
1:A:249:LEU:HD23	1:A:288:MET:HE1	1.27	1.11
1:B:543:LEU:HD21	4:B:905:XE:XE	2.28	1.11
1:A:466:TPQ:HA	1:A:467:ASP:N	1.66	1.10
1:B:466:TPQ:CA	1:B:467:ASP:N	2.15	1.09
1:A:466:TPQ:CA	1:A:467:ASP:N	2.15	1.08
1:A:605:ILE:CG1	4:A:909:XE:XE	2.80	1.08
1:A:466:TPQ:C	1:A:467:ASP:N	2.19	1.06
1:B:638:LEU:CD2	4:B:905:XE:XE	2.87	1.01
1:B:182:ASP:HB2	5:B:2065:HOH:O	1.61	1.00
1:A:322:MET:SD	5:A:2039:HOH:O	2.21	0.98
1:A:572:ASN:ND2	1:A:671:ASN:HD21	1.62	0.97
1:B:466:TPQ:HA	1:B:467:ASP:N	1.78	0.97
1:B:94:HIS:HD2	1:B:96:LEU:H	1.13	0.94
1:B:580:PHE:H	1:B:637:GLN:HE21	1.13	0.94
1:A:315:ASN:HD21	1:B:304:LYS:H	1.14	0.94
1:B:638:LEU:HD21	4:B:905:XE:XE	2.47	0.92
1:A:574:GLN:H	1:A:671:ASN:ND2	1.68	0.92
1:A:304:LYS:H	1:B:315:ASN:HD21	0.99	0.91
1:B:466:TPQ:O	1:B:467:ASP:N	2.04	0.90
1:A:460:ILE:N	4:A:908:XE:XE	2.82	0.89
1:A:543:LEU:HD21	4:A:907:XE:XE	2.50	0.89
1:A:592:ASN:HD21	1:A:676:ASN:HD21	1.21	0.88
1:A:426:ALA:O	4:A:908:XE:XE	2.73	0.85
1:B:171:ASN:HB3	1:B:173:LYS:HZ1	1.42	0.83
1:B:12:LYS:O	1:B:16:GLU:HG2	1.82	0.79
1:A:249:LEU:CD2	1:A:288:MET:HE1	2.11	0.79
1:B:540:ASN:HB3	1:B:676:ASN:ND2	1.98	0.78
1:B:638:LEU:HD23	4:B:905:XE:XE	2.61	0.77
1:B:129:LEU:HD12	1:B:130:PRO:HD2	1.66	0.77
1:A:536:VAL:H	1:A:541:ASN:HD21	1.33	0.75
1:B:580:PHE:H	1:B:637:GLN:NE2	1.84	0.75
1:A:381:TYR:HE1	4:A:904:XE:XE	2.47	0.75
1:B:381:TYR:HE2	4:B:911:XE:XE	2.49	0.74
1:A:466:TPQ:O	1:A:467:ASP:N	2.21	0.74
1:B:196:GLN:HE22	1:B:222:THR:H	1.35	0.74
1:A:368:PRO:HG3	1:A:634:MET:HE1	1.70	0.73
1:A:38:TYR:H	1:A:51:ASN:HD21	1.35	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:572:ASN:HD22	1:A:671:ASN:HD21	1.37	0.72
1:A:580:PHE:H	1:A:637:GLN:HE21	1.35	0.71
1:A:638:LEU:HG	4:A:907:XE:XE	2.68	0.71
1:A:605:ILE:HG12	4:A:909:XE:XE	2.67	0.71
1:A:543:LEU:HD11	4:A:909:XE:XE	2.69	0.69
1:B:620:GLN:HE21	4:B:910:XE:XE	2.53	0.69
1:B:221:ILE:CD1	1:B:250:ASP:HB2	2.23	0.69
1:A:38:TYR:H	1:A:51:ASN:ND2	1.91	0.68
1:A:181:LYS:O	1:A:182:ASP:HB2	1.93	0.68
1:B:574:GLN:H	1:B:671:ASN:ND2	1.92	0.68
1:A:644:HIS:HD2	1:A:646:GLY:H	1.40	0.68
1:B:171:ASN:HB3	1:B:173:LYS:NZ	2.09	0.68
1:B:572:ASN:HD22	1:B:671:ASN:HD21	1.42	0.68
1:A:596:ARG:NH2	1:B:516:ASP:OD1	2.27	0.67
1:A:368:PRO:HG3	1:A:634:MET:CE	2.26	0.66
1:A:28:GLN:CG	5:A:2015:HOH:O	2.11	0.66
1:A:543:LEU:CD1	4:A:909:XE:XE	3.22	0.65
1:B:592:ASN:HD21	1:B:676:ASN:HD21	1.44	0.65
1:A:394:SER:O	4:A:908:XE:XE	2.93	0.65
1:A:477:ASN:C	1:A:477:ASN:HD22	2.04	0.65
1:B:368:PRO:HB2	1:B:621:PHE:HZ	1.62	0.65
1:A:76:ASN:HD22	1:A:80:GLN:HE21	1.45	0.64
1:B:379:LYS:HD3	5:B:2135:HOH:O	1.96	0.64
1:B:94:HIS:CD2	1:B:96:LEU:H	2.05	0.63
1:B:465:ASN:C	1:B:466:TPQ:H	2.00	0.63
1:A:304:LYS:H	1:B:315:ASN:ND2	1.84	0.63
1:A:572:ASN:ND2	1:A:671:ASN:ND2	2.43	0.63
1:B:383:ASP:HB3	1:B:463:VAL:HG21	1.80	0.62
1:B:381:TYR:HE1	5:B:2135:HOH:O	1.83	0.62
1:B:553:ASN:ND2	1:B:555:ALA:H	1.98	0.62
1:A:638:LEU:CD2	4:A:907:XE:XE	3.26	0.62
1:B:214:ILE:HD11	1:B:286:VAL:HG21	1.81	0.61
1:A:315:ASN:ND2	1:B:304:LYS:H	1.93	0.61
1:B:525:GLN:NE2	1:B:620:GLN:H	1.99	0.60
1:B:525:GLN:HE22	1:B:620:GLN:H	1.50	0.60
1:A:574:GLN:HG2	1:A:671:ASN:CG	2.26	0.60
1:B:498:LYS:O	1:B:517:HIS:HD2	1.83	0.60
1:A:477:ASN:HD22	1:A:479:THR:H	1.50	0.60
1:A:304:LYS:N	1:B:315:ASN:HD21	1.84	0.59
1:B:536:VAL:H	1:B:541:ASN:HD21	1.50	0.59
1:A:237:LYS:HE3	1:A:240:ALA:HB2	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:517:HIS:CE1	1:B:596:ARG:HH11	2.21	0.59
1:A:563:MET:HB3	4:B:910:XE:XE	2.80	0.59
1:B:525:GLN:OE1	1:B:620:GLN:HG2	2.02	0.58
1:B:271:GLU:HG3	5:B:2087:HOH:O	2.03	0.58
1:B:221:ILE:HD11	1:B:250:ASP:HB2	1.84	0.58
1:A:580:PHE:H	1:A:637:GLN:NE2	2.01	0.58
1:B:368:PRO:HB2	1:B:621:PHE:CZ	2.38	0.58
1:A:580:PHE:N	1:A:637:GLN:HE21	2.02	0.58
1:A:644:HIS:CD2	1:A:646:GLY:H	2.20	0.58
1:B:231:ASP:HB2	1:B:626:TRP:CZ2	2.38	0.57
1:B:237:LYS:NZ	1:B:237:LYS:HB3	2.19	0.57
1:A:595:ASN:ND2	1:A:599:ASN:H	2.02	0.57
1:A:572:ASN:HD22	1:A:572:ASN:C	2.13	0.57
1:A:377:TYR:CE1	1:B:558:PRO:HG2	2.40	0.57
1:A:10:MET:HE3	1:A:70:VAL:CG1	2.33	0.57
1:A:572:ASN:ND2	1:A:572:ASN:C	2.63	0.57
1:A:699:MET:HE3	1:A:702:GLU:CG	2.35	0.57
1:A:477:ASN:ND2	1:A:479:THR:H	2.03	0.56
1:A:574:GLN:H	1:A:671:ASN:HD21	1.52	0.56
1:A:525:GLN:HE22	1:A:620:GLN:H	1.53	0.56
1:B:221:ILE:HD12	1:B:250:ASP:HB2	1.87	0.56
1:A:466:TPQ:N	1:A:466:TPQ:C6	2.67	0.55
1:B:38:TYR:H	1:B:51:ASN:ND2	2.02	0.55
1:B:196:GLN:NE2	1:B:222:THR:H	2.03	0.55
1:A:214:ILE:HD11	1:A:286:VAL:HG21	1.89	0.55
1:A:699:MET:HE3	1:A:702:GLU:HG3	1.89	0.55
1:B:477:ASN:HD22	1:B:477:ASN:C	2.15	0.54
1:A:498:LYS:O	1:A:517:HIS:HD2	1.90	0.54
1:B:291:ARG:NH1	1:B:516:ASP:OD2	2.40	0.54
1:A:466:TPQ:C6	1:A:466:TPQ:H	2.21	0.54
1:A:181:LYS:O	1:A:182:ASP:CB	2.57	0.53
1:B:638:LEU:CG	4:B:905:XE:XE	3.35	0.53
1:B:638:LEU:HG	4:B:905:XE:XE	2.86	0.53
1:A:10:MET:HE3	1:A:70:VAL:HG11	1.89	0.53
1:A:381:TYR:CE1	4:A:904:XE:XE	3.35	0.53
1:B:212:ARG:HG2	1:B:283:VAL:HG22	1.90	0.53
1:A:77:ASP:O	1:A:81:SER:HB3	2.08	0.52
1:A:24:ASP:OD1	1:A:24:ASP:C	2.52	0.52
1:A:184:HIS:ND1	5:A:2083:HOH:O	2.34	0.52
1:B:38:TYR:H	1:B:51:ASN:HD21	1.57	0.52
1:B:11:ASP:OD2	1:B:15:LYS:HE3	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:ARG:HH12	1:B:303:VAL:HG22	1.75	0.52
1:B:203:GLU:CD	1:B:203:GLU:H	2.18	0.52
1:A:396:ILE:HD13	1:A:428:ALA:HB2	1.93	0.51
1:A:553:ASN:ND2	1:A:555:ALA:H	2.09	0.51
1:B:381:TYR:CE2	4:B:911:XE:XE	3.37	0.51
1:A:638:LEU:CG	4:A:907:XE:XE	3.36	0.51
1:B:272:GLN:HE21	1:B:274:LYS:HE2	1.76	0.51
1:B:466:TPQ:N	1:B:466:TPQ:C6	2.73	0.51
1:B:516:ASP:HB3	1:B:519:ILE:HB	1.93	0.51
1:A:527:ILE:CD1	1:A:634:MET:HE2	2.41	0.50
1:B:36:GLY:HA2	1:B:314:LYS:HE2	1.92	0.50
1:B:171:ASN:CB	1:B:173:LYS:NZ	2.74	0.50
1:A:324:HIS:HD2	1:A:329:ASP:OD2	1.93	0.50
1:A:525:GLN:NE2	1:A:620:GLN:H	2.09	0.50
1:A:348:ASN:HD22	1:A:348:ASN:C	2.20	0.50
1:A:396:ILE:HG13	4:A:908:XE:XE	2.90	0.49
1:B:94:HIS:CD2	1:B:96:LEU:HB2	2.47	0.49
1:A:11:ASP:OD1	1:A:15:LYS:NZ	2.43	0.49
1:A:366:ILE:HD12	1:A:382:LEU:HG	1.95	0.49
1:B:175:LEU:O	1:B:176:SER:HB3	2.12	0.49
1:A:8:VAL:HG22	1:A:9:PRO:HD2	1.93	0.49
1:A:342:ILE:HG22	1:A:345:VAL:CG2	2.43	0.49
1:B:532:LEU:HD11	1:B:683:MET:HE2	1.94	0.48
1:B:94:HIS:HD2	1:B:96:LEU:N	1.96	0.48
1:A:29:LEU:HD12	1:A:42:LYS:HG2	1.95	0.48
1:B:10:MET:CE	1:B:32:LEU:HD21	2.43	0.48
1:B:466:TPQ:H	1:B:466:TPQ:C6	2.26	0.48
1:A:546:MET:HE3	1:A:565:VAL:HG11	1.97	0.47
1:A:574:GLN:H	1:A:671:ASN:HD22	1.55	0.47
1:A:272:GLN:HB3	1:A:274:LYS:HG2	1.96	0.47
1:A:382:LEU:HD12	5:A:2185:HOH:O	2.14	0.47
1:A:639:TRP:HB2	1:A:682:TRP:HB2	1.96	0.47
1:B:543:LEU:CD2	4:B:905:XE:XE	3.22	0.47
1:A:63:MET:HG3	5:A:2014:HOH:O	2.14	0.47
1:A:572:ASN:HD22	1:A:671:ASN:ND2	2.08	0.47
1:B:251:VAL:O	1:B:251:VAL:CG1	2.62	0.47
1:A:224:PRO:HB2	1:A:243:LEU:HD13	1.97	0.46
1:A:611:GLY:HA2	1:A:703:TRP:O	2.15	0.46
1:B:214:ILE:HG12	1:B:249:LEU:HD13	1.97	0.46
1:A:367:VAL:HG21	1:A:468:TYR:OH	2.16	0.46
1:A:216:ASP:OD1	1:A:218:LYS:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:ASP:HB2	1:A:626:TRP:CZ2	2.50	0.46
1:B:139:PHE:CD1	1:B:139:PHE:C	2.93	0.45
1:A:594:GLU:OE1	1:B:501:HIS:HE1	2.00	0.45
1:A:315:ASN:HD21	1:B:304:LYS:N	1.96	0.45
1:A:227:VAL:HG12	1:A:244:LYS:HG3	1.99	0.45
1:A:546:MET:CE	1:A:565:VAL:HG11	2.47	0.45
1:A:366:ILE:HD13	1:A:631:LEU:CD1	2.47	0.45
1:A:540:ASN:HB3	1:A:676:ASN:ND2	2.32	0.45
1:A:71:SER:OG	1:A:73:THR:HG22	2.17	0.45
1:A:460:ILE:HB	4:A:908:XE:XE	2.95	0.45
1:A:76:ASN:ND2	1:A:80:GLN:HE21	2.12	0.44
1:A:326:ARG:HH22	1:B:303:VAL:HG13	1.81	0.44
1:A:366:ILE:HD11	1:A:380:ALA:HB1	2.00	0.44
1:A:466:TPQ:O	1:A:467:ASP:CA	2.66	0.44
1:B:621:PHE:CE2	1:B:634:MET:HE1	2.52	0.44
1:B:529:ASN:HA	1:B:683:MET:O	2.18	0.44
1:B:532:LEU:HD13	1:B:708:LEU:HD11	2.00	0.44
1:B:251:VAL:O	1:B:251:VAL:HG12	2.18	0.44
1:A:610:GLY:HA3	1:B:610:GLY:HA3	2.01	0.43
1:B:572:ASN:HD21	1:B:575:ASP:CG	2.25	0.43
1:B:492:VAL:HG22	5:B:2186:HOH:O	2.19	0.43
1:A:466:TPQ:O2	5:A:2226:HOH:O	2.21	0.43
1:A:286:VAL:O	1:A:288:MET:HG2	2.17	0.43
1:A:516:ASP:HB3	1:A:519:ILE:HB	2.00	0.43
1:B:438:TYR:CD1	1:B:438:TYR:C	2.97	0.43
1:A:644:HIS:CD2	1:A:644:HIS:C	2.96	0.42
1:A:32:LEU:HB2	1:A:39:VAL:HB	2.01	0.42
1:A:638:LEU:HD23	4:A:907:XE:XE	2.97	0.42
1:B:365:MET:HE3	1:B:365:MET:HB2	1.92	0.42
1:B:465:ASN:O	1:B:466:TPQ:N	2.38	0.42
1:A:196:GLN:HE22	1:A:222:THR:H	1.68	0.42
1:A:322:MET:HG2	4:A:903:XE:XE	2.98	0.42
1:B:526:HIS:O	1:B:686:GLY:HA3	2.20	0.42
1:B:574:GLN:HB2	1:B:671:ASN:ND2	2.35	0.42
1:B:551:LYS:HA	1:B:551:LYS:HD2	1.78	0.42
1:A:699:MET:HE3	1:A:702:GLU:HG2	2.01	0.41
1:B:203:GLU:CD	1:B:203:GLU:N	2.78	0.41
1:A:401:ASP:OD2	1:B:439:LYS:NZ	2.53	0.41
1:B:24:ASP:C	1:B:24:ASP:OD1	2.62	0.41
1:B:209:VAL:HG13	1:B:214:ILE:HB	2.02	0.41
1:B:342:ILE:HG22	1:B:345:VAL:CG2	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:717:THR:HB	1:B:720:LEU:HG	2.02	0.41
1:B:201:ASN:HD22	1:B:201:ASN:HA	1.72	0.41
1:B:246:ILE:CD1	1:B:265:VAL:HG22	2.51	0.41
1:B:10:MET:HE3	1:B:32:LEU:HD21	2.02	0.41
1:B:406:ALA:HA	1:B:430:PHE:HB3	2.03	0.41
1:A:76:ASN:HD22	1:A:80:GLN:NE2	2.15	0.41
1:A:192:PHE:HE1	4:A:901:XE:XE	2.82	0.41
1:A:99:LEU:HD12	1:A:126:ILE:HG22	2.02	0.41
1:A:129:LEU:HD12	1:A:130:PRO:HD2	2.02	0.41
1:A:164:GLU:OE2	1:A:653:LYS:HE3	2.21	0.41
1:A:239:ASP:O	1:A:239:ASP:CG	2.64	0.41
1:A:365:MET:HE1	1:A:468:TYR:CZ	2.56	0.41
1:A:527:ILE:HD12	1:A:634:MET:HE2	2.03	0.41
1:A:536:VAL:H	1:A:541:ASN:ND2	2.10	0.41
1:B:124:THR:HG22	1:B:188:LEU:HD21	2.03	0.41
1:B:374:ILE:O	1:B:378:PHE:HE1	2.04	0.41
1:B:76:ASN:O	1:B:80:GLN:HB2	2.20	0.41
1:B:291:ARG:NE	5:B:2091:HOH:O	2.54	0.41
1:B:415:ASP:OD1	1:B:415:ASP:C	2.64	0.41
1:B:574:GLN:H	1:B:671:ASN:HD22	1.69	0.40
1:A:369:TYR:CD2	1:A:524:HIS:HB3	2.55	0.40
1:B:366:ILE:HD12	1:B:382:LEU:CD1	2.51	0.40
1:A:274:LYS:HE2	1:A:275:ILE:O	2.21	0.40
1:A:492:VAL:HB	1:A:519:ILE:HG23	2.03	0.40
1:A:699:MET:HA	1:A:700:PRO:HD3	1.81	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	715/727 (98%)	696 (97%)	18 (2%)	1 (0%)	48 66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	718/727 (99%)	696 (97%)	21 (3%)	1 (0%)	48 66
All	All	1433/1454 (99%)	1392 (97%)	39 (3%)	2 (0%)	48 66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66	ASN
1	A	182	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	609/615 (99%)	576 (95%)	33 (5%)	20 38
1	B	610/615 (99%)	575 (94%)	35 (6%)	18 36
All	All	1219/1230 (99%)	1151 (94%)	68 (6%)	19 37

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	11	ASP
1	A	16	GLU
1	A	32	LEU
1	A	62	VAL
1	A	67	LYS
1	A	73	THR
1	A	80	GLN
1	A	85	GLN
1	A	89	VAL
1	A	134	GLU
1	A	147	ASP
1	A	173	LYS
1	A	178	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	181	LYS
1	A	214	ILE
1	A	218	LYS
1	A	237	LYS
1	A	247	SER
1	A	288	MET
1	A	348	ASN
1	A	350	ASN
1	A	366	ILE
1	A	396	ILE
1	A	477	ASN
1	A	506	LYS
1	A	572	ASN
1	A	595	ASN
1	A	613	HIS
1	A	615	VAL
1	A	627	ILE
1	A	669	LYS
1	A	719	THR
1	B	8	VAL
1	B	13	THR
1	B	58	GLN
1	B	63	MET
1	B	71	SER
1	B	72	ASP
1	B	80	GLN
1	B	89	VAL
1	B	92	ARG
1	B	143	ASN
1	B	147	ASP
1	B	173	LYS
1	B	181	LYS
1	B	194	SER
1	B	195	VAL
1	B	199	ILE
1	B	201	ASN
1	B	203	GLU
1	B	209	VAL
1	B	219	LYS
1	B	237	LYS
1	B	251	VAL
1	B	274	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	291	ARG
1	B	366	ILE
1	B	374	ILE
1	B	400	LYS
1	B	477	ASN
1	B	506	LYS
1	B	595	ASN
1	B	613	HIS
1	B	699	MET
1	B	707	LEU
1	B	719	THR
1	B	725	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (66) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	76	ASN
1	A	80	GLN
1	A	97	ASN
1	A	120	ASN
1	A	161	HIS
1	A	170	GLN
1	A	196	GLN
1	A	197	ASN
1	A	200	ASN
1	A	201	ASN
1	A	272	GLN
1	A	307	GLN
1	A	315	ASN
1	A	324	HIS
1	A	327	ASN
1	A	348	ASN
1	A	447	ASN
1	A	477	ASN
1	A	517	HIS
1	A	518	ASN
1	A	525	GLN
1	A	529	ASN
1	A	541	ASN
1	A	553	ASN
1	A	566	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	572	ASN
1	A	595	ASN
1	A	604	GLN
1	A	637	GLN
1	A	644	HIS
1	A	671	ASN
1	A	676	ASN
1	B	51	ASN
1	B	76	ASN
1	B	94	HIS
1	B	97	ASN
1	B	143	ASN
1	B	170	GLN
1	B	196	GLN
1	B	197	ASN
1	B	200	ASN
1	B	201	ASN
1	B	238	GLN
1	B	263	ASN
1	B	272	GLN
1	B	315	ASN
1	B	327	ASN
1	B	350	ASN
1	B	447	ASN
1	B	477	ASN
1	B	501	HIS
1	B	517	HIS
1	B	525	GLN
1	B	541	ASN
1	B	553	ASN
1	B	566	ASN
1	B	567	GLN
1	B	572	ASN
1	B	595	ASN
1	B	599	ASN
1	B	620	GLN
1	B	637	GLN
1	B	666	GLN
1	B	671	ASN
1	B	676	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPQ	B	466	1	13,14,15	2.37	5 (38%)	13,19,21	1.92	5 (38%)
1	TPQ	A	466	1	13,14,15	2.40	5 (38%)	13,19,21	1.35	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	B	466	1	-	5/5/22/24	0/1/1/1
1	TPQ	A	466	1	-	5/5/22/24	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	466	TPQ	O2-C2	4.97	1.37	1.24
1	A	466	TPQ	O5-C5	4.90	1.37	1.24
1	B	466	TPQ	O5-C5	4.87	1.37	1.24
1	B	466	TPQ	O2-C2	4.46	1.36	1.24
1	B	466	TPQ	C6-C5	-2.77	1.37	1.44
1	A	466	TPQ	C3-C4	2.67	1.40	1.36
1	B	466	TPQ	C3-C4	2.56	1.40	1.36
1	A	466	TPQ	C6-C5	-2.23	1.38	1.44
1	B	466	TPQ	C3-C2	-2.20	1.39	1.44
1	A	466	TPQ	C3-C2	-2.07	1.39	1.44

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	466	TPQ	C6-C1-C2	4.33	121.74	118.66
1	A	466	TPQ	C6-C1-C2	3.38	121.06	118.66
1	B	466	TPQ	O5-C5-C4	2.48	123.35	119.43
1	B	466	TPQ	CB-C1-C2	2.32	122.61	118.56
1	B	466	TPQ	C3-C4-C5	-2.27	118.91	121.23
1	B	466	TPQ	O5-C5-C6	-2.25	116.72	121.83

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	466	TPQ	N-CA-CB-C1
1	A	466	TPQ	C-CA-CB-C1
1	A	466	TPQ	O-C-CA-CB
1	A	466	TPQ	C2-C1-CB-CA
1	B	466	TPQ	N-CA-CB-C1
1	B	466	TPQ	C-CA-CB-C1
1	B	466	TPQ	O-C-CA-CB
1	B	466	TPQ	C2-C1-CB-CA
1	A	466	TPQ	C6-C1-CB-CA
1	B	466	TPQ	C6-C1-CB-CA

There are no ring outliers.

2 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	466	TPQ	9	0
1	A	466	TPQ	8	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 17 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2
1	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	466:TPQ	C	467:ASP	N	2.19
1	B	466:TPQ	C	467:ASP	N	1.94
1	B	465:ASN	C	466:TPQ	N	1.76
1	A	465:ASN	C	466:TPQ	N	1.62

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	718/727 (98%)	-0.52	1 (0%) 92 91	19, 37, 60, 75	0
1	B	720/727 (99%)	-0.36	4 (0%) 85 83	22, 40, 65, 78	0
All	All	1438/1454 (98%)	-0.44	5 (0%) 90 88	19, 38, 62, 78	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	215	THR	3.1
1	B	6	HIS	3.0
1	B	383	ASP	2.4
1	B	237	LYS	2.2
1	B	381	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPQ	B	466	14/15	0.84	0.15	52,58,64,64	0
1	TPQ	A	466	14/15	0.89	0.14	52,60,63,63	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	B	803	1/1	0.89	0.10	77,77,77,77	0
4	XE	A	909	1/1	0.90	0.15	41,41,41,41	1
4	XE	B	911	1/1	0.93	0.23	58,58,58,58	1
4	XE	B	910	1/1	0.94	0.28	46,46,46,46	1
4	XE	B	902	1/1	0.95	0.10	50,50,50,50	1
4	XE	B	906	1/1	0.95	0.13	57,57,57,57	1
4	XE	B	905	1/1	0.96	0.13	48,48,48,48	1
4	XE	A	907	1/1	0.96	0.08	49,49,49,49	1
4	XE	A	901	1/1	0.98	0.05	58,58,58,58	1
4	XE	A	903	1/1	0.98	0.06	43,43,43,43	1
4	XE	A	904	1/1	0.98	0.08	58,58,58,58	1
3	CA	A	803	1/1	0.98	0.11	69,69,69,69	0
2	CU	B	801	1/1	0.98	0.03	45,45,45,45	0
2	CU	A	801	1/1	0.99	0.05	47,47,47,47	0
4	XE	A	908	1/1	0.99	0.04	27,27,27,27	1
3	CA	A	802	1/1	1.00	0.02	27,27,27,27	0
3	CA	B	802	1/1	1.00	0.02	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.