



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:43 PM UTC

PDB ID : 3W0L / pdb_00003w0l
Title : The crystal structure of Xenopus Glucokinase and Glucokinase Regulatory Protein complex
Authors : Choi, J.M.; Seo, M.H.; Kyeong, H.H.; Kim, E.; Kim, H.S.
Deposited on : 2012-10-31
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2995 (2.94-2.90)
Clashscore	190562	3213 (2.94-2.90)
Ramachandran outliers	187476	3128 (2.94-2.90)
Sidechain outliers	187428	3130 (2.94-2.90)
RSRZ outliers	180081	2995 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	458	79% 12% • 7%
1	C	458	4% 73% 14% • 11%
2	B	619	79% 16% • •
2	D	619	3% 73% 20% • 7%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15800 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	426	Total	C	N	O	S	0	0	0
			3319	2075	564	648	32			
1	C	407	Total	C	N	O	S	0	0	0
			3175	1988	540	616	31			

- Molecule 2 is a protein called Glucokinase regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	598	Total	C	N	O	S	0	0	0
			4668	2946	806	894	22			
2	D	577	Total	C	N	O	S	0	0	0
			4499	2846	776	856	21			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	530	GLN	HIS	SEE REMARK 999	UNP Q91754
D	530	GLN	HIS	SEE REMARK 999	UNP Q91754

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		
4	C	1	Total	Na	0	0
			1	1		

- Molecule 5 is FRUCTOSE -6-PHOSPHATE (CCD ID: F6R) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	P	0	0
			16	6	9	1		
5	D	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	32	Total	O	0	0
			32	32		
6	B	26	Total	O	0	0
			26	26		
6	C	15	Total	O	0	0
			15	15		
6	D	12	Total	O	0	0
			12	12		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glucokinase

Chain A: 



• Molecule 1: Glucokinase


Chain C: 



• Molecule 2: Glucokinase regulatory protein

Chain B: 





● Molecule 2: Glucokinase regulatory protein

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	109.32Å 130.03Å 175.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.48 – 2.92 28.48 – 2.92	Depositor EDS
% Data completeness (in resolution range)	97.3 (28.48-2.92) 88.7 (28.48-2.92)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.242 , 0.277 0.233 , 0.272	Depositor DCC
R_{free} test set	2705 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.5	Xtriage
Anisotropy	0.725	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 31.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	15800	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NA, F6R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3367	0.67	0/4532
1	C	0.25	0/3219	0.66	0/4327
2	B	0.26	0/4748	0.70	1/6419 (0.0%)
2	D	0.27	0/4574	0.71	2/6177 (0.0%)
All	All	0.26	0/15908	0.69	3/21455 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	180	CYS	N-CA-C	7.98	120.69	111.11
2	D	35	ASN	CA-C-N	5.10	125.14	119.32
2	D	35	ASN	C-N-CA	5.10	125.14	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3319	0	3270	31	0
1	C	3175	0	3135	34	0
2	B	4668	0	4718	56	0
2	D	4499	0	4557	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	5	0	0	0	0
3	B	10	0	0	0	0
3	C	5	0	0	0	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	B	16	0	11	1	0
5	D	16	0	11	3	0
6	A	32	0	0	0	0
6	B	26	0	0	0	0
6	C	15	0	0	0	0
6	D	12	0	0	0	0
All	All	15800	0	15702	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:513:LYS:NZ	5:B:701:F6R:O5	2.21	0.74
2:D:101:LEU:HD22	2:D:170:LYS:HG2	1.73	0.71
2:D:112:ARG:NH1	2:D:144:SER:O	2.28	0.67
2:D:21:LEU:HD13	2:D:23:GLY:H	1.59	0.66
2:B:112:ARG:NH1	2:B:144:SER:O	2.29	0.65
2:B:11:ILE:HD11	2:B:54:ARG:HH12	1.62	0.65
1:C:71:ASP:HB3	1:C:78:ARG:HB3	1.77	0.65
1:C:179:ARG:HG3	1:C:190:MET:HE2	1.78	0.64
2:B:311:LYS:HB3	2:B:456:ILE:HG12	1.80	0.63
2:D:536:VAL:HG11	2:D:577:LEU:HB2	1.80	0.63
2:B:38:THR:O	2:B:38:THR:OG1	2.13	0.63
2:D:434:VAL:HG21	2:D:452:ILE:HD13	1.81	0.63
1:C:316:LYS:HG3	1:C:348:LEU:HB3	1.81	0.63
2:B:93:VAL:HG11	2:B:102:VAL:HG23	1.81	0.62
1:A:58:THR:OG1	1:A:60:ASP:OD1	2.15	0.62
1:C:23:LEU:HD21	1:C:373:ILE:HB	1.82	0.62
2:B:53:LEU:HD12	2:B:487:THR:HG23	1.82	0.61
1:C:196:VAL:HG13	1:C:200:VAL:HB	1.83	0.61
1:C:315:GLU:O	1:C:319:THR:OG1	2.19	0.60
1:C:229:GLU:OE1	1:C:385:ARG:NH1	2.34	0.60
2:D:64:GLU:HA	2:D:73:ARG:HG3	1.83	0.60
1:A:324:GLU:OE1	1:A:326:GLN:NE2	2.32	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:233:LEU:HA	2:D:236:LEU:HD12	1.82	0.60
2:D:444:LEU:HD12	2:D:445:PRO:HD2	1.83	0.60
1:A:337:ASP:OD2	1:A:337:ASP:N	2.35	0.59
2:B:180:CYS:O	2:B:208:PHE:N	2.35	0.59
2:B:568:LYS:NZ	2:B:591:ASN:OD1	2.35	0.59
1:A:402:ASP:OD2	1:A:407:LYS:NZ	2.28	0.59
2:D:568:LYS:NZ	2:D:591:ASN:OD1	2.35	0.59
1:A:214:GLU:OE1	1:A:390:ARG:NH1	2.33	0.59
1:A:56:ARG:NH2	1:A:135:LYS:O	2.35	0.58
2:D:567:ASP:OD2	2:D:568:LYS:N	2.36	0.58
2:D:575:VAL:HG13	2:D:586:SER:HB3	1.85	0.58
2:D:339:LEU:HG	2:D:343:MET:HE2	1.85	0.58
1:C:48:VAL:HG12	1:C:50:MET:HG2	1.86	0.58
2:D:62:GLN:OE1	2:D:73:ARG:NH1	2.37	0.57
1:A:302:MET:HE3	1:A:308:LEU:HD22	1.85	0.57
2:D:539:GLN:NE2	2:D:569:VAL:O	2.37	0.57
2:B:206:VAL:HG21	2:B:270:LEU:HD21	1.86	0.57
2:D:138:MET:HE2	2:D:144:SER:HB2	1.86	0.57
2:D:513:LYS:NZ	5:D:701:F6R:O5	2.32	0.57
1:A:370:ARG:HG2	1:A:374:MET:HE2	1.87	0.57
2:B:505:VAL:HG11	2:B:600:ILE:HD11	1.88	0.56
2:D:53:LEU:HD12	2:D:487:THR:HG23	1.88	0.56
2:D:474:LYS:NZ	2:D:478:GLU:OE2	2.39	0.56
2:B:414:ASP:HB3	2:B:417:GLN:HG2	1.88	0.56
1:A:179:ARG:HG2	1:A:190:MET:HE2	1.88	0.55
1:A:77:PHE:HB2	1:A:103:ILE:HD11	1.88	0.55
2:B:14:PRO:O	2:B:62:GLN:NE2	2.40	0.54
1:A:285:MET:HB3	1:A:374:MET:HE1	1.90	0.54
2:D:253:GLY:O	2:D:502:ASN:ND2	2.41	0.53
2:B:86:VAL:HB	2:B:273:LEU:HD11	1.91	0.53
1:C:58:THR:HG23	1:C:231:MET:HE3	1.90	0.53
1:C:117:ASP:OD1	1:C:117:ASP:N	2.37	0.53
1:A:35:GLU:HG2	1:A:385:ARG:HH12	1.74	0.52
1:C:175:VAL:HG22	1:C:195:MET:HG3	1.92	0.52
1:C:343:ASN:O	1:C:347:THR:OG1	2.23	0.52
2:D:15:ASP:OD2	2:D:15:ASP:N	2.41	0.52
2:B:339:LEU:HG	2:B:343:MET:HE3	1.92	0.52
2:D:25:GLU:O	2:D:33:LYS:NZ	2.43	0.52
2:B:463:LEU:HD12	2:B:473:GLN:HG2	1.92	0.51
2:B:93:VAL:HG13	2:B:100:SER:HB3	1.93	0.51
1:C:313:SER:HB3	1:C:317:LEU:HB3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:579:ARG:NH1	2:B:603:SER:OG	2.44	0.51
1:C:407:LYS:HE2	1:C:433:GLN:HG3	1.92	0.51
2:D:191:LEU:HD11	2:D:205:LEU:HD13	1.92	0.51
1:A:234:VAL:HG11	1:A:244:MET:HE1	1.92	0.51
2:B:218:ARG:NE	2:B:223:HIS:O	2.44	0.51
1:C:142:THR:HG21	1:C:443:ALA:H	1.75	0.51
2:D:347:GLU:O	2:D:351:THR:OG1	2.26	0.51
2:B:180:CYS:N	2:B:181:GLY:HA3	2.25	0.50
2:D:340:VAL:HA	2:D:343:MET:HE3	1.92	0.50
2:D:406:LEU:HD11	2:D:435:ILE:HG13	1.94	0.50
2:B:411:LEU:HD23	2:B:442:GLN:HG3	1.92	0.50
1:C:218:ILE:HG12	1:C:402:ASP:HB3	1.93	0.50
2:B:59:GLU:O	2:B:73:ARG:NH2	2.45	0.50
2:B:116:LEU:HB2	2:B:343:MET:HE1	1.93	0.49
2:B:249:VAL:HG13	2:B:261:LYS:HE2	1.94	0.49
2:B:80:LEU:HA	2:B:83:MET:HE3	1.92	0.49
2:B:510:ASN:H	2:B:514:LEU:HD12	1.78	0.49
2:D:116:LEU:HD22	2:D:343:MET:HE1	1.94	0.49
1:A:33:GLU:OE2	1:A:36:ARG:NH1	2.45	0.49
1:C:182:ILE:HG23	1:C:188:PHE:HB3	1.94	0.49
2:B:79:VAL:HG12	2:B:83:MET:HE2	1.95	0.49
2:D:287:THR:HG23	2:D:290:CYS:H	1.78	0.48
1:A:84:VAL:HG12	1:A:94:VAL:HG23	1.94	0.48
1:C:82:VAL:HG22	1:C:96:THR:HG22	1.95	0.48
2:B:112:ARG:NH2	2:B:347:GLU:OE1	2.46	0.48
1:C:179:ARG:NH1	1:C:190:MET:O	2.46	0.48
2:B:272:THR:HG23	2:B:294:ILE:HB	1.94	0.48
1:C:285:MET:HB3	1:C:374:MET:HE1	1.94	0.48
2:D:112:ARG:NH2	2:D:347:GLU:OE1	2.46	0.48
2:D:276:VAL:HG21	2:D:291:LEU:HD23	1.96	0.47
1:A:333:ALA:HB2	1:A:410:PRO:HG2	1.94	0.47
2:D:182:LEU:HD13	2:D:209:ASN:HB2	1.97	0.47
1:C:370:ARG:HG2	1:C:374:MET:HE2	1.96	0.47
2:D:206:VAL:HG21	2:D:270:LEU:HD21	1.97	0.47
2:B:64:GLU:HB3	2:B:73:ARG:HG2	1.97	0.47
2:B:191:LEU:HD11	2:B:205:LEU:HD13	1.97	0.47
1:C:214:GLU:OE1	1:C:390:ARG:NH2	2.32	0.47
2:D:462:ILE:HD11	2:D:464:PHE:CZ	2.50	0.47
1:A:72:LEU:HD21	1:A:108:MET:HE1	1.97	0.46
1:C:237:VAL:HG21	1:C:244:MET:HE3	1.97	0.46
2:D:440:ALA:HA	2:D:441:GLY:HA2	1.56	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:106:GLY:HA2	2:D:187:ILE:HD11	1.98	0.46
2:D:315:LEU:HD13	2:D:433:GLN:HG2	1.97	0.46
2:B:399:VAL:HG22	2:B:428:LYS:HB3	1.96	0.46
1:A:179:ARG:NH2	2:B:412:ASP:OD1	2.46	0.46
2:D:119:ASN:ND2	2:D:370:ILE:O	2.48	0.46
2:D:167:CYS:HB3	2:D:173:VAL:HG21	1.98	0.46
2:B:333:GLY:HA3	2:B:338:GLY:HA2	1.98	0.45
1:C:253:PHE:O	1:C:282:TYR:HB2	2.17	0.45
2:D:415:LEU:HD23	2:D:418:ILE:HD12	1.98	0.45
1:C:409:HIS:HA	1:C:410:PRO:HD3	1.79	0.45
1:A:119:ILE:HG21	1:A:141:PHE:HZ	1.82	0.45
1:C:15:GLU:HG2	1:C:264:LEU:HD22	1.98	0.45
1:C:30:MET:HE1	1:C:48:VAL:HG21	1.99	0.45
2:D:536:VAL:HG21	2:D:577:LEU:HD13	1.99	0.45
2:B:46:PRO:HG3	2:B:317:LYS:HE2	1.99	0.44
1:C:50:MET:HE1	1:C:227:TYR:HE2	1.83	0.44
2:D:38:THR:OG1	2:D:502:ASN:ND2	2.50	0.44
2:D:180:CYS:N	5:D:701:F6R:O1P	2.51	0.44
2:D:229:VAL:HA	2:D:232:ARG:HD2	1.99	0.44
2:D:155:ASN:OD1	2:D:157:GLN:NE2	2.50	0.44
1:A:244:MET:HB3	1:A:244:MET:HE2	1.78	0.44
1:C:335:THR:OG1	1:C:336:SER:N	2.51	0.44
2:D:272:THR:HG23	2:D:294:ILE:HB	2.00	0.43
1:A:291:MET:HB3	1:A:325:THR:HG23	2.00	0.43
2:B:364:THR:HA	2:B:365:GLY:HA2	1.63	0.43
2:B:440:ALA:HA	2:B:441:GLY:HA2	1.50	0.43
2:D:364:THR:HA	2:D:365:GLY:HA2	1.53	0.43
2:B:50:VAL:O	2:B:54:ARG:HB3	2.19	0.43
2:B:550:GLN:O	2:B:554:THR:OG1	2.37	0.43
2:B:91:GLN:O	2:B:95:LYS:HG3	2.18	0.43
2:D:252:GLU:HA	2:D:261:LYS:HD3	2.01	0.43
2:D:365:GLY:N	2:D:369:SER:OG	2.47	0.42
1:A:69:ALA:HB3	1:A:80:MET:HB3	2.00	0.42
2:B:452:ILE:HA	2:B:453:PRO:HD3	1.93	0.42
2:D:29:PRO:O	2:D:33:LYS:HG3	2.19	0.42
2:B:406:LEU:HD11	2:B:435:ILE:HG13	2.00	0.42
1:C:78:ARG:NH2	1:C:450:TYR:OH	2.53	0.42
2:B:35:ASN:HB3	2:B:38:THR:HG23	2.01	0.42
2:B:237:HIS:ND1	2:B:243:PHE:HA	2.35	0.42
2:D:301:ALA:HA	2:D:460:TRP:HZ3	1.84	0.42
2:D:143:ARG:O	2:D:147:THR:HG22	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:VAL:HG22	2:B:462:ILE:HB	2.01	0.42
2:B:16:PRO:HA	2:B:17:GLY:HA3	1.81	0.42
2:D:25:GLU:OE2	2:D:524:ARG:NH1	2.52	0.42
1:A:103:ILE:HD13	1:A:118:TYR:HE2	1.85	0.42
2:B:125:LEU:HB3	2:B:130:LYS:HB2	2.01	0.42
2:B:500:PHE:CD2	2:B:501:ARG:HG3	2.55	0.42
2:D:30:ILE:HA	2:D:33:LYS:HD2	2.02	0.42
2:B:207:GLY:O	2:B:246:ASN:HA	2.20	0.41
2:B:411:LEU:HD12	2:B:411:LEU:HA	1.86	0.41
2:D:11:ILE:HG22	2:D:303:LYS:HB2	2.02	0.41
2:D:536:VAL:C	2:D:538:LEU:H	2.28	0.41
2:D:24:TYR:O	2:D:33:LYS:NZ	2.46	0.41
2:D:401:GLU:HG2	2:D:429:THR:HA	2.02	0.41
1:C:326:GLN:H	1:C:326:GLN:CD	2.26	0.41
1:C:21:GLU:O	1:C:25:VAL:HG23	2.21	0.41
1:C:35:GLU:OE1	1:C:385:ARG:NH2	2.41	0.41
2:D:513:LYS:HZ3	5:D:701:F6R:HC	1.61	0.41
1:A:55:VAL:HB	1:A:245:CYS:HB3	2.03	0.41
2:B:408:ILE:HG13	2:B:435:ILE:HB	2.03	0.41
1:A:218:ILE:HG12	1:A:402:ASP:HB3	2.01	0.41
1:A:328:VAL:HG13	1:A:364:CYS:HB3	2.01	0.41
2:B:29:PRO:O	2:B:33:LYS:HG3	2.21	0.41
1:A:338:PHE:HB3	1:A:341:THR:HB	2.03	0.41
1:A:420:VAL:O	1:A:424:THR:N	2.54	0.41
2:B:355:ASP:OD1	2:B:356:TRP:N	2.54	0.41
2:B:578:LEU:HD12	2:B:578:LEU:HA	1.84	0.41
2:D:450:LYS:HE3	2:D:450:LYS:HB2	1.96	0.41
1:A:253:PHE:O	1:A:282:TYR:HB2	2.20	0.40
2:B:180:CYS:SG	2:B:258:SER:HB2	2.61	0.40
1:A:224:ASN:OD1	1:A:225:ALA:N	2.51	0.40
2:D:56:CYS:HB3	2:D:261:LYS:HD2	2.03	0.40
1:C:203:MET:HE3	1:C:203:MET:HB2	1.96	0.40
2:B:453:PRO:HB2	2:B:454:SER:H	1.70	0.40
2:D:147:THR:HG23	2:D:149:GLN:HG2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	422/458 (92%)	410 (97%)	11 (3%)	1 (0%)	43	71
1	C	399/458 (87%)	373 (94%)	23 (6%)	3 (1%)	16	43
2	B	594/619 (96%)	556 (94%)	34 (6%)	4 (1%)	18	46
2	D	565/619 (91%)	527 (93%)	34 (6%)	4 (1%)	18	46
All	All	1980/2154 (92%)	1866 (94%)	102 (5%)	12 (1%)	21	50

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	453	PRO
2	D	453	PRO
2	B	548	SER
1	A	410	PRO
1	C	454	VAL
2	D	260	MET
1	C	410	PRO
2	D	350	PRO
2	D	140	GLY
2	B	69	ILE
2	B	17	GLY
1	C	349	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/388 (94%)	348 (96%)	15 (4%)	27	60
1	C	347/388 (89%)	328 (94%)	19 (6%)	19	49
2	B	524/541 (97%)	502 (96%)	22 (4%)	26	59
2	D	504/541 (93%)	473 (94%)	31 (6%)	16	44
All	All	1738/1858 (94%)	1651 (95%)	87 (5%)	22	52

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	VAL
1	A	84	VAL
1	A	96	THR
1	A	141	PHE
1	A	174	VAL
1	A	249	GLU
1	A	291	MET
1	A	337	ASP
1	A	354	ILE
1	A	391	ARG
1	A	392	GLU
1	A	393	GLU
1	A	401	VAL
1	A	405	VAL
1	A	420	VAL
2	B	6	LYS
2	B	12	GLU
2	B	38	THR
2	B	39	ARG
2	B	41	LEU
2	B	54	ARG
2	B	222	TRP
2	B	232	ARG
2	B	249	VAL
2	B	254	VAL
2	B	260	MET
2	B	344	ASP
2	B	396	LEU
2	B	399	VAL
2	B	411	LEU
2	B	420	LYS
2	B	452	ILE
2	B	455	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	473	GLN
2	B	547	LEU
2	B	550	GLN
2	B	577	LEU
1	C	12	ILE
1	C	21	GLU
1	C	23	LEU
1	C	50	MET
1	C	58	THR
1	C	79	VAL
1	C	116	PHE
1	C	117	ASP
1	C	177	LEU
1	C	234	VAL
1	C	240	GLU
1	C	280	GLN
1	C	317	LEU
1	C	326	GLN
1	C	342	LEU
1	C	350	VAL
1	C	361	ARG
1	C	362	LEU
1	C	433	GLN
2	D	15	ASP
2	D	18	LYS
2	D	21	LEU
2	D	41	LEU
2	D	50	VAL
2	D	68	LEU
2	D	74	LEU
2	D	157	GLN
2	D	171	LYS
2	D	195	MET
2	D	199	ASP
2	D	222	TRP
2	D	254	VAL
2	D	259	ARG
2	D	286	VAL
2	D	289	LYS
2	D	344	ASP
2	D	377	LEU
2	D	410	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	411	LEU
2	D	424	LEU
2	D	433	GLN
2	D	462	ILE
2	D	466	GLU
2	D	477	ARG
2	D	499	ILE
2	D	504	MET
2	D	505	VAL
2	D	528	GLN
2	D	532	ARG
2	D	583	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	ASN
1	A	134	HIS
1	A	340	GLN
1	A	358	HIS
2	B	190	GLN
2	B	308	GLN
2	B	318	GLN
2	B	394	ASN
2	B	473	GLN
2	B	528	GLN
1	C	31	GLN
1	C	212	HIS
2	D	157	GLN
2	D	228	GLN
2	D	302	HIS
2	D	318	GLN
2	D	368	HIS
2	D	473	GLN
2	D	502	ASN
2	D	566	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	703	-	4,4,4	0.23	0	6,6,6	0.08	0
3	SO4	B	702	-	4,4,4	0.24	0	6,6,6	0.07	0
5	F6R	D	701	-	15,15,15	1.30	1 (6%)	16,21,21	1.07	1 (6%)
5	F6R	B	701	-	15,15,15	1.42	2 (13%)	16,21,21	1.08	0
3	SO4	A	501	-	4,4,4	0.24	0	6,6,6	0.06	0
3	SO4	C	501	-	4,4,4	0.24	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	F6R	B	701	-	-	8/20/20/20	-
5	F6R	D	701	-	-	7/20/20/20	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	701	F6R	O5-C5	-2.52	1.38	1.43
5	B	701	F6R	C6-C5	-2.47	1.48	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	701	F6R	O5-C5	-2.40	1.38	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	701	F6R	O4-C4-C5	2.18	113.88	108.93

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	701	F6R	O5-C5-C6-O6
5	D	701	F6R	C4-C5-C6-O6
5	D	701	F6R	O5-C5-C6-O6
5	B	701	F6R	O3-C3-C4-O4
5	B	701	F6R	C4-C5-C6-O6
5	B	701	F6R	O3-C3-C4-C5
5	D	701	F6R	O3-C3-C4-O4
5	B	701	F6R	C1-C2-C3-O3
5	D	701	F6R	C1-C2-C3-O3
5	B	701	F6R	O2-C2-C3-O3
5	D	701	F6R	O2-C2-C3-O3
5	B	701	F6R	C6-O6-P-O1P
5	B	701	F6R	C6-O6-P-O3P
5	D	701	F6R	C6-O6-P-O1P
5	D	701	F6R	C5-C6-O6-P


There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	701	F6R	3	0
5	B	701	F6R	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	426/458 (93%)	-0.05	0 100 100	24, 44, 73, 96	0
1	C	407/458 (88%)	0.40	19 (4%) 36 28	27, 55, 105, 126	0
2	B	598/619 (96%)	0.05	3 (0%) 87 83	25, 44, 72, 97	0
2	D	577/619 (93%)	0.34	16 (2%) 55 45	26, 59, 103, 127	0
All	All	2008/2154 (93%)	0.19	38 (1%) 66 58	24, 50, 95, 127	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	116	PHE	3.6
1	C	311	GLY	3.5
1	C	350	VAL	3.3
2	B	4	THR	3.2
2	D	21	LEU	3.1
2	D	538	LEU	3.1
1	C	312	GLU	2.9
2	D	69	ILE	2.8
1	C	75	THR	2.8
2	B	582	THR	2.7
1	C	188	PHE	2.7
1	C	434	SER	2.6
2	D	556	ILE	2.6
2	D	583	ILE	2.6
2	D	68	LEU	2.5
1	C	309	PHE	2.4
2	D	603	SER	2.3
1	C	348	LEU	2.3
2	D	285	PRO	2.3
2	D	280	ALA	2.3
2	D	153	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	506	ASP	2.2
1	C	183	LYS	2.2
1	C	341	THR	2.2
1	C	12	ILE	2.1
1	C	345	LEU	2.1
1	C	142	THR	2.1
2	B	364	THR	2.1
2	D	600	ILE	2.1
1	C	308	LEU	2.1
2	D	245	LEU	2.1
1	C	313	SER	2.0
2	D	504	MET	2.0
1	C	103	ILE	2.0
2	D	4	THR	2.0
1	C	7	ASN	2.0
2	D	500	PHE	2.0
1	C	118	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	F6R	D	701	16/16	0.69	0.19	55,94,102,102	0
3	SO4	B	702	5/5	0.81	0.23	71,72,92,96	0
3	SO4	B	703	5/5	0.86	0.17	75,81,103,116	0
5	F6R	B	701	16/16	0.87	0.14	36,66,70,72	0
3	SO4	A	501	5/5	0.93	0.07	36,42,55,68	0
3	SO4	C	501	5/5	0.93	0.08	37,49,63,68	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NA	A	502	1/1	0.98	0.06	42,42,42,42	0
4	NA	C	502	1/1	0.98	0.05	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F6R D 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F6R B 701:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.