



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 1, 2026 – 08:09 PM UTC

PDB ID : 8W0J / pdb_00008w0j
Title : Crystal structure of Acetyl-CoA synthetase 2 from *Candida albicans* in complex with a propyne AMP ester inhibitor
Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2024-02-13
Resolution : 2.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	686	% 89% 7% .
1	B	686	5% 81% . 15%
1	C	686	% 73% . 23%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 14241 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-coenzyme A synthetase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	662	Total	C	N	O	S	0	1	0
			5144	3282	873	975	14			
1	B	584	Total	C	N	O	S	0	0	0
			4553	2918	770	852	13			
1	C	529	Total	C	N	O	S	0	1	0
			4144	2658	695	778	13			

There are 51 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q8NJJN3
A	2	HIS	-	expression tag	UNP Q8NJJN3
A	3	HIS	-	expression tag	UNP Q8NJJN3
A	4	HIS	-	expression tag	UNP Q8NJJN3
A	5	HIS	-	expression tag	UNP Q8NJJN3
A	6	HIS	-	expression tag	UNP Q8NJJN3
A	7	HIS	-	expression tag	UNP Q8NJJN3
A	8	HIS	-	expression tag	UNP Q8NJJN3
A	9	HIS	-	expression tag	UNP Q8NJJN3
A	10	GLU	-	expression tag	UNP Q8NJJN3
A	11	ASN	-	expression tag	UNP Q8NJJN3
A	12	LEU	-	expression tag	UNP Q8NJJN3
A	13	TYR	-	expression tag	UNP Q8NJJN3
A	14	PHE	-	expression tag	UNP Q8NJJN3
A	15	GLN	-	expression tag	UNP Q8NJJN3
A	16	GLY	-	expression tag	UNP Q8NJJN3
A	403	ALA	VAL	engineered mutation	UNP Q8NJJN3
B	1	MET	-	initiating methionine	UNP Q8NJJN3
B	2	HIS	-	expression tag	UNP Q8NJJN3
B	3	HIS	-	expression tag	UNP Q8NJJN3
B	4	HIS	-	expression tag	UNP Q8NJJN3
B	5	HIS	-	expression tag	UNP Q8NJJN3
B	6	HIS	-	expression tag	UNP Q8NJJN3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	7	HIS	-	expression tag	UNP Q8NJJ3
B	8	HIS	-	expression tag	UNP Q8NJJ3
B	9	HIS	-	expression tag	UNP Q8NJJ3
B	10	GLU	-	expression tag	UNP Q8NJJ3
B	11	ASN	-	expression tag	UNP Q8NJJ3
B	12	LEU	-	expression tag	UNP Q8NJJ3
B	13	TYR	-	expression tag	UNP Q8NJJ3
B	14	PHE	-	expression tag	UNP Q8NJJ3
B	15	GLN	-	expression tag	UNP Q8NJJ3
B	16	GLY	-	expression tag	UNP Q8NJJ3
B	403	ALA	VAL	engineered mutation	UNP Q8NJJ3
C	1	MET	-	initiating methionine	UNP Q8NJJ3
C	2	HIS	-	expression tag	UNP Q8NJJ3
C	3	HIS	-	expression tag	UNP Q8NJJ3
C	4	HIS	-	expression tag	UNP Q8NJJ3
C	5	HIS	-	expression tag	UNP Q8NJJ3
C	6	HIS	-	expression tag	UNP Q8NJJ3
C	7	HIS	-	expression tag	UNP Q8NJJ3
C	8	HIS	-	expression tag	UNP Q8NJJ3
C	9	HIS	-	expression tag	UNP Q8NJJ3
C	10	GLU	-	expression tag	UNP Q8NJJ3
C	11	ASN	-	expression tag	UNP Q8NJJ3
C	12	LEU	-	expression tag	UNP Q8NJJ3
C	13	TYR	-	expression tag	UNP Q8NJJ3
C	14	PHE	-	expression tag	UNP Q8NJJ3
C	15	GLN	-	expression tag	UNP Q8NJJ3
C	16	GLY	-	expression tag	UNP Q8NJJ3
C	403	ALA	VAL	engineered mutation	UNP Q8NJJ3

- Molecule 2 is 5'-O-[(S)-hydroxy[(prop-2-yn-1-yl)oxy]phosphoryl]adenosine (CCD ID: YHT) (formula: C₁₃H₁₆N₅O₇P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			26	13	5	7	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Cl	0	0
			2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	94	Total	O	0	0
			94	94		
7	B	73	Total	O	0	0
			73	73		
7	C	10	Total	O	0	0
			10	10		

- Molecule 1: Acetyl-coenzyme A synthetase 2



VAL	GLY	ILE	HIS	ASP	ASP	ILE	THR	GLY	GLN	ALA	VAL	LYS	ILE	ALA	TYR	ASN	VAL	ALA	LEU	LYS	GLU	GLY	ASN	SER	ASP	ASP	GLU	SER	GLY	LEU	ARG	ASP	VAL	VAL	ASN	VAL	VAL	VAL	SER	GLY	HIS	ARG	LEU	SER	THR	ALA	GLU	ILE	GLU	ALA	ALA	PRO	LYS	SER	ILE	GLU	ASP	LYS	VAL	GLN	ASP	LEU	PRO	LYS	ALA	THR
A387	F404	L413	I420	E426	Y427	Y428	Q445	A467	S468	Y469	N505	A506	R507	N522	P523	T530	V548	ASP	ASP	VAL	VAL	ASN	VAL	SER	GLY	HIS	ARG	LEU	SER	THR	ALA	GLU	ILE	GLU	ALA	ALA	ALA	PRO	LYS	SER	ILE	GLU	ASP	LYS	VAL	GLN	ASP	LEU	PRO	LYS	ALA	THR														

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	139.07Å 139.07Å 544.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.62 – 2.85 49.62 – 2.85	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.62-2.85) 100.0 (49.62-2.85)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.86Å)	Xtriage
Refinement program	PHENIX (dev_5233: ???)	Depositor
R, R_{free}	0.196 , 0.226 0.200 , 0.231	Depositor DCC
R_{free} test set	3675 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	58.1	Xtriage
Anisotropy	0.581	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14241	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, YHT, PGE, CL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/5276	0.33	0/7173
1	B	0.15	0/4675	0.32	0/6360
1	C	0.12	0/4267	0.28	0/5812
All	All	0.14	0/14218	0.31	0/19345

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5144	0	5034	26	0
1	B	4553	0	4426	18	0
1	C	4144	0	4002	18	0
2	A	26	0	0	0	0
2	B	26	0	0	0	0
2	C	26	0	0	0	0
3	A	24	0	32	2	0
3	B	12	0	16	0	0
3	C	12	0	16	0	0
4	A	20	0	28	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	10	0	14	0	0
5	A	30	0	0	0	0
5	B	20	0	0	0	0
5	C	15	0	0	1	0
6	B	2	0	0	1	0
7	A	94	0	0	0	0
7	B	73	0	0	3	0
7	C	10	0	0	0	0
All	All	14241	0	13568	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 60 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:515:LYS:NZ	6:B:706:CL:CL	2.68	0.63
1:C:505:MET:O	1:C:507:ARG:NH1	2.34	0.60
1:B:400:GLN:NE2	7:B:802:HOH:O	2.36	0.58
1:C:68[A]:GLN:NE2	5:C:706:SO4:O3	2.38	0.56
1:A:493:GLU:OE1	1:A:545:ARG:NH1	2.38	0.54

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	659/686 (96%)	641 (97%)	18 (3%)	0	100	100
1	B	574/686 (84%)	560 (98%)	14 (2%)	0	100	100
1	C	528/686 (77%)	512 (97%)	15 (3%)	1 (0%)	43	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1761/2058 (86%)	1713 (97%)	47 (3%)	1 (0%)	48 68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	468	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	544/568 (96%)	538 (99%)	6 (1%)	65 81
1	B	477/568 (84%)	474 (99%)	3 (1%)	78 89
1	C	435/568 (77%)	434 (100%)	1 (0%)	87 95
All	All	1456/1704 (85%)	1446 (99%)	10 (1%)	76 87

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	300	THR
1	B	558	ARG
1	C	120	ASN
1	A	609	LEU
1	A	611	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	258	HIS
1	C	116	HIS
1	C	49	HIS
1	B	51	HIS
1	C	51	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 29 ligands modelled in this entry, 2 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	704	-	5,5,5	0.33	0	5,5,5	0.32	0
5	SO4	B	710	-	4,4,4	0.70	0	6,6,6	0.15	0
5	SO4	B	709	-	4,4,4	0.73	0	6,6,6	0.17	0
2	YHT	A	701	-	27,28,28	0.37	0	38,41,41	0.48	0
5	SO4	A	711	-	4,4,4	0.70	0	6,6,6	0.25	0
3	GOL	C	703	-	5,5,5	0.33	0	5,5,5	0.51	0
5	SO4	C	704	-	4,4,4	0.70	0	6,6,6	0.09	0
5	SO4	A	712	-	4,4,4	0.73	0	6,6,6	0.12	0
2	YHT	C	701	-	27,28,28	0.36	0	38,41,41	0.49	0
3	GOL	A	705	-	5,5,5	0.31	0	5,5,5	0.43	0
3	GOL	A	703	-	5,5,5	0.32	0	5,5,5	0.40	0
4	PGE	B	704	-	9,9,9	0.32	0	8,8,8	0.48	0
5	SO4	C	706	-	4,4,4	0.72	0	6,6,6	0.09	0
2	YHT	B	701	-	27,28,28	0.35	0	38,41,41	0.48	0
5	SO4	A	708	-	4,4,4	0.65	0	6,6,6	0.26	0
3	GOL	B	702	-	5,5,5	0.36	0	5,5,5	0.19	0
5	SO4	A	713	-	4,4,4	0.76	0	6,6,6	0.14	0
4	PGE	A	707	-	9,9,9	0.34	0	8,8,8	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	C	702	-	5,5,5	0.35	0	5,5,5	0.39	0
5	SO4	B	707	-	4,4,4	0.71	0	6,6,6	0.18	0
3	GOL	A	702	-	5,5,5	0.29	0	5,5,5	0.45	0
5	SO4	B	708	-	4,4,4	0.72	0	6,6,6	0.09	0
4	PGE	A	706	-	9,9,9	0.33	0	8,8,8	0.55	0
3	GOL	B	703	-	5,5,5	0.30	0	5,5,5	0.43	0
5	SO4	A	710	-	4,4,4	0.68	0	6,6,6	0.30	0
5	SO4	C	705	-	4,4,4	0.70	0	6,6,6	0.06	0
5	SO4	A	709	-	4,4,4	0.73	0	6,6,6	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	A	706	-	-	6/7/7/7	-
4	PGE	B	704	-	-	3/7/7/7	-
2	YHT	C	701	-	-	1/15/31/31	0/3/3/3
2	YHT	B	701	-	-	1/15/31/31	0/3/3/3
3	GOL	A	704	-	-	3/4/4/4	-
3	GOL	B	702	-	-	4/4/4/4	-
3	GOL	B	703	-	-	0/4/4/4	-
2	YHT	A	701	-	-	0/15/31/31	0/3/3/3
3	GOL	A	705	-	-	4/4/4/4	-
4	PGE	A	707	-	-	2/7/7/7	-
3	GOL	C	702	-	-	1/4/4/4	-
3	GOL	A	703	-	-	0/4/4/4	-
3	GOL	C	703	-	-	1/4/4/4	-
3	GOL	A	702	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 28 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	YHT	O6-C11-C12-C13
2	C	701	YHT	O6-C11-C12-C13

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	705	GOL	O1-C1-C2-C3
3	B	702	GOL	C1-C2-C3-O3
3	B	702	GOL	O2-C2-C3-O3


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	704	GOL	1	0
3	A	705	GOL	1	0
5	C	706	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	662/686 (96%)	-0.27	8 (1%) 76 71	40, 56, 91, 201	1 (0%)
1	B	584/686 (85%)	-0.12	35 (5%) 27 20	41, 59, 149, 170	0
1	C	529/686 (77%)	0.08	10 (1%) 66 59	44, 84, 122, 164	1 (0%)
All	All	1775/2058 (86%)	-0.12	53 (2%) 52 44	40, 63, 123, 201	2 (0%)

The worst 5 of 53 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	623	PRO	4.9
1	C	20	GLN	4.4
1	B	556	GLY	4.1
1	B	400	GLN	3.8
1	B	624	PHE	3.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	C	704	5/5	0.58	0.12	114,120,124,136	0
5	SO4	B	708	5/5	0.70	0.24	100,102,120,129	0
5	SO4	C	706	5/5	0.74	0.21	94,102,107,122	0
4	PGE	A	707	10/10	0.75	0.24	72,81,93,96	0
3	GOL	C	703	6/6	0.78	0.18	50,68,72,74	0
3	GOL	B	702	6/6	0.80	0.17	43,51,63,66	0
5	SO4	C	705	5/5	0.81	0.08	131,131,132,143	0
5	SO4	A	711	5/5	0.81	0.17	70,78,102,104	0
4	PGE	A	706	10/10	0.82	0.18	64,69,74,78	0
5	SO4	A	713	5/5	0.82	0.28	81,89,95,109	0
6	CL	B	706	1/1	0.83	0.15	87,87,87,87	0
5	SO4	B	707	5/5	0.84	0.13	88,99,116,122	0
5	SO4	A	712	5/5	0.84	0.25	69,92,94,117	0
3	GOL	C	702	6/6	0.84	0.13	98,99,102,103	0
5	SO4	A	710	5/5	0.85	0.11	61,72,87,91	0
3	GOL	A	705	6/6	0.85	0.16	62,73,76,83	0
3	GOL	A	702	6/6	0.86	0.18	66,72,73,75	0
5	SO4	A	709	5/5	0.86	0.21	58,66,77,78	0
3	GOL	A	703	6/6	0.87	0.21	64,69,75,79	0
5	SO4	B	710	5/5	0.87	0.16	94,100,124,125	0
4	PGE	B	704	10/10	0.87	0.16	72,81,84,84	0
3	GOL	A	704	6/6	0.90	0.17	64,68,71,77	0
3	GOL	B	703	6/6	0.91	0.16	73,73,80,87	0
2	YHT	C	701	26/26	0.93	0.08	71,88,90,98	0
5	SO4	A	708	5/5	0.93	0.09	61,64,68,69	0
6	CL	B	705	1/1	0.95	0.08	95,95,95,95	0
5	SO4	B	709	5/5	0.95	0.10	36,47,62,70	0
2	YHT	B	701	26/26	0.96	0.07	43,56,59,65	0
2	YHT	A	701	26/26	0.96	0.08	43,47,50,56	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around YHT C 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around YHT B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.