



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:22 PM UTC

PDB ID : 3W18 / pdb_00003w18
Title : Structure of Aurora kinase A complexed to benzoimidazole-indazole inhibitor XIII
Authors : Oliveira, T.M.; Kairies, N.A.; Engh, R.A.
Deposited on : 2012-11-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	3% 56% 21% 8% 16%
1	B	278	4% 58% 21% 5% 15%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	N13	A	501	-	-	X	-
2	N13	B	501	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aurora kinase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	234	Total	C	N	O	S	0	0	0
			1922	1240	332	346	4			
1	B	236	Total	C	N	O	S	0	0	0
			1921	1240	329	348	4			

- Molecule 2 is 2-{3-[3-(1H-benzimidazol-2-yl)-1H-indazol-6-yl]-1H-pyrazol-5-yl}-N-(3-fluorophenyl)acetamide (CCD ID: N13) (formula: C₂₅H₁₈FN₇O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			34	25	1	7	1		
2	B	1	Total	C	F	N	O	0	0
			34	25	1	7	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total 38	O 38	0	0
3	B	43	Total 43	O 43	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aurora kinase A



• Molecule 1: Aurora kinase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.94Å 85.86Å 85.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.17 – 2.50 19.17 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.17-2.50) 99.5 (19.17-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.69 (at 2.49Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.240 , 0.315 0.236 , 0.305	Depositor DCC
R_{free} test set	1015 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	47.2	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3992	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: N13

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.88	0/1964	1.12	7/2649 (0.3%)
1	B	0.88	0/1965	1.13	10/2655 (0.4%)
All	All	0.88	0/3929	1.12	17/5304 (0.3%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	296	LEU	CA-C-N	10.14	126.96	119.66
1	B	296	LEU	C-N-CA	10.14	126.96	119.66
1	A	170	GLU	N-CA-C	-7.83	103.73	113.20
1	B	293	LEU	N-CA-C	7.37	120.75	111.69
1	B	213	ALA	CA-C-N	6.89	126.49	119.19
1	B	213	ALA	C-N-CA	6.89	126.49	119.19
1	B	348	PHE	CA-C-N	-6.11	114.32	120.31
1	B	348	PHE	C-N-CA	-6.11	114.32	120.31
1	A	296	LEU	CA-C-N	-5.90	114.31	120.38
1	A	296	LEU	C-N-CA	-5.90	114.31	120.38
1	A	326	LYS	CA-C-N	-5.62	114.59	120.38
1	A	326	LYS	C-N-CA	-5.62	114.59	120.38
1	A	364	LEU	N-CA-C	5.48	118.77	112.57
1	B	367	ASN	CA-C-N	5.39	125.21	119.28
1	B	367	ASN	C-N-CA	5.39	125.21	119.28
1	B	294	ASP	N-CA-C	5.26	117.70	111.33
1	A	171	LYS	CB-CA-C	-5.08	109.75	117.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1922	0	1937	56	2
1	B	1921	0	1913	57	1
2	A	34	0	18	9	0
2	B	34	0	18	11	0
3	A	38	0	0	4	0
3	B	43	0	0	6	0
All	All	3992	0	3886	123	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:501:N13:C30	2:B:501:N13:FA	1.71	1.28
1:B:354:GLU:HG3	3:B:619:HOH:O	1.32	1.27
1:B:162:LYS:NZ	2:B:501:N13:H6	1.62	1.15
1:B:162:LYS:HZ2	2:B:501:N13:H6	1.08	1.12
2:B:501:N13:H1	2:B:501:N13:OB	1.52	1.08
2:B:501:N13:OB	2:B:501:N13:C29	2.12	0.94
2:A:501:N13:H9	2:A:501:N13:H5	1.16	0.89
1:A:190:HIS:CD2	1:A:192:ASN:H	1.91	0.88
1:A:190:HIS:HD2	1:A:192:ASN:H	1.23	0.85
1:B:144:PHE:O	2:B:501:N13:H8	1.75	0.84
1:B:162:LYS:HZ2	2:B:501:N13:C26	1.88	0.84
1:A:307:ASP:CG	1:A:308:GLU:H	1.84	0.81
1:A:292:THR:HG22	3:A:601:HOH:O	1.81	0.80
1:B:257:ILE:HG23	1:B:262:LEU:HD21	1.63	0.79
1:B:380:HIS:HD2	1:B:382:TRP:H	1.28	0.79
1:A:162:LYS:NZ	2:A:501:N13:H6	1.96	0.79
1:A:141:LYS:O	1:A:142:GLY:O	2.02	0.77
1:B:380:HIS:CD2	1:B:382:TRP:H	2.02	0.76
1:B:257:ILE:CG2	1:B:262:LEU:HD21	2.17	0.74
1:B:162:LYS:NZ	2:B:501:N13:C26	2.48	0.74
1:A:380:HIS:HD2	1:A:382:TRP:H	1.33	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:ASN:HB2	3:B:603:HOH:O	1.87	0.73
1:B:190:HIS:HD2	1:B:192:ASN:H	1.36	0.72
1:A:292:THR:HG21	3:A:627:HOH:O	1.93	0.69
1:A:331:ALA:HB1	1:A:336:GLU:HB3	1.74	0.68
1:A:162:LYS:HZ3	2:A:501:N13:H6	1.59	0.68
2:A:501:N13:H4	2:A:501:N13:OB	1.91	0.68
2:B:501:N13:OB	2:B:501:N13:N22	2.20	0.68
1:A:185:GLN:HG2	2:A:501:N13:H2	1.74	0.68
1:A:357:ARG:O	1:A:361:SER:HB2	1.94	0.67
1:B:195:ARG:HD2	3:B:630:HOH:O	1.94	0.67
1:B:166:LYS:O	1:B:169:LEU:HD12	1.95	0.66
1:A:380:HIS:CD2	1:A:382:TRP:H	2.13	0.66
1:B:162:LYS:HZ3	2:B:501:N13:H6	1.57	0.66
1:B:291:GLY:O	3:B:639:HOH:O	2.14	0.65
1:A:180:ARG:HD3	1:A:181:GLU:HG2	1.79	0.64
1:A:307:ASP:CG	1:A:308:GLU:N	2.55	0.64
1:B:168:GLN:O	1:B:169:LEU:HG	1.98	0.64
1:A:257:ILE:CG2	1:A:262:LEU:HD21	2.29	0.63
1:A:190:HIS:HD2	1:A:192:ASN:N	1.97	0.62
1:B:367:ASN:HB3	1:B:370:GLN:HG3	1.84	0.59
1:A:188:LEU:HD22	1:A:246:TYR:HE2	1.67	0.59
1:A:162:LYS:HZ2	2:A:501:N13:H6	1.66	0.59
1:B:255:ARG:NH2	1:B:274:ASP:OD2	2.36	0.58
2:B:501:N13:H1	2:B:501:N13:H9	1.68	0.58
1:A:380:HIS:HD2	1:A:382:TRP:N	2.02	0.57
1:B:137:ARG:NH1	3:B:628:HOH:O	2.33	0.57
1:A:257:ILE:HG21	1:A:262:LEU:HD21	1.86	0.57
2:A:501:N13:OB	2:A:501:N13:C33	2.53	0.57
1:B:258:LYS:O	1:B:262:LEU:HG	2.05	0.56
1:B:256:ASP:OD2	1:B:256:ASP:N	2.39	0.56
1:A:380:HIS:O	1:A:384:THR:HG23	2.06	0.55
2:A:501:N13:NB	2:A:501:N13:N22	2.30	0.55
1:B:190:HIS:CD2	1:B:192:ASN:H	2.22	0.55
1:B:225:LEU:O	1:B:226:SER:HB3	2.05	0.55
1:B:274:ASP:O	1:B:275:PHE:C	2.49	0.55
1:B:143:LYS:O	1:B:162:LYS:NZ	2.40	0.55
1:A:167:ALA:C	1:A:169:LEU:H	2.13	0.54
1:B:244:LEU:HD13	1:B:311:ASP:HB3	1.89	0.54
1:A:331:ALA:HB3	1:A:337:THR:OG1	2.07	0.53
1:B:226:SER:HB2	3:B:623:HOH:O	2.09	0.53
1:A:127:GLN:HA	3:A:619:HOH:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:ASN:HB3	1:A:370:GLN:HG3	1.90	0.52
1:A:214:PRO:HG2	1:A:266:SER:HB3	1.92	0.52
1:A:194:LEU:HD22	1:A:211:GLU:HB3	1.92	0.51
1:B:251:ARG:O	1:B:252:VAL:HG23	2.11	0.51
1:A:180:ARG:HB2	1:A:181:GLU:OE1	2.11	0.50
1:B:219:TYR:CD1	1:B:260:GLU:HG2	2.46	0.50
1:B:159:LEU:HD13	1:B:209:ILE:HG23	1.92	0.50
1:B:317:VAL:HG13	1:B:328:PRO:HD2	1.93	0.50
1:A:312:LEU:HG	1:A:372:PRO:O	2.11	0.50
1:A:308:GLU:O	1:A:308:GLU:HG2	2.12	0.49
1:A:143:LYS:NZ	1:A:143:LYS:HB3	2.27	0.48
1:A:181:GLU:OE1	1:A:181:GLU:N	2.45	0.48
1:A:229:ASP:OD2	1:A:231:GLN:N	2.45	0.48
1:A:180:ARG:C	1:A:182:VAL:H	2.22	0.48
1:B:270:LEU:C	1:B:270:LEU:HD12	2.38	0.48
1:A:221:GLU:OE2	1:A:232:ARG:NH1	2.47	0.47
1:B:190:HIS:HD2	1:B:192:ASN:N	2.10	0.47
1:A:226:SER:O	3:A:609:HOH:O	2.20	0.47
1:B:194:LEU:HD22	1:B:211:GLU:HB3	1.97	0.47
1:A:166:LYS:NZ	1:A:202:ASP:O	2.45	0.47
1:B:221:GLU:OE2	1:B:232:ARG:NH1	2.48	0.47
2:A:501:N13:N01	2:A:501:N13:H12	2.30	0.47
1:B:380:HIS:HD2	1:B:382:TRP:N	2.05	0.46
1:A:166:LYS:O	1:A:167:ALA:C	2.59	0.46
1:A:240:LEU:HD23	1:A:272:ILE:HD11	1.97	0.46
1:A:375:ARG:HD2	1:A:379:GLU:OE2	2.16	0.46
1:B:247:CYS:HB3	1:B:252:VAL:O	2.16	0.46
1:A:255:ARG:H	1:A:255:ARG:HG2	1.54	0.46
1:A:142:GLY:O	1:A:143:LYS:C	2.59	0.45
1:A:159:LEU:HD13	1:A:209:ILE:HG23	1.99	0.45
1:B:228:PHE:CD1	1:B:232:ARG:HD2	2.52	0.44
1:A:309:LYS:HD3	1:A:312:LEU:HD23	1.97	0.44
1:B:296:LEU:HA	1:B:297:PRO:HD3	1.63	0.44
1:B:252:VAL:O	1:B:252:VAL:HG12	2.17	0.44
1:A:250:LYS:O	1:A:251:ARG:C	2.61	0.44
1:A:167:ALA:O	1:A:169:LEU:N	2.51	0.43
1:A:380:HIS:CD2	1:A:381:PRO:HD2	2.53	0.43
1:B:213:ALA:HA	1:B:214:PRO:HD3	1.76	0.43
1:A:380:HIS:HA	1:A:381:PRO:HD3	1.84	0.43
1:A:167:ALA:C	1:A:169:LEU:N	2.77	0.42
1:B:169:LEU:HB2	1:B:170:GLU:OE2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:ASP:OD2	1:A:229:ASP:C	2.63	0.42
1:A:309:LYS:HA	1:A:312:LEU:HD23	2.01	0.42
1:B:297:PRO:HG2	1:B:310:VAL:HB	2.02	0.42
1:A:363:LEU:HD23	1:A:372:PRO:HD2	2.02	0.42
1:B:219:TYR:HB2	1:B:259:PRO:C	2.45	0.42
1:B:344:VAL:HG12	1:B:344:VAL:O	2.20	0.42
1:B:161:LEU:HD23	1:B:161:LEU:HA	1.94	0.42
1:B:358:ASP:OD2	1:B:380:HIS:HE1	2.01	0.42
1:B:258:LYS:O	1:B:261:ASN:HB2	2.20	0.41
1:B:387:SER:O	1:B:387:SER:OG	2.36	0.41
1:A:188:LEU:HD22	1:A:246:TYR:CE2	2.51	0.41
1:B:299:GLU:H	1:B:299:GLU:CD	2.22	0.41
1:A:166:LYS:O	1:A:169:LEU:N	2.49	0.41
1:B:182:VAL:HG22	1:B:199:TYR:CE2	2.56	0.41
1:B:133:PHE:HA	1:B:151:ARG:O	2.21	0.41
1:B:258:LYS:HE3	1:B:258:LYS:HB2	1.88	0.41
1:B:228:PHE:CG	1:B:232:ARG:HD2	2.56	0.41
1:B:243:ALA:HB1	1:B:272:ILE:HD12	2.03	0.40
1:A:270:LEU:HD12	1:A:270:LEU:C	2.46	0.40
1:B:169:LEU:C	1:B:170:GLU:HG3	2.47	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:LYS:NZ	1:B:354:GLU:OE1[4_545]	2.04	0.16
1:A:153:LYS:NZ	1:A:350:ASP:OD2[3_545]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/278 (81%)	208 (93%)	11 (5%)	5 (2%)	5	9
1	B	228/278 (82%)	210 (92%)	14 (6%)	4 (2%)	6	12
All	All	452/556 (81%)	418 (92%)	25 (6%)	9 (2%)	6	10

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	142	GLY
1	A	168	GLN
1	B	255	ARG
1	B	334	TYR
1	A	251	ARG
1	B	252	VAL
1	B	275	PHE
1	A	302	GLU
1	A	255	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/246 (84%)	173 (84%)	33 (16%)	2	5
1	B	204/246 (83%)	180 (88%)	24 (12%)	5	11
All	All	410/492 (83%)	353 (86%)	57 (14%)	3	7

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	GLN
1	A	141	LYS
1	A	143	LYS
1	A	147	VAL
1	A	149	LEU
1	A	159	LEU
1	A	161	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	LYS
1	A	180	ARG
1	A	181	GLU
1	A	182	VAL
1	A	194	LEU
1	A	195	ARG
1	A	215	LEU
1	A	221	GLU
1	A	227	LYS
1	A	240	LEU
1	A	244	LEU
1	A	253	ILE
1	A	270	LEU
1	A	308	GLU
1	A	310	VAL
1	A	312	LEU
1	A	315	LEU
1	A	318	LEU
1	A	324	VAL
1	A	335	GLN
1	A	336	GLU
1	A	344	VAL
1	A	361	SER
1	A	367	ASN
1	A	375	ARG
1	A	384	THR
1	B	127	GLN
1	B	137	ARG
1	B	149	LEU
1	B	159	LEU
1	B	170	GLU
1	B	183	GLU
1	B	186	SER
1	B	189	ARG
1	B	194	LEU
1	B	215	LEU
1	B	221	GLU
1	B	225	LEU
1	B	226	SER
1	B	231	GLN
1	B	240	LEU
1	B	251	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	255	ARG
1	B	256	ASP
1	B	270	LEU
1	B	299	GLU
1	B	312	LEU
1	B	318	LEU
1	B	324	VAL
1	B	367	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	GLN
1	A	185	GLN
1	A	190	HIS
1	A	192	ASN
1	A	242	ASN
1	A	335	GLN
1	A	366	HIS
1	A	367	ASN
1	A	380	HIS
1	B	190	HIS
1	B	223	GLN
1	B	231	GLN
1	B	242	ASN
1	B	335	GLN
1	B	367	ASN
1	B	380	HIS
1	B	386	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	N13	A	501	-	39,39,39	3.44	16 (41%)	52,56,56	2.03	19 (36%)
2	N13	B	501	-	39,39,39	3.98	18 (46%)	52,56,56	2.71	18 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	N13	A	501	-	-	3/15/16/16	0/6/6/6
2	N13	B	501	-	-	2/15/16/16	0/6/6/6

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	N13	FA-C30	14.79	1.71	1.36
2	A	501	N13	N22-N23	-12.47	1.10	1.36
2	B	501	N13	N22-N23	-9.22	1.17	1.36
2	B	501	N13	C16-C24	-9.13	1.34	1.47
2	A	501	N13	C16-C24	-7.43	1.36	1.47
2	A	501	N13	C13-C02	-6.10	1.34	1.48
2	B	501	N13	C13-C02	-5.41	1.36	1.48
2	B	501	N13	C18-C19	-5.37	1.34	1.41
2	A	501	N13	C18-C13	-5.31	1.35	1.45
2	A	501	N13	FA-C30	5.27	1.48	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	N13	C18-C19	-5.11	1.35	1.41
2	B	501	N13	C18-C13	-4.58	1.36	1.45
2	B	501	N13	C08-C09	-4.51	1.33	1.40
2	A	501	N13	C28-NB	-4.25	1.33	1.41
2	B	501	N13	C28-NB	-4.22	1.33	1.41
2	B	501	N13	C25-C24	-4.19	1.34	1.40
2	A	501	N13	C04-C08	-4.02	1.33	1.39
2	A	501	N13	C14-C18	-4.00	1.33	1.39
2	B	501	N13	C17-C19	-3.88	1.33	1.39
2	A	501	N13	C25-C24	-3.68	1.35	1.40
2	A	501	N13	C26-CA	3.40	1.56	1.51
2	B	501	N13	C25-C21	-3.34	1.32	1.37
2	A	501	N13	C08-C09	-3.17	1.35	1.40
2	B	501	N13	C14-C18	-3.12	1.35	1.39
2	B	501	N13	C04-C08	-2.93	1.35	1.39
2	A	501	N13	C07-C09	-2.81	1.35	1.40
2	B	501	N13	C32-C31	2.78	1.43	1.38
2	A	501	N13	C21-N22	-2.58	1.31	1.35
2	B	501	N13	C21-N22	-2.57	1.31	1.35
2	B	501	N13	C31-C30	2.36	1.41	1.37
2	B	501	N13	N11-N12	2.24	1.42	1.36
2	B	501	N13	C08-N03	-2.20	1.34	1.38
2	A	501	N13	C31-C30	2.13	1.41	1.37
2	A	501	N13	C17-C19	-2.03	1.36	1.39

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	N13	C28-NB-CA	-8.64	112.23	127.52
2	B	501	N13	CA-C26-C21	-6.36	99.21	112.51
2	B	501	N13	C28-C29-C30	5.67	123.59	117.96
2	B	501	N13	C19-N11-N12	-5.64	107.72	111.90
2	B	501	N13	C31-C30-C29	-4.97	116.66	123.23
2	A	501	N13	C19-N11-N12	-4.59	108.50	111.90
2	B	501	N13	N03-C02-N01	-4.58	108.32	113.22
2	B	501	N13	FA-C30-C31	4.38	125.57	118.55
2	A	501	N13	N03-C02-N01	-4.16	108.78	113.22
2	A	501	N13	C28-NB-CA	-3.92	120.58	127.52
2	A	501	N13	C24-N23-N22	3.88	113.04	105.56
2	B	501	N13	C14-C15-C16	-3.79	116.75	120.80
2	B	501	N13	C26-CA-NB	3.66	119.24	115.06
2	A	501	N13	C15-C16-C17	-3.43	115.28	119.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	N13	C18-C19-N11	3.39	109.03	106.59
2	A	501	N13	C18-C13-N12	-3.34	108.53	111.17
2	A	501	N13	C09-N01-C02	3.34	108.07	104.68
2	B	501	N13	C25-C21-N22	3.23	112.08	106.56
2	A	501	N13	CA-C26-C21	-3.13	105.97	112.51
2	B	501	N13	C09-N01-C02	3.04	107.77	104.68
2	A	501	N13	FA-C30-C31	2.84	123.10	118.55
2	A	501	N13	C16-C24-C25	2.65	132.41	128.69
2	B	501	N13	OB-CA-C26	-2.57	117.35	121.40
2	A	501	N13	C25-C21-N22	2.54	110.90	106.56
2	B	501	N13	C32-C33-C28	-2.52	116.83	119.73
2	A	501	N13	C31-C30-C29	-2.51	119.92	123.23
2	A	501	N13	C05-C06-C07	-2.48	117.19	120.24
2	A	501	N13	C02-C13-N12	2.42	125.31	119.86
2	A	501	N13	C28-C29-C30	2.27	120.22	117.96
2	B	501	N13	C05-C06-C07	-2.26	117.45	120.24
2	A	501	N13	C25-C24-N23	-2.21	106.73	110.27
2	A	501	N13	C17-C19-C18	-2.16	120.80	122.52
2	B	501	N13	C17-C19-C18	-2.12	120.83	122.52
2	B	501	N13	C06-C05-C04	-2.08	117.67	120.24
2	B	501	N13	C14-C18-C19	2.05	120.97	118.84
2	A	501	N13	C13-C02-N03	2.03	127.54	122.95
2	A	501	N13	C09-C08-N03	2.00	108.11	105.71

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	N13	C21-C26-CA-OB
2	A	501	N13	C21-C26-CA-NB
2	B	501	N13	C25-C21-C26-CA
2	B	501	N13	N22-C21-C26-CA
2	A	501	N13	N22-C21-C26-CA

There are no ring outliers.

2 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	N13	9	0
2	B	501	N13	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	234/278 (84%)	0.16	8 (3%) 48 43	23, 39, 73, 83	0
1	B	236/278 (84%)	0.26	10 (4%) 40 36	26, 41, 68, 81	0
All	All	470/556 (84%)	0.21	18 (3%) 44 39	23, 40, 72, 83	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	253	ILE	5.1
1	B	182	VAL	4.5
1	B	275	PHE	4.2
1	B	276	GLY	3.8
1	B	254	HIS	3.6
1	B	252	VAL	3.1
1	B	199	TYR	3.1
1	A	172	ALA	3.0
1	B	169	LEU	2.6
1	A	252	VAL	2.6
1	A	303	GLY	2.3
1	A	373	MET	2.2
1	B	354	GLU	2.2
1	A	169	LEU	2.2
1	A	181	GLU	2.2
1	B	277	TRP	2.2
1	A	291	GLY	2.1
1	A	253	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	N13	A	501	34/34	0.88	0.09	18,26,49,50	0
2	N13	B	501	34/34	0.91	0.08	20,26,46,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around N13 A 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around N13 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.