



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:07 AM UTC

PDB ID : 7W1F / pdb_00007w1f
Title : Crystal structure of the dNTP triphosphohydrolase PA1124 from *Pseudomonas aeruginosa*
Authors : Oh, H.B.; Song, W.S.; Lee, K.C.; Park, S.C.; Yoon, S.I.
Deposited on : 2021-11-19
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	504	69% 20% 9%
1	B	504	74% 18% 6%
1	C	504	71% 19% 8%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 10318 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable deoxyguanosinetriphosphate triphosphohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	458	Total	C	N	O	S	0	0	0
			3449	2194	607	631	17			
1	B	473	Total	C	N	O	S	0	0	0
			3455	2196	602	641	16			
1	C	466	Total	C	N	O	S	0	0	0
			3411	2167	593	636	15			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP A0A0Q3JKU0
A	-4	SER	-	expression tag	UNP A0A0Q3JKU0
A	-3	ALA	-	expression tag	UNP A0A0Q3JKU0
A	-2	LYS	-	expression tag	UNP A0A0Q3JKU0
A	-1	ASP	-	expression tag	UNP A0A0Q3JKU0
A	0	PRO	-	expression tag	UNP A0A0Q3JKU0
B	-5	GLY	-	expression tag	UNP A0A0Q3JKU0
B	-4	SER	-	expression tag	UNP A0A0Q3JKU0
B	-3	ALA	-	expression tag	UNP A0A0Q3JKU0
B	-2	LYS	-	expression tag	UNP A0A0Q3JKU0
B	-1	ASP	-	expression tag	UNP A0A0Q3JKU0
B	0	PRO	-	expression tag	UNP A0A0Q3JKU0
C	-5	GLY	-	expression tag	UNP A0A0Q3JKU0
C	-4	SER	-	expression tag	UNP A0A0Q3JKU0
C	-3	ALA	-	expression tag	UNP A0A0Q3JKU0
C	-2	LYS	-	expression tag	UNP A0A0Q3JKU0
C	-1	ASP	-	expression tag	UNP A0A0Q3JKU0
C	0	PRO	-	expression tag	UNP A0A0Q3JKU0


- Molecule 2 is NICKEL (II) ION (CCD ID: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Ni 1	0	0
2	B	1	Total 1	Ni 1	0	0
2	C	1	Total 1	Ni 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable deoxyguanosinetriphosphate triphosphohydrolase



- Molecule 1: Probable deoxyguanosinetriphosphate triphosphohydrolase



- Molecule 1: Probable deoxyguanosinetriphosphate triphosphohydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	88.08Å 131.02Å 136.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.66 – 2.90 29.66 – 2.90	Depositor EDS
% Data completeness (in resolution range)	97.3 (29.66-2.90) 97.2 (29.66-2.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.90Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.230 , 0.274 0.233 , 0.278	Depositor DCC
R_{free} test set	1661 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å ²)	88.9	Xtriage
Anisotropy	0.337	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 73.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.001 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10318	wwPDB-VP
Average B, all atoms (Å ²)	104.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3521	0.45	0/4790
1	B	0.25	0/3526	0.44	0/4808
1	C	0.23	0/3486	0.42	0/4760
All	All	0.24	0/10533	0.44	0/14358

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3449	0	3238	68	0
1	B	3455	0	3130	64	0
1	C	3411	0	3066	79	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
All	All	10318	0	9434	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:90:PHE:HE2	1:C:106:GLU:HA	1.39	0.86
1:B:364:ALA:HB3	1:B:367:GLU:HG3	1.61	0.82
1:C:205:TYR:H	1:C:205:TYR:HD1	1.28	0.80
1:B:119:MET:HG3	1:B:197:LEU:HD21	1.64	0.79
1:B:363:ARG:HH12	1:B:368:ASP:HB3	1.47	0.79
1:B:324:ASN:HB3	1:B:327:SER:HB3	1.66	0.77
1:B:172:GLU:HG3	1:B:222:PRO:HD2	1.66	0.76
1:C:57:THR:HG21	1:C:396:LEU:HD21	1.66	0.75
1:C:344:HIS:HD2	1:C:372:PRO:HB2	1.51	0.74
1:C:469:PHE:HD2	1:C:472:ARG:HH21	1.37	0.71
1:B:97:ALA:HB1	1:B:102:LEU:HB2	1.70	0.71
1:A:57:THR:HG21	1:A:396:LEU:HD21	1.72	0.71
1:A:422:PHE:HZ	1:A:475:MET:HE1	1.55	0.70
1:C:337:MET:HE3	1:C:375:ILE:HD13	1.74	0.69
1:C:69:ARG:HD2	1:C:264:ALA:HB1	1.74	0.69
1:A:124:ASN:H	1:A:124:ASN:HD22	1.40	0.69
1:A:85:ILE:HA	1:A:342:VAL:HG13	1.75	0.68
1:C:71:ARG:NH1	1:C:125:PRO:O	2.27	0.68
1:B:284:LEU:HD23	1:B:382:VAL:HG21	1.74	0.68
1:C:433:ALA:HB1	1:C:436:PRO:HD2	1.76	0.67
1:C:78:VAL:HG12	1:C:117:CYS:HB3	1.76	0.67
1:A:98:ALA:HA	1:A:103:ASP:HB2	1.75	0.67
1:C:142:ASN:H	1:C:142:ASN:HD22	1.42	0.67
1:B:8:LYS:HA	1:B:357:HIS:HD2	1.59	0.66
1:A:71:ARG:NH1	1:A:125:PRO:O	2.28	0.66
1:C:142:ASN:HD22	1:C:142:ASN:N	1.92	0.66
1:A:246:ARG:NH1	1:A:254:GLU:OE2	2.28	0.66
1:A:57:THR:O	1:A:71:ARG:NH2	2.30	0.65
1:B:189:LEU:HD12	1:B:189:LEU:H	1.60	0.64
1:C:138:TRP:O	1:C:142:ASN:ND2	2.30	0.64
1:B:57:THR:O	1:B:71:ARG:NH2	2.30	0.64
1:C:90:PHE:CE2	1:C:106:GLU:HA	2.29	0.63
1:C:180:LEU:HA	1:C:184:LEU:HB2	1.82	0.61
1:C:124:ASN:HD22	1:C:124:ASN:H	1.46	0.61
1:C:422:PHE:HB2	1:C:472:ARG:HH11	1.65	0.61
1:B:57:THR:HG21	1:B:396:LEU:HD21	1.82	0.60
1:B:348:GLN:OE1	1:B:363:ARG:NH2	2.34	0.60
1:A:124:ASN:HD22	1:A:124:ASN:N	1.99	0.60
1:A:415:LEU:HD23	1:A:472:ARG:HD2	1.84	0.60
1:B:404:ILE:HG23	1:B:480:VAL:HG11	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:GLU:HA	1:B:373:HIS:CE1	2.37	0.60
1:B:78:VAL:HG12	1:B:117:CYS:HB3	1.84	0.59
1:C:422:PHE:CE2	1:C:472:ARG:HG3	2.36	0.59
1:B:8:LYS:HA	1:B:357:HIS:CD2	2.38	0.59
1:A:56:LYS:NZ	1:A:483:MET:O	2.36	0.59
1:C:203:PRO:HB3	1:C:224:PHE:CZ	2.38	0.58
1:C:124:ASN:HD22	1:C:124:ASN:N	2.00	0.58
1:B:71:ARG:NH1	1:B:125:PRO:O	2.37	0.58
1:C:121:ASP:O	1:C:124:ASN:ND2	2.37	0.58
1:C:61:PRO:HB3	1:C:396:LEU:HD22	1.86	0.57
1:B:119:MET:HE3	1:B:181:VAL:HG11	1.86	0.57
1:B:61:PRO:HB3	1:B:396:LEU:HD22	1.85	0.57
1:C:404:ILE:HG23	1:C:480:VAL:HG11	1.86	0.57
1:A:183:LYS:NZ	1:A:227:SER:O	2.38	0.57
1:B:58:GLN:HG3	1:B:59:VAL:HG23	1.87	0.57
1:C:69:ARG:CD	1:C:264:ALA:HB1	2.36	0.56
1:A:140:GLU:HA	1:A:169:LYS:HD3	1.87	0.56
1:A:344:HIS:CD2	1:A:372:PRO:HB2	2.41	0.55
1:C:115:MET:HB2	1:C:193:GLN:HE22	1.71	0.55
1:C:377:GLN:HG3	1:C:381:ASP:OD2	2.07	0.55
1:A:364:ALA:HB3	1:A:367:GLU:HG3	1.89	0.54
1:C:364:ALA:HB3	1:C:367:GLU:HG3	1.88	0.54
1:C:349:PHE:CE2	1:C:356:VAL:HG11	2.42	0.54
1:A:115:MET:O	1:A:119:MET:HG2	2.08	0.53
1:A:469:PHE:HD2	1:A:472:ARG:HH21	1.56	0.53
1:A:344:HIS:HD2	1:A:372:PRO:HB2	1.73	0.53
1:B:385:GLU:HB3	1:B:386:TRP:CD1	2.44	0.53
1:A:15:ARG:HD3	1:A:188:ASN:O	2.08	0.53
1:C:53:LEU:HD21	1:C:122:VAL:HA	1.91	0.53
1:B:112:LEU:HD21	1:B:192:THR:HG22	1.91	0.52
1:A:113:VAL:HG22	1:A:249:VAL:HG13	1.92	0.52
1:B:90:PHE:CE2	1:B:106:GLU:HA	2.45	0.52
1:A:37:LEU:HD13	1:A:112:LEU:HG	1.92	0.52
1:A:418:PRO:HG2	1:A:421:GLU:HG3	1.92	0.52
1:A:179:ARG:NH2	1:A:478:ASP:OD2	2.36	0.51
1:B:337:MET:HE3	1:B:375:ILE:HD13	1.92	0.51
1:B:422:PHE:HZ	1:B:475:MET:HE1	1.76	0.51
1:A:78:VAL:HG12	1:A:117:CYS:HB3	1.91	0.51
1:C:278:ARG:HA	1:C:315:LEU:HD11	1.92	0.51
1:A:69:ARG:NE	1:A:264:ALA:HB1	2.26	0.51
1:C:85:ILE:O	1:C:89:LEU:N	2.36	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:140:GLU:HA	1:C:169:LYS:HD3	1.93	0.50
1:A:346:ALA:O	1:A:350:ILE:HG12	2.12	0.50
1:A:404:ILE:HG23	1:A:480:VAL:HG11	1.94	0.50
1:C:115:MET:HB2	1:C:193:GLN:NE2	2.26	0.50
1:C:341:LEU:O	1:C:366:MET:HE1	2.12	0.49
1:C:54:GLN:HG3	1:C:55:GLN:HG2	1.93	0.49
1:C:119:MET:HG3	1:C:197:LEU:HD21	1.93	0.49
1:C:247:HIS:CE1	1:C:249:VAL:HG23	2.48	0.49
1:A:269:SER:HB3	1:A:274:ILE:HB	1.94	0.49
1:C:344:HIS:CD2	1:C:372:PRO:HB2	2.39	0.49
1:A:70:SER:H	1:A:73:THR:HG1	1.58	0.48
1:B:377:GLN:NE2	1:B:380:LYS:HD3	2.28	0.48
1:B:183:LYS:HD3	1:B:228:GLU:OE1	2.14	0.48
1:C:56:LYS:HB3	1:C:71:ARG:HG3	1.96	0.48
1:C:57:THR:O	1:C:71:ARG:NH2	2.46	0.48
1:C:202:ARG:O	1:C:222:PRO:HA	2.13	0.48
1:A:69:ARG:NH1	1:A:77:GLU:OE1	2.46	0.48
1:B:54:GLN:HG3	1:B:55:GLN:HG2	1.95	0.48
1:A:241:MET:HE2	1:A:247:HIS:HD2	1.78	0.47
1:C:318:ALA:C	1:C:320:ARG:H	2.21	0.47
1:A:277:ILE:H	1:A:277:ILE:HG13	1.46	0.47
1:A:349:PHE:CE2	1:A:356:VAL:HG11	2.49	0.47
1:A:422:PHE:CZ	1:A:475:MET:HE1	2.42	0.47
1:A:167:ASP:OD2	1:A:226:LEU:HB2	2.15	0.47
1:B:204:ALA:HB2	1:B:222:PRO:HB3	1.96	0.47
1:A:11:ILE:HD12	1:A:105:LEU:HD13	1.96	0.47
1:B:425:LEU:HB3	1:B:440:VAL:HG21	1.97	0.47
1:A:398:LEU:HD11	1:B:435:HIS:CE1	2.49	0.47
1:B:181:VAL:HB	1:B:189:LEU:HD11	1.97	0.47
1:A:130:PHE:HA	1:A:133:TYR:HB2	1.97	0.47
1:A:69:ARG:CD	1:A:264:ALA:HB1	2.45	0.46
1:B:418:PRO:HG2	1:B:421:GLU:HG3	1.97	0.46
1:A:402:ARG:HG3	1:B:495:LEU:O	2.14	0.46
1:C:435:HIS:HB3	1:C:436:PRO:HD3	1.97	0.46
1:B:8:LYS:N	1:B:100:VAL:O	2.48	0.46
1:B:404:ILE:HD12	1:B:480:VAL:HG13	1.97	0.46
1:C:37:LEU:HD13	1:C:112:LEU:HD13	1.96	0.46
1:A:160:LEU:HD11	1:A:164:MET:HE3	1.98	0.45
1:A:404:ILE:HD12	1:A:480:VAL:HG13	1.97	0.45
1:B:414:LEU:HD21	1:B:439:LEU:HB2	1.98	0.45
1:B:51:ARG:O	1:B:54:GLN:HG2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:120:HIS:CE1	1:C:121:ASP:HB2	2.52	0.45
1:C:417:LEU:HD11	1:C:436:PRO:HB3	1.97	0.45
1:A:127:PHE:CG	1:A:400:GLY:HA3	2.52	0.45
1:C:115:MET:O	1:C:119:MET:HG2	2.17	0.45
1:A:70:SER:N	1:A:73:THR:OG1	2.42	0.45
1:B:112:LEU:HA	1:B:193:GLN:HE22	1.82	0.45
1:B:361:LEU:HD11	1:B:363:ARG:HD3	1.99	0.45
1:C:48:ALA:O	1:C:52:ARG:HG3	2.17	0.45
1:C:74:HIS:CD2	1:C:120:HIS:HE1	2.35	0.45
1:C:422:PHE:CD2	1:C:472:ARG:HG3	2.52	0.45
1:B:363:ARG:NH1	1:B:367:GLU:O	2.49	0.45
1:B:137:ASP:OD1	1:B:401:TYR:OH	2.34	0.44
1:B:181:VAL:HG23	1:B:182:VAL:HG23	1.99	0.44
1:C:127:PHE:CG	1:C:400:GLY:HA3	2.52	0.44
1:B:294:PRO:HB2	1:B:308:GLN:HB2	1.98	0.44
1:A:51:ARG:O	1:A:54:GLN:HG2	2.18	0.44
1:B:246:ARG:HG2	1:B:247:HIS:H	1.81	0.44
1:C:56:LYS:CB	1:C:71:ARG:HG3	2.47	0.44
1:A:411:TYR:HB3	1:A:476:LEU:HD11	2.00	0.44
1:C:106:GLU:O	1:C:110:GLU:HB2	2.17	0.44
1:C:330:PHE:O	1:C:334:ARG:HB2	2.17	0.44
1:B:404:ILE:HD12	1:B:480:VAL:CG1	2.48	0.43
1:C:126:PRO:HB2	1:C:127:PHE:CD2	2.53	0.43
1:A:224:PHE:CD2	1:A:224:PHE:C	2.97	0.43
1:A:385:GLU:HB3	1:A:386:TRP:CD1	2.52	0.43
1:A:90:PHE:CE2	1:A:106:GLU:HA	2.54	0.43
1:B:119:MET:CE	1:B:181:VAL:HG11	2.48	0.43
1:A:181:VAL:HG23	1:A:182:VAL:HG23	2.00	0.43
1:A:283:LEU:HD21	1:A:386:TRP:HE1	1.84	0.43
1:B:11:ILE:HD12	1:B:105:LEU:HD13	2.01	0.43
1:A:438:LEU:O	1:A:442:ARG:HG3	2.18	0.43
1:C:46:ASN:O	1:C:51:ARG:NH1	2.50	0.43
1:A:54:GLN:HG3	1:A:55:GLN:HG2	2.01	0.43
1:A:167:ASP:OD2	1:A:470:TYR:OH	2.23	0.43
1:C:463:LEU:HD23	1:C:463:LEU:HA	1.80	0.43
1:B:476:LEU:HD12	1:B:476:LEU:HA	1.83	0.43
1:C:312:ASP:O	1:C:316:GLU:HB3	2.18	0.43
1:C:180:LEU:HA	1:C:184:LEU:HD12	2.01	0.43
1:A:467:TRP:CE3	1:A:471:HIS:CE1	3.07	0.42
1:C:284:LEU:HD23	1:C:284:LEU:HA	1.90	0.42
1:C:49:ALA:HB1	1:C:122:VAL:HG21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:MET:HE2	1:B:197:LEU:HD11	2.02	0.42
1:C:157:ASP:HB3	1:C:160:LEU:HB3	2.00	0.42
1:B:411:TYR:HB3	1:B:476:LEU:HD11	2.02	0.42
1:C:142:ASN:N	1:C:142:ASN:ND2	2.63	0.42
1:C:54:GLN:CG	1:C:55:GLN:HG2	2.49	0.42
1:A:319:GLU:HA	1:A:325:LYS:NZ	2.34	0.42
1:C:13:ARG:O	1:C:36:GLN:NE2	2.53	0.42
1:C:341:LEU:HD23	1:C:372:PRO:HB3	2.02	0.42
1:C:476:LEU:HD12	1:C:476:LEU:HA	1.87	0.42
1:B:422:PHE:CZ	1:B:475:MET:HE1	2.54	0.42
1:A:121:ASP:O	1:A:124:ASN:ND2	2.52	0.41
1:B:69:ARG:NH2	1:B:77:GLU:OE1	2.51	0.41
1:A:334:ARG:O	1:A:338:ILE:HB	2.21	0.41
1:C:88:THR:HG21	1:C:343:GLN:HA	2.02	0.41
1:A:341:LEU:O	1:A:366:MET:HE1	2.20	0.41
1:C:165:LEU:O	1:C:169:LYS:HG3	2.21	0.41
1:A:467:TRP:HE3	1:A:471:HIS:CE1	2.37	0.41
1:C:224:PHE:CG	1:C:232:VAL:HG21	2.55	0.41
1:C:371:LEU:HA	1:C:371:LEU:HD23	1.76	0.41
1:C:422:PHE:HE2	1:C:472:ARG:HG3	1.80	0.41
1:A:119:MET:O	1:A:122:VAL:HG22	2.21	0.41
1:B:277:ILE:HG22	1:B:329:PHE:HD1	1.86	0.41
1:A:76:LEU:HD23	1:A:76:LEU:HA	1.93	0.41
1:A:163:ARG:HE	1:A:226:LEU:HD11	1.84	0.41
1:A:398:LEU:HA	1:A:398:LEU:HD12	1.79	0.41
1:C:272:LYS:NZ	1:C:392:GLU:OE2	2.54	0.41
1:C:398:LEU:HD12	1:C:398:LEU:HA	1.77	0.41
1:A:115:MET:HB2	1:A:193:GLN:HE22	1.85	0.41
1:A:241:MET:CE	1:A:247:HIS:HD2	2.33	0.41
1:A:476:LEU:HD12	1:A:476:LEU:HA	1.92	0.41
1:B:119:MET:HA	1:B:122:VAL:HG13	2.02	0.41
1:B:341:LEU:O	1:B:366:MET:HE1	2.21	0.41
1:C:475:MET:HB3	1:C:475:MET:HE2	1.82	0.41
1:B:452:LEU:HA	1:B:452:LEU:HD23	1.83	0.41
1:B:475:MET:HE2	1:B:475:MET:HB3	1.98	0.41
1:B:37:LEU:HD13	1:B:112:LEU:HD13	2.04	0.40
1:C:126:PRO:HB3	1:C:485:ASP:OD1	2.20	0.40
1:B:69:ARG:HE	1:B:69:ARG:HB2	1.62	0.40
1:B:225:TYR:HB2	1:B:228:GLU:OE2	2.22	0.40
1:B:41:ARG:CZ	1:B:115:MET:HE3	2.51	0.40
1:B:84:PHE:CD1	1:B:342:VAL:HG21	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:317:LYS:CB	1:C:332:ARG:HG3	2.52	0.40
1:A:337:MET:HE3	1:A:375:ILE:HD13	2.02	0.40
1:B:403:ILE:HG23	1:B:492:TYR:HB2	2.03	0.40
1:C:177:ALA:O	1:C:181:VAL:HG22	2.21	0.40
1:C:407:LEU:HD23	1:C:407:LEU:HA	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/504 (89%)	436 (97%)	13 (3%)	1 (0%)	43	72
1	B	463/504 (92%)	450 (97%)	13 (3%)	0	100	100
1	C	458/504 (91%)	443 (97%)	15 (3%)	0	100	100
All	All	1371/1512 (91%)	1329 (97%)	41 (3%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	434	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/423 (79%)	314 (94%)	19 (6%)	18	49
1	B	314/423 (74%)	292 (93%)	22 (7%)	14	40
1	C	310/423 (73%)	292 (94%)	18 (6%)	18	49
All	All	957/1269 (75%)	898 (94%)	59 (6%)	16	46

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	SER
1	A	68	VAL
1	A	71	ARG
1	A	87	ARG
1	A	124	ASN
1	A	159	LEU
1	A	165	LEU
1	A	224	PHE
1	A	260	SER
1	A	277	ILE
1	A	283	LEU
1	A	315	LEU
1	A	324	ASN
1	A	326	VAL
1	A	338	ILE
1	A	350	ILE
1	A	366	MET
1	A	402	ARG
1	A	423	GLN
1	B	31	GLN
1	B	36	GLN
1	B	39	SER
1	B	68	VAL
1	B	69	ARG
1	B	71	ARG
1	B	87	ARG
1	B	112	LEU
1	B	124	ASN
1	B	189	LEU
1	B	192	THR
1	B	232	VAL
1	B	252	ILE
1	B	262	CYS
1	B	275	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	277	ILE
1	B	279	GLN
1	B	308	GLN
1	B	363	ARG
1	B	366	MET
1	B	402	ARG
1	B	446	GLN
1	C	68	VAL
1	C	73	THR
1	C	76	LEU
1	C	87	ARG
1	C	112	LEU
1	C	119	MET
1	C	121	ASP
1	C	122	VAL
1	C	124	ASN
1	C	142	ASN
1	C	178	ILE
1	C	205	TYR
1	C	260	SER
1	C	290	VAL
1	C	316	GLU
1	C	334	ARG
1	C	366	MET
1	C	472	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	A	124	ASN
1	A	247	HIS
1	A	435	HIS
1	B	36	GLN
1	B	193	GLN
1	B	344	HIS
1	B	352	ASN
1	B	357	HIS
1	B	373	HIS
1	B	377	GLN
1	B	435	HIS
1	B	486	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	124	ASN
1	C	142	ASN
1	C	193	GLN
1	C	344	HIS
1	C	435	HIS
1	C	489	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	458/504 (90%)	0.03	2 (0%) 88 85	59, 94, 133, 158	0
1	B	473/504 (93%)	0.14	7 (1%) 72 64	57, 106, 154, 178	0
1	C	466/504 (92%)	0.18	11 (2%) 59 50	64, 114, 153, 171	0
All	All	1397/1512 (92%)	0.12	20 (1%) 73 65	57, 104, 150, 178	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	262	CYS	3.8
1	B	293	SER	3.7
1	C	305	MET	3.6
1	B	360	THR	3.1
1	B	359	GLY	3.1
1	C	35	TYR	2.9
1	C	362	GLY	2.9
1	C	150	ARG	2.8
1	C	11	ILE	2.8
1	A	420	GLU	2.6
1	C	233	ASP	2.6
1	A	322	PRO	2.5
1	C	18	ASP	2.4
1	B	205	TYR	2.4
1	C	20	GLU	2.3
1	C	476	LEU	2.3
1	B	123	GLY	2.3
1	B	304	ASN	2.1
1	B	298	ILE	2.1
1	C	321	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NI	A	601	1/1	0.91	0.12	85,85,85,85	0
2	NI	B	601	1/1	0.92	0.07	94,94,94,94	0
2	NI	C	601	1/1	0.94	0.15	105,105,105,105	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NI A 601:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NI B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.