



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 21, 2026 – 11:10 am BST

PDB ID : 2W27 / pdb_00002w27
Title : CRYSTAL STRUCTURE OF THE BACILLUS SUBTILIS YKUI PROTEIN,
WITH AN EAL DOMAIN, IN COMPLEX WITH SUBSTRATE C-DI-GMP
AND CALCIUM
Authors : Padavattan, S.; AndERSON, W.F.; Schirmer, T.
Deposited on : 2008-10-24
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	% 71% 19% • 7%
1	B	431	2% 69% 20% • 8%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6735 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called YKUI PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	401	Total	C	N	O	S	54	0	0
			3342	2152	537	642	11			
1	B	395	Total	C	N	O	S	33	0	0
			3292	2120	531	629	12			

- Molecule 2 is GUANOSINE-5'-MONOPHOSPHATE (CCD ID: 5GP) (formula: $C_{10}H_{14}N_5O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Ca 1	0	0
3	B	1	Total 1	Ca 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total 4	O 4	0	0
4	B	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: YKUI PROTEIN



• Molecule 1: YKUI PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	46.17Å 124.52Å 168.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.80 30.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	86.3 (30.00-2.80) 86.2 (30.00-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.226 , 0.275 0.234 , 0.286	Depositor DCC
R_{free} test set	1047 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	68.8	Xtriage
Anisotropy	0.352	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 63.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6735	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, 5GP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.58	8/3418 (0.2%)	1.34	11/4617 (0.2%)
1	B	0.76	5/3367 (0.1%)	0.85	8/4547 (0.2%)
All	All	1.25	13/6785 (0.2%)	1.12	19/9164 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	219	TYR	CG-CD2	70.02	2.86	1.39
1	A	356	ARG	CD-NE	-27.04	1.08	1.46
1	A	222	ARG	CD-NE	-17.29	1.22	1.46
1	A	219	TYR	CG-CD1	15.54	1.72	1.39
1	A	270	GLU	CG-CD	15.18	1.90	1.52
1	A	401	TYR	CG-CD1	-15.06	1.07	1.39
1	B	361	ARG	CD-NE	14.39	1.66	1.46
1	B	242	GLU	CG-CD	14.32	1.87	1.52
1	A	362	LYS	CB-CG	-14.14	1.10	1.52
1	A	401	TYR	CG-CD2	12.20	1.65	1.39
1	B	136	TYR	CB-CG	8.92	1.71	1.51
1	B	43	GLU	CB-CG	5.17	1.68	1.52
1	B	133	GLU	CA-CB	5.09	1.62	1.53

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	TYR	CB-CG-CD2	-41.08	59.18	120.80
1	A	219	TYR	CD1-CG-CD2	-39.75	58.47	118.10
1	A	219	TYR	CG-CD1-CE1	24.78	158.37	121.20
1	A	356	ARG	CD-NE-CZ	-16.93	100.70	124.40
1	A	401	TYR	CB-CG-CD2	-15.28	97.87	120.80
1	A	361	ARG	CA-CB-CG	-15.13	83.84	114.10
1	A	362	LYS	CA-CB-CG	13.32	140.74	114.10
1	B	242	GLU	CB-CG-CD	-12.56	91.25	112.60
1	A	401	TYR	CB-CG-CD1	11.36	137.84	120.80
1	A	270	GLU	CB-CG-CD	-10.62	94.55	112.60
1	A	219	TYR	CB-CG-CD1	-7.58	109.42	120.80
1	B	361	ARG	CD-NE-CZ	-6.93	114.70	124.40
1	B	304	GLU	CB-CA-C	6.68	121.37	110.88
1	A	401	TYR	CG-CD2-CE2	-6.07	112.09	121.20
1	B	242	GLU	CG-CD-OE1	5.85	131.85	118.40
1	B	242	GLU	CG-CD-OE2	-5.63	105.45	118.40
1	B	43	GLU	CA-CB-CG	-5.62	102.86	114.10
1	B	136	TYR	CA-CB-CG	-5.60	103.82	113.90
1	B	263	LYS	N-CA-C	-5.40	104.84	111.75

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	219	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3342	0	3231	54	1
1	B	3292	0	3193	58	1
2	A	46	0	22	1	0
2	B	46	0	22	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	4	0	0	0	0
4	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6735	0	6468	99	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:LEU:HD11	1:B:300:LYS:HE2	1.56	0.88
1:B:314:MET:HE3	1:B:385:MET:HE1	1.61	0.82
1:A:161:LEU:HD12	1:B:195:ILE:CD1	2.12	0.79
1:B:234:VAL:HG11	1:B:241:LEU:HD11	1.67	0.75
1:A:399:TYR:O	1:A:403:GLN:HG2	1.90	0.71
1:A:234:VAL:HG11	1:A:241:LEU:HD11	1.73	0.70
1:A:161:LEU:HD12	1:B:195:ILE:HD13	1.74	0.67
1:A:161:LEU:HD12	1:B:195:ILE:HD11	1.78	0.64
1:B:302:ALA:HB1	1:B:333:TRP:CE2	2.32	0.64
1:B:19:GLN:OE1	2:B:501:5GP:H8	1.98	0.63
1:B:314:MET:HE3	1:B:385:MET:CE	2.28	0.62
1:B:264:LYS:O	1:B:267:THR:HG22	2.00	0.61
1:B:152:ASP:HB3	1:B:153:ASN:HD22	1.65	0.61
1:B:248:GLN:O	1:B:252:THR:HG23	2.02	0.60
1:B:321:GLN:HG2	1:B:323:THR:O	2.02	0.60
1:A:248:GLN:O	1:A:252:THR:HG23	2.04	0.58
1:B:70:ARG:HH21	1:B:105:LEU:HD13	1.69	0.57
1:B:291:LEU:HD22	1:B:296:ASP:HB3	1.87	0.57
1:A:207:LEU:HD12	1:A:208:TYR:N	2.20	0.56
1:B:302:ALA:HB1	1:B:333:TRP:CZ2	2.41	0.56
1:A:200:ARG:NH2	1:B:367:ASP:OD1	2.38	0.56
1:A:321:GLN:HG2	1:A:323:THR:O	2.06	0.56
1:B:175:ASP:OD1	1:B:175:ASP:C	2.48	0.55
1:B:207:LEU:C	1:B:207:LEU:HD12	2.31	0.55
1:B:368:LEU:HB3	1:B:377:MET:HE3	1.88	0.55
1:A:264:LYS:O	1:A:267:THR:HG22	2.07	0.55
1:B:207:LEU:HD12	1:B:208:TYR:N	2.20	0.55
1:B:21:ILE:HD12	1:B:86:PHE:CE1	2.42	0.54
1:A:207:LEU:HD12	1:A:207:LEU:C	2.33	0.53
1:A:397:TYR:CE2	1:A:407:ILE:HD13	2.43	0.53
1:A:95:MET:HE2	1:A:134:GLN:HG2	1.90	0.52
1:A:258:ILE:HD13	1:B:318:GLU:O	2.08	0.52
1:A:70:ARG:HH21	1:A:105:LEU:HD13	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:PHE:CE2	1:B:246:LEU:HD12	2.46	0.51
1:B:152:ASP:HB3	1:B:153:ASN:ND2	2.26	0.51
1:A:201:LYS:HB3	1:B:190:HIS:CD2	2.46	0.50
1:A:33:GLU:HA	1:A:86:PHE:HB2	1.94	0.50
1:B:137:HIS:O	1:B:140:ALA:HB3	2.12	0.50
1:B:33:GLU:HA	1:B:86:PHE:HB2	1.94	0.50
1:A:245:VAL:HG12	1:A:246:LEU:HG	1.94	0.50
1:A:171:LEU:HD23	1:A:205:ALA:O	2.12	0.49
1:B:161:LEU:HD22	1:B:198:LEU:CD2	2.43	0.49
1:A:22:PHE:CE2	1:A:246:LEU:HD12	2.47	0.49
1:A:114:ILE:O	1:A:115:GLU:C	2.55	0.49
1:A:21:ILE:HD12	1:A:86:PHE:CE1	2.47	0.49
1:A:175:ASP:OD1	1:A:175:ASP:C	2.55	0.49
1:A:367:ASP:OD1	1:B:200:ARG:NH2	2.45	0.49
1:B:31:GLY:HA2	1:B:83:LEU:HD22	1.96	0.47
1:A:176:LEU:HD11	1:A:208:TYR:CD2	2.50	0.47
1:B:70:ARG:NH2	1:B:105:LEU:HD13	2.28	0.47
1:A:372:LEU:HD12	1:A:372:LEU:H	1.80	0.47
1:B:37:ARG:HG3	1:B:44:ILE:HG23	1.95	0.47
1:B:312:ILE:HG23	1:B:393:ILE:HG12	1.96	0.46
1:A:70:ARG:NH2	1:A:105:LEU:HD13	2.31	0.46
1:A:26:GLU:CD	1:B:342:LYS:HZ3	2.24	0.46
1:B:171:LEU:HD23	1:B:205:ALA:O	2.16	0.45
1:B:95:MET:HE2	1:B:134:GLN:HG2	1.98	0.45
1:B:234:VAL:HG11	1:B:241:LEU:CD1	2.43	0.45
1:A:395:LEU:HD23	1:A:395:LEU:N	2.32	0.45
1:A:268:VAL:HG22	1:A:405:GLY:O	2.16	0.45
1:A:31:GLY:HA2	1:A:83:LEU:HD22	1.99	0.45
1:A:325:ASN:HB2	1:A:336:GLN:HB2	1.98	0.44
1:B:141:TYR:O	1:B:144:THR:OG1	2.34	0.44
1:B:188:TYR:O	1:B:191:VAL:HB	2.17	0.44
1:A:25:GLU:HG2	1:B:344:TRP:CZ3	2.53	0.44
1:A:141:TYR:O	1:A:144:THR:OG1	2.34	0.44
1:B:21:ILE:HD12	1:B:86:PHE:CD1	2.53	0.44
1:A:132:ILE:HD13	1:A:163:ARG:HH11	1.83	0.44
1:A:95:MET:CE	1:A:134:GLN:HG2	2.48	0.43
1:B:58:GLU:HG2	1:B:93:LEU:CD2	2.48	0.43
1:A:35:LEU:HD22	2:A:502:5GP:OP1	2.18	0.43
1:A:187:SER:O	1:A:191:VAL:HG23	2.18	0.43
1:A:379:ARG:HG3	1:A:400:LEU:HD21	2.01	0.42
1:A:58:GLU:HG2	1:A:93:LEU:CD2	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:GLU:CG	1:B:342:LYS:HZ3	2.33	0.42
1:A:117:HIS:O	1:A:148:LYS:NZ	2.49	0.42
1:A:355:MET:HE1	1:B:269:TYR:HB2	2.01	0.42
1:B:238:GLU:HG3	1:B:239:THR:HG23	2.01	0.42
1:A:242:GLU:O	1:A:245:VAL:HG23	2.19	0.42
1:A:143:ARG:NH2	1:A:168:SER:O	2.52	0.42
1:B:89:GLN:OE1	1:B:94:LEU:HD13	2.20	0.42
1:B:316:ASP:OD1	1:B:316:ASP:C	2.62	0.42
1:B:95:MET:CE	1:B:134:GLN:HG2	2.50	0.41
1:A:21:ILE:HD12	1:A:86:PHE:CD1	2.55	0.41
1:A:269:TYR:HB2	1:B:355:MET:HE1	2.03	0.41
1:B:47:LEU:HD12	1:B:68:ILE:HD11	2.03	0.41
1:B:290:ASN:OD1	1:B:290:ASN:N	2.53	0.41
1:B:196:SER:HA	1:B:206:LEU:HD11	2.02	0.41
1:A:47:LEU:HD12	1:A:68:ILE:HD11	2.01	0.41
1:B:136:TYR:HB2	1:B:167:LEU:CD2	2.51	0.41
1:B:161:LEU:HD22	1:B:198:LEU:HD21	2.03	0.41
1:A:73:LEU:N	1:A:73:LEU:HD23	2.36	0.41
1:A:200:ARG:NH1	1:B:369:TYR:CG	2.89	0.41
1:A:264:LYS:O	1:A:268:VAL:HG23	2.21	0.41
1:A:282:ALA:O	1:A:286:LEU:HD12	2.21	0.41
1:B:139:LEU:HD22	1:B:149:ILE:HD12	2.01	0.41
1:A:185:SER:HB3	1:A:189:GLU:HB3	2.02	0.41
1:B:325:ASN:ND2	1:B:339:TYR:CD2	2.89	0.41
1:A:58:GLU:HG2	1:A:93:LEU:HD21	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:TYR:CE2	1:B:256:GLN:NE2[1_455]	2.12	0.08

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/431 (92%)	377 (95%)	19 (5%)	1 (0%)	36	66
1	B	391/431 (91%)	367 (94%)	22 (6%)	2 (0%)	24	55
All	All	788/862 (91%)	744 (94%)	41 (5%)	3 (0%)	30	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	397	TYR
1	A	178	ALA
1	B	396	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	362/389 (93%)	335 (92%)	27 (8%)	12	37
1	B	357/389 (92%)	333 (93%)	24 (7%)	15	42
All	All	719/778 (92%)	668 (93%)	51 (7%)	13	39

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	43	GLU
1	A	52	LEU
1	A	121	LEU
1	A	123	ILE
1	A	138	MET
1	A	152	ASP
1	A	154	ILE
1	A	157	GLU
1	A	158	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	167	LEU
1	A	168	SER
1	A	175	ASP
1	A	207	LEU
1	A	238	GLU
1	A	245	VAL
1	A	251	LYS
1	A	290	ASN
1	A	317	GLU
1	A	355	MET
1	A	360	LEU
1	A	361	ARG
1	A	362	LYS
1	A	395	LEU
1	A	400	LEU
1	A	404	ASP
1	A	407	ILE
1	B	27	GLN
1	B	43	GLU
1	B	52	LEU
1	B	121	LEU
1	B	123	ILE
1	B	137	HIS
1	B	138	MET
1	B	152	ASP
1	B	167	LEU
1	B	168	SER
1	B	175	ASP
1	B	185	SER
1	B	207	LEU
1	B	222	ARG
1	B	242	GLU
1	B	245	VAL
1	B	251	LYS
1	B	270	GLU
1	B	290	ASN
1	B	317	GLU
1	B	333	TRP
1	B	355	MET
1	B	361	ARG
1	B	399	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	45	GLN
1	A	117	HIS
1	A	126	HIS
1	A	134	GLN
1	A	177	GLN
1	A	214	ASN
1	A	289	ASN
1	A	403	GLN
1	B	27	GLN
1	B	66	ASN
1	B	71	GLN
1	B	134	GLN
1	B	177	GLN
1	B	190	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	5GP	A	501	3,2	22,25,26	1.10	1 (4%)	33,37,40	1.69	8 (24%)
2	5GP	A	502	2	22,25,26	1.17	2 (9%)	33,37,40	1.82	8 (24%)
2	5GP	B	501	3,2	22,25,26	1.22	3 (13%)	33,37,40	1.78	9 (27%)
2	5GP	B	502	2	22,25,26	1.19	1 (4%)	33,37,40	2.07	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5GP	A	501	3,2	-	2/7/25/26	0/3/3/3
2	5GP	A	502	2	-	2/7/25/26	0/3/3/3
2	5GP	B	501	3,2	-	3/7/25/26	0/3/3/3
2	5GP	B	502	2	-	1/7/25/26	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	5GP	C6-N1	-3.13	1.33	1.38
2	A	502	5GP	C6-N1	-2.82	1.33	1.38
2	B	501	5GP	C6-N1	-2.59	1.34	1.38
2	A	502	5GP	C5-N7	-2.36	1.34	1.39
2	B	501	5GP	C5-N7	-2.23	1.34	1.39
2	B	501	5GP	C4-N9	-2.19	1.32	1.38
2	A	501	5GP	C4-N9	-2.18	1.32	1.38

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	5GP	C5-C4-N3	-6.27	118.29	128.46
2	A	502	5GP	C5-C4-N3	-5.37	119.75	128.46
2	B	501	5GP	C5-C4-N3	-4.93	120.47	128.46
2	B	502	5GP	C2-N3-C4	4.49	120.30	112.30
2	A	501	5GP	C5-C4-N3	-4.47	121.22	128.46
2	B	502	5GP	N9-C4-N3	3.70	133.38	125.94
2	A	501	5GP	C2-N3-C4	3.65	118.80	112.30
2	B	501	5GP	C2-N3-C4	3.59	118.70	112.30
2	A	502	5GP	C2-N3-C4	3.53	118.60	112.30
2	A	502	5GP	C3'-C2'-C1'	3.52	108.12	101.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	502	5GP	N9-C4-N3	3.49	132.94	125.94
2	B	502	5GP	C3'-C2'-C1'	3.14	107.40	101.43
2	B	502	5GP	C2-N1-C6	-2.82	119.95	125.10
2	B	502	5GP	C4-C5-N7	-2.76	106.35	110.72
2	B	501	5GP	N9-C4-N3	2.65	131.25	125.94
2	B	502	5GP	C5-C6-N1	2.59	119.77	113.19
2	B	501	5GP	C4-C5-N7	-2.58	106.64	110.72
2	A	501	5GP	N9-C4-N3	2.48	130.91	125.94
2	B	501	5GP	N9-C8-N7	-2.47	108.74	113.39
2	A	502	5GP	C2-N1-C6	-2.45	120.62	125.10
2	B	502	5GP	N9-C8-N7	-2.42	108.83	113.39
2	A	502	5GP	C5-C6-N1	2.33	119.12	113.19
2	A	501	5GP	O6-C6-C5	-2.31	120.47	126.60
2	A	502	5GP	O6-C6-C5	-2.31	120.48	126.60
2	B	501	5GP	C2-N1-C6	-2.28	120.94	125.10
2	A	501	5GP	N9-C8-N7	-2.27	109.11	113.39
2	A	501	5GP	C4-C5-N7	-2.27	107.13	110.72
2	A	501	5GP	C2-N1-C6	-2.25	121.00	125.10
2	B	502	5GP	C8-N7-C5	2.24	108.29	104.24
2	B	501	5GP	C5-C6-N1	2.17	118.70	113.19
2	A	502	5GP	N9-C8-N7	-2.17	109.31	113.39
2	B	501	5GP	C6-C5-N7	2.14	134.24	130.25
2	A	501	5GP	C5-C6-N1	2.13	118.59	113.19
2	B	502	5GP	O4'-C4'-C3'	2.12	109.31	105.11
2	B	501	5GP	C2'-C1'-N9	2.04	119.00	113.22

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	502	5GP	O4'-C4'-C5'-O5'
2	B	502	5GP	O4'-C4'-C5'-O5'
2	A	501	5GP	O4'-C4'-C5'-O5'
2	A	502	5GP	C3'-C4'-C5'-O5'
2	B	501	5GP	O4'-C4'-C5'-O5'
2	B	501	5GP	C2'-C1'-N9-C4
2	B	501	5GP	C2'-C1'-N9-C8
2	A	501	5GP	C2'-C1'-N9-C8

There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	502	5GP	1	0
2	B	501	5GP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 5GP A 502



Ligand 5GP B 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	401/431 (93%)	0.11	6 (1%) 72 63	16, 38, 46, 54	13 (3%)
1	B	395/431 (91%)	0.19	10 (2%) 58 48	16, 38, 45, 77	8 (2%)
All	All	796/862 (92%)	0.15	16 (2%) 65 56	16, 38, 46, 77	21 (2%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	79	ALA	3.3
1	B	258	ILE	2.8
1	B	255	HIS	2.5
1	B	1	MET	2.4
1	A	407	ILE	2.4
1	A	228	PHE	2.3
1	B	290	ASN	2.3
1	B	253	GLU	2.3
1	B	251	LYS	2.3
1	B	309	SER	2.2
1	A	401	TYR	2.2
1	A	289	ASN	2.2
1	B	257	PHE	2.1
1	B	42	SER	2.0
1	A	404	ASP	2.0
1	B	259	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	A	503	1/1	0.87	0.08	50,50,50,50	0
2	5GP	A	501	23/24	0.89	0.09	35,40,41,46	0
3	CA	B	503	1/1	0.92	0.08	50,50,50,50	0
2	5GP	A	502	23/24	0.93	0.08	30,41,44,45	0
2	5GP	B	501	23/24	0.94	0.07	35,40,41,45	0
2	5GP	B	502	23/24	0.94	0.08	30,40,44,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 5GP A 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5GP A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 5GP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 5GP B 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.