



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:24 AM UTC

PDB ID : 1W3G / pdb_00001w3g
Title : Hemolytic lectin from the mushroom *Laetiporus sulphureus* complexed with two N-acetyllactosamine molecules.
Authors : Mancheno, J.M.; Tateno, H.; Goldstein, I.J.; Martinez-Ripoll, M.; Hermoso, J.A.
Deposited on : 2004-07-15
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5070 (2.70-2.66)
Clashscore	190562	5409 (2.70-2.66)
Ramachandran outliers	187476	5324 (2.70-2.66)
Sidechain outliers	187428	5324 (2.70-2.66)
RSRZ outliers	180081	5070 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	10% 63% 30% 6% ..
2	B	2	100%
2	C	2	100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	1315	-	X	-	-
3	GOL	A	1316	-	X	-	-
3	GOL	A	1317	-	X	-	-
3	GOL	A	1318	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 2667 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOLYTIC LECTIN FROM LAETIPORUS SULPHUREUS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	0	1
			2467	1582	401	482	2			

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			26	14	1	11			
2	C	2	Total	C	N	O	0	0	0
			26	14	1	11			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	124	Total	O	0	0
			124	124		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HEMOLYTIC LECTIN FROM LAETIPORUS SULPHUREUS



- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	101.72Å 101.72Å 192.91Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	15.00 – 2.68 15.00 – 2.68	Depositor EDS
% Data completeness (in resolution range)	99.8 (15.00-2.68) 99.1 (15.00-2.68)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 2.69Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.226 , 0.280 0.218 , 0.267	Depositor DCC
R_{free} test set	834 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2667	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NDG, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	1/2535 (0.0%)	0.92	9/3457 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	314	THR	C-N	-5.41	1.25	1.33

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	GLU	N-CA-C	7.05	119.81	111.71
1	A	219	GLY	N-CA-C	-6.47	104.25	112.54
1	A	262	GLU	N-CA-C	5.68	117.61	109.14
1	A	180	ASN	N-CA-C	5.58	118.97	108.65
1	A	113	GLN	CA-C-N	5.30	126.47	119.84
1	A	113	GLN	C-N-CA	5.30	126.47	119.84
1	A	289	GLY	N-CA-C	-5.18	107.97	115.27
1	A	7	PRO	N-CA-C	5.16	115.42	110.47
1	A	69	GLY	N-CA-C	-5.03	109.04	115.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2467	0	2367	130	0
2	B	26	0	20	0	0
2	C	26	0	20	0	0
3	A	24	0	16	0	0
4	A	124	0	0	4	0
All	All	2667	0	2423	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:THR:HG22	1:A:104:TYR:H	1.04	1.13
1:A:103:THR:HG22	1:A:104:TYR:N	1.76	0.96
1:A:180:ASN:HB3	1:A:263:THR:HG23	1.46	0.96
1:A:103:THR:CG2	1:A:104:TYR:H	1.89	0.84
1:A:239:ASN:H	1:A:244:ASN:HD21	1.30	0.79
1:A:68:THR:HG22	1:A:70:LYS:HG3	1.68	0.76
1:A:256:VAL:HG21	1:A:310:LEU:HD13	1.70	0.74
1:A:199:THR:HG22	1:A:300:GLY:HA2	1.69	0.73
1:A:179:GLU:HG2	1:A:188:MET:HE3	1.70	0.73
1:A:183:SER:HA	1:A:257:ARG:NH2	2.04	0.73
1:A:177:THR:CG2	1:A:266:ALA:H	2.03	0.71
1:A:40:ASN:C	1:A:40:ASN:HD22	1.99	0.71
1:A:192:LEU:O	1:A:251:THR:HA	1.93	0.69
1:A:103:THR:CG2	1:A:104:TYR:N	2.49	0.68
1:A:177:THR:HG21	1:A:266:ALA:H	1.58	0.68
1:A:314:THR:HG22	1:A:315:ALA:N	2.09	0.67
1:A:77:PRO:HG2	1:A:78:ALA:H	1.60	0.67
1:A:177:THR:HG21	1:A:266:ALA:HB3	1.79	0.65
1:A:71:VAL:HG11	1:A:94:ASN:HB3	1.79	0.65
1:A:269:THR:HG22	1:A:307:ARG:HB2	1.80	0.64
1:A:185:THR:O	1:A:186:GLN:HB2	1.98	0.63
1:A:116:THR:OG1	1:A:118:THR:HG22	1.98	0.62
1:A:149:GLU:HG3	1:A:151:MET:HE1	1.82	0.62
1:A:27:ARG:HB3	1:A:45:ASP:OD1	1.99	0.61
1:A:155:LYS:HE2	1:A:157:GLU:HG3	1.82	0.61
1:A:87:GLY:O	1:A:89:GLY:N	2.34	0.61
1:A:262:GLU:HB3	1:A:312:SER:HB3	1.82	0.61
1:A:177:THR:HG21	1:A:266:ALA:N	2.15	0.60
1:A:23:VAL:HG11	1:A:46:GLN:HB3	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:ARG:HH12	1:A:262:GLU:H	1.50	0.60
1:A:68:THR:CB	1:A:84:GLN:HE22	2.16	0.59
1:A:256:VAL:HG21	1:A:310:LEU:HD22	1.85	0.59
1:A:177:THR:HG23	1:A:190:PHE:CE2	2.38	0.59
1:A:79:GLU:HG3	1:A:80:PRO:HA	1.85	0.58
1:A:184:GLN:N	1:A:257:ARG:HH21	2.02	0.57
1:A:14:ARG:HB3	1:A:23:VAL:CG2	2.36	0.56
1:A:14:ARG:HB3	1:A:23:VAL:HG21	1.88	0.55
1:A:71:VAL:HG13	4:A:2033:HOH:O	2.06	0.55
1:A:183:SER:HA	1:A:257:ARG:HH22	1.70	0.55
1:A:112:VAL:CG1	1:A:135:GLN:HG3	2.37	0.55
1:A:31:SER:HB2	1:A:32:PRO:CD	2.38	0.54
1:A:222:ILE:HG13	1:A:231:ASP:HB2	1.89	0.54
1:A:40:ASN:ND2	1:A:42:GLN:H	2.06	0.54
1:A:27:ARG:HH21	1:A:32:PRO:HG2	1.73	0.54
1:A:288:THR:HG21	4:A:2007:HOH:O	2.08	0.54
1:A:173:LEU:HB3	1:A:194:GLN:HG3	1.90	0.53
1:A:256:VAL:CG2	1:A:310:LEU:HD13	2.39	0.53
1:A:14:ARG:HB2	1:A:147:LEU:HB3	1.90	0.53
1:A:112:VAL:O	1:A:114:PRO:HD3	2.08	0.53
1:A:283:LEU:HD12	1:A:283:LEU:N	2.23	0.53
1:A:269:THR:CG2	1:A:307:ARG:HB2	2.39	0.52
1:A:179:GLU:OE1	1:A:188:MET:HB3	2.10	0.51
1:A:149:GLU:CG	1:A:151:MET:HE1	2.41	0.51
1:A:159:ASP:OD1	1:A:161:LYS:HG2	2.11	0.51
1:A:89:GLY:HA2	1:A:94:ASN:HD22	1.75	0.50
1:A:113:GLN:HG3	1:A:116:THR:OG1	2.11	0.50
1:A:305:ASP:O	1:A:307:ARG:HD3	2.11	0.50
1:A:256:VAL:O	1:A:257:ARG:HB2	2.11	0.50
1:A:40:ASN:HD22	1:A:42:GLN:H	1.59	0.50
1:A:177:THR:HG21	1:A:266:ALA:CB	2.41	0.49
1:A:232:ILE:HG22	1:A:232:ILE:O	2.11	0.49
1:A:159:ASP:OD2	1:A:162:ASP:OD2	2.30	0.49
1:A:180:ASN:O	1:A:181:THR:HG23	2.12	0.49
1:A:257:ARG:HH12	1:A:262:GLU:N	2.10	0.49
1:A:192:LEU:HD22	1:A:193:SER:N	2.28	0.48
1:A:68:THR:CG2	1:A:70:LYS:HG3	2.42	0.48
1:A:31:SER:HB2	1:A:32:PRO:HD3	1.96	0.48
1:A:149:GLU:O	1:A:151:MET:HE2	2.14	0.48
1:A:29:SER:HA	1:A:30:PRO:O	2.14	0.48
1:A:73:PHE:HB2	1:A:93:ASP:HB3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:VAL:HG13	1:A:135:GLN:HG3	1.95	0.48
1:A:177:THR:CG2	1:A:190:PHE:CE2	2.97	0.48
1:A:71:VAL:CG1	1:A:94:ASN:HB3	2.44	0.48
1:A:284:SER:HA	1:A:290:PHE:O	2.15	0.47
1:A:81:TYR:HB3	1:A:132:ASN:HD21	1.79	0.47
1:A:14:ARG:NH2	1:A:147:LEU:HD22	2.30	0.47
1:A:76:ARG:N	1:A:77:PRO:HD2	2.30	0.47
1:A:180:ASN:HD22	1:A:180:ASN:C	2.20	0.47
1:A:256:VAL:HG21	1:A:310:LEU:CD1	2.42	0.47
1:A:81:TYR:HB3	1:A:132:ASN:ND2	2.30	0.47
1:A:155:LYS:HE2	1:A:157:GLU:CG	2.44	0.46
1:A:199:THR:HG22	1:A:300:GLY:CA	2.41	0.46
1:A:268:SER:HA	1:A:307:ARG:O	2.15	0.46
1:A:89:GLY:CA	1:A:94:ASN:HD22	2.29	0.46
1:A:127:GLN:HE21	1:A:127:GLN:HB2	1.52	0.46
1:A:113:GLN:HG3	1:A:113:GLN:O	2.15	0.46
1:A:68:THR:HB	1:A:84:GLN:NE2	2.31	0.46
1:A:199:THR:HB	1:A:301:VAL:H	1.80	0.45
1:A:9:GLU:HG3	4:A:2006:HOH:O	2.16	0.45
1:A:180:ASN:CB	1:A:263:THR:HG23	2.33	0.45
1:A:68:THR:HB	1:A:84:GLN:HE22	1.81	0.45
1:A:163:GLY:HA2	1:A:277:VAL:HG22	1.98	0.45
1:A:40:ASN:C	1:A:40:ASN:ND2	2.68	0.45
1:A:179:GLU:HG2	1:A:188:MET:CE	2.43	0.45
1:A:180:ASN:C	1:A:180:ASN:ND2	2.74	0.45
1:A:210:ILE:HG12	1:A:283:LEU:HD21	1.99	0.45
1:A:112:VAL:HG11	1:A:135:GLN:HG3	2.00	0.45
1:A:222:ILE:CG1	1:A:231:ASP:HB2	2.47	0.45
1:A:270:VAL:HG21	1:A:303:SER:HB2	1.98	0.45
1:A:76:ARG:N	1:A:77:PRO:CD	2.81	0.44
1:A:186:GLN:NE2	1:A:186:GLN:HA	2.33	0.44
1:A:184:GLN:O	1:A:185:THR:O	2.36	0.44
1:A:104:TYR:CD1	1:A:105:LEU:HG	2.53	0.43
1:A:51:ILE:HD13	1:A:88:ASP:HB3	2.00	0.43
1:A:269:THR:HG23	1:A:307:ARG:NE	2.33	0.43
1:A:269:THR:CG2	1:A:307:ARG:HE	2.32	0.43
1:A:68:THR:HG21	1:A:70:LYS:HD2	2.01	0.43
1:A:124:THR:HA	1:A:129:TYR:CD2	2.54	0.42
1:A:170:PRO:C	1:A:171:ASN:HD22	2.25	0.42
1:A:222:ILE:HD13	1:A:222:ILE:HA	1.92	0.42
1:A:239:ASN:N	1:A:244:ASN:HD21	2.07	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:VAL:HG13	1:A:172:VAL:O	2.19	0.42
1:A:27:ARG:NH2	1:A:32:PRO:HG2	2.34	0.42
1:A:68:THR:HG22	1:A:68:THR:O	2.19	0.42
1:A:135:GLN:HE21	1:A:135:GLN:HB3	1.56	0.42
1:A:68:THR:C	1:A:70:LYS:H	2.27	0.41
1:A:74:SER:O	1:A:113:GLN:HG2	2.20	0.41
1:A:23:VAL:CG1	1:A:46:GLN:HB3	2.48	0.41
1:A:271:ASP:O	1:A:303:SER:HA	2.20	0.41
1:A:190:PHE:O	1:A:253:THR:HA	2.20	0.41
1:A:104:TYR:CE1	1:A:105:LEU:HG	2.55	0.41
1:A:238:TRP:HA	1:A:244:ASN:ND2	2.35	0.41
1:A:23:VAL:HG13	4:A:2012:HOH:O	2.21	0.41
1:A:43:ALA:C	1:A:45:ASP:N	2.78	0.41
1:A:180:ASN:O	1:A:188:MET:HE1	2.20	0.41
1:A:185:THR:HG22	1:A:186:GLN:N	2.36	0.41
1:A:271:ASP:CG	1:A:307:ARG:HH12	2.29	0.41
1:A:68:THR:HG22	1:A:70:LYS:CG	2.44	0.41
1:A:276:ASN:HA	1:A:298:TRP:O	2.20	0.41
1:A:314:THR:CG2	1:A:315:ALA:N	2.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	311/315 (99%)	272 (88%)	30 (10%)	9 (3%)	3 8

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	88	ASP
1	A	185	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	186	GLN
1	A	258	ALA
1	A	77	PRO
1	A	257	ARG
1	A	135	GLN
1	A	31	SER
1	A	87	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/272 (99%)	253 (94%)	17 (6%)	16	35

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	23	VAL
1	A	40	ASN
1	A	71	VAL
1	A	76	ARG
1	A	113	GLN
1	A	126	LEU
1	A	127	GLN
1	A	135	GLN
1	A	147	LEU
1	A	152	SER
1	A	180	ASN
1	A	181	THR
1	A	192	LEU
1	A	199	THR
1	A	220	VAL
1	A	275	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	40	ASN
1	A	84	GLN
1	A	94	ASN
1	A	125	HIS
1	A	127	GLN
1	A	135	GLN
1	A	171	ASN
1	A	180	ASN
1	A	186	GLN
1	A	191	ASN
1	A	198	GLN
1	A	239	ASN
1	A	244	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NDG	B	1	2	15,15,15	1.48	3 (20%)	21,21,21	1.36	3 (14%)
2	GAL	B	2	2	11,11,12	1.48	2 (18%)	15,15,17	1.27	2 (13%)
2	NDG	C	1	2	15,15,15	1.61	3 (20%)	21,21,21	1.29	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	C	2	2	11,11,12	1.31	2 (18%)	15,15,17	1.28	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDG	B	1	2	-	1/6/26/26	0/1/1/1
2	GAL	B	2	2	-	2/2/19/22	0/1/1/1
2	NDG	C	1	2	-	1/6/26/26	0/1/1/1
2	GAL	C	2	2	-	2/2/19/22	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	NDG	C1-C2	3.87	1.57	1.52
2	B	2	GAL	C2-C3	3.53	1.57	1.52
2	B	1	NDG	C1-C2	3.29	1.56	1.52
2	B	1	NDG	C4-C5	3.17	1.59	1.53
2	C	1	NDG	C4-C5	3.13	1.59	1.53
2	B	2	GAL	C1-C2	2.78	1.58	1.52
2	B	1	NDG	O6-C6	-2.77	1.30	1.42
2	C	2	GAL	C2-C3	2.68	1.56	1.52
2	C	1	NDG	O6-C6	-2.67	1.31	1.42
2	C	2	GAL	C1-C2	2.56	1.58	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	GAL	C1-O5-C5	3.52	116.90	112.19
2	C	2	GAL	C1-O5-C5	3.47	116.84	112.19
2	B	1	NDG	C1-O5-C5	3.00	119.46	113.65
2	B	1	NDG	O5-C5-C6	-2.90	99.26	106.44
2	C	1	NDG	C1-O5-C5	2.85	119.17	113.65
2	C	1	NDG	C1-C2-C3	-2.66	106.92	110.54
2	C	1	NDG	O5-C5-C6	-2.56	100.09	106.44
2	B	1	NDG	C1-C2-C3	-2.54	107.08	110.54
2	B	2	GAL	C1-C2-C3	2.31	113.01	109.64
2	C	2	GAL	C1-C2-C3	2.12	112.72	109.64

There are no chirality outliers.


All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	2	GAL	O5-C5-C6-O6
2	B	2	GAL	O5-C5-C6-O6
2	C	2	GAL	C4-C5-C6-O6
2	B	1	NDG	O5-C5-C6-O6
2	C	1	NDG	O5-C5-C6-O6
2	B	2	GAL	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	1315	-	5,5,5	4.84	5 (100%)	5,5,5	6.10	3 (60%)
3	GOL	A	1316	-	5,5,5	4.73	5 (100%)	5,5,5	6.16	3 (60%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	1317	-	5,5,5	4.78	5 (100%)	5,5,5	6.12	3 (60%)
3	GOL	A	1318	-	5,5,5	4.82	5 (100%)	5,5,5	6.09	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	1315	-	-	3/4/4/4	-
3	GOL	A	1316	-	-	2/4/4/4	-
3	GOL	A	1317	-	-	2/4/4/4	-
3	GOL	A	1318	-	-	2/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1315	GOL	C3-C2	-8.24	1.20	1.51
3	A	1318	GOL	C3-C2	-8.19	1.20	1.51
3	A	1317	GOL	C3-C2	-8.03	1.21	1.51
3	A	1316	GOL	C3-C2	-7.89	1.21	1.51
3	A	1317	GOL	O1-C1	4.57	1.61	1.42
3	A	1316	GOL	O1-C1	4.57	1.61	1.42
3	A	1315	GOL	O1-C1	4.47	1.61	1.42
3	A	1318	GOL	O1-C1	4.42	1.61	1.42
3	A	1316	GOL	O3-C3	3.37	1.56	1.42
3	A	1317	GOL	O3-C3	3.31	1.56	1.42
3	A	1318	GOL	O3-C3	3.27	1.56	1.42
3	A	1318	GOL	C1-C2	-3.20	1.39	1.51
3	A	1316	GOL	C1-C2	-3.15	1.39	1.51
3	A	1315	GOL	C1-C2	-3.15	1.39	1.51
3	A	1315	GOL	O3-C3	3.14	1.55	1.42
3	A	1315	GOL	O2-C2	-3.12	1.34	1.43
3	A	1317	GOL	C1-C2	-3.05	1.40	1.51
3	A	1318	GOL	O2-C2	-2.93	1.34	1.43
3	A	1317	GOL	O2-C2	-2.91	1.34	1.43
3	A	1316	GOL	O2-C2	-2.74	1.35	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1316	GOL	O3-C3-C2	11.28	161.14	110.38
3	A	1317	GOL	O3-C3-C2	11.13	160.49	110.38
3	A	1315	GOL	O3-C3-C2	11.09	160.31	110.38
3	A	1318	GOL	O3-C3-C2	10.97	159.79	110.38
3	A	1318	GOL	O2-C2-C3	7.27	139.30	109.18
3	A	1315	GOL	O2-C2-C3	7.18	138.90	109.18
3	A	1316	GOL	O2-C2-C3	7.17	138.85	109.18
3	A	1317	GOL	O2-C2-C3	7.15	138.80	109.18
3	A	1317	GOL	O1-C1-C2	3.40	125.69	110.38
3	A	1318	GOL	O1-C1-C2	3.35	125.47	110.38
3	A	1315	GOL	O1-C1-C2	3.34	125.40	110.38
3	A	1316	GOL	O1-C1-C2	3.27	125.09	110.38

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1315	GOL	C1-C2-C3-O3
3	A	1316	GOL	C1-C2-C3-O3
3	A	1317	GOL	C1-C2-C3-O3
3	A	1318	GOL	O1-C1-C2-C3
3	A	1318	GOL	C1-C2-C3-O3
3	A	1316	GOL	O1-C1-C2-O2
3	A	1317	GOL	O1-C1-C2-O2
3	A	1315	GOL	O1-C1-C2-O2
3	A	1315	GOL	O1-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/315 (99%)	0.23	30 (9%) 13 11	18, 33, 94, 118	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	181	THR	7.3
1	A	261	GLY	7.2
1	A	258	ALA	7.1
1	A	182	SER	6.6
1	A	31	SER	6.0
1	A	179	GLU	6.0
1	A	260	PRO	5.8
1	A	180	ASN	5.7
1	A	184	GLN	5.6
1	A	314	THR	5.0
1	A	262	GLU	4.5
1	A	185	THR	4.5
1	A	263	THR	4.2
1	A	256	VAL	4.1
1	A	178	LEU	3.9
1	A	313	VAL	3.9
1	A	259	GLY	3.8
1	A	176	GLN	3.3
1	A	77	PRO	3.0
1	A	190	PHE	2.9
1	A	225	GLU	2.9
1	A	189	SER	2.8
1	A	175	THR	2.7
1	A	224	ALA	2.7
1	A	257	ARG	2.7
1	A	315	ALA	2.5
1	A	93	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	183	SER	2.4
1	A	45	ASP	2.2
1	A	177	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NDG	C	1	15/15	0.80	0.15	62,66,74,75	0
2	NDG	B	1	15/15	0.87	0.12	37,41,46,46	0
2	GAL	C	2	11/12	0.91	0.11	57,60,62,62	0
2	GAL	B	2	11/12	0.95	0.06	33,36,38,39	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	1317	6/6	0.80	0.17	77,77,78,78	0
3	GOL	A	1315	6/6	0.84	0.21	59,62,63,63	0
3	GOL	A	1316	6/6	0.91	0.12	53,54,56,57	0
3	GOL	A	1318	6/6	0.93	0.12	51,52,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.