



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 11:15 PM UTC

PDB ID : 3W35 / pdb_00003w35
Title : Crystal structure of apo-type bacterial Vanadium-dependent chloroperoxidase
Authors : Liscombe, D.K.; Miyanaga, A.; Fielding, E.; Bernhardt, P.; Li, A.; Winter, J.M.; Gilson, M.K.; Noel, J.P.; Moore, B.S.
Deposited on : 2012-12-11
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	2% 64% 18% • • 14%
1	B	531	3% 69% 15% • • 13%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7547 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NapH1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	459	Total	C	N	O	S	0	0	0
			3646	2306	662	668	10			
1	B	463	Total	C	N	O	S	0	0	0
			3674	2323	666	675	10			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP A7KH27
A	-2	SER	-	expression tag	UNP A7KH27
A	-1	HIS	-	expression tag	UNP A7KH27
A	0	GLY	-	expression tag	UNP A7KH27
B	-3	GLY	-	expression tag	UNP A7KH27
B	-2	SER	-	expression tag	UNP A7KH27
B	-1	HIS	-	expression tag	UNP A7KH27
B	0	GLY	-	expression tag	UNP A7KH27


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	76	Total	O	0	0
			76	76		
2	B	151	Total	O	0	0
			151	151		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NapH1



• Molecule 1: NapH1





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.71Å 137.43Å 156.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	62.81 – 2.40 62.81 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.1 (62.81-2.40) 97.1 (62.81-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.211 , 0.272 0.214 , 0.270	Depositor DCC
R_{free} test set	2514 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.496	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 28.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7547	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.91	0/3753	1.10	11/5116 (0.2%)
1	B	1.01	1/3782 (0.0%)	1.17	23/5158 (0.4%)
All	All	0.96	1/7535 (0.0%)	1.14	34/10274 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	203	TYR	N-CA	6.49	1.54	1.46

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	242	ASN	N-CA-C	9.68	124.48	112.87
1	A	197	GLY	N-CA-C	9.12	125.14	112.37
1	A	262	VAL	CB-CA-C	-7.74	98.97	111.59
1	B	262	VAL	CB-CA-C	-7.40	99.26	111.32
1	B	242	ASN	N-CA-C	7.29	121.82	112.34
1	B	107	ALA	CA-C-N	-7.26	112.31	119.87
1	B	107	ALA	C-N-CA	-7.26	112.31	119.87
1	B	345	MET	N-CA-C	-6.51	96.94	110.80
1	B	116	VAL	CB-CA-C	-6.42	104.16	111.55
1	A	262	VAL	N-CA-CB	6.29	118.56	110.13
1	B	220	GLU	CA-C-N	-6.11	114.47	120.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	220	GLU	C-N-CA	-6.11	114.47	120.52
1	B	242	ASN	CB-CA-C	-5.94	96.87	110.18
1	B	417	VAL	CB-CA-C	-5.83	102.09	111.59
1	A	197	GLY	CA-C-N	5.73	132.02	121.70
1	A	197	GLY	C-N-CA	5.73	132.02	121.70
1	B	422	GLU	N-CA-C	5.72	118.46	111.82
1	B	342	ASN	N-CA-C	5.67	122.87	110.80
1	A	420	HIS	N-CA-C	5.64	113.21	108.13
1	B	312	ASP	N-CA-C	-5.62	105.06	111.07
1	A	472	ILE	N-CA-C	5.41	115.49	108.35
1	A	370	HIS	N-CA-C	-5.38	105.31	111.07
1	A	242	ASN	CB-CA-C	-5.38	98.43	110.21
1	B	222	VAL	N-CA-CB	-5.20	105.17	112.35
1	B	352	HIS	N-CA-C	-5.17	105.72	111.36
1	B	441	TYR	N-CA-C	-5.11	105.17	111.40
1	B	241	HIS	CA-C-N	5.09	128.83	120.63
1	B	241	HIS	C-N-CA	5.09	128.83	120.63
1	A	287	PHE	N-CA-C	5.08	119.11	113.01
1	B	122	ARG	CB-CA-C	-5.08	101.58	109.61
1	B	417	VAL	N-CA-CB	5.07	116.92	110.13
1	B	258	THR	N-CA-C	-5.06	101.45	109.59
1	B	116	VAL	N-CA-C	-5.01	107.50	111.81
1	B	262	VAL	N-CA-CB	5.01	118.55	110.13

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	196	ASP	Peptide
1	B	344	GLU	Peptide
1	B	466	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3646	0	3502	82	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3674	0	3526	55	0
2	A	76	0	0	0	0
2	B	151	0	0	2	0
All	All	7547	0	7028	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:LYS:NZ	1:B:431:CYS:SG	2.40	0.93
1:A:324:LYS:NZ	1:A:431:CYS:SG	2.41	0.91
1:A:314:ARG:HG2	1:A:490:TRP:CD2	2.12	0.84
1:A:476:THR:HG22	1:A:479:ASP:H	1.49	0.77
1:B:385:ARG:HD3	2:B:659:HOH:O	1.85	0.77
1:B:143:HIS:CG	1:B:161:MET:HE1	2.20	0.76
1:A:354:MET:HE2	1:A:354:MET:HA	1.68	0.75
1:A:198:MET:HE1	1:A:263:THR:HB	1.66	0.75
1:A:455:ALA:HB2	1:A:468:LYS:O	1.87	0.74
1:A:482:ARG:O	1:A:482:ARG:HD3	1.88	0.74
1:B:111:GLU:HG3	1:B:112:THR:HG23	1.69	0.73
1:A:157:LEU:HG	1:A:161:MET:HE2	1.70	0.72
1:A:332:SER:OG	1:A:354:MET:HE1	1.90	0.72
1:A:143:HIS:CD2	1:A:161:MET:HE1	2.26	0.70
1:A:92:LEU:HD22	1:A:361:THR:CG2	2.21	0.70
1:A:309:ASN:O	1:A:314:ARG:NH1	2.25	0.69
1:A:91:PHE:CD1	1:A:325:LEU:HD13	2.28	0.68
1:B:427:SER:HA	1:B:430:LEU:HD13	1.74	0.68
1:A:314:ARG:HG2	1:A:490:TRP:CE2	2.28	0.68
1:A:340:ASP:OD1	1:A:343:ASN:O	2.13	0.65
1:A:445:ASP:OD2	1:A:476:THR:HG23	1.97	0.65
1:B:143:HIS:CD2	1:B:161:MET:HE1	2.32	0.64
1:A:150:LEU:O	1:A:152:GLN:N	2.31	0.63
1:B:390:ASN:OD1	1:B:409:SER:OG	2.12	0.62
1:A:92:LEU:HD22	1:A:361:THR:HG21	1.83	0.61
1:A:340:ASP:OD1	1:A:345:MET:O	2.18	0.60
1:A:92:LEU:HD13	1:A:361:THR:HG23	1.84	0.60
1:A:198:MET:HE1	1:A:263:THR:CB	2.32	0.59
1:A:343:ASN:C	1:A:343:ASN:HD22	2.11	0.59
1:A:148:ARG:HD3	1:A:190:PHE:CD2	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:HIS:CG	1:A:161:MET:HE1	2.39	0.58
1:A:343:ASN:C	1:A:343:ASN:ND2	2.61	0.58
1:B:163:ALA:O	1:B:164:LEU:HB2	2.03	0.58
1:B:324:LYS:NZ	1:B:484:CYS:SG	2.63	0.58
1:B:117:TYR:OH	1:B:272:HIS:HE1	1.87	0.57
1:A:198:MET:HE1	1:A:263:THR:CG2	2.35	0.56
1:A:158:ARG:HA	1:A:161:MET:HE3	1.87	0.55
1:A:235:GLN:HB3	1:A:382:THR:HG21	1.89	0.54
1:A:439:ARG:HD3	1:A:445:ASP:OD1	2.08	0.54
1:B:435:SER:OG	1:B:481:THR:CG2	2.55	0.54
1:A:343:ASN:HD22	1:A:344:GLU:N	2.06	0.54
1:B:166:LEU:N	1:B:166:LEU:HD23	2.23	0.54
1:A:99:TRP:HD1	1:A:358:VAL:HG11	1.73	0.54
1:A:196:ASP:OD1	1:A:197:GLY:HA2	2.08	0.53
1:A:455:ALA:CB	1:A:468:LYS:O	2.57	0.52
1:A:197:GLY:O	1:A:216:TYR:OH	2.16	0.51
1:A:482:ARG:HD3	1:A:482:ARG:C	2.33	0.51
1:A:487:SER:HA	1:A:490:TRP:CE3	2.45	0.51
1:B:167:ASP:OD1	1:B:169:SER:OG	2.30	0.50
1:A:198:MET:HE2	1:A:213:TRP:CE3	2.46	0.50
1:A:458:THR:HG23	1:A:465:THR:O	2.12	0.50
1:B:161:MET:HE3	1:B:168:PRO:HB3	1.92	0.50
1:B:324:LYS:HE3	1:B:427:SER:HB2	1.94	0.50
1:A:197:GLY:HA3	1:A:199:ASN:H	1.76	0.50
1:A:262:VAL:O	1:A:263:THR:C	2.54	0.49
1:A:79:THR:HB	1:A:83:LEU:HD22	1.93	0.49
1:A:369:TRP:CZ3	1:A:372:LYS:HE3	2.47	0.49
1:A:433:ALA:HB2	1:A:506:GLY:O	2.13	0.49
1:A:207:LYS:HD3	1:A:208:TYR:CE2	2.46	0.49
1:A:390:ASN:ND2	1:A:409:SER:OG	2.46	0.49
1:B:113:ALA:O	1:B:122:ARG:NH2	2.42	0.48
1:A:476:THR:HG22	1:A:479:ASP:N	2.26	0.48
1:B:79:THR:HB	1:B:153:GLN:NE2	2.28	0.48
1:B:133:ASN:ND2	1:B:178:PRO:HG3	2.29	0.48
1:A:198:MET:HE2	1:A:213:TRP:HE3	1.78	0.48
1:A:281:ARG:HH11	1:A:281:ARG:HG2	1.78	0.47
1:A:275:ARG:HB2	1:A:279:ARG:NH1	2.29	0.47
1:A:258:THR:OG1	1:B:258:THR:HB	2.13	0.47
1:B:394:ARG:NH1	2:B:637:HOH:O	2.46	0.47
1:B:143:HIS:CD2	1:B:161:MET:CE	2.97	0.47
1:A:290:HIS:HA	1:A:296:TYR:CD1	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:485:ALA:HB1	1:A:499:VAL:HB	1.96	0.46
1:A:211:ARG:O	1:A:212:PRO:C	2.58	0.46
1:A:275:ARG:HB2	1:A:279:ARG:HH12	1.81	0.46
1:A:314:ARG:HG2	1:A:490:TRP:CE3	2.49	0.46
1:A:59:ASP:OD2	1:A:132:ARG:NH1	2.49	0.45
1:B:262:VAL:HG22	1:B:419:ASP:OD1	2.16	0.45
1:A:328:ILE:HD11	1:A:430:LEU:HD11	1.97	0.45
1:A:363:GLU:N	1:A:364:PRO:CD	2.78	0.45
1:B:78:PRO:O	1:B:79:THR:HB	2.15	0.45
1:B:117:TYR:OH	1:B:272:HIS:CE1	2.68	0.45
1:B:79:THR:O	1:B:80:LEU:C	2.60	0.45
1:A:122:ARG:O	1:A:123:ARG:HD2	2.17	0.45
1:B:320:ILE:CD1	1:B:451:ILE:HG21	2.46	0.45
1:B:320:ILE:HD13	1:B:451:ILE:HG21	1.98	0.45
1:B:328:ILE:HD11	1:B:430:LEU:HD21	1.99	0.45
1:B:486:THR:HG22	1:B:490:TRP:CE2	2.52	0.44
1:B:345:MET:CG	1:B:345:MET:O	2.66	0.44
1:A:92:LEU:HD22	1:A:361:THR:HG23	1.97	0.44
1:A:109:TYR:HB3	1:A:134:LEU:HD11	1.99	0.44
1:B:363:GLU:N	1:B:364:PRO:CD	2.81	0.44
1:B:78:PRO:O	1:B:79:THR:CB	2.65	0.44
1:A:507:GLU:O	1:A:508:GLN:C	2.61	0.43
1:A:224:THR:HG22	1:A:226:PHE:H	1.83	0.43
1:B:140:HIS:CE1	1:B:179:VAL:HG13	2.54	0.43
1:B:399:VAL:HB	1:B:461:GLU:HG2	2.01	0.43
1:B:466:PRO:HB2	1:B:468:LYS:O	2.17	0.43
1:A:311:ASN:OD1	1:A:311:ASN:C	2.61	0.43
1:A:83:LEU:HD12	1:A:83:LEU:HA	1.90	0.43
1:B:262:VAL:O	1:B:263:THR:C	2.62	0.43
1:A:472:ILE:CD1	1:A:473:HIS:H	2.32	0.43
1:A:361:THR:HG22	1:A:362:PHE:N	2.33	0.43
1:A:281:ARG:HH11	1:A:281:ARG:CG	2.32	0.43
1:A:330:HIS:O	1:A:334:VAL:HG23	2.19	0.42
1:B:371:HIS:O	1:B:372:LYS:C	2.61	0.42
1:B:83:LEU:HD23	1:B:83:LEU:HA	1.96	0.42
1:B:378:VAL:CG2	1:B:382:THR:HB	2.50	0.42
1:B:68:GLN:NE2	1:B:354:MET:HE1	2.35	0.42
1:B:456:GLY:O	1:B:462:PRO:O	2.36	0.42
1:B:485:ALA:HB1	1:B:499:VAL:HB	2.01	0.42
1:B:321:MET:HE1	1:B:480:PHE:CE1	2.55	0.42
1:B:219:TYR:CD2	1:B:219:TYR:C	2.98	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:GLN:HA	1:A:153:GLN:HA	1.50	0.42
1:A:174:ASN:OD1	1:A:174:ASN:C	2.63	0.42
1:A:343:ASN:O	1:A:345:MET:N	2.52	0.42
1:B:122:ARG:NH1	1:B:122:ARG:HG2	2.34	0.42
1:A:226:PHE:CZ	1:B:260:HIS:CE1	3.08	0.41
1:A:275:ARG:CZ	1:A:275:ARG:HB3	2.47	0.41
1:A:335:ILE:HD13	1:A:442:PHE:CD2	2.55	0.41
1:B:103:PHE:CD2	1:B:103:PHE:C	2.98	0.41
1:A:99:TRP:CD1	1:A:358:VAL:HG11	2.52	0.41
1:A:151:PRO:O	1:A:152:GLN:CB	2.69	0.41
1:B:122:ARG:HH11	1:B:122:ARG:CG	2.34	0.41
1:B:223:ASN:HD21	1:B:230:ASN:H	1.68	0.41
1:A:172:THR:O	1:A:180:GLY:HA2	2.20	0.41
1:A:360:ALA:O	1:A:364:PRO:HG2	2.21	0.41
1:B:345:MET:O	1:B:345:MET:HG2	2.21	0.41
1:B:447:LEU:HD13	1:B:477:TRP:CE2	2.56	0.41
1:A:324:LYS:O	1:A:325:LEU:C	2.64	0.41
1:A:378:VAL:HG22	1:A:379:ARG:O	2.20	0.41
1:B:120:ILE:HD13	1:B:181:ILE:HG23	2.03	0.41
1:A:153:GLN:HG2	1:A:156:GLN:HG3	2.03	0.40
1:B:344:GLU:O	1:B:345:MET:CB	2.69	0.40
1:B:516:PHE:CD2	1:B:516:PHE:C	2.99	0.40
1:B:314:ARG:HG2	1:B:490:TRP:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	455/531 (86%)	428 (94%)	14 (3%)	13 (3%)	3 3
1	B	459/531 (86%)	434 (95%)	19 (4%)	6 (1%)	9 14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	914/1062 (86%)	862 (94%)	33 (4%)	19 (2%)	5 7

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	122	ARG
1	A	164	LEU
1	A	344	GLU
1	A	345	MET
1	A	468	LYS
1	B	164	LEU
1	A	58	LEU
1	A	152	GLN
1	A	469	ASP
1	A	508	GLN
1	B	153	GLN
1	A	151	PRO
1	A	342	ASN
1	B	79	THR
1	A	198	MET
1	B	331	SER
1	B	342	ASN
1	A	57	ASP
1	B	154	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	382/430 (89%)	350 (92%)	32 (8%)	10 17
1	B	386/430 (90%)	364 (94%)	22 (6%)	18 33
All	All	768/860 (89%)	714 (93%)	54 (7%)	14 24

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	83	LEU
1	A	86	MET
1	A	98	VAL
1	A	122	ARG
1	A	134	LEU
1	A	142	GLN
1	A	152	GLN
1	A	154	VAL
1	A	164	LEU
1	A	193	LEU
1	A	224	THR
1	A	242	ASN
1	A	262	VAL
1	A	275	ARG
1	A	279	ARG
1	A	281	ARG
1	A	293	THR
1	A	298	ARG
1	A	331	SER
1	A	335	ILE
1	A	343	ASN
1	A	361	THR
1	A	382	THR
1	A	394	ARG
1	A	399	VAL
1	A	427	SER
1	A	443	ASP
1	A	447	LEU
1	A	468	LYS
1	A	472	ILE
1	A	476	THR
1	B	60	LYS
1	B	79	THR
1	B	86	MET
1	B	122	ARG
1	B	134	LEU
1	B	142	GLN
1	B	152	GLN
1	B	154	VAL
1	B	166	LEU
1	B	222	VAL
1	B	258	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	262	VAL
1	B	275	ARG
1	B	279	ARG
1	B	333	ILE
1	B	344	GLU
1	B	399	VAL
1	B	417	VAL
1	B	430	LEU
1	B	481	THR
1	B	482	ARG
1	B	484	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	110	HIS
1	A	140	HIS
1	A	188	ASN
1	A	209	ASN
1	A	237	GLN
1	A	242	ASN
1	A	309	ASN
1	A	323	ASN
1	A	337	ASN
1	A	341	GLN
1	A	343	ASN
1	A	348	HIS
1	A	390	ASN
1	A	508	GLN
1	B	95	ASN
1	B	131	ASN
1	B	133	ASN
1	B	140	HIS
1	B	152	GLN
1	B	223	ASN
1	B	260	HIS
1	B	272	HIS
1	B	341	GLN
1	B	386	HIS
1	B	436	GLN
1	B	452	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	459/531 (86%)	0.04	8 (1%) 69 65	23, 43, 67, 94	0
1	B	463/531 (87%)	-0.10	14 (3%) 52 48	24, 35, 62, 117	0
All	All	922/1062 (86%)	-0.03	22 (2%) 59 55	23, 39, 67, 117	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	78	PRO	5.6
1	A	523	GLY	4.2
1	B	153	GLN	3.9
1	B	80	LEU	3.8
1	B	525	VAL	3.7
1	A	80	LEU	3.5
1	B	78	PRO	3.4
1	B	333	ILE	3.3
1	B	68	GLN	3.2
1	B	69	PRO	3.2
1	A	153	GLN	3.0
1	A	472	ILE	2.9
1	B	77	SER	2.8
1	A	152	GLN	2.7
1	B	339	TYR	2.6
1	B	342	ASN	2.5
1	A	468	LYS	2.5
1	B	152	GLN	2.5
1	B	79	THR	2.3
1	A	83	LEU	2.2
1	B	305	ASP	2.2
1	B	336	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.