



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:30 PM UTC

PDB ID : 3W3N / pdb_00003w3n
Title : Crystal structure of human TLR8 in complex with Resiquimod (R848) crystal form 3
Authors : Tanji, H.; Ohto, U.; Shimizu, T.
Deposited on : 2012-12-22
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	811	2% 82% 10% 7%
1	B	811	8% 79% 13% 8%
2	C	5	40% 60%
2	E	5	100%
2	F	5	40% 60%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	5	 60% 40%
3	D	3	 100%
3	G	3	 67% 33%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 13256 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	751	Total	C	N	O	S	0	0	0
			6039	3861	1025	1134	19			
1	B	749	Total	C	N	O	S	0	0	0
			5994	3836	1019	1120	19			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ARG	-	expression tag	UNP Q9NR97
A	24	SER	-	expression tag	UNP Q9NR97
A	25	PRO	-	expression tag	UNP Q9NR97
A	26	TRP	-	expression tag	UNP Q9NR97
A	828	GLU	-	expression tag	UNP Q9NR97
A	829	PHE	-	expression tag	UNP Q9NR97
A	830	LEU	-	expression tag	UNP Q9NR97
A	831	VAL	-	expression tag	UNP Q9NR97
A	832	PRO	-	expression tag	UNP Q9NR97
A	833	ARG	-	expression tag	UNP Q9NR97
B	23	ARG	-	expression tag	UNP Q9NR97
B	24	SER	-	expression tag	UNP Q9NR97
B	25	PRO	-	expression tag	UNP Q9NR97
B	26	TRP	-	expression tag	UNP Q9NR97
B	828	GLU	-	expression tag	UNP Q9NR97
B	829	PHE	-	expression tag	UNP Q9NR97
B	830	LEU	-	expression tag	UNP Q9NR97
B	831	VAL	-	expression tag	UNP Q9NR97
B	832	PRO	-	expression tag	UNP Q9NR97
B	833	ARG	-	expression tag	UNP Q9NR97

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	5	Total	C	N	O	0	0	0
			61	34	2	25			
2	E	5	Total	C	N	O	0	0	0
			61	34	2	25			
2	F	5	Total	C	N	O	0	0	0
			61	34	2	25			
2	H	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	G	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is 1-[4-amino-2-(ethoxymethyl)-1H-imidazo[4,5-c]quinolin-1-yl]-2-methylpropan-

2-ol (CCD ID: RX8) (formula: $C_{17}H_{22}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			23	17	4	2		
5	B	1	Total	C	N	O	0	0
			23	17	4	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	419	Total 419	O 419	0	0
7	B	248	Total 248	O 248	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Toll-like receptor 8



• Molecule 1: Toll-like receptor 8






• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.22Å 100.78Å 265.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.39 – 2.10 28.39 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.7 (28.39-2.10) 95.6 (28.39-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, R_{free}	0.200 , 0.233 0.201 , 0.233	Depositor DCC
R_{free} test set	6503 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	40.7	Xtriage
Anisotropy	0.321	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13256	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, RX8, MAN, GOL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/6164	0.73	2/8361 (0.0%)
1	B	0.34	0/6119	0.74	4/8302 (0.0%)
All	All	0.33	0/12283	0.74	6/16663 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	407	LYS	N-CA-C	7.18	119.19	111.36
1	B	795	ILE	CA-C-N	5.83	126.02	120.31
1	B	795	ILE	C-N-CA	5.83	126.02	120.31
1	A	393	LEU	CA-C-N	5.53	125.19	119.05
1	A	393	LEU	C-N-CA	5.53	125.19	119.05
1	B	183	PHE	CB-CA-C	-5.16	110.60	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6039	0	6005	41	0
1	B	5994	0	5937	59	0
2	C	61	0	52	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	61	0	52	0	0
2	F	61	0	52	0	0
2	H	61	0	52	0	0
3	D	39	0	34	0	0
3	G	39	0	34	1	0
4	A	84	0	78	1	0
4	B	98	0	91	0	0
5	A	23	0	22	1	0
5	B	23	0	22	3	0
6	A	6	0	8	0	0
7	A	419	0	0	10	0
7	B	248	0	0	10	0
All	All	13256	0	12439	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:664:ALA:O	7:B:1025:HOH:O	1.89	0.91
1:B:625:ASN:OD1	7:B:1187:HOH:O	1.95	0.83
1:A:333:LEU:O	7:A:1220:HOH:O	2.05	0.74
1:B:775:GLU:O	1:B:780:ILE:HD11	1.91	0.71
1:A:691:GLU:OE2	7:A:1158:HOH:O	2.09	0.70
1:A:389:PRO:O	1:A:392:GLN:NE2	2.25	0.69
1:A:358:ASN:ND2	7:A:1436:HOH:O	2.26	0.69
1:B:779:ASP:N	1:B:779:ASP:OD1	2.25	0.69
1:B:384:GLU:OE2	7:B:1199:HOH:O	2.12	0.68
1:A:760:THR:OG1	1:A:761:THR:N	2.27	0.68
1:A:459:PHE:HB2	7:A:1160:HOH:O	1.94	0.66
1:B:370:ARG:NH1	7:B:1094:HOH:O	2.17	0.65
1:A:350:LYS:NZ	7:A:1454:HOH:O	2.30	0.64
1:A:732:LEU:HD21	1:A:764:LEU:HD22	1.81	0.63
1:B:52:ARG:HG2	1:B:799:VAL:HG11	1.82	0.62
1:B:660:LEU:HD22	1:B:686:GLN:HG3	1.83	0.61
1:B:46:ILE:HG12	1:B:67:GLU:HB2	1.82	0.61
1:A:677:LYS:O	7:A:1410:HOH:O	2.16	0.61
5:B:901:RX8:H9	5:B:901:RX8:H19	1.82	0.60
1:B:795:ILE:HD11	1:B:801:VAL:HG21	1.83	0.60
1:B:748:LEU:H	1:B:773:PRO:HD2	1.66	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:753:LYS:HA	1:B:756:LEU:HD22	1.82	0.60
1:A:776:CYS:HB3	1:A:817:LEU:HD11	1.84	0.60
4:A:1018:NAG:O7	7:A:1384:HOH:O	2.17	0.59
1:A:660:LEU:HD21	1:A:683:LEU:HD22	1.83	0.59
1:A:514:ALA:C	1:B:541:ARG:HH22	2.11	0.59
1:B:654:ILE:O	7:B:1210:HOH:O	2.16	0.58
1:B:300:ARG:HG2	1:B:322:TYR:HB2	1.84	0.58
1:A:782:ASP:OD1	1:A:785:ARG:NH1	2.37	0.58
1:B:677:LYS:HD3	7:B:1204:HOH:O	2.03	0.57
1:B:780:ILE:O	1:B:783:PHE:N	2.37	0.57
1:A:355:GLN:NE2	7:A:1476:HOH:O	2.16	0.56
5:A:1020:RX8:H9	5:A:1020:RX8:H19	1.87	0.56
1:B:574:THR:HG23	5:B:901:RX8:H10	1.88	0.56
1:A:399:ILE:HG12	1:A:420:LEU:HD21	1.86	0.55
1:B:394:PRO:O	1:B:419:ASN:ND2	2.40	0.55
1:B:782:ASP:OD1	1:B:782:ASP:N	2.37	0.55
1:B:357:ILE:HG22	7:B:1031:HOH:O	2.06	0.55
1:A:392:GLN:NE2	1:A:392:GLN:H	2.08	0.52
1:B:375:ARG:HD2	1:B:400:ASN:HD21	1.74	0.52
1:B:739:LYS:HG2	1:B:763:LYS:NZ	2.24	0.52
1:A:212:SER:OG	1:A:233:GLN:NE2	2.42	0.52
1:A:52:ARG:HG2	1:A:799:VAL:HG21	1.91	0.52
1:B:660:LEU:HD21	1:B:683:LEU:HD22	1.92	0.51
1:A:521:LEU:HD13	1:A:550:LEU:HD21	1.93	0.51
1:B:694:ASP:OD2	1:B:696:ARG:NH2	2.42	0.50
1:A:470:PHE:CD1	1:A:472:ARG:HG3	2.47	0.50
1:A:207:SER:HA	1:A:228:PHE:HB2	1.93	0.49
1:B:739:LYS:HG2	1:B:763:LYS:HZ3	1.78	0.49
1:B:64:TYR:HD1	1:B:64:TYR:H	1.61	0.49
1:B:627:ASP:HB2	7:B:1187:HOH:O	2.12	0.48
1:B:730:GLY:H	1:B:755:ALA:HA	1.78	0.48
1:B:476:LYS:HD2	3:G:1:NAG:H83	1.94	0.48
1:B:668:GLU:HG3	1:B:692:LEU:HB3	1.96	0.48
1:A:806:PRO:HD2	1:A:809:GLN:HB2	1.95	0.48
1:B:365:LYS:NZ	7:B:1135:HOH:O	2.44	0.48
1:B:725:SER:HA	1:B:747:LEU:O	2.13	0.48
1:B:792:ASN:OD1	1:B:792:ASN:N	2.47	0.47
1:B:777:THR:H	1:B:780:ILE:CD1	2.27	0.47
1:A:311:PRO:O	1:A:338:ARG:HG3	2.15	0.47
1:A:49:CYS:HB3	1:A:70:LEU:HD23	1.97	0.47
1:B:732:LEU:HD12	1:B:756:LEU:HD12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:HB3	1:A:235:LYS:HE3	1.61	0.46
1:A:792:ASN:OD1	1:A:792:ASN:N	2.47	0.46
1:A:348:TYR:CD2	5:B:901:RX8:H3	2.51	0.45
1:B:716:THR:HG23	1:B:740:HIS:HB3	1.98	0.45
1:B:512:LEU:HB2	1:B:537:LEU:HD23	1.98	0.45
1:A:140:ILE:HD13	1:A:166:ILE:HD11	1.99	0.45
1:B:545:ASP:OD1	1:B:574:THR:OG1	2.26	0.45
1:B:177:LEU:HB2	1:B:208:LEU:HD23	2.00	0.43
1:B:385:ASP:HA	1:B:388:GLN:HG2	2.01	0.43
1:B:141:PRO:HB2	1:B:144:LEU:HD21	2.01	0.43
1:B:729:SER:HA	1:B:755:ALA:HA	2.01	0.43
1:B:806:PRO:HG2	1:B:808:ASP:OD1	2.19	0.43
1:B:375:ARG:NE	7:B:1195:HOH:O	2.52	0.43
1:A:259:ARG:NH1	1:A:321:ASN:O	2.48	0.42
1:B:373:HIS:HA	1:B:400:ASN:HB3	2.01	0.42
1:A:280:ARG:HH22	1:A:308:LYS:HE2	1.84	0.42
1:B:728:PRO:HG2	1:B:731:PHE:HD2	1.85	0.42
1:A:211:ASN:O	1:A:232:THR:HA	2.19	0.42
1:B:411:PHE:HB3	1:B:504:LEU:HD13	2.02	0.42
1:B:211:ASN:O	1:B:232:THR:HA	2.19	0.42
1:B:217:PRO:HA	1:B:218:PRO:HD3	1.84	0.41
1:B:226:LYS:HG2	1:B:250:LEU:HB3	2.01	0.41
1:A:234:ILE:O	1:A:256:ASN:HB3	2.21	0.41
1:A:512:LEU:HD12	1:A:512:LEU:HA	1.90	0.41
1:B:780:ILE:HG22	1:B:784:ARG:HG2	2.02	0.41
1:A:428:ASN:HB3	1:A:429:ARG:H	1.75	0.41
1:A:576:HIS:HB3	1:A:578:GLU:OE1	2.20	0.41
1:B:670:HIS:HA	1:B:694:ASP:HB3	2.02	0.41
1:A:736:SER:O	1:A:763:LYS:HG2	2.21	0.41
1:B:521:LEU:HD13	1:B:550:LEU:HD21	2.03	0.41
1:A:181:CYS:HB3	7:A:1506:HOH:O	2.21	0.41
1:B:677:LYS:HE3	1:B:677:LYS:HB3	1.85	0.41
1:B:766:MET:HE2	1:B:796:PRO:HG3	2.01	0.41
1:A:592:SER:HA	1:A:616:SER:O	2.21	0.40
1:B:620:LEU:HD11	1:B:646:LEU:HD22	2.03	0.40
1:B:641:LEU:O	1:B:665:SER:OG	2.36	0.40
1:A:303:ASN:HB3	1:A:306:TRP:CE2	2.56	0.40
1:A:709:ASP:OD1	7:A:1460:HOH:O	2.21	0.40
1:B:578:GLU:O	1:B:581:GLN:HG2	2.22	0.40
1:A:382:LEU:HG	1:A:413:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	745/811 (92%)	711 (95%)	32 (4%)	2 (0%)	36	36
1	B	743/811 (92%)	710 (96%)	31 (4%)	2 (0%)	36	36
All	All	1488/1622 (92%)	1421 (96%)	63 (4%)	4 (0%)	36	36

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	797	ARG
1	A	378	VAL
1	B	378	VAL
1	A	330	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	694/755 (92%)	671 (97%)	23 (3%)	33	37
1	B	683/755 (90%)	653 (96%)	30 (4%)	25	26
All	All	1377/1510 (91%)	1324 (96%)	53 (4%)	29	32

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	CYS
1	A	52	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	89	LEU
1	A	122	LEU
1	A	200	LEU
1	A	243	LYS
1	A	248	LEU
1	A	268	VAL
1	A	372	LEU
1	A	392	GLN
1	A	429	ARG
1	A	431	SER
1	A	512	LEU
1	A	582	ASN
1	A	602	LYS
1	A	605	LEU
1	A	671	ILE
1	A	701	LEU
1	A	703	LEU
1	A	760	THR
1	A	797	ARG
1	A	815	VAL
1	A	817	LEU
1	B	49	CYS
1	B	52	ARG
1	B	80	ASN
1	B	131	LEU
1	B	200	LEU
1	B	243	LYS
1	B	248	LEU
1	B	275	SER
1	B	287	THR
1	B	301	LYS
1	B	412	LYS
1	B	433	LEU
1	B	504	LEU
1	B	516	SER
1	B	569	ARG
1	B	595	ASN
1	B	632	ILE
1	B	671	ILE
1	B	677	LYS
1	B	701	LEU
1	B	703	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	725	SER
1	B	726	HIS
1	B	752	ASN
1	B	756	LEU
1	B	775	GLU
1	B	779	ASP
1	B	782	ASP
1	B	795	ILE
1	B	802	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	123	ASN
1	A	184	ASN
1	A	233	GLN
1	A	392	GLN
1	A	415	GLN
1	A	770	HIS
1	B	123	ASN
1	B	191	ASN
1	B	309	ASN
1	B	400	ASN
1	B	419	ASN
1	B	499	ASN
1	B	593	HIS
1	B	740	HIS
1	B	809	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.57	0	17,19,21	0.77	1 (5%)
2	NAG	C	2	2	14,14,15	0.65	0	17,19,21	0.76	1 (5%)
2	BMA	C	3	2	11,11,12	0.78	1 (9%)	15,15,17	0.85	0
2	MAN	C	4	2	11,11,12	0.61	0	15,15,17	0.51	0
2	MAN	C	5	2	11,11,12	0.62	0	15,15,17	0.65	0
3	NAG	D	1	1,3	14,14,15	0.55	0	17,19,21	0.79	0
3	NAG	D	2	3	14,14,15	0.59	0	17,19,21	0.81	0
3	BMA	D	3	3	11,11,12	0.57	0	15,15,17	0.73	0
2	NAG	E	1	2,1	14,14,15	0.59	0	17,19,21	0.92	1 (5%)
2	NAG	E	2	2	14,14,15	0.59	0	17,19,21	0.73	1 (5%)
2	BMA	E	3	2	11,11,12	1.28	2 (18%)	15,15,17	1.89	3 (20%)
2	MAN	E	4	2	11,11,12	0.54	0	15,15,17	0.99	1 (6%)
2	MAN	E	5	2	11,11,12	0.76	0	15,15,17	1.08	1 (6%)
2	NAG	F	1	2,1	14,14,15	0.52	0	17,19,21	0.76	1 (5%)
2	NAG	F	2	2	14,14,15	0.66	0	17,19,21	0.89	1 (5%)
2	BMA	F	3	2	11,11,12	0.80	1 (9%)	15,15,17	0.94	1 (6%)
2	MAN	F	4	2	11,11,12	0.66	0	15,15,17	0.61	0
2	MAN	F	5	2	11,11,12	0.65	0	15,15,17	0.69	0
3	NAG	G	1	1,3	14,14,15	0.51	0	17,19,21	0.88	1 (5%)
3	NAG	G	2	3	14,14,15	0.62	0	17,19,21	0.81	0
3	BMA	G	3	3	11,11,12	0.67	0	15,15,17	0.65	0
2	NAG	H	1	2,1	14,14,15	0.50	0	17,19,21	0.82	0
2	NAG	H	2	2	14,14,15	0.60	0	17,19,21	0.94	1 (5%)
2	BMA	H	3	2	11,11,12	0.82	1 (9%)	15,15,17	0.75	0
2	MAN	H	4	2	11,11,12	0.59	0	15,15,17	0.83	0
2	MAN	H	5	2	11,11,12	0.66	0	15,15,17	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	0/2/19/22	0/1/1/1
2	MAN	C	5	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	1/2/19/22	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
2	MAN	E	5	2	-	0/2/19/22	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	BMA	F	3	2	-	2/2/19/22	0/1/1/1
2	MAN	F	4	2	-	0/2/19/22	0/1/1/1
2	MAN	F	5	2	-	2/2/19/22	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	BMA	H	3	2	-	0/2/19/22	0/1/1/1
2	MAN	H	4	2	-	0/2/19/22	0/1/1/1
2	MAN	H	5	2	-	2/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	3	BMA	O5-C1	-2.97	1.38	1.43
2	E	3	BMA	C4-C5	2.44	1.58	1.53
2	C	3	BMA	O5-C1	-2.14	1.40	1.43
2	F	3	BMA	O5-C1	-2.14	1.40	1.43
2	H	3	BMA	O5-C1	-2.07	1.40	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	3	BMA	C1-O5-C5	5.95	120.15	112.19
2	E	1	NAG	O5-C1-C2	-2.83	106.92	111.29
2	E	5	MAN	C1-O5-C5	-2.73	108.53	112.19
2	E	3	BMA	O5-C5-C6	-2.55	102.70	107.66
3	G	1	NAG	C1-O5-C5	2.47	115.50	112.19
2	H	2	NAG	C2-N2-C7	-2.33	119.78	122.90
2	F	3	BMA	O2-C2-C3	-2.26	105.47	110.15
2	F	2	NAG	O5-C1-C2	-2.21	107.87	111.29
2	C	2	NAG	O5-C1-C2	-2.19	107.90	111.29
2	C	1	NAG	O5-C1-C2	-2.18	107.92	111.29
2	E	2	NAG	C2-N2-C7	-2.07	120.13	122.90
2	E	3	BMA	C3-C4-C5	2.06	113.97	110.23
2	E	4	MAN	C1-O5-C5	2.06	114.94	112.19
2	F	1	NAG	O5-C1-C2	-2.03	108.15	111.29

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	5	MAN	O5-C5-C6-O6
2	H	5	MAN	O5-C5-C6-O6
2	C	5	MAN	C4-C5-C6-O6
2	H	5	MAN	C4-C5-C6-O6
2	F	3	BMA	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	E	3	BMA	O5-C5-C6-O6
2	F	3	BMA	O5-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
2	F	5	MAN	C4-C5-C6-O6
2	F	5	MAN	O5-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









Oligosaccharide Chain H



Oligosaccharide Chain D





5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1019	1	14,14,15	0.55	0	17,19,21	0.86	1 (5%)
4	NAG	B	910	1	14,14,15	0.50	0	17,19,21	1.03	1 (5%)
4	NAG	B	920	1	14,14,15	0.48	0	17,19,21	0.75	0
4	NAG	B	921	1	14,14,15	0.44	0	17,19,21	1.27	1 (5%)
4	NAG	A	1017	1	14,14,15	0.47	0	17,19,21	1.93	2 (11%)
4	NAG	A	1009	1	14,14,15	0.52	0	17,19,21	0.70	0
5	RX8	A	1020	-	25,25,25	1.59	4 (16%)	36,37,37	1.72	9 (25%)
5	RX8	B	901	-	25,25,25	1.57	4 (16%)	36,37,37	1.52	7 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	1015	1	14,14,15	0.49	0	17,19,21	1.22	2 (11%)
4	NAG	B	917	1	14,14,15	0.52	0	17,19,21	0.80	0
6	GOL	A	1021	-	5,5,5	0.39	0	5,5,5	0.27	0
4	NAG	B	918	1	14,14,15	0.57	0	17,19,21	0.60	0
4	NAG	A	1018	1	14,14,15	0.58	0	17,19,21	0.87	1 (5%)
4	NAG	A	1016	1	14,14,15	0.51	0	17,19,21	0.73	0
4	NAG	B	916	1	14,14,15	0.46	0	17,19,21	0.96	2 (11%)
4	NAG	B	919	1	14,14,15	0.42	0	17,19,21	1.66	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1019	1	-	0/6/23/26	0/1/1/1
4	NAG	B	910	1	-	2/6/23/26	0/1/1/1
4	NAG	B	920	1	-	1/6/23/26	0/1/1/1
4	NAG	B	921	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1017	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1009	1	-	2/6/23/26	0/1/1/1
5	RX8	A	1020	-	-	4/9/9/9	0/3/3/3
5	RX8	B	901	-	-	4/9/9/9	0/3/3/3
4	NAG	A	1015	1	-	4/6/23/26	0/1/1/1
4	NAG	B	917	1	-	2/6/23/26	0/1/1/1
6	GOL	A	1021	-	-	0/4/4/4	-
4	NAG	B	918	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1018	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1016	1	-	1/6/23/26	0/1/1/1
4	NAG	B	916	1	-	2/6/23/26	0/1/1/1
4	NAG	B	919	1	-	0/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1020	RX8	C-N	3.64	1.43	1.34
5	B	901	RX8	C-N	3.58	1.43	1.34
5	A	1020	RX8	C3-C2	3.48	1.49	1.44
5	B	901	RX8	C2-C1	-3.22	1.37	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	901	RX8	C3-C2	3.21	1.48	1.44
5	A	1020	RX8	C2-C1	-3.08	1.37	1.42
5	A	1020	RX8	O1-C10	-2.80	1.37	1.44
5	B	901	RX8	O1-C10	-2.76	1.38	1.44

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1017	NAG	C1-O5-C5	6.94	121.49	112.19
4	B	919	NAG	C1-O5-C5	4.32	117.98	112.19
5	A	1020	RX8	N3-C5-N2	-3.89	109.10	112.92
4	B	921	NAG	C1-O5-C5	3.76	117.22	112.19
5	A	1020	RX8	C9-N3-C5	-3.65	124.78	127.87
5	A	1020	RX8	C6-O-C7	3.43	120.07	112.97
5	B	901	RX8	N3-C5-N2	-3.30	109.69	112.92
4	B	910	NAG	C1-O5-C5	3.21	116.49	112.19
5	B	901	RX8	C9-N3-C5	-3.19	125.16	127.87
4	A	1015	NAG	C1-O5-C5	3.15	116.41	112.19
5	A	1020	RX8	C6-C5-N3	2.92	126.57	123.15
5	A	1020	RX8	C3-N3-C5	2.90	108.95	106.69
5	B	901	RX8	C6-O-C7	2.87	118.91	112.97
5	A	1020	RX8	C4-N2-C5	2.82	108.12	104.87
4	A	1015	NAG	C2-N2-C7	-2.76	119.19	122.90
5	A	1020	RX8	O-C6-C5	2.65	116.33	110.78
5	A	1020	RX8	C3-C4-N2	-2.64	108.34	111.51
4	B	919	NAG	C6-C5-C4	-2.60	106.63	113.02
5	B	901	RX8	C3-C4-N2	-2.45	108.57	111.51
5	B	901	RX8	C6-C5-N3	2.39	125.95	123.15
4	B	916	NAG	C2-N2-C7	-2.36	119.74	122.90
4	A	1019	NAG	C1-O5-C5	2.34	115.32	112.19
5	B	901	RX8	C3-N3-C5	2.31	108.49	106.69
5	B	901	RX8	C4-N2-C5	2.31	107.53	104.87
4	A	1018	NAG	C1-O5-C5	2.30	115.27	112.19
4	B	919	NAG	C2-N2-C7	-2.18	119.98	122.90
4	B	919	NAG	C3-C4-C5	2.14	114.12	110.23
5	A	1020	RX8	C2-C3-N3	2.07	135.11	131.58
4	A	1017	NAG	O5-C1-C2	2.03	114.43	111.29
4	B	916	NAG	C1-O5-C5	2.02	114.89	112.19

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1009	NAG	C8-C7-N2-C2
4	A	1009	NAG	O7-C7-N2-C2
4	A	1017	NAG	C8-C7-N2-C2
4	A	1017	NAG	O7-C7-N2-C2
5	A	1020	RX8	O1-C10-C9-N3
5	A	1020	RX8	C5-C6-O-C7
5	B	901	RX8	O1-C10-C9-N3
5	B	901	RX8	C11-C10-C9-N3
5	B	901	RX8	C12-C10-C9-N3
5	B	901	RX8	C5-C6-O-C7
4	B	916	NAG	C4-C5-C6-O6
4	B	910	NAG	C8-C7-N2-C2
4	B	916	NAG	O5-C5-C6-O6
4	B	910	NAG	O7-C7-N2-C2
4	A	1015	NAG	C4-C5-C6-O6
5	A	1020	RX8	C12-C10-C9-N3
4	A	1015	NAG	C8-C7-N2-C2
4	B	917	NAG	C4-C5-C6-O6
5	A	1020	RX8	C11-C10-C9-N3
4	A	1015	NAG	O5-C5-C6-O6
4	B	921	NAG	C8-C7-N2-C2
4	A	1015	NAG	O7-C7-N2-C2
4	B	920	NAG	C4-C5-C6-O6
4	B	921	NAG	O7-C7-N2-C2
4	A	1016	NAG	O5-C5-C6-O6
4	B	917	NAG	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1020	RX8	1	0
5	B	901	RX8	3	0
4	A	1018	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	751/811 (92%)	0.02	16 (2%) 63 66	19, 35, 62, 92	0
1	B	749/811 (92%)	0.44	64 (8%) 16 17	21, 46, 87, 107	0
All	All	1500/1622 (92%)	0.23	80 (5%) 32 34	19, 40, 78, 107	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	817	LEU	5.7
1	B	733	SER	5.5
1	B	762	THR	4.7
1	A	433	LEU	4.7
1	B	678	PHE	4.3
1	B	757	GLU	4.3
1	B	755	ALA	4.2
1	B	64	TYR	3.9
1	A	392	GLN	3.9
1	B	470	PHE	3.8
1	B	459	PHE	3.6
1	B	760	THR	3.5
1	B	799	VAL	3.4
1	B	729	SER	3.4
1	B	802	ILE	3.3
1	B	63	LYS	3.3
1	B	782	ASP	3.3
1	A	760	THR	3.1
1	A	100	VAL	3.1
1	A	31	SER	3.1
1	B	791	LEU	3.1
1	B	710	PHE	3.0
1	B	40	LYS	3.0
1	B	758	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	761	THR	3.0
1	B	43	ASP	3.0
1	B	752	ASN	2.9
1	B	811	GLY	2.9
1	B	329	SER	2.8
1	B	272	GLY	2.8
1	B	756	LEU	2.7
1	B	582	ASN	2.7
1	B	653	HIS	2.7
1	B	725	SER	2.7
1	A	762	THR	2.7
1	B	41	GLN	2.6
1	B	776	CYS	2.6
1	B	84	GLN	2.6
1	B	761	THR	2.6
1	B	124	LEU	2.6
1	B	433	LEU	2.6
1	B	284	GLN	2.6
1	B	86	LEU	2.6
1	B	732	LEU	2.6
1	B	805	SER	2.6
1	B	764	LEU	2.5
1	B	113	GLY	2.5
1	B	495	PHE	2.5
1	A	113	GLY	2.5
1	A	730	GLY	2.5
1	A	33	SER	2.5
1	A	43	ASP	2.4
1	B	705	ASP	2.4
1	A	459	PHE	2.4
1	B	807	GLY	2.4
1	A	678	PHE	2.4
1	B	42	ASN	2.3
1	A	240	GLU	2.3
1	B	754	SER	2.3
1	B	96	HIS	2.3
1	B	726	HIS	2.3
1	B	771	GLY	2.3
1	B	812	LYS	2.2
1	B	798	LEU	2.2
1	B	704	THR	2.2
1	B	792	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	774	PHE	2.2
1	B	753	LYS	2.2
1	A	807	GLY	2.1
1	A	817	LEU	2.1
1	B	727	LEU	2.1
1	B	777	THR	2.1
1	B	786	TRP	2.1
1	B	781	GLY	2.1
1	B	702	PHE	2.1
1	B	815	VAL	2.1
1	B	803	CYS	2.0
1	B	100	VAL	2.0
1	B	797	ARG	2.0
1	B	806	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	H	5	11/12	0.54	0.16	73,79,84,86	0
2	MAN	E	5	11/12	0.62	0.16	67,73,81,82	0
3	BMA	D	3	11/12	0.70	0.15	63,67,69,69	0
2	MAN	F	4	11/12	0.73	0.14	45,60,66,67	0
2	MAN	H	4	11/12	0.73	0.11	72,78,86,87	0
2	MAN	E	4	11/12	0.75	0.14	69,73,76,76	0
3	BMA	G	3	11/12	0.75	0.11	69,72,73,74	0
2	MAN	C	5	11/12	0.77	0.14	56,66,71,76	0
2	MAN	F	5	11/12	0.80	0.14	70,73,76,77	0
2	MAN	C	4	11/12	0.83	0.11	33,39,47,55	0
2	BMA	H	3	11/12	0.86	0.11	49,63,71,74	0
3	NAG	D	2	14/15	0.89	0.09	36,49,53,56	0
2	BMA	F	3	11/12	0.90	0.10	39,56,63,64	0
2	BMA	E	3	11/12	0.91	0.10	40,55,67,75	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	H	1	14/15	0.91	0.07	23,31,34,41	0
3	NAG	G	2	14/15	0.91	0.10	44,57,67,72	0
2	NAG	H	2	14/15	0.91	0.07	30,34,43,43	0
2	BMA	C	3	11/12	0.92	0.09	32,43,54,56	0
2	NAG	F	2	14/15	0.92	0.08	30,33,37,38	0
2	NAG	F	1	14/15	0.94	0.09	27,29,35,37	0
2	NAG	E	2	14/15	0.94	0.09	21,26,36,47	0
2	NAG	E	1	14/15	0.95	0.05	18,21,27,28	0
2	NAG	C	1	14/15	0.96	0.06	17,21,29,31	0
3	NAG	D	1	14/15	0.96	0.05	20,23,28,34	0
2	NAG	C	2	14/15	0.97	0.05	19,23,32,35	0
3	NAG	G	1	14/15	0.97	0.04	22,28,36,37	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	1015	14/15	0.70	0.14	52,64,74,75	0
4	NAG	B	920	14/15	0.71	0.14	77,82,86,87	0
4	NAG	B	910	14/15	0.77	0.13	44,60,67,75	0
4	NAG	B	921	14/15	0.79	0.14	68,72,74,77	0
4	NAG	A	1017	14/15	0.80	0.13	62,68,75,78	0
4	NAG	B	916	14/15	0.80	0.11	64,75,83,83	0
4	NAG	A	1016	14/15	0.83	0.10	62,65,67,69	0
4	NAG	A	1009	14/15	0.84	0.12	48,56,68,73	0
6	GOL	A	1021	6/6	0.84	0.16	66,71,73,74	0
4	NAG	B	919	14/15	0.87	0.09	52,57,63,69	0
4	NAG	B	917	14/15	0.87	0.10	50,60,73,76	0
4	NAG	B	918	14/15	0.94	0.08	44,52,56,57	0
4	NAG	A	1018	14/15	0.95	0.06	36,42,50,51	0
5	RX8	B	901	23/23	0.96	0.07	22,29,41,45	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	1019	14/15	0.96	0.06	29,31,34,34	0
5	RX8	A	1020	23/23	0.97	0.07	22,32,41,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around RX8 B 901:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around RX8 A 1020:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.