



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:22 PM UTC

PDB ID : 8W3G / pdb_00008w3g
Title : Crystal structure of prefusion-stabilized RSV F protein UFCR1(1TD0)
Authors : Lee, Y.Z.; Stanfield, R.L.; Wilson, I.A.; Zhu, J.
Deposited on : 2024-02-22
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	F	639	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3553 atoms, of which 6 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prefusion-stabilized RSV F protein UFCR1(1TD0).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	F	445	3438	2162	571	682	23	0	1	0

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	F	1	10	2	6	2	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	91	Total	O	0	0
			91	91		

- Molecule 1: Prefusion-stabilized RSV F protein UFCR1(1TD0)



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 3 2	Depositor
Cell constants a, b, c, α , β , γ	168.82Å 168.82Å 168.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.69 – 2.28 26.69 – 2.28	Depositor EDS
% Data completeness (in resolution range)	99.2 (26.69-2.28) 99.4 (26.69-2.28)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.223 , 0.255 0.224 , 0.251	Depositor DCC
R_{free} test set	1880 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	52.3	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3553	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	F	0.50	0/3491	0.89	3/4734 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	F	389	PRO	CA-C-N	-5.46	112.01	120.31
1	F	389	PRO	C-N-CA	-5.46	112.01	120.31
1	F	445	LYS	CB-CG-CD	5.18	123.22	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3438	0	3475	97	0
2	F	4	6	6	1	0
3	F	14	0	13	3	0
4	F	91	0	0	2	0
All	All	3547	6	3494	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:97:MET:HA	1:F:97:MET:HE2	1.37	1.06
1:F:292:ILE:HD11	1:F:297:LEU:HD13	1.45	0.96
1:F:292:ILE:HD13	1:F:297:LEU:HA	1.60	0.83
1:F:171:LEU:HD11	1:F:189:THR:HG22	1.64	0.78
1:F:497:GLU:HB3	3:F:702:NAG:H83	1.63	0.78
1:F:292:ILE:HD11	1:F:297:LEU:CD1	2.14	0.78
1:F:237:PHE:CE2	1:F:289:MET:HG2	2.22	0.75
1:F:200:ASP:HA	1:F:204:LEU:HG	1.68	0.74
1:F:290:CYS:SG	1:F:300:VAL:HG23	2.28	0.73
1:F:83:LEU:HD21	1:F:203:LEU:HD23	1.72	0.71
1:F:260:LEU:O	1:F:264:MET:HG3	1.92	0.68
1:F:293:LYS:HG2	1:F:294:GLU:HG3	1.75	0.68
1:F:481:LEU:HD22	1:F:481:LEU:H	1.57	0.68
1:F:101:PRO:HG2	1:F:241:ALA:HB1	1.76	0.68
1:F:77:LYS:HE2	1:F:81:GLN:HE21	1.59	0.67
1:F:154:VAL:O	1:F:157:VAL:HG22	1.96	0.66
1:F:267:THR:HG22	1:F:270:GLN:HG3	1.78	0.66
1:F:357:THR:HG21	4:F:856:HOH:O	1.96	0.64
1:F:77:LYS:HE2	1:F:81:GLN:NE2	2.16	0.61
1:F:354:GLN:O	1:F:357:THR:HG22	2.00	0.61
1:F:497:GLU:CB	3:F:702:NAG:H83	2.31	0.61
1:F:292:ILE:CD1	1:F:297:LEU:HA	2.31	0.61
1:F:84:ASP:HA	1:F:87:LYS:HD3	1.83	0.60
1:F:97:MET:HA	1:F:97:MET:CE	2.23	0.59
1:F:478:TYR:O	1:F:480:PRO:HD3	2.03	0.58
1:F:497:GLU:HB3	3:F:702:NAG:C8	2.32	0.58
1:F:237:PHE:CD2	1:F:289:MET:HG2	2.38	0.58
1:F:48:LEU:HD22	1:F:367:CYS:HB2	1.84	0.57
1:F:85:LYS:HA	1:F:88[B]:ASN:ND2	2.20	0.57
1:F:392:ASP:OD2	1:F:491:SER:HB2	2.05	0.56
1:F:267:THR:CG2	1:F:270:GLN:HG3	2.35	0.56
1:F:495:VAL:O	1:F:499:ILE:HG13	2.06	0.56
1:F:432:ILE:HD11	1:F:447:VAL:HG22	1.87	0.56
1:F:52:TRP:CE3	1:F:302:GLN:HG2	2.41	0.55
1:F:392:ASP:OD2	1:F:491:SER:CB	2.55	0.54
1:F:61:LEU:O	1:F:196:LYS:HB2	2.07	0.54
1:F:97:MET:SD	1:F:290:CYS:O	2.65	0.54
1:F:143:GLY:O	1:F:144:SER:HB2	2.08	0.53
1:F:88[B]:ASN:OD1	1:F:89:ALA:N	2.42	0.53
1:F:290:CYS:HB2	1:F:298:ALA:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:494:GLN:O	1:F:497:GLU:HG2	2.10	0.52
1:F:66:GLU:HG3	1:F:87:LYS:NZ	2.25	0.52
1:F:66:GLU:HG3	1:F:87:LYS:HZ1	1.75	0.52
1:F:237:PHE:CE2	1:F:251:MET:HE1	2.45	0.51
1:F:37:CYS:SG	1:F:319:SER:HB3	2.50	0.51
1:F:503:LEU:O	1:F:507:ARG:HG3	2.10	0.51
1:F:392:ASP:CG	1:F:491:SER:HB2	2.36	0.51
1:F:398:SER:HA	1:F:485:SER:O	2.12	0.50
1:F:97:MET:SD	1:F:289:MET:HE3	2.52	0.49
1:F:383:ASN:C	2:F:701:EDO:H22	2.37	0.49
1:F:237:PHE:CZ	1:F:251:MET:HE1	2.48	0.48
1:F:385:ASP:O	1:F:388:ASN:HB3	2.12	0.48
1:F:491:SER:HG	1:F:494:GLN:H	1.60	0.48
1:F:175:ASN:OD1	1:F:175:ASN:N	2.45	0.48
1:F:246:PRO:HB3	1:F:283:GLN:HA	1.94	0.47
1:F:66:GLU:CG	1:F:87:LYS:HZ1	2.27	0.47
1:F:361:GLN:O	1:F:362:SER:HB2	2.14	0.47
1:F:72:THR:O	1:F:72:THR:HG23	2.15	0.47
1:F:53:TYR:OH	1:F:188:LEU:HD12	2.15	0.47
1:F:321:LEU:HD11	1:F:473:PRO:HB3	1.97	0.47
1:F:199:ILE:HA	1:F:203:LEU:HB2	1.96	0.47
1:F:292:ILE:CD1	1:F:297:LEU:HB2	2.45	0.46
1:F:97:MET:HE2	1:F:97:MET:CA	2.25	0.46
1:F:273:LEU:HD11	1:F:364:ARG:CD	2.45	0.46
1:F:50:THR:OG1	1:F:307:GLY:HA3	2.16	0.46
1:F:237:PHE:CD2	1:F:289:MET:CG	2.98	0.46
1:F:481:LEU:HD22	1:F:481:LEU:N	2.29	0.46
1:F:354:GLN:HB2	4:F:856:HOH:O	2.15	0.45
1:F:334:LEU:HD21	1:F:474:ILE:HG13	1.99	0.45
1:F:354:GLN:O	1:F:357:THR:CG2	2.64	0.45
1:F:491:SER:OG	1:F:494:GLN:N	2.41	0.45
1:F:97:MET:SD	1:F:289:MET:CE	3.05	0.45
1:F:253:THR:OG1	1:F:256:GLU:HG3	2.16	0.45
1:F:365:VAL:HG12	1:F:367:CYS:SG	2.56	0.45
1:F:249:THR:HA	1:F:252:LEU:O	2.17	0.45
1:F:198:TYR:OH	1:F:222:GLU:HB3	2.16	0.44
1:F:188:LEU:HD11	1:F:263:ASP:O	2.18	0.44
1:F:266:ILE:HD11	1:F:271:LYS:HG2	2.00	0.44
1:F:267:THR:CG2	1:F:270:GLN:CG	2.96	0.44
1:F:206:ILE:HD13	1:F:213:SER:HB3	2.00	0.44
1:F:237:PHE:CZ	1:F:289:MET:HG2	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:266:ILE:HD12	1:F:270:GLN:HB2	2.00	0.44
1:F:292:ILE:HD11	1:F:297:LEU:HB2	1.99	0.43
1:F:204:LEU:HB2	1:F:205:PRO:HD3	2.00	0.43
1:F:53:TYR:CG	1:F:264:MET:HE3	2.53	0.43
1:F:171:LEU:HD13	1:F:191:LYS:HB2	2.01	0.42
1:F:196:LYS:HD2	1:F:295:GLU:OE2	2.19	0.42
1:F:356:GLU:H	1:F:356:GLU:CD	2.27	0.42
1:F:257:LEU:O	1:F:261:ILE:HG13	2.20	0.42
1:F:352:PHE:CE2	1:F:372:SER:HB3	2.55	0.41
1:F:171:LEU:HD22	1:F:175:ASN:O	2.21	0.41
1:F:301:VAL:HG12	1:F:303:LEU:CD2	2.51	0.41
1:F:176:LYS:HE2	1:F:176:LYS:HB3	1.62	0.41
1:F:79:ILE:HD13	1:F:79:ILE:HA	1.94	0.40
1:F:491:SER:OG	1:F:494:GLN:HB3	2.21	0.40
1:F:273:LEU:HD11	1:F:364:ARG:HD2	2.04	0.40
1:F:209:LYS:HE3	1:F:209:LYS:HB3	1.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	444/639 (70%)	426 (96%)	18 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	407/573 (71%)	401 (98%)	6 (2%)	57 72

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	72	THR
1	F	73	ASP
1	F	161	GLU
1	F	357	THR
1	F	370	MET
1	F	384	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	81	GLN
1	F	165	ASN
1	F	224	GLN
1	F	270	GLN
1	F	276	ASN
1	F	371	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	F	702	1	14,14,15	0.57	0	17,19,21	1.07	2 (11%)
2	EDO	F	701	-	3,3,3	0.69	0	2,2,2	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	F	702	1	-	1/6/23/26	0/1/1/1
2	EDO	F	701	-	-	1/1/1/1	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	702	NAG	C1-O5-C5	2.65	115.73	112.19
3	F	702	NAG	C1-C2-N2	2.16	113.83	110.43

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	702	NAG	C3-C2-N2-C7
2	F	701	EDO	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	702	NAG	3	0
2	F	701	EDO	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	F	445/639 (69%)	0.80	60 (13%) 7 7	36, 62, 104, 139	1 (0%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	101	PRO	8.2
1	F	102	ALA	7.9
1	F	505	PHE	7.4
1	F	100	THR	7.2
1	F	103	THR	6.7
1	F	506	ILE	5.1
1	F	329	GLY	4.8
1	F	144	SER	4.6
1	F	167	ILE	4.5
1	F	143	GLY	4.3
1	F	211	SER	4.3
1	F	503	LEU	4.2
1	F	328	GLU	4.1
1	F	68	LYS	3.7
1	F	504	ALA	3.6
1	F	209	LYS	3.5
1	F	208	ASN	3.4
1	F	172	LEU	3.2
1	F	507	ARG	3.2
1	F	171	LEU	3.1
1	F	509	SER	3.1
1	F	184	GLY	3.1
1	F	326	THR	3.0
1	F	145	GLY	3.0
1	F	71	GLY	3.0
1	F	214	ILE	2.9
1	F	175	ASN	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	292	ILE	2.9
1	F	206	ILE	2.8
1	F	388	ASN	2.8
1	F	213	SER	2.7
1	F	155	CYS	2.7
1	F	174	THR	2.6
1	F	205	PRO	2.6
1	F	291	ILE	2.5
1	F	97	MET	2.5
1	F	98	GLN	2.5
1	F	66	GLU	2.5
1	F	69	CYS	2.4
1	F	187	VAL	2.4
1	F	501	GLN	2.4
1	F	96	LEU	2.4
1	F	67	ASN	2.3
1	F	160	LEU	2.3
1	F	63	ASN	2.3
1	F	355	ALA	2.3
1	F	70	ASN	2.3
1	F	481	LEU	2.3
1	F	72	THR	2.2
1	F	290	CYS	2.1
1	F	241	ALA	2.1
1	F	188	LEU	2.1
1	F	84	ASP	2.1
1	F	204	LEU	2.1
1	F	180	SER	2.1
1	F	400	THR	2.1
1	F	179	VAL	2.1
1	F	293	LYS	2.0
1	F	186	SER	2.0
1	F	235	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	F	702	14/15	0.42	0.19	94,119,123,124	0
2	EDO	F	701	4/4	0.91	0.18	46,55,65,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.