



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:14 PM UTC

PDB ID : 8W4I / pdb_00008w4i
Title : Crystal structure of EndoSz mutant D234M in space group P21
Authors : Guan, H.H.; Lin, C.C.; Hsieh, Y.C.; Chen, C.J.
Deposited on : 2023-08-24
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	992	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6903 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glycoside hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	876	Total	C	N	O	S	80	0	0
			6902	4375	1152	1360	15			


- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: glycoside hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	51.41Å 101.72Å 129.24Å 90.00° 90.37° 90.00°	Depositor
Resolution (Å)	28.30 – 2.90 28.30 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (28.30-2.90) 99.6 (28.30-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.90Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.229 , 0.273 0.232 , 0.273	Depositor DCC
R_{free} test set	2002 reflections (6.79%)	wwPDB-VP
Wilson B-factor (Å ²)	61.3	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.031 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6903	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	1/7035 (0.0%)	0.65	1/9501 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	170	VAL	CA-CB	10.94	1.60	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	823	LYS	N-CA-C	-7.01	104.34	113.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6902	0	6887	136	0
2	A	1	0	0	0	0
All	All	6903	0	6887	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:GLY:HA2	1:A:439:MET:HE1	1.64	0.80
1:A:453:PHE:HB2	1:A:459:ARG:HG3	1.64	0.78
1:A:364:VAL:HG11	1:A:412:LYS:HE3	1.65	0.77
1:A:704:THR:HG21	1:A:706:LYS:HE3	1.67	0.76
1:A:852:LEU:HD12	1:A:853:GLU:HG3	1.68	0.75
1:A:797:THR:HG22	1:A:798:SER:H	1.51	0.73
1:A:279:MET:HE1	1:A:291:ILE:HA	1.72	0.72
1:A:827:ALA:O	1:A:831:LYS:NZ	2.24	0.71
1:A:316:ASP:OD2	1:A:321:LYS:NZ	2.26	0.69
1:A:481:ARG:HA	1:A:503:GLU:HB2	1.74	0.68
1:A:782:LYS:NZ	1:A:792:THR:O	2.25	0.66
1:A:302:LEU:HD22	1:A:343:MET:HB2	1.78	0.66
1:A:134:LYS:O	1:A:134:LYS:HG2	1.94	0.66
1:A:282:THR:HG22	1:A:304:GLN:HB2	1.79	0.64
1:A:299:ASP:O	1:A:341:GLN:HG2	1.97	0.64
1:A:829:TYR:HE2	1:A:869:GLN:HA	1.63	0.63
1:A:305:VAL:HG21	1:A:326:MET:HE1	1.81	0.63
1:A:650:ALA:O	1:A:728:SER:HA	1.99	0.62
1:A:410:HIS:HD2	1:A:411:PRO:O	1.82	0.62
1:A:686:ILE:O	1:A:689:HIS:ND1	2.32	0.60
1:A:891:LYS:HG3	1:A:892:SER:H	1.66	0.60
1:A:615:THR:HG22	1:A:620:VAL:HB	1.85	0.59
1:A:248:SER:HB3	1:A:251:GLY:H	1.68	0.58
1:A:302:LEU:HB3	1:A:399:PHE:CE1	2.38	0.58
1:A:390:LYS:NZ	1:A:529:LEU:O	2.37	0.57
1:A:597:LEU:HD23	1:A:603:ASN:HB3	1.86	0.57
1:A:220:ASP:HA	1:A:224:TYR:HB2	1.85	0.57
1:A:291:ILE:O	1:A:295:ALA:N	2.36	0.57
1:A:319:ASN:HB2	1:A:321:LYS:NZ	2.19	0.57
1:A:484:ASN:O	1:A:487:ILE:HG12	2.05	0.57
1:A:715:SER:OG	1:A:731:GLU:OE2	2.23	0.56
1:A:173:LEU:HD23	1:A:176:GLN:NE2	2.21	0.56
1:A:795:LEU:HD11	1:A:896:TYR:HB3	1.87	0.56
1:A:869:GLN:H	1:A:869:GLN:CD	2.12	0.56
1:A:779:ASN:HB3	1:A:795:LEU:O	2.06	0.56
1:A:125:LYS:O	1:A:129:PRO:HG3	2.06	0.56
1:A:541:ARG:HG3	1:A:542:LYS:H	1.71	0.56
1:A:387:TRP:O	1:A:395:LYS:HE3	2.07	0.55
1:A:788:LEU:HD23	1:A:901:GLU:HG2	1.89	0.55
1:A:848:VAL:HG22	1:A:849:LYS:H	1.72	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:959:ASP:OD2	1:A:959:ASP:N	2.40	0.55
1:A:657:GLN:HG2	1:A:737:PHE:HE1	1.72	0.54
1:A:186:TRP:HB3	1:A:239:SER:O	2.08	0.53
1:A:832:GLU:CD	1:A:890:LYS:HD3	2.32	0.53
1:A:235:ILE:HD11	1:A:290:LEU:HD23	1.90	0.53
1:A:818:PHE:CE1	1:A:871:PHE:HB3	2.43	0.53
1:A:951:LEU:HD23	1:A:961:ILE:HD13	1.91	0.53
1:A:453:PHE:HB2	1:A:459:ARG:CG	2.38	0.53
1:A:165:LEU:HA	1:A:169:HIS:HB2	1.89	0.53
1:A:301:LEU:HD23	1:A:337:ILE:HD13	1.91	0.52
1:A:913:ALA:O	1:A:917:THR:HG23	2.09	0.52
1:A:709:LYS:HE3	1:A:738:PHE:HB2	1.91	0.52
1:A:709:LYS:NZ	1:A:743:SER:HB2	2.26	0.51
1:A:512:LYS:HG3	1:A:563:GLU:HB3	1.91	0.51
1:A:697:ASP:OD2	1:A:700:ALA:N	2.43	0.51
1:A:483:ASP:OD1	1:A:483:ASP:N	2.38	0.51
1:A:113:PRO:HB2	1:A:439:MET:HE2	1.93	0.51
1:A:507:LEU:H	1:A:558:LEU:HD12	1.76	0.50
1:A:672:ILE:HD12	1:A:698:TYR:HE2	1.77	0.50
1:A:724:ASP:OD2	1:A:724:ASP:N	2.44	0.50
1:A:166:ALA:HB2	1:A:226:TYR:HB3	1.94	0.50
1:A:319:ASN:HB2	1:A:321:LYS:HZ3	1.76	0.50
1:A:314:GLY:N	1:A:323:VAL:O	2.45	0.49
1:A:643:LYS:HG2	1:A:748:HIS:HE1	1.77	0.49
1:A:716:THR:HA	1:A:761:MET:HE2	1.94	0.49
1:A:773:GLY:O	1:A:854:LYS:NZ	2.45	0.49
1:A:788:LEU:CD2	1:A:901:GLU:HG2	2.42	0.49
1:A:182:ARG:HB2	1:A:228:LEU:HD12	1.94	0.49
1:A:674:SER:HB3	1:A:677:ASP:OD2	2.11	0.49
1:A:606:ILE:O	1:A:610:MET:HG3	2.13	0.49
1:A:819:PHE:O	1:A:900:PRO:HD2	2.13	0.48
1:A:675:GLU:HG3	1:A:698:TYR:CE1	2.49	0.48
1:A:863:ASP:OD1	1:A:864:TYR:N	2.46	0.48
1:A:653:THR:HG22	1:A:724:ASP:HB2	1.95	0.48
1:A:234:MET:HE2	1:A:280:ASP:OD1	2.14	0.47
1:A:667:ASN:OD1	1:A:668:GLN:HG2	2.14	0.47
1:A:463:ILE:HG13	1:A:464:ALA:N	2.29	0.47
1:A:627:PHE:CZ	1:A:686:ILE:HB	2.49	0.47
1:A:845:SER:O	1:A:852:LEU:HD23	2.15	0.47
1:A:456:LYS:O	1:A:460:GLU:HG3	2.14	0.47
1:A:902:LEU:HD21	1:A:904:ILE:HD11	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:675:GLU:CD	1:A:675:GLU:H	2.23	0.47
1:A:731:GLU:HB3	1:A:733:TYR:CE1	2.50	0.46
1:A:709:LYS:HZ1	1:A:743:SER:HB2	1.81	0.46
1:A:173:LEU:HB3	1:A:178:THR:HB	1.97	0.46
1:A:794:THR:OG1	1:A:900:PRO:HA	2.16	0.46
1:A:539:ASP:OD1	1:A:540:ASP:N	2.48	0.46
1:A:852:LEU:CD1	1:A:853:GLU:HG3	2.44	0.46
1:A:829:TYR:CE2	1:A:869:GLN:HA	2.45	0.46
1:A:541:ARG:HG3	1:A:542:LYS:N	2.31	0.46
1:A:138:MET:HE1	1:A:150:VAL:HG22	1.98	0.46
1:A:256:ILE:HG22	1:A:293:ARG:HD2	1.99	0.45
1:A:672:ILE:HG13	1:A:672:ILE:O	2.16	0.45
1:A:256:ILE:HA	1:A:290:LEU:HD11	1.99	0.45
1:A:643:LYS:HG2	1:A:748:HIS:CE1	2.52	0.45
1:A:103:GLU:CD	1:A:104:LYS:H	2.25	0.44
1:A:657:GLN:HG2	1:A:737:PHE:CE1	2.52	0.44
1:A:287:LYS:HE2	1:A:287:LYS:HB3	1.37	0.44
1:A:526:LYS:HB2	1:A:526:LYS:HE3	1.80	0.44
1:A:389:PRO:O	1:A:475:ARG:HD3	2.19	0.43
1:A:466:VAL:HG22	1:A:476:PHE:CD2	2.52	0.43
1:A:507:LEU:HB2	1:A:558:LEU:HD11	1.98	0.43
1:A:542:LYS:O	1:A:544:GLU:N	2.46	0.43
1:A:292:GLU:HG3	1:A:336:TYR:HE1	1.84	0.43
1:A:360:TYR:H	1:A:410:HIS:CE1	2.36	0.43
1:A:392:GLY:H	1:A:477:ASN:HB2	1.82	0.43
1:A:832:GLU:OE1	1:A:890:LYS:HD3	2.19	0.43
1:A:376:ILE:HD13	1:A:431:VAL:HG13	2.01	0.43
1:A:118:TYR:HB2	1:A:401:TYR:HA	2.00	0.43
1:A:374:SER:HA	1:A:431:VAL:HG23	1.99	0.43
1:A:824:ILE:HD13	1:A:824:ILE:N	2.33	0.43
1:A:673:ASN:OD1	1:A:673:ASN:N	2.48	0.42
1:A:704:THR:HG22	1:A:706:LYS:H	1.85	0.42
1:A:187:ARG:HG3	1:A:239:SER:O	2.19	0.42
1:A:312:LYS:HE2	1:A:535:THR:O	2.20	0.42
1:A:284:MET:HB3	1:A:284:MET:HE3	1.72	0.42
1:A:340:GLU:H	1:A:340:GLU:CD	2.28	0.42
1:A:389:PRO:HG2	1:A:393:GLY:O	2.20	0.42
1:A:448:ILE:HD13	1:A:473:LEU:HD21	2.02	0.42
1:A:891:LYS:HG3	1:A:892:SER:N	2.34	0.42
1:A:286:ASP:OD2	1:A:286:ASP:N	2.32	0.41
1:A:826:LYS:HD2	1:A:827:ALA:CB	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:435:LEU:O	1:A:439:MET:HG3	2.20	0.41
1:A:420:ASP:OD1	1:A:420:ASP:N	2.52	0.41
1:A:893:GLN:OE1	1:A:893:GLN:HA	2.18	0.41
1:A:797:THR:HG22	1:A:798:SER:N	2.28	0.41
1:A:227:ASN:OD1	1:A:275:ARG:NH2	2.53	0.41
1:A:861:VAL:HG12	1:A:875:LEU:HD22	2.02	0.41
1:A:283:TYR:CG	1:A:287:LYS:O	2.73	0.41
1:A:595:LEU:O	1:A:632:PRO:HG3	2.21	0.41
1:A:120:ARG:HD2	1:A:122:TRP:CZ2	2.56	0.41
1:A:911:GLU:HG2	1:A:914:THR:HB	2.02	0.40
1:A:143:LYS:HE2	1:A:143:LYS:HB3	1.85	0.40
1:A:602:GLU:HA	1:A:602:GLU:OE1	2.21	0.40
1:A:542:LYS:C	1:A:544:GLU:H	2.28	0.40
1:A:867:GLU:CD	1:A:867:GLU:N	2.79	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	874/992 (88%)	806 (92%)	63 (7%)	5 (1%)	21 51

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	878	ILE
1	A	132	LYS
1	A	599	ALA
1	A	821	ASP
1	A	822	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	753/847 (89%)	743 (99%)	10 (1%)	61 86

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	284	MET
1	A	286	ASP
1	A	287	LYS
1	A	604	ARG
1	A	626	VAL
1	A	822	SER
1	A	823	LYS
1	A	876	ASN
1	A	893	GLN
1	A	959	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	174	ASN
1	A	319	ASN
1	A	357	ASN
1	A	410	HIS
1	A	484	ASN
1	A	668	GLN
1	A	876	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	867/992 (87%)	0.56	76 (8%) 15 13	31, 69, 110, 160	1 (0%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	971	TYR	4.8
1	A	842	LEU	4.6
1	A	824	ILE	4.6
1	A	798	SER	4.5
1	A	848	VAL	4.4
1	A	935	GLU	4.3
1	A	797	THR	4.1
1	A	850	ASP	3.9
1	A	867	GLU	3.8
1	A	849	LYS	3.7
1	A	602	GLU	3.7
1	A	416	PRO	3.6
1	A	823	LYS	3.3
1	A	418	THR	3.3
1	A	625	PHE	3.3
1	A	599	ALA	3.1
1	A	794	THR	3.1
1	A	841	HIS	3.1
1	A	723	LYS	3.0
1	A	795	LEU	3.0
1	A	827	ALA	3.0
1	A	620	VAL	2.9
1	A	156	LYS	2.9
1	A	617	HIS	2.9
1	A	857	GLU	2.9
1	A	925	LEU	2.9
1	A	839	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	877	ASN	2.8
1	A	826	LYS	2.8
1	A	545	ALA	2.8
1	A	687	ALA	2.7
1	A	972	ILE	2.7
1	A	645	LEU	2.7
1	A	852	LEU	2.7
1	A	893	GLN	2.6
1	A	443	LYS	2.6
1	A	689	HIS	2.6
1	A	690	ARG	2.6
1	A	844	ASP	2.6
1	A	447	LEU	2.5
1	A	750	ALA	2.5
1	A	793	THR	2.5
1	A	919	MET	2.5
1	A	868	ALA	2.5
1	A	412	LYS	2.5
1	A	891	LYS	2.4
1	A	918	THR	2.4
1	A	419	PRO	2.4
1	A	974	LYS	2.4
1	A	420	ASP	2.4
1	A	451	LYS	2.3
1	A	542	LYS	2.3
1	A	870	GLU	2.3
1	A	672	ILE	2.3
1	A	413	LYS	2.3
1	A	799	ASN	2.3
1	A	940	LEU	2.3
1	A	840	GLY	2.3
1	A	683	GLU	2.2
1	A	853	GLU	2.2
1	A	280	ASP	2.2
1	A	309	GLN	2.2
1	A	417	LYS	2.2
1	A	704	THR	2.1
1	A	641	GLY	2.1
1	A	710	ILE	2.1
1	A	825	SER	2.1
1	A	910	PRO	2.1
1	A	155	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	626	VAL	2.0
1	A	692	VAL	2.0
1	A	810	PRO	2.0
1	A	792	THR	2.0
1	A	707	ASP	2.0
1	A	684	GLN	2.0
1	A	822	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	A	1101	1/1	0.97	0.10	90,90,90,90	0

6.5 Other polymers [i](#)

There are no such residues in this entry.