



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:21 AM UTC

PDB ID : 2W58 / pdb_00002w58
Title : Crystal Structure of the DnaI
Authors : Tsai, K.L.; Lo, Y.H.; Sun, Y.J.; Hsiao, C.D.
Deposited on : 2008-12-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	202	
1	B	202	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	B	2305	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 3276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PRIMOSOME COMPONENT (HELICASE LOADER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	188	Total	C	N	O	S	0	0	0
			1539	989	269	273	8			
1	B	188	Total	C	N	O	S	0	0	0
			1538	988	261	281	8			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	75	Total	O	0	0
			75	75		
5	B	91	Total	O	0	0
			91	91		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PRIMOSOME COMPONENT (HELICASE LOADER)



• Molecule 1: PRIMOSOME COMPONENT (HELICASE LOADER)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.63Å 59.53Å 115.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.77 – 2.50 29.77 – 2.50	Depositor EDS
% Data completeness (in resolution range)	83.9 (29.77-2.50) 93.9 (29.77-2.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.78 (at 2.51Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.235 , 0.269 0.249 , 0.279	Depositor DCC
R_{free} test set	1085 reflections (8.03%)	wwPDB-VP
Wilson B-factor (Å ²)	46.3	Xtriage
Anisotropy	0.581	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 49.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3276	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	1/1568 (0.1%)	1.32	30/2105 (1.4%)
1	B	0.72	2/1568 (0.1%)	1.54	40/2110 (1.9%)
All	All	0.65	3/3136 (0.1%)	1.43	70/4215 (1.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	284	LYS	C-N	-6.37	1.25	1.33
1	B	1156	GLU	CA-C	6.09	1.60	1.52
1	B	1211	GLN	N-CA	-5.68	1.38	1.46

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	212	THR	N-CA-C	19.86	139.75	109.96
1	B	1237	SER	N-CA-C	12.49	128.94	110.46
1	B	1234	GLU	N-CA-C	10.93	134.08	110.80
1	B	1275	THR	N-CA-C	9.96	123.37	111.82
1	B	1140	GLY	N-CA-C	-9.84	89.87	113.18
1	B	1238	SER	N-CA-C	9.84	125.78	112.90
1	B	1211	GLN	N-CA-C	9.77	131.61	110.80
1	B	1235	ALA	N-CA-C	9.34	130.69	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1211	GLN	O-C-N	-9.13	110.44	122.59
1	A	273	HIS	N-CA-C	8.92	122.28	111.40
1	B	1210	ASP	CA-CB-CG	8.52	121.11	112.60
1	B	1215	GLU	N-CA-C	-8.45	102.97	113.28
1	A	112	ARG	N-CA-C	-8.21	103.76	113.21
1	B	1139	ASP	CA-CB-CG	8.05	120.65	112.60
1	B	1208	LEU	N-CA-C	-7.93	103.71	113.15
1	A	274	LEU	N-CA-C	7.58	120.06	109.15
1	B	1212	THR	CA-C-O	7.52	128.40	120.42
1	A	287	ALA	N-CA-C	-7.50	103.12	111.82
1	B	1210	ASP	CA-C-O	7.19	130.78	120.51
1	A	122	MET	CA-C-N	7.16	127.59	119.93
1	A	122	MET	C-N-CA	7.16	127.59	119.93
1	B	1159	LYS	N-CA-C	7.01	119.53	111.11
1	A	196	TYR	N-CA-C	-7.00	97.82	108.67
1	B	1216	LYS	N-CA-C	-6.80	102.99	112.45
1	B	1188	ARG	O-C-N	-6.79	115.29	123.10
1	B	1210	ASP	O-C-N	-6.76	113.59	122.59
1	A	264	ASN	N-CA-C	-6.75	104.85	113.23
1	B	1283	GLU	N-CA-C	-6.69	104.87	113.16
1	B	1189	ASN	CA-C-N	6.67	133.98	121.97
1	B	1189	ASN	C-N-CA	6.67	133.98	121.97
1	A	163	GLY	N-CA-C	-6.48	103.69	112.57
1	A	160	LYS	N-CA-C	-6.27	100.76	110.10
1	B	1188	ARG	CA-C-N	-6.05	112.37	120.54
1	B	1188	ARG	C-N-CA	-6.05	112.37	120.54
1	A	222	LYS	N-CA-C	5.96	120.84	113.50
1	A	211	GLN	CA-C-N	5.96	129.29	120.95
1	A	211	GLN	C-N-CA	5.96	129.29	120.95
1	A	245	PHE	N-CA-C	5.90	117.71	111.28
1	A	296	TYR	N-CA-C	-5.85	104.86	112.23
1	B	1138	ASP	CA-C-N	5.78	129.58	121.02
1	B	1138	ASP	C-N-CA	5.78	129.58	121.02
1	B	1266	ASP	N-CA-C	-5.77	102.76	110.55
1	A	139	ASP	N-CA-C	5.75	117.23	111.07
1	B	1234	GLU	N-CA-CB	-5.75	100.77	110.49
1	A	284	LYS	CB-CA-C	5.75	121.03	110.10
1	A	211	GLN	CB-CA-C	5.73	120.99	110.10
1	B	1276	TYR	CB-CA-C	5.72	120.97	110.10
1	B	1276	TYR	CA-C-O	5.71	130.51	120.80
1	B	1197	VAL	N-CA-C	5.69	119.18	112.35
1	B	1223	VAL	CA-C-N	5.54	124.73	118.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1223	VAL	C-N-CA	5.54	124.73	118.97
1	B	1239	TRP	N-CA-C	-5.51	106.06	112.89
1	A	253	MET	N-CA-C	-5.48	104.95	111.03
1	A	113	GLN	N-CA-C	-5.39	105.30	111.07
1	A	206	HIS	N-CA-C	5.38	120.00	113.38
1	B	1289	ARG	CA-CB-CG	5.37	124.83	114.10
1	A	137	ASN	N-CA-C	5.33	122.15	110.80
1	A	308	ARG	CB-CG-CD	-5.29	99.13	111.30
1	A	285	VAL	CB-CA-C	5.28	119.95	111.29
1	B	1188	ARG	N-CA-C	-5.27	101.68	110.17
1	A	217	LEU	N-CA-C	-5.26	105.55	111.28
1	B	1212	THR	O-C-N	-5.23	116.19	122.15
1	A	232	GLY	N-CA-C	5.22	125.56	113.18
1	B	1274	LEU	N-CA-C	5.17	119.35	113.19
1	B	1212	THR	N-CA-C	5.17	116.99	111.36
1	B	1287	ALA	N-CA-C	-5.14	105.86	111.82
1	B	1139	ASP	N-CA-CB	5.12	117.60	109.51
1	A	138	ASP	N-CA-C	5.10	115.78	108.74
1	A	205	LYS	CA-C-N	-5.02	113.58	122.26
1	A	205	LYS	C-N-CA	-5.02	113.58	122.26

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1211	GLN	CA

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1138	ASP	Sidechain
1	B	1188	ARG	Mainchain
1	B	1211	GLN	Peptide,Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1539	0	1561	116	0
1	B	1538	0	1549	148	0
2	A	27	0	12	3	0
3	A	1	0	0	0	0
4	B	5	0	0	3	0
5	A	75	0	0	5	0
5	B	91	0	0	11	0
All	All	3276	0	3122	261	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 42.

All (261) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:GLN:OE1	5:A:2031:HOH:O	1.57	1.22
1:B:1116:LEU:HD23	1:B:1189:ASN:O	1.52	1.08
1:B:1284:LYS:HE3	1:B:1284:LYS:HA	1.13	1.07
1:B:1172:VAL:HG11	1:B:1303:ILE:HD13	1.37	1.04
1:A:250:GLN:HA	1:A:253:MET:HE2	1.40	1.03
1:B:1237:SER:HB3	5:B:2068:HOH:O	1.62	0.99
1:A:244:VAL:HB	5:A:2050:HOH:O	1.67	0.92
1:B:1284:LYS:HA	1:B:1284:LYS:CE	2.00	0.91
1:B:1239:TRP:O	1:B:1243:ASP:HB2	1.71	0.91
1:B:1284:LYS:HE3	1:B:1284:LYS:CA	1.99	0.90
1:B:1133:ASP:HB3	1:B:1176:TYR:OH	1.69	0.90
1:A:205:LYS:HD2	1:A:205:LYS:O	1.70	0.90
1:A:241:ARG:HA	5:A:2050:HOH:O	1.73	0.86
1:B:1156:GLU:O	1:B:1159:LYS:HB2	1.75	0.85
1:A:148:ALA:HB1	1:A:181:ILE:HD12	1.58	0.84
1:B:1270:LEU:HD23	1:B:1291:MET:HE1	1.59	0.84
1:B:1134:VAL:HG12	1:B:1176:TYR:CE1	2.14	0.83
1:B:1174:LYS:HE3	4:B:2305:PO4:O4	1.80	0.81
1:B:1159:LYS:O	1:B:1160:LYS:HB3	1.81	0.80
1:B:1281:GLU:OE2	5:B:2079:HOH:O	1.99	0.80
1:B:1116:LEU:CD2	1:B:1189:ASN:O	2.30	0.80
1:A:148:ALA:HB1	1:A:181:ILE:CD1	2.13	0.78
1:B:1213:MET:O	1:B:1216:LYS:HB3	1.85	0.77
1:B:1216:LYS:O	1:B:1220:ILE:HG22	1.85	0.76
1:A:135:ASP:HB3	1:A:137:ASN:HD22	1.50	0.76
1:A:185:LEU:HB3	1:A:190:VAL:CG2	2.16	0.75
1:B:1134:VAL:HG12	1:B:1176:TYR:HE1	1.51	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:LEU:HD11	1:A:262:THR:HG23	1.69	0.75
1:A:205:LYS:O	1:A:205:LYS:CD	2.35	0.74
1:B:1141:ARG:O	1:B:1145:ILE:HD13	1.86	0.74
1:B:1131:LEU:HD12	1:B:1180:ALA:HB1	1.69	0.74
1:A:243:ASP:O	1:A:247:PRO:HG2	1.86	0.74
1:B:1205:LYS:HE2	1:B:1205:LYS:HA	1.70	0.74
1:B:1230:ASP:HA	1:B:1262:THR:O	1.87	0.74
4:B:2305:PO4:P	5:B:2048:HOH:O	2.45	0.74
1:A:213:MET:O	1:A:216:LYS:HG2	1.88	0.73
1:B:1124:ARG:O	1:B:1127:LEU:HG	1.88	0.73
1:B:1211:GLN:O	1:B:1214:ASN:OD1	2.07	0.73
1:B:1241:ARG:O	1:B:1245:PHE:HB3	1.89	0.73
1:A:238:SER:O	1:A:239:TRP:HB2	1.88	0.73
1:A:131:LEU:HD21	1:A:181:ILE:HD13	1.71	0.72
1:A:250:GLN:HB2	1:A:293:ARG:HH11	1.53	0.72
1:B:1172:VAL:CG1	1:B:1303:ILE:HD13	2.19	0.72
1:A:111:LYS:CD	1:A:112:ARG:HG2	2.21	0.71
1:A:241:ARG:HG2	1:A:241:ARG:HH11	1.56	0.71
1:B:1290:ILE:HD13	1:B:1290:ILE:O	1.92	0.70
1:A:233:ALA:O	1:A:234:GLU:HG2	1.92	0.70
1:A:136:LEU:HB3	1:A:142:ILE:HD11	1.74	0.69
1:A:202:ARG:NH2	1:A:234:GLU:OE1	2.25	0.69
1:A:241:ARG:HD2	1:A:241:ARG:C	2.18	0.69
1:B:1241:ARG:HH12	1:B:1283:GLU:CG	2.06	0.69
1:B:1203:GLU:HG2	1:B:1213:MET:HE1	1.75	0.68
1:A:111:LYS:HD2	1:A:112:ARG:HG2	1.74	0.68
1:B:1303:ILE:O	1:B:1303:ILE:HD12	1.95	0.67
1:A:250:GLN:HB2	1:A:293:ARG:NH1	2.10	0.67
1:A:226:LEU:HD21	1:A:228:LEU:HD21	1.77	0.66
1:B:1207:SER:C	1:B:1209:GLN:H	2.04	0.66
1:B:1112:ARG:NE	1:B:1112:ARG:HA	2.11	0.66
1:A:131:LEU:HD21	1:A:181:ILE:CD1	2.25	0.66
1:B:1241:ARG:HH12	1:B:1283:GLU:HG3	1.60	0.66
1:A:285:VAL:O	1:A:288:ALA:HB3	1.96	0.65
1:A:249:LEU:HD22	1:A:290:ILE:HD11	1.78	0.65
1:B:1299:TYR:HD2	1:B:1301:ILE:HD11	1.59	0.65
1:B:1168:GLY:HA3	1:B:1303:ILE:HD11	1.78	0.65
1:B:1232:GLY:O	1:B:1233:ALA:O	2.15	0.65
1:A:136:LEU:HD12	1:A:136:LEU:H	1.63	0.64
1:B:1207:SER:OG	1:B:1213:MET:SD	2.55	0.64
1:A:130:SER:HA	5:A:2005:HOH:O	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1240:VAL:HA	1:B:1244:VAL:HG23	1.78	0.63
1:B:1131:LEU:HD22	1:B:1184:GLU:HG3	1.79	0.63
1:A:206:HIS:O	1:B:1285:VAL:HG11	1.99	0.63
1:B:1168:GLY:HA3	1:B:1303:ILE:CD1	2.29	0.63
1:A:221:LYS:HG3	1:A:222:LYS:HG3	1.81	0.62
1:A:253:MET:HE1	1:A:293:ARG:HD3	1.81	0.62
1:B:1113:GLN:HB2	1:B:1186:ALA:HB1	1.81	0.62
1:A:127:LEU:HD21	1:A:194:ILE:HD12	1.82	0.62
1:B:1117:ILE:HG13	1:B:1117:ILE:O	1.99	0.62
1:B:1117:ILE:HG22	5:B:2049:HOH:O	2.00	0.62
1:B:1285:VAL:O	1:B:1288:ALA:HB3	2.00	0.61
1:A:266:ASP:OD2	1:A:269:GLN:NE2	2.33	0.61
1:B:1284:LYS:CE	1:B:1284:LYS:CA	2.70	0.61
1:B:1146:ARG:NH2	1:B:1149:GLU:CD	2.59	0.60
1:A:304:THR:HG22	1:A:305:GLY:H	1.66	0.60
1:B:1202:ARG:HG3	5:B:2052:HOH:O	2.00	0.60
1:B:1207:SER:CB	1:B:1213:MET:SD	2.89	0.60
1:B:1276:TYR:HA	5:B:2077:HOH:O	2.01	0.60
1:B:1160:LYS:O	1:B:1160:LYS:HG3	2.02	0.60
1:A:304:THR:HG22	1:A:305:GLY:N	2.17	0.59
1:B:1249:LEU:HD21	1:B:1294:ILE:HD11	1.84	0.59
1:A:145:ILE:HD13	1:A:146:ARG:N	2.17	0.59
1:B:1139:ASP:OD2	5:B:2035:HOH:O	2.17	0.59
1:B:1156:GLU:HG2	1:B:1159:LYS:HG2	1.84	0.59
1:A:145:ILE:HD13	1:A:146:ARG:H	1.67	0.59
1:A:286:LYS:HA	1:A:289:ARG:HB2	1.85	0.59
1:B:1217:LEU:O	1:B:1220:ILE:HG23	2.03	0.59
1:B:1185:LEU:HD22	1:B:1190:VAL:HG21	1.84	0.59
1:A:126:ILE:HD12	1:A:126:ILE:O	2.03	0.59
1:B:1129:ALA:HB1	1:B:1176:TYR:CE2	2.38	0.58
1:B:1207:SER:HB2	1:B:1213:MET:SD	2.43	0.58
1:A:253:MET:CE	1:A:293:ARG:HD3	2.34	0.58
1:A:134:VAL:HA	2:A:1310:ADP:HN62	1.69	0.57
1:B:1145:ILE:HD12	1:B:1145:ILE:N	2.19	0.57
1:A:111:LYS:C	1:A:113:GLN:H	2.12	0.57
1:B:1269:GLN:O	1:B:1273:HIS:HB2	2.05	0.57
1:B:1145:ILE:H	1:B:1145:ILE:CD1	2.17	0.57
1:B:1113:GLN:HB2	1:B:1186:ALA:CB	2.35	0.57
1:B:1155:TYR:CE1	1:B:1190:VAL:HG11	2.39	0.57
1:B:1128:ARG:HA	1:B:1128:ARG:NH2	2.20	0.56
1:A:241:ARG:HD2	1:A:241:ARG:O	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:HIS:HA	1:A:263:SER:O	2.05	0.56
1:A:136:LEU:HD12	1:A:136:LEU:N	2.20	0.55
1:B:1184:GLU:OE1	1:B:1187:LYS:HD2	2.06	0.55
1:A:111:LYS:HD2	1:A:112:ARG:CG	2.37	0.55
1:A:303:ILE:HD12	1:A:303:ILE:N	2.22	0.55
1:B:1197:VAL:CG2	1:B:1228:LEU:HB3	2.37	0.55
1:B:1204:LEU:HD21	1:B:1217:LEU:HD11	1.87	0.55
1:A:308:ARG:O	1:A:309:ARG:HG2	2.07	0.54
1:B:1150:ARG:C	1:B:1150:ARG:HD2	2.31	0.54
1:A:170:PHE:HZ	1:B:1156:GLU:CD	2.16	0.54
1:B:1113:GLN:NE2	1:B:1187:LYS:HA	2.22	0.54
1:B:1157:PRO:HG3	5:B:2038:HOH:O	2.06	0.54
1:B:1145:ILE:HD12	1:B:1145:ILE:H	1.72	0.54
1:B:1208:LEU:H	1:B:1208:LEU:HD23	1.72	0.54
1:B:1212:THR:O	1:B:1213:MET:C	2.48	0.54
1:A:249:LEU:O	1:A:253:MET:HG3	2.08	0.54
1:A:206:HIS:O	1:B:1285:VAL:CG1	2.55	0.54
1:A:253:MET:SD	1:A:293:ARG:HB3	2.48	0.54
1:B:1185:LEU:HB3	1:B:1190:VAL:HG23	1.89	0.54
1:B:1192:SER:HB2	5:B:2049:HOH:O	2.07	0.54
1:B:1207:SER:C	1:B:1209:GLN:N	2.65	0.54
1:B:1112:ARG:NH1	1:B:1112:ARG:HG3	2.23	0.53
1:B:1243:ASP:O	1:B:1247:PRO:HG2	2.07	0.53
1:A:239:TRP:HB3	1:A:241:ARG:HG3	1.89	0.53
1:B:1131:LEU:HD13	1:B:1184:GLU:CG	2.39	0.53
1:B:1240:VAL:O	1:B:1244:VAL:HB	2.09	0.53
1:A:111:LYS:HD3	1:A:112:ARG:HG2	1.90	0.53
1:B:1112:ARG:HG3	1:B:1112:ARG:HH11	1.73	0.53
1:A:271:ALA:HB2	1:A:291:MET:HG3	1.91	0.52
1:B:1249:LEU:HD21	1:B:1294:ILE:CD1	2.39	0.52
1:A:177:LEU:O	1:A:181:ILE:HG12	2.08	0.52
1:A:131:LEU:HD11	1:A:181:ILE:HD13	1.91	0.52
1:A:185:LEU:HB3	1:A:190:VAL:HG22	1.92	0.52
1:B:1188:ARG:O	1:B:1189:ASN:C	2.50	0.51
1:B:1245:PHE:HA	1:B:1248:ILE:HD12	1.92	0.51
1:B:1268:GLN:H	1:B:1268:GLN:NE2	2.08	0.51
1:B:1203:GLU:HG2	1:B:1213:MET:CE	2.39	0.51
1:A:250:GLN:HA	1:A:253:MET:CE	2.28	0.51
1:B:1223:VAL:O	1:B:1252:ARG:NH2	2.43	0.51
1:B:1197:VAL:HG21	1:B:1228:LEU:HB3	1.92	0.51
1:A:228:LEU:HD12	1:A:261:PHE:CE2	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1252:ARG:NH1	1:B:1257:LEU:O	2.45	0.50
1:B:1233:ALA:O	1:B:1234:GLU:HB2	2.12	0.50
1:A:136:LEU:H	1:A:136:LEU:CD1	2.24	0.50
1:A:185:LEU:HD22	1:A:190:VAL:HG21	1.93	0.50
1:A:166:LEU:HB3	1:A:303:ILE:CD1	2.42	0.50
1:A:241:ARG:HH11	1:A:241:ARG:CG	2.23	0.50
1:B:1186:ALA:O	1:B:1188:ARG:O	2.28	0.50
1:A:234:GLU:OE2	1:B:1296:TYR:CD2	2.65	0.49
1:A:287:ALA:O	1:A:290:ILE:HG23	2.13	0.49
2:A:1310:ADP:O2A	2:A:1310:ADP:O2B	2.29	0.49
1:A:206:HIS:O	1:A:207:SER:C	2.56	0.49
1:B:1128:ARG:HA	1:B:1128:ARG:CZ	2.43	0.49
1:A:167:HIS:ND1	1:A:266:ASP:HB3	2.28	0.48
1:A:266:ASP:CG	1:A:269:GLN:NE2	2.72	0.48
1:A:152:VAL:O	1:A:188:ARG:HD2	2.13	0.48
1:A:118:GLN:HG2	1:A:219:TYR:OH	2.13	0.48
1:B:1145:ILE:N	1:B:1145:ILE:CD1	2.77	0.48
1:B:1120:MET:CB	1:B:1195:VAL:HG13	2.43	0.48
1:B:1204:LEU:O	1:B:1205:LYS:C	2.57	0.47
1:A:287:ALA:O	1:A:290:ILE:CG2	2.63	0.47
1:B:1197:VAL:HB	1:B:1198:PRO:HD3	1.95	0.47
1:B:1209:GLN:O	1:B:1210:ASP:C	2.57	0.47
1:B:1287:ALA:O	1:B:1291:MET:HB2	2.15	0.47
4:B:2305:PO4:O2	5:B:2048:HOH:O	2.20	0.47
1:A:125:GLU:CD	1:A:125:GLU:H	2.23	0.47
1:B:1241:ARG:HH22	1:B:1283:GLU:HG2	1.79	0.47
1:B:1227:MET:HG2	1:B:1260:PHE:HB2	1.95	0.47
1:A:184:GLU:O	1:A:187:LYS:HB3	2.14	0.47
1:B:1120:MET:HB2	1:B:1195:VAL:HG13	1.97	0.47
1:B:1231:LEU:HD11	1:B:1245:PHE:HZ	1.80	0.47
1:A:309:ARG:HB2	1:B:1157:PRO:HB2	1.95	0.47
1:A:239:TRP:HB2	1:A:275:THR:HG21	1.97	0.47
1:A:245:PHE:CD1	1:A:290:ILE:HD11	2.51	0.46
1:B:1160:LYS:HB2	1:B:1256:ASN:CG	2.40	0.46
1:A:148:ALA:CB	1:A:181:ILE:HD11	2.45	0.46
1:A:173:GLY:O	1:A:177:LEU:HG	2.15	0.46
1:B:1142:ILE:HG23	1:B:1143:LYS:N	2.29	0.46
1:B:1146:ARG:HA	1:B:1146:ARG:HD2	1.62	0.46
1:B:1131:LEU:HD13	1:B:1184:GLU:HG2	1.97	0.46
1:B:1293:ARG:HH11	1:B:1293:ARG:HG2	1.80	0.46
1:A:114:GLU:O	1:A:124:ARG:NH2	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:LYS:HD2	1:A:205:LYS:C	2.35	0.46
1:B:1287:ALA:HA	1:B:1290:ILE:HG22	1.97	0.46
1:B:1299:TYR:CD2	1:B:1301:ILE:HD11	2.45	0.46
1:B:1186:ALA:C	1:B:1188:ARG:O	2.59	0.46
1:A:267:MET:HE3	1:A:291:MET:HE1	1.97	0.46
1:B:1146:ARG:HD2	1:B:1149:GLU:OE2	2.16	0.46
1:B:1282:GLU:OE2	1:B:1282:GLU:HA	2.15	0.45
1:A:147:PHE:CE1	1:A:164:LEU:HD13	2.52	0.45
1:A:166:LEU:O	1:A:262:THR:HA	2.15	0.45
1:A:249:LEU:HD22	1:A:290:ILE:CD1	2.45	0.45
1:B:1299:TYR:O	1:B:1301:ILE:HD12	2.16	0.45
1:A:241:ARG:CG	1:A:241:ARG:NH1	2.78	0.45
1:A:134:VAL:HG12	2:A:1310:ADP:N6	2.32	0.45
1:A:250:GLN:CB	1:A:293:ARG:NH1	2.79	0.44
1:B:1261:PHE:CE2	1:B:1294:ILE:HD12	2.52	0.44
1:B:1265:PHE:HB3	1:B:1269:GLN:HB3	2.00	0.44
1:A:200:LEU:HD13	1:A:200:LEU:C	2.42	0.44
1:B:1140:GLY:HA2	5:B:2003:HOH:O	2.17	0.44
1:B:1241:ARG:HG2	1:B:1242:ASP:N	2.33	0.44
1:B:1252:ARG:NH1	1:B:1259:THR:OG1	2.50	0.44
1:B:1289:ARG:O	1:B:1293:ARG:HG3	2.17	0.44
1:A:174:LYS:O	1:A:177:LEU:HB2	2.18	0.44
1:B:1123:PRO:O	1:B:1126:ILE:HG12	2.17	0.44
1:B:1156:GLU:HG2	1:B:1159:LYS:CG	2.48	0.44
1:B:1287:ALA:C	1:B:1290:ILE:HG22	2.43	0.44
1:A:205:LYS:CD	1:A:205:LYS:C	2.89	0.43
1:A:185:LEU:O	1:A:190:VAL:HG22	2.17	0.43
1:A:166:LEU:HD13	1:A:177:LEU:HD12	2.00	0.43
1:A:131:LEU:HD11	1:A:181:ILE:CD1	2.49	0.43
1:A:142:ILE:O	1:A:146:ARG:HB2	2.18	0.43
1:A:166:LEU:HB3	1:A:303:ILE:HD11	2.00	0.43
1:B:1136:LEU:HD11	1:B:1145:ILE:HD13	1.99	0.43
1:A:213:MET:O	1:A:216:LYS:CG	2.62	0.43
1:A:251:TYR:CE1	1:A:255:GLU:HG3	2.54	0.43
1:B:1281:GLU:O	1:B:1282:GLU:HB2	2.19	0.43
1:A:250:GLN:CB	1:A:293:ARG:HH11	2.26	0.42
1:A:128:ARG:HH11	1:A:128:ARG:HB2	1.84	0.42
1:B:1282:GLU:O	1:B:1286:LYS:HG2	2.18	0.42
1:A:221:LYS:NZ	1:A:221:LYS:CB	2.82	0.42
1:B:1135:ASP:O	1:B:1137:ASN:N	2.46	0.42
1:B:1155:TYR:CD1	1:B:1190:VAL:HG11	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:LYS:NZ	1:A:221:LYS:HB3	2.34	0.42
1:B:1207:SER:N	1:B:1209:GLN:OE1	2.53	0.42
1:A:308:ARG:O	1:A:309:ARG:CG	2.68	0.42
1:A:284:LYS:HG3	1:A:285:VAL:N	2.35	0.41
1:B:1177:LEU:O	1:B:1181:ILE:HD13	2.19	0.41
1:B:1165:TYR:O	1:B:1300:PRO:HA	2.20	0.41
1:B:1231:LEU:HD11	1:B:1245:PHE:CZ	2.55	0.41
1:A:234:GLU:OE2	1:B:1296:TYR:CE2	2.74	0.41
1:A:136:LEU:CB	1:A:142:ILE:HD11	2.45	0.41
1:B:1113:GLN:NE2	1:B:1187:LYS:HG2	2.36	0.41
1:A:125:GLU:CD	1:A:125:GLU:N	2.78	0.41
1:A:162:LYS:HG3	5:A:2015:HOH:O	2.19	0.41
1:B:1159:LYS:HB3	1:B:1161:MET:HG2	2.03	0.41
1:B:1193:LEU:HD22	1:B:1223:VAL:HG11	2.03	0.41
1:B:1174:LYS:HB3	1:B:1262:THR:HB	2.02	0.41
1:B:1219:TYR:O	1:B:1223:VAL:HG13	2.21	0.41
1:B:1287:ALA:O	1:B:1290:ILE:HG22	2.21	0.41
1:B:1303:ILE:O	1:B:1304:THR:HG23	2.20	0.41
1:A:136:LEU:O	1:A:138:ASP:N	2.54	0.41
1:B:1117:ILE:HG21	1:B:1182:ALA:O	2.21	0.41
1:B:1240:VAL:HA	1:B:1244:VAL:CG2	2.47	0.40
1:A:111:LYS:CG	1:A:112:ARG:H	2.33	0.40
1:A:187:LYS:HB2	1:A:187:LYS:HE3	1.91	0.40
1:B:1142:ILE:CG2	1:B:1143:LYS:N	2.85	0.40
1:A:167:HIS:CE1	1:A:266:ASP:HB3	2.56	0.40
1:A:197:VAL:HG21	1:A:228:LEU:HB3	2.03	0.40
1:A:221:LYS:HB3	1:A:221:LYS:HZ3	1.86	0.40
1:B:1232:GLY:O	1:B:1233:ALA:C	2.64	0.40
1:B:1265:PHE:CD1	1:B:1265:PHE:N	2.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	180/202 (89%)	165 (92%)	11 (6%)	4 (2%)	5	9
1	B	184/202 (91%)	161 (88%)	13 (7%)	10 (5%)	1	1
All	All	364/404 (90%)	326 (90%)	24 (7%)	14 (4%)	2	3

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	B	1211	GLN
1	B	1282	GLU
1	A	275	THR
1	B	1136	LEU
1	B	1207	SER
1	A	239	TRP
1	B	1137	ASN
1	B	1230	ASP
1	B	1160	LYS
1	B	1205	LYS
1	B	1233	ALA
1	B	1173	GLY
1	A	285	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/178 (93%)	137 (83%)	28 (17%)	2	4
1	B	166/178 (93%)	142 (86%)	24 (14%)	3	6
All	All	331/356 (93%)	279 (84%)	52 (16%)	2	5

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	LYS
1	A	126	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	128	ARG
1	A	136	LEU
1	A	141	ARG
1	A	145	ILE
1	A	149	GLU
1	A	160	LYS
1	A	164	LEU
1	A	188	ARG
1	A	205	LYS
1	A	213	MET
1	A	214	ASN
1	A	216	LYS
1	A	217	LEU
1	A	221	LYS
1	A	223	VAL
1	A	231	LEU
1	A	241	ARG
1	A	247	PRO
1	A	250	GLN
1	A	264	ASN
1	A	267	MET
1	A	272	HIS
1	A	274	LEU
1	A	278	GLN
1	A	289	ARG
1	A	290	ILE
1	B	1112	ARG
1	B	1113	GLN
1	B	1139	ASP
1	B	1145	ILE
1	B	1161	MET
1	B	1178	LEU
1	B	1194	ILE
1	B	1199	GLU
1	B	1204	LEU
1	B	1208	LEU
1	B	1210	ASP
1	B	1212	THR
1	B	1213	MET
1	B	1220	ILE
1	B	1231	LEU
1	B	1237	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1238	SER
1	B	1242	ASP
1	B	1259	THR
1	B	1284	LYS
1	B	1289	ARG
1	B	1290	ILE
1	B	1292	GLU
1	B	1304	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	GLN
1	A	189	ASN
1	A	211	GLN
1	A	250	GLN
1	A	278	GLN
1	B	1113	GLN
1	B	1211	GLN
1	B	1214	ASN
1	B	1268	GLN
1	B	1273	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PO4	B	2305	-	4,4,4	1.87	2 (50%)	6,6,6	0.45	0
2	ADP	A	1310	-	28,29,29	2.01	5 (17%)	43,45,45	2.74	17 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1310	-	-	0/16/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1310	ADP	PA-O3A	8.25	1.68	1.59
2	A	1310	ADP	PB-O1B	3.37	1.61	1.50
2	A	1310	ADP	PB-O2B	2.98	1.65	1.54
4	B	2305	PO4	P-O3	-2.41	1.47	1.54
2	A	1310	ADP	C5-C4	2.38	1.43	1.39
2	A	1310	ADP	C6-N6	2.07	1.39	1.34
4	B	2305	PO4	P-O4	-2.06	1.48	1.54

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1310	ADP	O2B-PB-O3A	-7.24	80.36	104.64
2	A	1310	ADP	O3B-PB-O3A	-6.09	84.23	104.64
2	A	1310	ADP	O3A-PB-O1B	-5.88	80.08	111.04
2	A	1310	ADP	C5-C4-N3	-5.27	119.47	126.72
2	A	1310	ADP	O3B-PB-O2B	5.21	127.32	107.80
2	A	1310	ADP	N3-C2-N1	-4.54	121.72	128.58
2	A	1310	ADP	N3-C4-N9	4.15	134.22	127.17
2	A	1310	ADP	C2-N3-C4	3.66	120.76	111.83
2	A	1310	ADP	O4'-C4'-C3'	3.56	112.22	105.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1310	ADP	C5-N7-C8	3.47	108.90	103.45
2	A	1310	ADP	PA-O5'-C5'	-3.06	103.81	121.35
2	A	1310	ADP	O5'-C5'-C4'	2.82	118.58	108.99
2	A	1310	ADP	C4-C5-N7	-2.78	107.41	110.58
2	A	1310	ADP	C5'-C4'-C3'	-2.63	105.74	115.21
2	A	1310	ADP	C3'-C2'-C1'	2.48	106.15	101.46
2	A	1310	ADP	N9-C8-N7	-2.39	110.54	113.94
2	A	1310	ADP	O4'-C4'-C5'	2.22	116.45	109.33

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2305	PO4	3	0
2	A	1310	ADP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	188/202 (93%)	0.33	13 (6%) 23 20	23, 48, 103, 133	0
1	B	188/202 (93%)	0.68	13 (6%) 23 20	30, 66, 119, 127	0
All	All	376/404 (93%)	0.50	26 (6%) 23 20	23, 56, 112, 133	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	243	ASP	3.6
1	B	1303	ILE	3.4
1	A	207	SER	3.2
1	B	1189	ASN	3.1
1	A	206	HIS	3.0
1	B	1210	ASP	3.0
1	B	1134	VAL	2.9
1	B	1272	HIS	2.9
1	B	1276	TYR	2.9
1	A	211	GLN	2.8
1	B	1136	LEU	2.7
1	A	274	LEU	2.6
1	B	1235	ALA	2.6
1	A	290	ILE	2.5
1	B	1304	THR	2.3
1	B	1237	SER	2.3
1	B	1170	PHE	2.3
1	A	303	ILE	2.3
1	B	1176	TYR	2.3
1	B	1126	ILE	2.1
1	A	132	SER	2.1
1	A	287	ALA	2.1
1	A	136	LEU	2.1
1	A	308	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	213	MET	2.0
1	A	212	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	A	1311	1/1	0.82	0.24	41,41,41,41	0
2	ADP	A	1310	27/27	0.91	0.11	33,57,69,76	0
4	PO4	B	2305	5/5	0.91	0.09	74,78,83,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP A 1310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.