



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:44 PM UTC

PDB ID : 4W5C / pdb_00004w5c
Title : Crystal structure analysis of cruzain with three Fragments: 1 (N-(1H-benzimidazol-2-yl)-1,3-dimethyl-pyrazole-4-carboxamide), 6 (2-amino-4,6-difluorobenzothiazole) and 9 (N-(1H-benzimidazol-2-yl)-3-(4-fluorophenyl)-1H-pyrazole-4-carboxamide).
Authors : Tochowicz, A.; McKerrow, J.H.; Craik, C.S.
Deposited on : 2014-08-17
Resolution : 3.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1303 (3.30-3.26)
Clashscore	190562	1354 (3.30-3.26)
Ramachandran outliers	187476	1334 (3.30-3.26)
Sidechain outliers	187428	1333 (3.30-3.26)
RSRZ outliers	180081	1303 (3.30-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	 78% 18% •
1	B	216	 79% 19% •
1	C	216	 75% 23% •
1	D	216	 74% 23% •
1	E	216	 69% 26% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	3H7	B	301	-	X	-	-
4	3H7	C	301	-	X	-	-
4	3H7	D	301	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8074 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cruzipain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1592	995	266	320	11			
1	B	215	Total	C	N	O	S	0	0	0
			1592	995	266	320	11			
1	C	215	Total	C	N	O	S	0	0	0
			1592	995	266	320	11			
1	D	215	Total	C	N	O	S	0	0	0
			1592	995	266	320	11			
1	E	215	Total	C	N	O	S	0	0	0
			1588	992	265	320	11			

There are 5 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	25	SER	CYS	engineered mutation	UNP P25779
B	25	SER	CYS	engineered mutation	UNP P25779
C	25	SER	CYS	engineered mutation	UNP P25779
D	25	SER	CYS	engineered mutation	UNP P25779
E	25	SER	CYS	engineered mutation	UNP P25779

- Molecule 2 is N-(1H-benzimidazol-2-yl)-1,3-dimethyl-1H-pyrazole-4-carboxamide (CCD ID: 3H5) (formula: C₁₃H₁₃N₅O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	13	5	1		
2	C	1	Total	C	N	O	0	0
			19	13	5	1		

- Molecule 3 is N-(1H-benzimidazol-2-yl)-3-(4-fluorophenyl)-1H-pyrazole-4-carboxamide (CCD ID: 3H6) (formula: C₁₇H₁₂FN₅O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			24	17	1	5	1		

- Molecule 4 is 4,6-difluoro-1,3-benzothiazol-2-amine (CCD ID: 3H7) (formula: C₇H₄F₂N₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	F	N	S	0	0
			12	7	2	2	1		
4	C	1	Total	C	F	N	S	0	0
			12	7	2	2	1		
4	D	1	Total	C	F	N	S	0	0
			12	7	2	2	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	6	Total	O	0	0
			6	6		
5	B	4	Total	O	0	0
			4	4		
5	C	4	Total	O	0	0
			4	4		
5	D	4	Total	O	0	0
			4	4		
5	E	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cruzipain




• Molecule 1: Cruzipain




• Molecule 1: Cruzipain




• Molecule 1: Cruzipain





● Molecule 1: Cruzipain



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	137.79Å 137.79Å 166.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.98 – 3.27 29.98 – 3.27	Depositor EDS
% Data completeness (in resolution range)	99.6 (29.98-3.27) 99.5 (29.98-3.27)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 3.24Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8_1069)	Depositor
R, R_{free}	0.193 , 0.236 0.196 , 0.239	Depositor DCC
R_{free} test set	1013 reflections (4.00%)	wwPDB-VP
Wilson B-factor (Å ²)	84.4	Xtriage
Anisotropy	0.624	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8074	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3H6, 3H5, 3H7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/1631	0.96	4/2232 (0.2%)
1	B	0.70	0/1631	1.03	5/2232 (0.2%)
1	C	0.61	0/1631	1.00	5/2232 (0.2%)
1	D	0.57	0/1631	1.01	8/2232 (0.4%)
1	E	0.67	0/1627	1.08	8/2228 (0.4%)
All	All	0.63	0/8151	1.02	30/11156 (0.3%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	98	SER	CA-C-N	9.14	129.79	120.38
1	E	98	SER	C-N-CA	9.14	129.79	120.38
1	E	28	PHE	N-CA-C	-7.67	102.92	111.28
1	D	133	GLY	CA-C-N	7.12	127.16	119.90
1	D	133	GLY	C-N-CA	7.12	127.16	119.90
1	E	118	LEU	CA-C-N	6.42	127.86	119.84
1	E	118	LEU	C-N-CA	6.42	127.86	119.84
1	A	98	SER	CA-C-N	6.42	126.99	120.38
1	A	98	SER	C-N-CA	6.42	126.99	120.38
1	E	147	TYR	N-CA-C	5.96	119.24	109.76
1	D	98	SER	CA-C-N	5.92	126.48	120.38
1	D	98	SER	C-N-CA	5.92	126.48	120.38
1	E	133	GLY	CA-C-N	5.86	125.88	119.90
1	E	133	GLY	C-N-CA	5.86	125.88	119.90
1	A	1	ALA	CA-C-N	5.84	125.82	120.21
1	A	1	ALA	C-N-CA	5.84	125.82	120.21
1	B	89	TYR	CA-C-N	5.74	125.71	120.03
1	B	89	TYR	C-N-CA	5.74	125.71	120.03
1	C	1	ALA	CA-C-N	-5.68	114.41	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1	ALA	C-N-CA	-5.68	114.41	120.03
1	D	160	LEU	N-CA-C	5.65	117.29	109.15
1	C	133	GLY	CA-C-N	5.50	125.51	119.90
1	C	133	GLY	C-N-CA	5.50	125.51	119.90
1	B	133	GLY	CA-C-N	5.32	126.48	119.84
1	B	133	GLY	C-N-CA	5.32	126.48	119.84
1	D	118	LEU	CA-C-N	5.29	126.45	119.84
1	D	118	LEU	C-N-CA	5.29	126.45	119.84
1	C	148	THR	N-CA-C	-5.11	107.60	113.88
1	D	144	TRP	N-CA-C	5.10	119.78	113.50
1	B	147	TYR	N-CA-C	5.03	117.76	109.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1592	0	1490	21	0
1	B	1592	0	1490	23	0
1	C	1592	0	1490	26	0
1	D	1592	0	1490	27	0
1	E	1588	0	1479	38	0
2	A	19	0	13	1	0
2	C	19	0	13	1	0
3	A	24	0	12	1	0
4	B	12	0	4	2	0
4	C	12	0	4	0	0
4	D	12	0	4	1	0
5	A	6	0	0	0	0
5	B	4	0	0	0	0
5	C	4	0	0	0	0
5	D	4	0	0	0	0
5	E	2	0	0	0	0
All	All	8074	0	7489	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:25:SER:HB3	1:E:162:HIS:ND1	2.04	0.73
1:B:51:GLN:NE2	1:B:55:SER:OG	2.21	0.72
1:D:25:SER:OG	4:D:301:3H7:N01	2.23	0.71
1:A:185:THR:OG1	1:A:187:GLN:NE2	2.26	0.64
1:B:25:SER:OG	4:B:301:3H7:N01	2.25	0.64
1:A:8:ARG:HD3	1:A:193:TYR:CZ	2.37	0.60
1:E:24:SER:O	1:E:26:TRP:N	2.32	0.59
1:E:74:TRP:HD1	1:E:78:GLU:OE1	1.84	0.59
1:D:166:LEU:HD23	1:D:180:ILE:HG12	1.84	0.59
1:A:8:ARG:HD3	1:A:193:TYR:CE1	2.38	0.59
1:A:71:ALA:O	1:A:75:ILE:HG13	2.03	0.58
1:B:128:TRP:HZ3	1:C:82:ALA:HB2	1.68	0.58
1:E:97:ILE:O	1:E:99:PRO:HD3	2.04	0.58
1:A:159:GLN:HA	1:A:159:GLN:OE1	2.04	0.58
1:C:166:LEU:HD23	1:C:180:ILE:HG12	1.85	0.57
1:A:166:LEU:HD23	1:A:180:ILE:HG12	1.87	0.56
1:E:75:ILE:HB	1:E:112:ILE:HD11	1.88	0.56
1:E:75:ILE:HD13	1:E:83:VAL:HG22	1.88	0.56
1:C:161:ASP:HB2	2:C:302:3H5:H8	1.86	0.55
1:C:8:ARG:HD3	1:C:193:TYR:CE1	2.42	0.54
1:D:36:CYS:SG	1:D:134:PRO:HG2	2.48	0.54
1:E:52:MET:SD	1:E:83:VAL:HA	2.48	0.54
1:D:143:SER:HB3	1:D:156:VAL:HG23	1.90	0.53
1:E:32:GLY:HA2	1:E:35:GLU:OE1	2.09	0.53
1:D:8:ARG:HD3	1:D:193:TYR:CE1	2.43	0.53
1:E:167:VAL:HG21	1:E:193:TYR:HE1	1.73	0.52
1:D:88:SER:O	1:D:106:HIS:ND1	2.39	0.52
1:E:180:ILE:HB	1:E:194:ILE:HG23	1.91	0.52
1:D:160:LEU:HD11	1:D:207:GLU:HB2	1.92	0.52
1:E:43:HIS:CD2	1:E:43:HIS:N	2.78	0.51
1:A:177:TYR:CE1	1:A:195:ARG:HD2	2.46	0.51
1:D:25:SER:HB3	1:D:163:GLY:H	1.77	0.50
1:D:71:ALA:O	1:D:75:ILE:HG13	2.11	0.50
1:E:8:ARG:HD3	1:E:193:TYR:CE1	2.46	0.50
1:A:180:ILE:HB	1:A:194:ILE:HG23	1.94	0.50
1:C:180:ILE:HB	1:C:194:ILE:HG23	1.93	0.50
1:D:72:PHE:CE1	1:D:212:ALA:HB2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:166:LEU:HD23	1:E:180:ILE:HG12	1.94	0.49
1:B:37:GLN:NE2	1:B:132:ASN:O	2.42	0.49
2:A:301:3H5:H6	2:A:301:3H5:H11	1.77	0.48
1:C:188:TRP:CH2	1:C:194:ILE:HB	2.47	0.48
1:B:152:MET:HG2	1:B:155:CYS:HB2	1.94	0.48
1:A:138:ALA:HB3	1:A:160:LEU:HD13	1.95	0.48
1:E:33:ASN:O	1:E:37:GLN:HG2	2.12	0.48
1:B:102:THR:OG1	1:B:106:HIS:NE2	2.31	0.48
1:A:36:CYS:SG	1:A:134:PRO:HG2	2.53	0.48
1:D:25:SER:CB	1:D:163:GLY:H	2.27	0.48
1:E:24:SER:C	1:E:26:TRP:N	2.72	0.47
1:B:43:HIS:HB3	1:B:44:PRO:HD2	1.95	0.47
1:E:201:ASN:ND2	1:E:206:LYS:HE2	2.30	0.47
1:E:144:TRP:CZ3	1:E:164:VAL:HG11	2.49	0.47
1:B:53:LEU:O	1:B:57:ASP:HB3	2.16	0.46
1:C:26:TRP:CG	1:C:66:GLY:HA3	2.50	0.46
1:C:97:ILE:O	1:C:99:PRO:HD3	2.15	0.46
1:E:122:GLU:CD	1:E:199:GLY:H	2.24	0.45
1:B:114:GLY:HA3	1:C:103:THR:HB	1.98	0.45
1:C:48:LEU:O	1:C:86:GLU:HB2	2.16	0.45
1:E:26:TRP:CE3	1:E:27:ALA:HB2	2.52	0.45
1:E:38:TRP:CZ2	1:E:43:HIS:ND1	2.85	0.45
1:B:180:ILE:HB	1:B:194:ILE:HG23	1.99	0.45
1:D:39:PHE:HA	1:D:43:HIS:O	2.17	0.45
1:A:26:TRP:CG	1:A:27:ALA:H	2.34	0.45
1:D:26:TRP:H	1:D:26:TRP:CD1	2.34	0.45
1:D:75:ILE:HD13	1:D:83:VAL:HG22	1.97	0.45
1:C:118:LEU:HB2	1:C:209:ALA:HB3	1.99	0.45
1:E:88:SER:O	1:E:106:HIS:ND1	2.49	0.45
1:C:12:ALA:HA	1:C:39:PHE:CD1	2.52	0.45
1:D:92:ALA:C	1:D:94:GLY:H	2.24	0.44
1:E:74:TRP:CD1	1:E:78:GLU:OE1	2.69	0.44
1:E:92:ALA:HB3	1:E:99:PRO:HG2	1.99	0.44
1:D:31:ILE:O	1:D:35:GLU:HG3	2.18	0.44
1:C:31:ILE:O	1:C:35:GLU:HG3	2.17	0.44
1:D:8:ARG:HD3	1:D:193:TYR:CZ	2.52	0.44
1:D:31:ILE:HD13	1:D:31:ILE:HA	1.85	0.44
1:B:57:ASP:HA	1:B:74:TRP:CE2	2.53	0.44
1:E:118:LEU:HD11	1:E:128:TRP:CD1	2.53	0.44
1:B:93:SER:HA	1:B:97:ILE:O	2.18	0.44
1:A:97:ILE:O	1:A:99:PRO:HD3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:GLN:HB2	1:B:91:TYR:HA	2.00	0.43
1:B:31:ILE:HG13	1:B:50:GLU:HA	2.01	0.43
1:E:84:TYR:HA	1:E:107:THR:O	2.17	0.43
1:D:12:ALA:HA	1:D:39:PHE:CD1	2.53	0.43
1:E:140:ASP:OD2	1:E:156:VAL:HG12	2.18	0.43
1:D:97:ILE:O	1:D:99:PRO:HD3	2.19	0.43
3:A:302:3H6:H4	3:A:302:3H6:C19	2.31	0.43
1:A:115:HIS:O	1:B:105:GLY:HA2	2.18	0.43
1:A:25:SER:HB3	1:A:162:HIS:CE1	2.54	0.43
1:E:25:SER:O	1:E:163:GLY:N	2.51	0.43
1:E:52:MET:HE3	1:E:74:TRP:HZ3	1.84	0.43
1:C:31:ILE:HG23	1:C:48:LEU:HB2	2.01	0.42
1:E:120:GLN:HA	1:E:206:LYS:O	2.19	0.42
1:E:122:GLU:HG2	1:E:178:TRP:HE1	1.84	0.42
1:C:71:ALA:O	1:C:75:ILE:HG13	2.19	0.42
1:E:28:PHE:CG	1:E:50:GLU:HG2	2.54	0.42
1:A:182:ASN:OD1	1:A:183:SER:N	2.53	0.42
1:D:51:GLN:NE2	1:D:55:SER:OG	2.45	0.42
1:B:16:VAL:HG21	1:B:192:GLY:HA3	2.01	0.42
1:B:118:LEU:HA	1:B:118:LEU:HD23	1.84	0.42
1:D:28:PHE:CG	1:D:50:GLU:HG2	2.55	0.42
1:D:180:ILE:HB	1:D:194:ILE:HG23	2.01	0.42
1:E:22:CYS:C	1:E:24:SER:H	2.28	0.42
1:E:74:TRP:CD1	1:E:78:GLU:HB2	2.54	0.42
1:E:139:VAL:HG21	1:E:144:TRP:CH2	2.55	0.42
1:A:26:TRP:O	1:A:27:ALA:C	2.63	0.42
1:B:75:ILE:HD13	1:B:83:VAL:HG22	2.02	0.42
1:B:31:ILE:HG23	1:B:48:LEU:HB2	2.01	0.41
1:B:160:LEU:HD23	1:B:160:LEU:HA	1.81	0.41
1:A:92:ALA:C	1:A:94:GLY:H	2.28	0.41
1:C:166:LEU:CD2	1:C:180:ILE:HG12	2.49	0.41
1:A:128:TRP:HZ3	1:B:82:ALA:HB2	1.86	0.41
1:C:168:GLY:O	1:C:179:ILE:N	2.38	0.41
1:D:63:CYS:SG	1:D:93:SER:HB3	2.60	0.41
1:D:177:TYR:CE1	1:D:195:ARG:HD2	2.55	0.41
1:B:147:TYR:CE1	1:B:194:ILE:HG13	2.56	0.41
1:D:182:ASN:OD1	1:D:183:SER:N	2.52	0.41
1:A:138:ALA:CB	1:A:160:LEU:HD13	2.51	0.41
1:E:135:VAL:O	1:E:165:LEU:HD12	2.20	0.41
1:A:1:ALA:HB1	1:A:169:TYR:OH	2.20	0.41
1:C:31:ILE:HG13	1:C:50:GLU:HA	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:CYS:SG	1:C:134:PRO:HG2	2.61	0.41
1:C:89:TYR:CD1	1:C:106:HIS:CE1	3.08	0.41
1:B:25:SER:CB	4:B:301:3H7:H1	2.29	0.41
1:A:22:CYS:C	1:A:24:SER:H	2.29	0.40
1:D:159:GLN:OE1	1:D:159:GLN:HA	2.20	0.40
1:C:24:SER:HA	1:C:26:TRP:CD1	2.56	0.40
1:C:31:ILE:HD13	1:C:31:ILE:HA	1.85	0.40
1:C:63:CYS:SG	1:C:93:SER:HB3	2.61	0.40
1:C:182:ASN:OD1	1:C:183:SER:N	2.52	0.40
1:E:62:GLY:O	1:E:63:CYS:HB2	2.22	0.40
1:C:61:SER:HA	1:C:62:GLY:HA3	1.84	0.40
1:E:81:GLY:O	1:E:111:THR:HA	2.22	0.40
1:C:147:TYR:CZ	1:C:194:ILE:HG13	2.57	0.40
1:E:31:ILE:HG23	1:E:48:LEU:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/216 (99%)	194 (91%)	16 (8%)	3 (1%)	9	34
1	B	213/216 (99%)	195 (92%)	18 (8%)	0	100	100
1	C	213/216 (99%)	194 (91%)	18 (8%)	1 (0%)	24	55
1	D	213/216 (99%)	191 (90%)	19 (9%)	3 (1%)	9	34
1	E	213/216 (99%)	190 (89%)	20 (9%)	3 (1%)	9	34
All	All	1065/1080 (99%)	964 (90%)	91 (8%)	10 (1%)	14	43

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	25	SER
1	A	62	GLY
1	D	62	GLY
1	E	26	TRP
1	A	93	SER
1	E	93	SER
1	A	99	PRO
1	D	185	THR
1	C	62	GLY
1	D	99	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/167 (100%)	151 (90%)	16 (10%)	8	29
1	B	167/167 (100%)	156 (93%)	11 (7%)	15	43
1	C	167/167 (100%)	153 (92%)	14 (8%)	10	34
1	D	167/167 (100%)	156 (93%)	11 (7%)	15	43
1	E	166/167 (99%)	154 (93%)	12 (7%)	13	40
All	All	834/835 (100%)	770 (92%)	64 (8%)	12	37

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	SER
1	A	47	ASN
1	A	61	SER
1	A	63	CYS
1	A	64	SER
1	A	67	LEU
1	A	97	ILE
1	A	101	CYS
1	A	102	THR
1	A	103	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	120	GLN
1	A	122	GLU
1	A	143	SER
1	A	159	GLN
1	A	187	GLN
1	A	194	ILE
1	B	25	SER
1	B	61	SER
1	B	67	LEU
1	B	80	ASN
1	B	97	ILE
1	B	103	THR
1	B	122	GLU
1	B	148	THR
1	B	159	GLN
1	B	185	THR
1	B	191	GLU
1	C	25	SER
1	C	61	SER
1	C	63	CYS
1	C	64	SER
1	C	67	LEU
1	C	73	GLU
1	C	80	ASN
1	C	98	SER
1	C	104	SER
1	C	120	GLN
1	C	122	GLU
1	C	143	SER
1	C	159	GLN
1	C	214	VAL
1	D	61	SER
1	D	63	CYS
1	D	64	SER
1	D	67	LEU
1	D	88	SER
1	D	97	ILE
1	D	120	GLN
1	D	122	GLU
1	D	145	MET
1	D	148	THR
1	D	186	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	25	SER
1	E	43	HIS
1	E	61	SER
1	E	63	CYS
1	E	64	SER
1	E	67	LEU
1	E	97	ILE
1	E	120	GLN
1	E	122	GLU
1	E	148	THR
1	E	159	GLN
1	E	187	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	ASN
1	A	170	ASN
1	A	187	GLN
1	A	201	ASN
1	A	202	GLN
1	B	69	ASN
1	B	120	GLN
1	C	19	GLN
1	C	106	HIS
1	C	115	HIS
1	C	201	ASN
1	C	202	GLN
1	D	43	HIS
1	D	120	GLN
1	D	202	GLN
1	E	120	GLN
1	E	202	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	3H5	C	302	-	21,21,21	1.80	6 (28%)	29,30,30	2.67	13 (44%)
4	3H7	B	301	-	13,13,13	2.31	4 (30%)	17,19,19	6.00	12 (70%)
4	3H7	C	301	-	13,13,13	2.22	4 (30%)	17,19,19	6.54	11 (64%)
3	3H6	A	302	-	27,27,27	2.49	9 (33%)	36,38,38	2.16	11 (30%)
2	3H5	A	301	-	21,21,21	1.86	6 (28%)	29,30,30	2.40	15 (51%)
4	3H7	D	301	-	13,13,13	2.05	4 (30%)	17,19,19	6.12	10 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3H5	C	302	-	-	2/8/8/8	0/3/3/3
4	3H7	B	301	-	-	-	0/2/2/2
4	3H7	C	301	-	-	-	0/2/2/2
3	3H6	A	302	-	-	4/12/12/12	0/4/4/4
2	3H5	A	301	-	-	1/8/8/8	0/3/3/3
4	3H7	D	301	-	-	-	0/2/2/2

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	3H6	C18-C17	-8.72	1.35	1.48
4	B	301	3H7	C02-N01	4.72	1.43	1.34
4	C	301	3H7	C02-N01	4.69	1.43	1.34
4	D	301	3H7	C02-N01	4.46	1.43	1.34
2	C	302	3H5	C08-N10	4.24	1.45	1.37
2	A	301	3H5	C08-N10	4.15	1.45	1.37
3	A	302	3H6	C10-C11	4.09	1.46	1.39
2	A	301	3H5	C11-N10	3.97	1.46	1.37
4	B	301	3H7	C02-N03	3.80	1.35	1.31
2	C	302	3H5	C11-N10	3.75	1.45	1.37
4	B	301	3H7	C04-C05	3.60	1.44	1.39
4	B	301	3H7	C02-S12	-3.43	1.72	1.76
4	C	301	3H7	C02-S12	-3.43	1.72	1.76
3	A	302	3H6	C24-C23	3.37	1.44	1.38
4	D	301	3H7	C02-S12	-3.27	1.72	1.76
3	A	302	3H6	C02-N03	3.21	1.43	1.37
4	C	301	3H7	C02-N03	3.13	1.35	1.31
2	A	301	3H5	C17-C18	2.86	1.44	1.40
4	D	301	3H7	C02-N03	2.83	1.34	1.31
2	C	302	3H5	C17-C18	2.74	1.44	1.40
3	A	302	3H6	C14-N15	2.68	1.38	1.34
4	D	301	3H7	C04-C05	2.63	1.43	1.39
2	C	302	3H5	C11-N19	2.58	1.36	1.32
4	C	301	3H7	C04-C05	2.56	1.43	1.39
3	A	302	3H6	C09-C08	2.49	1.43	1.38
2	A	301	3H5	C11-N19	2.47	1.36	1.32
2	A	301	3H5	C14-C13	2.40	1.43	1.39
3	A	302	3H6	C04-N05	2.37	1.36	1.32
2	C	302	3H5	C14-C13	2.23	1.43	1.39
2	A	301	3H5	N04-N03	2.14	1.39	1.36
2	C	302	3H5	N04-N03	2.05	1.39	1.36
3	A	302	3H6	C07-C06	2.05	1.43	1.40
3	A	302	3H6	C24-C18	-2.02	1.36	1.39

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	3H7	C11-S12-C02	16.69	96.78	88.89
4	D	301	3H7	C11-S12-C02	15.60	96.26	88.89
4	C	301	3H7	S12-C02-N03	-15.46	106.13	115.72
4	D	301	3H7	S12-C02-N03	-14.73	106.58	115.72
4	B	301	3H7	C11-S12-C02	14.67	95.82	88.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	301	3H7	S12-C02-N03	-14.63	106.64	115.72
4	C	301	3H7	C04-C11-S12	-7.06	104.41	109.71
4	D	301	3H7	C04-C11-S12	-6.35	104.95	109.71
4	B	301	3H7	C04-N03-C02	6.24	116.92	110.42
2	C	302	3H5	C05-N04-N03	6.22	125.89	119.57
4	B	301	3H7	N01-C02-N03	6.21	129.02	124.13
2	A	301	3H5	C05-N04-N03	5.81	125.48	119.57
4	C	301	3H7	C04-N03-C02	5.81	116.47	110.42
4	D	301	3H7	C04-N03-C02	5.53	116.18	110.42
2	C	302	3H5	C11-N10-C08	-5.43	114.58	125.77
3	A	302	3H6	C18-C17-N16	5.42	127.83	119.84
4	C	301	3H7	N01-C02-N03	5.39	128.38	124.13
4	D	301	3H7	S12-C02-N01	5.25	125.83	120.13
4	C	301	3H7	S12-C02-N01	4.94	125.50	120.13
4	B	301	3H7	C04-C11-S12	-4.65	106.22	109.71
2	A	301	3H5	C02-N03-N04	4.59	108.68	104.83
4	D	301	3H7	N01-C02-N03	4.38	127.58	124.13
4	C	301	3H7	C10-C08-C07	-4.29	118.29	123.50
4	B	301	3H7	C05-C07-C08	4.21	121.16	116.67
4	C	301	3H7	C05-C07-C08	4.16	121.10	116.67
3	A	302	3H6	C04-N03-C02	-4.13	117.26	125.77
2	A	301	3H5	C06-N04-N03	-4.11	108.64	112.71
2	C	302	3H5	C07-C08-N10	4.02	123.51	114.94
2	A	301	3H5	C18-N19-C11	4.00	108.92	104.21
2	C	302	3H5	N10-C11-N19	3.98	130.54	122.77
3	A	302	3H6	C13-C02-N03	3.97	123.41	114.94
2	C	302	3H5	C06-C07-C02	3.90	106.45	104.73
4	B	301	3H7	S12-C02-N01	3.87	124.33	120.13
3	A	302	3H6	C06-N05-C04	3.85	108.73	104.21
4	C	301	3H7	C10-C11-S12	3.70	135.30	126.07
2	C	302	3H5	C02-N03-N04	3.68	107.92	104.83
4	D	301	3H7	C05-C07-C08	3.68	120.59	116.67
4	B	301	3H7	C10-C08-C07	-3.61	119.12	123.50
3	A	302	3H6	C14-C13-C17	3.57	106.42	104.46
4	D	301	3H7	C10-C08-C07	-3.52	119.22	123.50
4	D	301	3H7	C10-C11-S12	3.51	134.82	126.07
2	C	302	3H5	C06-N04-N03	-3.50	109.24	112.71
2	A	301	3H5	N12-C11-N19	-3.39	108.81	113.73
3	A	302	3H6	N12-C04-N05	-3.38	108.83	113.73
2	C	302	3H5	N12-C11-N19	-3.27	108.98	113.73
2	A	301	3H5	C07-C08-N10	3.07	121.48	114.94
4	C	301	3H7	C11-C10-C08	3.07	120.92	116.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	302	3H5	C05-N04-C06	-3.06	124.87	127.94
4	B	301	3H7	C11-C10-C08	3.05	120.90	116.75
4	B	301	3H7	C10-C11-S12	2.99	133.52	126.07
3	A	302	3H6	C14-N15-N16	-2.96	108.06	112.59
4	B	301	3H7	F06-C05-C04	2.89	123.13	118.27
4	D	301	3H7	C11-C10-C08	2.77	120.52	116.75
2	C	302	3H5	C01-C02-N03	2.76	124.75	119.39
2	A	301	3H5	C11-N10-C08	-2.75	120.10	125.77
2	C	302	3H5	C18-N19-C11	2.72	107.41	104.21
3	A	302	3H6	C18-C17-C13	-2.72	123.98	129.36
3	A	302	3H6	C10-C11-C06	-2.67	119.17	122.10
3	A	302	3H6	O01-C02-N03	-2.61	118.22	122.88
2	A	301	3H5	O09-C08-N10	-2.54	118.34	122.88
2	C	302	3H5	O09-C08-N10	-2.47	118.46	122.88
4	B	301	3H7	F09-C08-C07	2.47	121.79	118.28
2	A	301	3H5	C07-C02-N03	-2.37	108.42	111.73
2	A	301	3H5	C01-C02-N03	2.35	123.94	119.39
2	C	302	3H5	C07-C02-N03	-2.31	108.50	111.73
3	A	302	3H6	N12-C04-N03	2.21	128.29	123.05
2	A	301	3H5	C06-C07-C02	2.19	105.70	104.73
2	A	301	3H5	C14-C13-C18	-2.18	119.71	122.10
4	C	301	3H7	F09-C08-C07	2.05	121.20	118.28
2	A	301	3H5	C05-N04-C06	-2.05	125.88	127.94
2	A	301	3H5	C07-C06-N04	2.03	108.56	107.13
2	A	301	3H5	C13-C18-N19	-2.03	106.64	109.42

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	302	3H5	N12-C11-N10-C08
2	C	302	3H5	N19-C11-N10-C08
3	A	302	3H6	N12-C04-N03-C02
3	A	302	3H6	N05-C04-N03-C02
3	A	302	3H6	N16-C17-C18-C24
3	A	302	3H6	N16-C17-C18-C19
2	A	301	3H5	N19-C11-N10-C08

There are no ring outliers.


5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	302	3H5	1	0
4	B	301	3H7	2	0
3	A	302	3H6	1	0
2	A	301	3H5	1	0
4	D	301	3H7	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 3H6 A 302




Bond lengths



Bond angles




Torsions




Rings


Ligand 3H5 A 301




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/216 (99%)	-0.44	0 100 100	62, 82, 115, 141	0
1	B	215/216 (99%)	-0.37	1 (0%) 87 75	59, 80, 115, 142	0
1	C	215/216 (99%)	-0.53	1 (0%) 87 75	60, 84, 117, 142	0
1	D	215/216 (99%)	-0.53	1 (0%) 87 75	62, 85, 117, 142	0
1	E	215/216 (99%)	-0.15	0 100 100	72, 88, 122, 154	0
All	All	1075/1080 (99%)	-0.41	3 (0%) 90 82	59, 85, 118, 154	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	215	GLY	3.1
1	C	215	GLY	2.1
1	B	97	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	3H7	B	301	12/12	0.83	0.13	58,109,133,134	1
4	3H7	C	301	12/12	0.85	0.21	62,114,132,152	12
2	3H5	A	301	19/19	0.86	0.25	77,104,121,132	19
3	3H6	A	302	24/24	0.89	0.17	71,109,147,161	24
4	3H7	D	301	12/12	0.90	0.17	90,108,116,138	12
2	3H5	C	302	19/19	0.92	0.26	80,108,118,124	19

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3H5 A 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3H6 A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 3H5 C 302:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.