



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 12:43 AM UTC

PDB ID : 4W5J / pdb_00004w5j
Title : New structural conformations of adenylate kinase from *Streptococcus pneumoniae* D39 with Ap5A
Authors : Thach, T.T.; Lee, S.H.
Deposited on : 2014-08-18
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	24% 80% 16% ..
1	B	217	39% 76% 21% .
1	C	217	23% 87% 9% ..
1	D	217	35% 83% 14% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14290 atoms, of which 6608 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylate kinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	211	Total	C	H	N	O	S	0	0	0
			3312	1044	1652	287	324	5			
1	B	211	Total	C	H	N	O	S	0	0	0
			3312	1044	1652	287	324	5			
1	C	211	Total	C	H	N	O	S	0	0	0
			3312	1044	1652	287	324	5			
1	D	211	Total	C	H	N	O	S	0	0	0
			3312	1044	1652	287	324	5			


There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q04ML5
A	-3	ALA	-	expression tag	UNP Q04ML5
A	-2	MET	-	expression tag	UNP Q04ML5
A	-1	GLY	-	expression tag	UNP Q04ML5
A	0	SER	-	expression tag	UNP Q04ML5
B	-4	GLY	-	expression tag	UNP Q04ML5
B	-3	ALA	-	expression tag	UNP Q04ML5
B	-2	MET	-	expression tag	UNP Q04ML5
B	-1	GLY	-	expression tag	UNP Q04ML5
B	0	SER	-	expression tag	UNP Q04ML5
C	-4	GLY	-	expression tag	UNP Q04ML5
C	-3	ALA	-	expression tag	UNP Q04ML5
C	-2	MET	-	expression tag	UNP Q04ML5
C	-1	GLY	-	expression tag	UNP Q04ML5
C	0	SER	-	expression tag	UNP Q04ML5
D	-4	GLY	-	expression tag	UNP Q04ML5
D	-3	ALA	-	expression tag	UNP Q04ML5
D	-2	MET	-	expression tag	UNP Q04ML5
D	-1	GLY	-	expression tag	UNP Q04ML5
D	0	SER	-	expression tag	UNP Q04ML5

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is BIS(ADENOSINE)-5'-PENTAPHOSPHATE (CCD ID: AP5) (formula: C₂₀H₂₉N₁₀O₂₂P₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			57	20	10	22	5		
3	B	1	Total	C	N	O	P	0	0
			57	20	10	22	5		
3	C	1	Total	C	N	O	P	0	0
			57	20	10	22	5		
3	D	1	Total	C	N	O	P	0	0
			57	20	10	22	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	218	Total 218	O 218	0	0
4	B	191	Total 191	O 191	0	0
4	C	209	Total 209	O 209	0	0
4	D	192	Total 192	O 192	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenylate kinase





- Molecule 1: Adenylate kinase



- Molecule 1: Adenylate kinase



- Molecule 1: Adenylate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.91Å 62.30Å 63.02Å 101.89° 112.59° 89.86°	Depositor
Resolution (Å)	46.99 – 1.65 46.99 – 1.65	Depositor EDS
% Data completeness (in resolution range)	95.4 (46.99-1.65) 89.4 (46.99-1.65)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.07 (at 1.65Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8.4_1496)	Depositor
R, R_{free}	0.257 , 0.286 0.259 , 0.286	Depositor DCC
R_{free} test set	4280 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	19.0	Xtriage
Anisotropy	0.322	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.48 , 53.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14290	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 80.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.3469e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AP5, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/1685	0.71	0/2274
1	B	0.39	0/1685	0.73	0/2274
1	C	0.40	0/1685	0.71	0/2274
1	D	0.39	0/1685	0.72	0/2274
All	All	0.40	0/6740	0.71	0/9096

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	211	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1660	1652	1660	30	1
1	B	1660	1652	1660	33	0
1	C	1660	1652	1660	18	1
1	D	1660	1652	1660	29	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	57	0	23	2	0
3	B	57	0	22	2	0
3	C	57	0	22	2	0
3	D	57	0	23	3	0
4	A	218	0	0	19	4
4	B	191	0	0	16	4
4	C	209	0	0	12	4
4	D	192	0	0	20	2
All	All	7682	6608	6730	111	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:55:LYS:NZ	4:C:402:HOH:O	1.90	1.04
1:A:76:ASP:OD2	4:A:592:HOH:O	1.83	0.95
1:C:89:ARG:NH2	3:C:302:AP5:O1B	2.00	0.94
1:D:119:ASP:OD2	4:D:401:HOH:O	1.88	0.91
1:C:119:ASP:OD2	4:C:401:HOH:O	1.88	0.91
1:B:107:GLU:OE2	4:B:401:HOH:O	1.91	0.89
1:B:176:GLU:OE2	4:B:561:HOH:O	1.92	0.86
1:C:174:GLN:NE2	4:C:404:HOH:O	2.10	0.85
1:A:165:LYS:NZ	4:A:403:HOH:O	2.08	0.84
1:D:21:VAL:O	4:D:554:HOH:O	1.96	0.84
1:D:25:HIS:N	4:D:554:HOH:O	2.12	0.83
1:A:187:LEU:O	4:A:401:HOH:O	1.97	0.82
1:A:70:GLU:OE1	4:A:402:HOH:O	1.98	0.80
1:A:61:ASP:OD2	4:A:567:HOH:O	1.98	0.79
1:D:69:LYS:NZ	4:D:542:HOH:O	2.16	0.79
1:A:189:HIS:ND1	4:A:401:HOH:O	2.19	0.76
1:D:57:GLU:OE2	4:D:567:HOH:O	2.03	0.75
1:D:166:ARG:NH1	4:D:404:HOH:O	2.20	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:LYS:NZ	1:B:54:ASP:OD2	2.20	0.73
1:B:196:ASP:OD2	4:B:534:HOH:O	2.07	0.72
1:B:119:ASP:OD2	4:B:570:HOH:O	2.08	0.72
1:D:95:HIS:ND1	4:D:485:HOH:O	2.23	0.71
1:C:192:GLU:OE2	4:C:403:HOH:O	2.09	0.70
1:D:155:GLN:OE1	4:D:402:HOH:O	2.09	0.70
1:A:116:VAL:O	4:A:580:HOH:O	2.10	0.69
1:B:152:ASP:OD2	4:B:537:HOH:O	2.08	0.69
1:A:57:GLU:OE2	4:A:573:HOH:O	2.11	0.69
1:A:99:LYS:NZ	1:A:103:GLU:OE2	2.25	0.68
1:D:98:ASP:OD1	4:D:533:HOH:O	2.10	0.68
1:B:13:LYS:NZ	4:B:555:HOH:O	2.26	0.68
1:B:148:TYR:N	4:B:544:HOH:O	2.26	0.67
1:A:169:ASP:OD1	4:A:404:HOH:O	2.13	0.66
1:B:196:ASP:OD1	4:B:402:HOH:O	2.13	0.66
1:C:89:ARG:NH1	3:C:302:AP5:N7A	2.43	0.65
1:D:148:TYR:HA	4:D:580:HOH:O	1.96	0.65
1:C:155:GLN:OE1	4:C:405:HOH:O	2.15	0.65
1:B:169:ASP:OD1	4:B:576:HOH:O	2.14	0.64
1:A:189:HIS:CE1	4:A:401:HOH:O	2.51	0.63
1:B:29:ILE:HG23	1:B:34:MET:HE1	1.82	0.62
1:A:190:ASP:OD2	4:A:406:HOH:O	2.16	0.61
1:B:144:PRO:O	4:B:539:HOH:O	2.16	0.61
1:D:89:ARG:NH2	3:D:302:AP5:O1B	2.35	0.59
1:C:54:ASP:OD2	4:C:406:HOH:O	2.17	0.58
1:B:206:LYS:NZ	4:B:412:HOH:O	2.37	0.57
1:D:155:GLN:OE1	4:D:403:HOH:O	2.18	0.57
1:D:189:HIS:HE1	4:D:421:HOH:O	1.89	0.56
1:C:148:TYR:OH	1:C:150:GLU:OE1	2.16	0.56
1:A:136:GLU:OE1	4:A:540:HOH:O	2.17	0.55
1:C:136:GLU:OE1	4:C:407:HOH:O	2.18	0.55
1:A:166:ARG:NH1	4:A:408:HOH:O	2.26	0.54
1:B:97:LEU:CD1	1:B:101:LEU:HD21	2.38	0.53
1:D:89:ARG:NH2	3:D:302:AP5:O2A	2.43	0.52
1:D:111:ILE:HD12	1:D:182:TYR:HB3	1.91	0.52
1:A:111:ILE:HD12	1:A:182:TYR:CB	2.40	0.51
1:C:148:TYR:CD2	1:C:149:LYS:N	2.78	0.51
1:D:150:GLU:C	1:D:152:ASP:H	2.17	0.51
1:B:29:ILE:HG23	1:B:34:MET:CE	2.40	0.51
1:A:76:ASP:N	1:A:76:ASP:OD1	2.44	0.50
1:C:1:MET:N	4:C:590:HOH:O	2.27	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:61:ASP:OD1	4:D:507:HOH:O	2.20	0.50
1:A:206:LYS:NZ	4:A:405:HOH:O	2.15	0.49
1:A:29:ILE:HD11	1:A:77:ILE:HD11	1.93	0.49
1:B:58:LEU:HD22	1:B:89:ARG:HD2	1.95	0.49
1:B:57:GLU:O	3:B:302:AP5:O2J	2.30	0.49
1:B:98:ASP:OD2	1:B:181:HIS:NE2	2.44	0.48
1:D:166:ARG:CZ	4:D:404:HOH:O	2.59	0.48
1:D:71:ARG:NH1	4:D:519:HOH:O	2.46	0.48
1:B:136:GLU:OE1	4:B:404:HOH:O	2.20	0.47
1:B:34:MET:HE2	1:B:71:ARG:NH1	2.30	0.47
1:D:151:GLU:OE1	4:D:541:HOH:O	2.20	0.47
1:D:140:LYS:NZ	4:D:412:HOH:O	2.46	0.47
1:D:166:ARG:NH2	4:D:404:HOH:O	2.48	0.47
1:C:62:GLU:CD	4:C:417:HOH:O	2.59	0.46
1:A:149:LYS:HD3	1:A:151:GLU:OE2	2.16	0.46
1:B:111:ILE:HD12	1:B:182:TYR:CB	2.46	0.46
1:B:70:GLU:O	1:B:74:GLN:HG2	2.16	0.46
1:B:47:VAL:O	4:B:405:HOH:O	2.21	0.46
1:B:176:GLU:HB3	1:B:177:PRO:CD	2.46	0.45
1:D:116:VAL:HG21	1:D:121:LEU:HD21	1.98	0.45
1:D:134:THR:HG23	1:D:136:GLU:H	1.81	0.45
1:A:45:MET:SD	1:A:67:ILE:HG21	2.56	0.45
1:A:8:LEU:HD12	4:A:580:HOH:O	2.16	0.44
1:C:13:LYS:HE2	4:C:589:HOH:O	2.18	0.44
1:B:61:ASP:CA	4:B:541:HOH:O	2.64	0.44
1:C:150:GLU:HB3	4:C:438:HOH:O	2.17	0.43
1:C:146:VAL:HA	4:C:415:HOH:O	2.17	0.43
1:A:176:GLU:HB3	1:A:177:PRO:CD	2.49	0.43
1:C:78:LYS:HD2	1:C:78:LYS:H	1.84	0.43
1:B:87:TYR:HE2	1:B:97:LEU:HD13	1.84	0.43
1:A:144:PRO:O	4:A:536:HOH:O	2.22	0.42
1:A:58:LEU:HD22	1:A:89:ARG:HD2	2.01	0.42
1:B:189:HIS:HE1	4:B:435:HOH:O	2.02	0.42
1:D:21:VAL:HG21	1:D:28:HIS:HB2	2.01	0.42
1:A:160:LYS:HD3	1:A:162:GLU:OE2	2.20	0.42
1:B:45:MET:SD	1:B:67:ILE:HG21	2.60	0.42
1:B:77:ILE:HG23	1:B:82:PHE:HD2	1.84	0.42
1:A:150:GLU:O	4:A:407:HOH:O	2.22	0.41
1:D:89:ARG:HH22	3:D:302:AP5:PA	2.43	0.41
1:A:89:ARG:NH1	4:A:549:HOH:O	2.53	0.41
1:B:65:ASN:ND2	4:B:541:HOH:O	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:45:MET:SD	1:C:67:ILE:HG21	2.59	0.41
1:D:68:VAL:HG12	1:D:72:LEU:CD2	2.50	0.41
1:A:206:LYS:NZ	4:A:416:HOH:O	2.49	0.41
1:A:68:VAL:O	1:A:72:LEU:HD23	2.20	0.41
1:B:167:ARG:NH2	3:B:302:AP5:O1G	2.54	0.41
1:A:167:ARG:NH2	3:A:302:AP5:O2G	2.54	0.41
1:B:72:LEU:HA	1:B:77:ILE:HG13	2.03	0.41
1:B:99:LYS:O	1:B:103:GLU:HG3	2.21	0.40
3:A:302:AP5:H8A	3:A:302:AP5:O5F	2.21	0.40
1:D:78:LYS:HE3	4:D:460:HOH:O	2.21	0.40
1:D:155:GLN:NE2	4:D:497:HOH:O	2.55	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:403:HOH:O	4:B:413:HOH:O[1_656]	1.95	0.25
4:A:486:HOH:O	4:B:465:HOH:O[1_656]	2.02	0.18
4:A:474:HOH:O	4:C:471:HOH:O[1_546]	2.03	0.17
4:A:473:HOH:O	4:D:471:HOH:O[1_656]	2.05	0.15
4:C:466:HOH:O	4:D:425:HOH:O[1_655]	2.15	0.05
4:B:431:HOH:O	4:C:469:HOH:O[1_556]	2.16	0.04
4:B:466:HOH:O	4:C:463:HOH:O[1_556]	2.17	0.03
1:A:150:GLU:OE2	1:C:205:GLU:OE2[1_546]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/217 (95%)	204 (99%)	2 (1%)	1 (0%)	24	10
1	B	207/217 (95%)	206 (100%)	1 (0%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	207/217 (95%)	206 (100%)	0	1 (0%)	24	10
1	D	207/217 (95%)	203 (98%)	3 (1%)	1 (0%)	24	10
All	All	828/868 (95%)	819 (99%)	6 (1%)	3 (0%)	30	15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	149	LYS
1	A	149	LYS
1	D	149	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/183 (98%)	175 (97%)	5 (3%)	38	15
1	B	180/183 (98%)	177 (98%)	3 (2%)	53	32
1	C	180/183 (98%)	175 (97%)	5 (3%)	38	15
1	D	180/183 (98%)	177 (98%)	3 (2%)	53	32
All	All	720/732 (98%)	704 (98%)	16 (2%)	45	23

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	ILE
1	A	78	LYS
1	A	80	THR
1	A	176	GLU
1	A	195	GLN
1	B	1	MET
1	B	31	THR
1	B	212	LYS
1	C	6	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	45	MET
1	C	80	THR
1	C	99	LYS
1	C	146	VAL
1	D	72	LEU
1	D	99	LYS
1	D	157	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	131	HIS
1	A	195	GLN
1	B	2	ASN
1	B	189	HIS
1	C	2	ASN
1	C	189	HIS
1	D	181	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AP5	C	302	2	62,62,62	2.69	19 (30%)	89,98,98	2.05	24 (26%)
3	AP5	D	302	2	62,62,62	2.77	18 (29%)	89,98,98	2.08	24 (26%)
3	AP5	A	302	2	62,62,62	2.75	20 (32%)	89,98,98	2.03	20 (22%)
3	AP5	B	302	2	62,62,62	2.70	19 (30%)	89,98,98	2.09	24 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AP5	C	302	2	-	7/44/76/76	0/6/6/6
3	AP5	D	302	2	-	8/44/76/76	0/6/6/6
3	AP5	A	302	2	-	7/44/76/76	0/6/6/6
3	AP5	B	302	2	-	8/44/76/76	0/6/6/6

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	AP5	O4F-C1F	8.55	1.61	1.42
3	C	302	AP5	O4F-C1F	8.18	1.60	1.42
3	A	302	AP5	O4F-C1F	8.11	1.60	1.42
3	B	302	AP5	O4J-C1J	7.93	1.60	1.42
3	B	302	AP5	O4F-C1F	7.80	1.60	1.42
3	A	302	AP5	O4J-C1J	7.71	1.59	1.42
3	B	302	AP5	C2J-C1J	-7.65	1.29	1.53
3	D	302	AP5	O4J-C1J	7.61	1.59	1.42
3	D	302	AP5	C2F-C1F	-7.60	1.29	1.53
3	A	302	AP5	C2F-C1F	-7.45	1.30	1.53
3	C	302	AP5	C2F-C1F	-7.17	1.30	1.53
3	C	302	AP5	O4J-C1J	7.16	1.58	1.42
3	D	302	AP5	C2J-C1J	-7.07	1.31	1.53
3	A	302	AP5	C2J-C1J	-7.06	1.31	1.53
3	B	302	AP5	C2F-C1F	-7.04	1.31	1.53
3	C	302	AP5	C2J-C1J	-6.93	1.31	1.53
3	B	302	AP5	O4J-C4J	-6.67	1.30	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	AP5	O4F-C4F	-6.40	1.30	1.45
3	A	302	AP5	O4F-C4F	-6.23	1.31	1.45
3	C	302	AP5	O4F-C4F	-6.19	1.31	1.45
3	D	302	AP5	O4J-C4J	-5.92	1.31	1.45
3	C	302	AP5	O4J-C4J	-5.88	1.31	1.45
3	B	302	AP5	O4F-C4F	-5.66	1.32	1.45
3	A	302	AP5	O4J-C4J	-5.60	1.32	1.45
3	B	302	AP5	C6B-N6B	5.26	1.47	1.34
3	C	302	AP5	C6B-N6B	5.02	1.47	1.34
3	D	302	AP5	C6B-N6B	4.86	1.46	1.34
3	A	302	AP5	C6B-N6B	4.73	1.46	1.34
3	D	302	AP5	PA-O3A	-4.20	1.55	1.59
3	A	302	AP5	PB-O3B	-3.96	1.55	1.59
3	A	302	AP5	C6A-N6A	3.59	1.43	1.34
3	B	302	AP5	C6A-N6A	3.58	1.43	1.34
3	A	302	AP5	PA-O3A	-3.57	1.55	1.59
3	D	302	AP5	C6A-N6A	3.44	1.43	1.34
3	C	302	AP5	C6A-N6A	3.42	1.42	1.34
3	D	302	AP5	O3F-C3F	-3.39	1.34	1.43
3	A	302	AP5	O3F-C3F	-3.38	1.34	1.43
3	C	302	AP5	PA-O3A	-3.37	1.55	1.59
3	D	302	AP5	PB-O3B	-3.23	1.56	1.59
3	C	302	AP5	O3F-C3F	-3.20	1.35	1.43
3	C	302	AP5	PB-O3B	-3.09	1.56	1.59
3	C	302	AP5	C2B-N3B	3.03	1.39	1.33
3	A	302	AP5	C2B-N3B	3.00	1.39	1.33
3	B	302	AP5	O3F-C3F	-2.95	1.35	1.43
3	D	302	AP5	C2B-N3B	2.94	1.39	1.33
3	D	302	AP5	C5A-C4A	-2.91	1.33	1.39
3	B	302	AP5	O3J-C3J	-2.77	1.36	1.43
3	B	302	AP5	C8A-N7A	2.75	1.37	1.31
3	B	302	AP5	C2B-N3B	2.73	1.38	1.33
3	A	302	AP5	PG-O3G	-2.72	1.56	1.59
3	C	302	AP5	C8B-N7B	2.71	1.36	1.31
3	C	302	AP5	O3J-C3J	-2.65	1.36	1.43
3	A	302	AP5	C8B-N7B	2.56	1.36	1.31
3	B	302	AP5	PA-O3A	-2.55	1.56	1.59
3	C	302	AP5	C5A-C4A	-2.54	1.34	1.39
3	D	302	AP5	C8B-N7B	2.50	1.36	1.31
3	A	302	AP5	O2J-C2J	2.47	1.49	1.43
3	D	302	AP5	O2J-C2J	2.47	1.49	1.43
3	B	302	AP5	PG-O3G	-2.44	1.56	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	AP5	C5B-C4B	-2.44	1.34	1.39
3	A	302	AP5	C8A-N7A	2.39	1.36	1.31
3	C	302	AP5	PD-O3G	2.38	1.62	1.59
3	A	302	AP5	C5B-C4B	-2.38	1.34	1.39
3	B	302	AP5	O2J-C2J	2.37	1.48	1.43
3	A	302	AP5	C5A-C4A	-2.35	1.34	1.39
3	B	302	AP5	C5A-C4A	-2.34	1.34	1.39
3	B	302	AP5	C8B-N7B	2.32	1.36	1.31
3	B	302	AP5	C5B-C4B	-2.32	1.35	1.39
3	B	302	AP5	C2B-N1B	2.27	1.38	1.33
3	A	302	AP5	O2F-C2F	2.24	1.48	1.43
3	C	302	AP5	O2J-C2J	2.21	1.48	1.43
3	D	302	AP5	O3J-C3J	-2.19	1.37	1.43
3	C	302	AP5	C5B-C4B	-2.14	1.35	1.39
3	A	302	AP5	PD-O3G	2.10	1.61	1.59
3	C	302	AP5	C4B-N3B	2.08	1.38	1.34
3	D	302	AP5	C2B-N1B	2.01	1.37	1.33

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	AP5	N6B-C6B-N1B	-6.27	104.41	118.38
3	C	302	AP5	N3B-C2B-N1B	-6.23	119.14	128.58
3	D	302	AP5	N6B-C6B-N1B	-6.04	104.92	118.38
3	A	302	AP5	N3B-C2B-N1B	-5.97	119.55	128.58
3	D	302	AP5	N3B-C2B-N1B	-5.88	119.68	128.58
3	A	302	AP5	N6B-C6B-N1B	-5.83	105.39	118.38
3	A	302	AP5	N3A-C2A-N1A	-5.73	119.92	128.58
3	C	302	AP5	N6B-C6B-N1B	-5.68	105.72	118.38
3	B	302	AP5	N3A-C2A-N1A	-5.64	120.04	128.58
3	B	302	AP5	N3B-C2B-N1B	-5.46	120.31	128.58
3	C	302	AP5	N3A-C2A-N1A	-5.42	120.37	128.58
3	D	302	AP5	N3A-C2A-N1A	-5.41	120.39	128.58
3	B	302	AP5	C5B-C6B-N6B	5.19	136.15	123.29
3	C	302	AP5	C5A-C4A-N3A	-5.07	119.73	126.72
3	D	302	AP5	C5B-C4B-N3B	-5.02	119.81	126.72
3	B	302	AP5	C5B-C4B-N3B	-4.98	119.85	126.72
3	D	302	AP5	C5A-C4A-N3A	-4.82	120.07	126.72
3	A	302	AP5	C5B-C4B-N3B	-4.73	120.20	126.72
3	D	302	AP5	C5B-C6B-N6B	4.68	134.87	123.29
3	A	302	AP5	C5B-C6B-N6B	4.56	134.58	123.29
3	B	302	AP5	N9B-C8B-N7B	-4.53	107.51	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	302	AP5	C5B-C6B-N6B	4.49	134.41	123.29
3	C	302	AP5	C5B-C4B-N3B	-4.40	120.66	126.72
3	B	302	AP5	C5A-C4A-N3A	-4.33	120.75	126.72
3	A	302	AP5	C5A-C4A-N3A	-4.27	120.84	126.72
3	D	302	AP5	N9A-C8A-N7A	-4.17	108.01	113.94
3	D	302	AP5	N9B-C8B-N7B	-4.07	108.16	113.94
3	A	302	AP5	N9A-C8A-N7A	-3.99	108.28	113.94
3	C	302	AP5	N9A-C8A-N7A	-3.95	108.33	113.94
3	D	302	AP5	N3B-C4B-N9B	3.94	133.88	127.17
3	A	302	AP5	N3B-C4B-N9B	3.92	133.83	127.17
3	A	302	AP5	N9B-C8B-N7B	-3.81	108.53	113.94
3	C	302	AP5	N9B-C8B-N7B	-3.69	108.70	113.94
3	A	302	AP5	O2D-PD-O3G	3.65	117.14	107.27
3	B	302	AP5	N3B-C4B-N9B	3.63	133.34	127.17
3	B	302	AP5	N9A-C8A-N7A	-3.58	108.86	113.94
3	C	302	AP5	N3B-C4B-N9B	3.49	133.11	127.17
3	D	302	AP5	O2D-PD-O3G	3.46	116.62	107.27
3	D	302	AP5	C2A-N3A-C4A	3.30	119.89	111.83
3	C	302	AP5	C2A-N3A-C4A	3.29	119.86	111.83
3	A	302	AP5	C2A-N3A-C4A	3.27	119.83	111.83
3	D	302	AP5	C2B-N3B-C4B	3.27	119.82	111.83
3	B	302	AP5	C4B-N9B-C8B	3.16	109.05	105.74
3	B	302	AP5	C2B-N3B-C4B	3.12	119.44	111.83
3	B	302	AP5	C2A-N3A-C4A	3.10	119.39	111.83
3	C	302	AP5	C2B-N3B-C4B	3.07	119.33	111.83
3	B	302	AP5	O2E-PE-O3D	3.05	115.53	107.27
3	B	302	AP5	O2B-PB-O3B	3.05	115.52	107.27
3	C	302	AP5	O2D-PD-O3G	3.01	115.41	107.27
3	A	302	AP5	C2B-N3B-C4B	3.00	119.15	111.83
3	B	302	AP5	C5B-N7B-C8B	2.99	108.14	103.45
3	D	302	AP5	C4B-N9B-C8B	2.86	108.74	105.74
3	C	302	AP5	C5A-N7A-C8A	2.86	107.94	103.45
3	D	302	AP5	C5A-N7A-C8A	2.83	107.90	103.45
3	B	302	AP5	C3J-C2J-C1J	2.79	106.75	101.46
3	D	302	AP5	C4B-N9B-C1J	-2.78	120.12	126.63
3	A	302	AP5	C4B-N9B-C8B	2.78	108.66	105.74
3	C	302	AP5	N6A-C6A-N1A	-2.72	112.32	118.38
3	D	302	AP5	N6A-C6A-N1A	-2.71	112.34	118.38
3	B	302	AP5	C5A-C4A-N9A	2.69	108.74	105.81
3	B	302	AP5	C6B-C5B-C4B	2.69	120.85	117.18
3	A	302	AP5	C5A-C4A-N9A	2.65	108.70	105.81
3	D	302	AP5	C5A-C4A-N9A	2.65	108.70	105.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	AP5	C5A-N7A-C8A	2.63	107.58	103.45
3	C	302	AP5	N3A-C4A-N9A	2.62	131.62	127.17
3	A	302	AP5	N6A-C6A-N1A	-2.61	112.56	118.38
3	C	302	AP5	C5A-C4A-N9A	2.60	108.64	105.81
3	D	302	AP5	O2E-PE-O3D	2.55	114.16	107.27
3	D	302	AP5	C4A-C5A-N7A	-2.51	107.72	110.58
3	A	302	AP5	C4A-C5A-N7A	-2.50	107.73	110.58
3	B	302	AP5	N6A-C6A-N1A	-2.49	112.82	118.38
3	C	302	AP5	C4B-N9B-C8B	2.48	108.34	105.74
3	C	302	AP5	O2A-PA-O3A	2.46	113.91	107.27
3	D	302	AP5	O2G-PG-O3B	2.41	113.78	107.27
3	C	302	AP5	C4B-N9B-C1J	-2.40	121.01	126.63
3	B	302	AP5	C4B-N9B-C1J	-2.40	121.02	126.63
3	D	302	AP5	N3A-C4A-N9A	2.39	131.23	127.17
3	C	302	AP5	C4A-C5A-N7A	-2.39	107.86	110.58
3	A	302	AP5	C4B-N9B-C1J	-2.36	121.12	126.63
3	C	302	AP5	C6A-C5A-C4A	2.33	120.36	117.18
3	D	302	AP5	C6B-C5B-C4B	2.32	120.35	117.18
3	B	302	AP5	C2J-C3J-C4J	2.25	106.97	102.61
3	A	302	AP5	C6B-C5B-C4B	2.22	120.21	117.18
3	B	302	AP5	C5A-N7A-C8A	2.17	106.86	103.45
3	C	302	AP5	O3A-PA-O1A	-2.14	104.27	110.70
3	D	302	AP5	C5B-N7B-C8B	2.11	106.77	103.45
3	C	302	AP5	C3J-C2J-C1J	2.10	105.44	101.46
3	B	302	AP5	O3J-C3J-C2J	-2.07	105.19	111.82
3	B	302	AP5	O3D-PE-O1E	-2.06	104.50	110.70
3	A	302	AP5	O2G-PG-O3B	2.06	112.83	107.27
3	D	302	AP5	C6A-C5A-C4A	2.05	119.98	117.18
3	C	302	AP5	O2D-PD-O3D	2.05	112.80	107.27

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	302	AP5	O4J-C4J-C5J-O5J
3	B	302	AP5	C3J-C4J-C5J-O5J
3	B	302	AP5	PD-O3D-PE-O2E
3	C	302	AP5	PE-O3D-PD-O2D
3	A	302	AP5	PB-O3A-PA-O2A
3	A	302	AP5	PG-O3G-PD-O2D
3	A	302	AP5	PE-O3D-PD-O2D
3	B	302	AP5	PG-O3B-PB-O2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	302	AP5	PE-O3D-PD-O2D
3	C	302	AP5	C2J-C1J-N9B-C8B
3	D	302	AP5	C2J-C1J-N9B-C8B
3	C	302	AP5	PB-O3A-PA-O1A
3	C	302	AP5	PG-O3G-PD-O2D
3	D	302	AP5	PB-O3A-PA-O1A
3	A	302	AP5	C2J-C1J-N9B-C8B
3	B	302	AP5	PA-O3A-PB-O1B
3	B	302	AP5	PA-O3A-PB-O2B
3	B	302	AP5	PD-O3D-PE-O1E
3	C	302	AP5	PB-O3A-PA-O2A
3	C	302	AP5	PG-O3G-PD-O1D
3	C	302	AP5	PE-O3D-PD-O1D
3	D	302	AP5	PB-O3A-PA-O2A
3	D	302	AP5	PG-O3G-PD-O1D
3	D	302	AP5	PG-O3G-PD-O2D
3	D	302	AP5	PE-O3D-PD-O1D
3	B	302	AP5	C2F-C1F-N9A-C8A
3	A	302	AP5	PB-O3A-PA-O1A
3	A	302	AP5	PA-O3A-PB-O2B
3	A	302	AP5	PE-O3D-PD-O1D
3	D	302	AP5	PA-O3A-PB-O2B



There are no ring outliers.


4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	302	AP5	2	0
3	D	302	AP5	3	0
3	A	302	AP5	2	0
3	B	302	AP5	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/217 (97%)	1.30	52 (24%) 2 2	13, 28, 58, 76	0
1	B	211/217 (97%)	1.74	84 (39%) 1 0	13, 31, 62, 94	0
1	C	211/217 (97%)	1.39	50 (23%) 2 2	14, 31, 59, 98	0
1	D	211/217 (97%)	1.72	77 (36%) 1 1	15, 33, 66, 93	0
All	All	844/868 (97%)	1.54	263 (31%) 1 1	13, 31, 63, 98	0

All (263) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	148	TYR	9.0
1	D	148	TYR	7.1
1	A	146	VAL	7.0
1	D	146	VAL	6.2
1	A	77	ILE	6.2
1	D	152	ASP	5.5
1	A	66	GLY	5.5
1	B	177	PRO	5.3
1	C	146	VAL	5.3
1	D	90	THR	5.2
1	B	172	ILE	5.2
1	B	170	VAL	5.0
1	A	72	LEU	4.9
1	B	146	VAL	4.9
1	C	186	GLY	4.9
1	D	182	TYR	4.9
1	A	25	HIS	4.9
1	B	90	THR	4.8
1	B	180	ALA	4.8
1	B	184	ALA	4.8
1	B	173	ALA	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	175	GLY	4.7
1	C	152	ASP	4.5
1	B	77	ILE	4.4
1	B	175	GLY	4.4
1	B	96	ALA	4.3
1	B	169	ASP	4.3
1	D	169	ASP	4.3
1	B	101	LEU	4.3
1	D	173	ALA	4.2
1	B	95	HIS	4.1
1	B	181	HIS	4.1
1	B	92	GLU	4.0
1	C	25	HIS	4.0
1	D	134	THR	4.0
1	B	48	LEU	4.0
1	A	148	TYR	4.0
1	D	133	VAL	4.0
1	D	179	ILE	3.9
1	B	78	LYS	3.9
1	B	106	ILE	3.9
1	B	105	GLY	3.8
1	D	94	ALA	3.8
1	D	180	ALA	3.8
1	D	178	ILE	3.7
1	B	104	LEU	3.7
1	D	91	ILE	3.7
1	D	150	GLU	3.7
1	B	161	PRO	3.7
1	B	72	LEU	3.7
1	A	63	VAL	3.6
1	D	181	HIS	3.6
1	C	150	GLU	3.6
1	B	97	LEU	3.6
1	A	76	ASP	3.6
1	B	79	GLU	3.5
1	B	176	GLU	3.5
1	B	100	THR	3.5
1	B	61	ASP	3.5
1	B	88	PRO	3.5
1	D	96	ALA	3.4
1	A	172	ILE	3.4
1	D	172	ILE	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	188	VAL	3.4
1	B	186	GLY	3.4
1	C	102	ALA	3.4
1	B	63	VAL	3.4
1	B	212	LYS	3.4
1	C	174	GLN	3.4
1	B	166	ARG	3.4
1	D	98	ASP	3.4
1	D	24	PHE	3.4
1	D	116	VAL	3.3
1	A	40	ALA	3.3
1	B	91	ILE	3.3
1	C	133	VAL	3.3
1	D	106	ILE	3.3
1	A	24	PHE	3.3
1	B	66	GLY	3.2
1	C	209	THR	3.2
1	C	72	LEU	3.2
1	A	73	SER	3.2
1	B	41	ASN	3.2
1	D	104	LEU	3.2
1	B	70	GLU	3.2
1	C	179	ILE	3.1
1	B	58	LEU	3.1
1	A	41	ASN	3.1
1	D	97	LEU	3.1
1	D	63	VAL	3.1
1	C	75	ASP	3.1
1	C	119	ASP	3.1
1	A	101	LEU	3.1
1	B	102	ALA	3.1
1	D	177	PRO	3.0
1	D	206	LYS	3.0
1	A	81	GLY	3.0
1	C	62	GLU	3.0
1	C	151	GLU	3.0
1	B	148	TYR	3.0
1	B	75	ASP	3.0
1	B	94	ALA	3.0
1	D	75	ASP	2.9
1	D	56	GLY	2.9
1	D	186	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	24	PHE	2.9
1	D	25	HIS	2.9
1	D	77	ILE	2.9
1	A	75	ASP	2.9
1	B	178	ILE	2.9
1	C	80	THR	2.8
1	C	89	ARG	2.8
1	D	174	GLN	2.8
1	A	96	ALA	2.8
1	B	211	LEU	2.8
1	A	26	VAL	2.8
1	B	182	TYR	2.8
1	C	180	ALA	2.8
1	A	133	VAL	2.8
1	C	177	PRO	2.8
1	A	151	GLU	2.8
1	B	187	LEU	2.8
1	D	151	GLU	2.8
1	B	54	ASP	2.8
1	D	66	GLY	2.8
1	D	40	ALA	2.7
1	D	22	GLU	2.7
1	A	174	GLN	2.7
1	D	89	ARG	2.7
1	A	175	GLY	2.7
1	D	102	ALA	2.7
1	C	54	ASP	2.7
1	C	106	ILE	2.7
1	C	79	GLU	2.6
1	D	144	PRO	2.6
1	A	74	GLN	2.6
1	A	78	LYS	2.6
1	B	68	VAL	2.6
1	B	116	VAL	2.6
1	D	170	VAL	2.6
1	D	119	ASP	2.6
1	A	177	PRO	2.6
1	A	82	PHE	2.6
1	D	105	GLY	2.6
1	A	104	LEU	2.6
1	B	168	LEU	2.6
1	C	58	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	56	GLY	2.6
1	B	71	ARG	2.6
1	D	164	VAL	2.6
1	D	161	PRO	2.6
1	B	62	GLU	2.6
1	B	64	THR	2.5
1	B	174	GLN	2.5
1	B	25	HIS	2.5
1	A	212	LYS	2.5
1	C	212	LYS	2.5
1	C	153	TYR	2.5
1	A	176	GLU	2.5
1	C	103	GLU	2.5
1	D	92	GLU	2.5
1	D	109	GLU	2.5
1	D	132	ARG	2.5
1	A	61	ASP	2.5
1	A	107	GLU	2.5
1	D	190	ASP	2.5
1	D	184	ALA	2.5
1	A	64	THR	2.5
1	C	22	GLU	2.5
1	D	58	LEU	2.5
1	C	40	ALA	2.5
1	C	91	ILE	2.5
1	D	55	LYS	2.5
1	C	109	GLU	2.5
1	A	80	THR	2.5
1	A	100	THR	2.5
1	C	187	LEU	2.4
1	D	95	HIS	2.4
1	A	116	VAL	2.4
1	D	188	VAL	2.4
1	B	99	LYS	2.4
1	C	157	GLU	2.4
1	D	160	LYS	2.4
1	D	9	PRO	2.4
1	A	102	ALA	2.4
1	A	173	ALA	2.4
1	B	73	SER	2.4
1	A	170	VAL	2.4
1	C	116	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	59	VAL	2.4
1	C	132	ARG	2.4
1	A	105	GLY	2.4
1	D	72	LEU	2.4
1	B	150	GLU	2.4
1	C	205	GLU	2.4
1	A	132	ARG	2.4
1	D	185	LYS	2.4
1	B	164	VAL	2.4
1	C	94	ALA	2.3
1	A	48	LEU	2.3
1	B	82	PHE	2.3
1	A	70	GLU	2.3
1	B	183	ARG	2.3
1	C	188	VAL	2.3
1	C	207	VAL	2.3
1	D	183	ARG	2.3
1	D	110	GLY	2.3
1	B	60	PRO	2.3
1	A	180	ALA	2.3
1	B	185	LYS	2.3
1	A	68	VAL	2.3
1	B	74	GLN	2.2
1	D	145	PRO	2.2
1	D	80	THR	2.2
1	D	162	GLU	2.2
1	D	51	SER	2.2
1	B	165	LYS	2.2
1	A	169	ASP	2.2
1	D	54	ASP	2.2
1	C	77	ILE	2.2
1	B	133	VAL	2.2
1	B	163	THR	2.2
1	D	100	THR	2.2
1	B	145	PRO	2.2
1	B	51	SER	2.2
1	D	62	GLU	2.2
1	C	104	LEU	2.2
1	C	149	LYS	2.2
1	B	98	ASP	2.1
1	C	98	ASP	2.1
1	B	26	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	23	GLN	2.1
1	A	92	GLU	2.1
1	C	183	ARG	2.1
1	B	122	LEU	2.1
1	D	108	LEU	2.1
1	D	163	THR	2.1
1	A	71	ARG	2.1
1	A	184	ALA	2.1
1	D	81	GLY	2.1
1	C	50	LYS	2.1
1	C	185	LYS	2.1
1	B	2	ASN	2.1
1	D	93	GLN	2.1
1	C	24	PHE	2.1
1	A	67	ILE	2.1
1	B	40	ALA	2.1
1	B	59	VAL	2.1
1	B	157	GLU	2.1
1	D	157	GLU	2.1
1	D	61	ASP	2.1
1	D	101	LEU	2.1
1	C	81	GLY	2.0
1	B	57	GLU	2.0
1	B	162	GLU	2.0
1	C	184	ALA	2.0
1	B	160	LYS	2.0
1	D	88	PRO	2.0
1	B	53	ILE	2.0
1	A	51	SER	2.0
1	C	202	SER	2.0
1	A	47	VAL	2.0
1	B	47	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	C	301	1/1	0.94	0.10	24,24,24,24	0
2	MG	D	301	1/1	0.94	0.15	25,25,25,25	0
3	AP5	B	302	57/57	0.95	0.10	10,16,33,49	0
3	AP5	D	302	57/57	0.95	0.10	13,19,29,35	0
3	AP5	C	302	57/57	0.96	0.09	12,17,29,32	0
3	AP5	A	302	57/57	0.97	0.08	11,16,26,26	0
2	MG	A	301	1/1	0.97	0.08	21,21,21,21	0
2	MG	B	301	1/1	0.98	0.07	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AP5 B 302:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AP5 D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AP5 C 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AP5 A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.