



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:08 PM UTC

PDB ID : 4W6S / pdb_00004w6s
Title : Crystal Structure of Full-Length Split GFP Mutant K126C Disulfide Dimer,
P 43 21 2 Space Group
Authors : Leibly, D.J.; Waldo, G.S.; Yeates, T.O.
Deposited on : 2014-08-20
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	
1	B	229	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	B	305	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3538 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called fluorescent protein E124H/K126C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	218	Total	C	N	O	S	0	0	0
			1750	1115	299	332	4			
1	B	218	Total	C	N	O	S	0	0	0
			1736	1106	292	334	4			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: fluorescent protein E124H/K126C



• Molecule 1: fluorescent protein E124H/K126C



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.51Å 91.51Å 205.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	68.28 – 3.10 68.28 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (68.28-3.10) 99.9 (68.28-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.26	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.55 (at 3.13Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.223 , 0.276 0.227 , 0.275	Depositor DCC
R_{free} test set	1655 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	75.4	Xtriage
Anisotropy	0.555	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3538	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GOL, CRO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	1/1766 (0.1%)	1.09	9/2387 (0.4%)
1	B	0.60	1/1752 (0.1%)	1.04	9/2372 (0.4%)
All	All	0.62	2/3518 (0.1%)	1.06	18/4759 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	68	VAL	N-CA	-7.10	1.32	1.46
1	A	68	VAL	N-CA	-6.24	1.34	1.46

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	69	GLN	N-CA-C	-11.56	98.28	112.38
1	B	69	GLN	N-CA-C	-11.51	98.74	111.28
1	B	68	VAL	N-CA-C	-11.22	79.58	111.00
1	A	85	LYS	N-CA-C	-11.11	96.75	110.41
1	A	70	ALA	N-CA-C	-10.47	98.73	112.34
1	A	57	TRP	CA-C-N	-8.98	110.49	119.56
1	A	57	TRP	C-N-CA	-8.98	110.49	119.56
1	B	68	VAL	N-CA-CB	8.95	126.72	111.50
1	A	87	ALA	N-CA-C	-7.70	103.19	112.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	90	GLU	N-CA-C	-6.49	104.20	111.28
1	A	68	VAL	N-CA-C	6.40	128.92	111.00
1	B	132	GLU	N-CA-C	-5.98	102.07	110.50
1	A	174	GLY	N-CA-C	-5.97	106.53	114.95
1	B	61	VAL	N-CA-C	5.68	115.87	110.42
1	B	195	LEU	N-CA-C	5.57	116.42	109.57
1	B	197	ASP	N-CA-C	-5.36	102.12	110.42
1	B	63	THR	N-CA-C	-5.17	105.33	111.69
1	A	61	VAL	N-CA-C	-5.09	102.17	108.89

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	62	THR	Peptide
1	A	87	ALA	Peptide
1	A	89	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1750	0	1688	90	1
1	B	1736	0	1655	64	1
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	18	0	24	0	0
3	B	24	0	32	8	0
All	All	3538	0	3399	153	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:VAL:O	1:A:62:THR:HG22	1.16	1.29
1:B:88:MET:CE	1:B:114:PHE:CD1	2.23	1.22
1:A:68:VAL:HG12	1:A:71:PHE:CD2	1.78	1.17
1:A:68:VAL:HG11	1:A:71:PHE:CE2	1.81	1.15
1:B:88:MET:HE2	1:B:114:PHE:CE1	1.81	1.15
1:A:68:VAL:CG1	1:A:71:PHE:CD2	2.30	1.13
1:B:88:MET:CE	1:B:114:PHE:CE1	2.33	1.09
1:A:68:VAL:HG12	1:A:71:PHE:HD2	0.94	1.09
1:B:88:MET:HE2	1:B:114:PHE:HE1	1.17	1.04
1:B:68:VAL:HG12	1:B:71:PHE:HD2	1.23	1.04
1:A:61:VAL:O	1:A:62:THR:CG2	2.05	1.03
1:A:61:VAL:HG22	1:A:218:MET:HE1	1.40	1.02
1:A:69:GLN:O	1:A:71:PHE:N	1.95	1.00
1:A:68:VAL:CG1	1:A:71:PHE:HD2	1.70	0.98
1:B:88:MET:HE3	1:B:114:PHE:HD1	1.25	0.97
1:A:82:ASP:OD2	1:A:85:LYS:HG3	1.66	0.96
1:B:68:VAL:CG1	1:B:71:PHE:HD2	1.78	0.95
1:A:68:VAL:HG12	1:A:68:VAL:O	1.64	0.94
1:B:69:GLN:O	1:B:71:PHE:N	2.00	0.94
1:A:165:PHE:HE2	1:A:167:ILE:HD11	1.32	0.93
1:B:208:SER:HB3	1:B:219:VAL:HG22	1.50	0.92
1:A:68:VAL:HG21	1:A:119:LEU:CD2	2.00	0.92
1:A:88:MET:HA	1:A:89:PRO:C	1.94	0.90
1:B:88:MET:HE3	1:B:114:PHE:CD1	2.00	0.90
1:B:88:MET:HE1	1:B:114:PHE:CD1	2.05	0.89
1:A:68:VAL:HG11	1:A:71:PHE:HE2	1.34	0.89
1:A:61:VAL:CG2	1:A:218:MET:HE1	2.03	0.88
1:A:208:SER:O	1:A:219:VAL:HB	1.74	0.87
1:B:68:VAL:CG1	1:B:71:PHE:CD2	2.59	0.86
1:A:69:GLN:O	1:A:72:SER:N	2.08	0.84
1:B:69:GLN:O	1:B:72:SER:N	2.10	0.83
1:A:69:GLN:O	1:A:70:ALA:C	2.22	0.83
1:B:68:VAL:HG12	1:B:71:PHE:CD2	2.12	0.82
1:B:88:MET:CE	1:B:114:PHE:HD1	1.76	0.82
1:A:56:PRO:HD3	1:A:136:ILE:O	1.80	0.81
1:B:69:GLN:O	1:B:70:ALA:C	2.24	0.79
1:A:68:VAL:CG1	1:A:68:VAL:O	2.29	0.79
1:A:165:PHE:CE2	1:A:167:ILE:HD11	2.18	0.79
1:B:7:LEU:HD11	1:B:89:PRO:HG3	1.63	0.79
1:B:47:ILE:HD13	1:B:215:ARG:HH21	1.48	0.78
1:A:85:LYS:O	1:A:86:SER:OG	2.02	0.77
1:B:81:HIS:CD2	1:B:197:ASP:H	2.03	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:CRO:HD1	1:A:66:CRO:N2	1.98	0.76
1:A:61:VAL:C	1:A:62:THR:HG22	2.10	0.74
1:A:68:VAL:CG1	1:A:71:PHE:CE2	2.57	0.73
1:B:81:HIS:HD2	1:B:197:ASP:H	1.36	0.72
1:B:69:GLN:C	1:B:71:PHE:N	2.41	0.72
1:A:70:ALA:O	1:A:85:LYS:HE3	1.88	0.72
1:A:68:VAL:HG21	1:A:119:LEU:HD21	1.72	0.71
1:A:167:ILE:HD12	1:A:181:HIS:CE1	2.26	0.71
1:B:62:THR:HG23	3:B:305:GOL:H12	1.72	0.70
1:A:61:VAL:HG22	1:A:218:MET:CE	2.20	0.69
1:A:89:PRO:O	1:A:91:GLY:N	2.25	0.69
1:B:5:GLU:OE2	1:B:79:LYS:HE3	1.94	0.68
1:B:155:ASP:OD2	1:B:162:LYS:NZ	2.25	0.67
1:A:208:SER:O	1:A:219:VAL:CB	2.43	0.66
1:B:76:ASP:HA	1:B:79:LYS:HG3	1.76	0.66
1:A:22:VAL:HG12	1:A:23:ASN:H	1.62	0.65
1:A:82:ASP:CG	1:A:85:LYS:HG3	2.22	0.64
1:A:64:LEU:O	1:A:66:CRO:HA31	1.97	0.64
1:B:69:GLN:C	1:B:71:PHE:H	2.05	0.63
1:B:162:LYS:HE3	1:B:184:GLN:HG3	1.79	0.63
1:A:89:PRO:O	1:A:90:GLU:C	2.42	0.63
1:B:19:ASP:O	1:B:19:ASP:OD1	2.17	0.62
1:B:207:LEU:HD22	1:B:218:MET:SD	2.40	0.61
1:A:69:GLN:C	1:A:71:PHE:N	2.44	0.61
1:B:181:HIS:NE2	3:B:305:GOL:O2	2.32	0.61
1:A:68:VAL:HG21	1:A:119:LEU:HD23	1.82	0.61
1:B:68:VAL:HG12	1:B:68:VAL:O	2.00	0.61
1:A:70:ALA:O	1:A:85:LYS:CE	2.50	0.60
1:B:155:ASP:HB2	1:B:162:LYS:HD3	1.83	0.59
1:A:22:VAL:HG12	1:A:23:ASN:N	2.18	0.59
1:A:69:GLN:C	1:A:71:PHE:H	2.09	0.58
1:A:68:VAL:CG2	1:A:119:LEU:HD21	2.33	0.58
1:B:91:GLY:O	1:B:187:PRO:O	2.21	0.58
1:B:75:PRO:HG2	1:B:78:MET:HG3	1.85	0.58
1:A:215:ARG:HH11	1:A:215:ARG:HG3	1.69	0.58
1:A:68:VAL:C	1:A:70:ALA:H	2.12	0.58
1:A:68:VAL:C	1:A:70:ALA:N	2.58	0.56
1:A:61:VAL:CG2	1:A:218:MET:CE	2.82	0.56
1:A:69:GLN:OE1	1:A:84:PHE:CE1	2.58	0.55
1:A:70:ALA:O	1:A:85:LYS:NZ	2.39	0.55
1:B:169:HIS:HE1	3:B:305:GOL:O3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:PRO:HD3	1:B:136:ILE:O	2.07	0.54
1:A:66:CRO:N2	1:A:66:CRO:CD1	2.67	0.53
1:A:128:ILE:O	1:A:129:ASP:CB	2.55	0.53
1:B:220:LEU:HD21	1:B:222:GLU:HG3	1.90	0.53
1:A:83:PHE:CD1	1:A:161:ILE:HG13	2.43	0.53
1:A:71:PHE:HE2	1:A:119:LEU:HD22	1.74	0.53
1:A:22:VAL:HG23	1:A:27:PHE:HE2	1.75	0.52
1:A:21:ASP:OD1	1:A:26:LYS:HE3	2.09	0.52
1:B:162:LYS:HE3	1:B:184:GLN:CG	2.39	0.52
1:A:68:VAL:O	1:A:69:GLN:C	2.53	0.51
1:A:68:VAL:HG22	1:A:112:VAL:HG11	1.92	0.51
1:A:161:ILE:HB	1:A:185:ASN:HB2	1.93	0.51
1:B:33:GLY:HA3	1:B:44:LEU:HD23	1.92	0.50
1:B:62:THR:HG23	3:B:305:GOL:C1	2.41	0.50
1:B:59:THR:HA	3:B:305:GOL:H32	1.94	0.50
1:A:110:ALA:HB2	1:A:123:ILE:HG23	1.92	0.49
1:A:88:MET:HA	1:A:90:GLU:N	2.26	0.49
1:A:68:VAL:HG11	1:A:119:LEU:HD22	1.94	0.49
1:A:158:ASN:O	1:A:186:THR:HG22	2.12	0.49
1:A:33:GLY:HA3	1:A:44:LEU:HD23	1.94	0.49
1:B:59:THR:O	3:B:305:GOL:H2	2.12	0.48
1:A:66:CRO:OH	1:A:145:PHE:HE2	1.96	0.48
1:B:68:VAL:HG13	1:B:71:PHE:CD2	2.44	0.48
1:A:61:VAL:O	1:A:62:THR:CB	2.61	0.48
1:A:87:ALA:H	1:A:88:MET:HG2	1.77	0.48
1:B:66:CRO:N2	1:B:66:CRO:OG1	2.41	0.48
1:B:68:VAL:O	1:B:69:GLN:C	2.55	0.48
1:A:84:PHE:C	1:A:85:LYS:O	2.49	0.48
1:B:145:PHE:HB3	1:B:205:THR:HB	1.97	0.46
1:B:6:GLU:HG3	1:B:7:LEU:HG	1.98	0.46
1:A:215:ARG:HG3	1:A:215:ARG:NH1	2.30	0.46
1:B:110:ALA:HB2	1:B:123:ILE:HG23	1.97	0.45
1:B:88:MET:HB3	1:B:89:PRO:HA	1.97	0.45
1:B:98:ILE:HB	1:B:106:TYR:HB2	2.00	0.44
1:A:200:TYR:CE1	1:A:227:ALA:HB3	2.53	0.44
1:A:71:PHE:CE2	1:A:119:LEU:HD22	2.52	0.44
1:A:94:GLN:HG3	1:A:185:ASN:ND2	2.33	0.44
1:A:66:CRO:HB2	1:A:96:ARG:NH2	2.32	0.43
1:A:55:VAL:HG22	1:A:136:ILE:HG22	2.01	0.43
1:B:104:GLY:HA2	1:B:129:ASP:O	2.19	0.43
1:A:96:ARG:HB2	1:A:108:THR:OG1	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:THR:HG22	1:B:224:VAL:HG13	2.00	0.43
1:A:68:VAL:HG22	1:A:112:VAL:CG1	2.49	0.43
1:B:47:ILE:HG21	1:B:215:ARG:HE	1.83	0.43
1:B:132:GLU:O	1:B:133:ASP:HB2	2.18	0.42
1:A:161:ILE:HD11	1:A:196:PRO:CD	2.49	0.42
1:A:82:ASP:OD2	1:A:85:LYS:CG	2.52	0.42
1:B:181:HIS:HE2	3:B:305:GOL:HO2	1.61	0.42
1:A:12:VAL:HB	1:A:71:PHE:HE1	1.85	0.42
1:A:135:ASN:HD22	1:A:177:GLN:HG2	1.83	0.41
1:B:96:ARG:HA	1:B:182:TYR:O	2.20	0.41
1:A:68:VAL:O	1:A:70:ALA:N	2.53	0.41
1:A:85:LYS:C	1:A:86:SER:HG	2.14	0.41
1:A:88:MET:HE3	1:A:88:MET:HB3	1.86	0.41
1:A:194:ASP:N	1:A:194:ASP:OD1	2.53	0.41
1:A:79:LYS:C	1:A:81:HIS:H	2.28	0.41
1:B:62:THR:OG1	3:B:305:GOL:O2	2.36	0.41
1:B:100:PHE:O	1:B:103:ASP:HB3	2.21	0.41
1:A:83:PHE:CG	1:A:161:ILE:HG13	2.56	0.41
1:B:100:PHE:O	1:B:103:ASP:CB	2.69	0.41
1:A:48:ALA:HB2	1:A:53:LEU:CD1	2.50	0.41
1:A:88:MET:SD	1:A:91:GLY:HA2	2.61	0.41
1:B:186:THR:HA	1:B:187:PRO:HD3	1.87	0.40
1:A:26:LYS:HG2	1:B:26:LYS:HD3	2.03	0.40
1:B:4:GLY:N	1:B:6:GLU:HG2	2.36	0.40
1:B:78:MET:HE3	1:B:78:MET:HB3	1.93	0.40
1:A:15:LEU:HB3	1:A:120:VAL:HG22	2.04	0.40
1:A:163:ALA:HB3	1:A:183:GLN:HB3	2.03	0.40
1:A:203:THR:HG22	1:A:224:VAL:HG13	2.03	0.40
1:B:88:MET:HE3	1:B:88:MET:HB3	1.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:GLU:OE2	1:B:133:ASP:OD2[7_555]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/229 (92%)	198 (94%)	12 (6%)	1 (0%)	24	57
1	B	211/229 (92%)	204 (97%)	6 (3%)	1 (0%)	24	57
All	All	422/458 (92%)	402 (95%)	18 (4%)	2 (0%)	24	57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	70	ALA
1	A	22	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/197 (94%)	183 (98%)	3 (2%)	55	75
1	B	184/197 (93%)	180 (98%)	4 (2%)	45	71
All	All	370/394 (94%)	363 (98%)	7 (2%)	50	73

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	VAL
1	A	85	LYS
1	A	195	LEU
1	B	69	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	88	MET
1	B	161	ILE
1	B	219	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	ASN
1	A	135	ASN
1	B	81	HIS
1	B	124	HIS
1	B	135	ASN
1	B	169	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CRO	A	66	1	22,23,24	3.57	6 (27%)	30,32,34	3.21	8 (26%)
1	CRO	B	66	1	22,23,24	3.39	6 (27%)	30,32,34	3.74	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	A	66	1	-	4/12/31/32	0/2/2/2
1	CRO	B	66	1	-	0/12/31/32	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	66	CRO	CB2-CA2	14.14	1.48	1.35
1	B	66	CRO	CB2-CA2	12.31	1.47	1.35
1	B	66	CRO	CA1-N1	-5.36	1.32	1.47
1	A	66	CRO	CA1-N1	-5.36	1.32	1.47
1	B	66	CRO	CA2-C2	-4.87	1.43	1.48
1	B	66	CRO	C2-N3	-4.18	1.30	1.40
1	A	66	CRO	C1-N2	3.95	1.38	1.32
1	B	66	CRO	C1-N2	3.16	1.36	1.32
1	B	66	CRO	CA2-N2	-3.00	1.32	1.38
1	A	66	CRO	C2-N3	-2.98	1.33	1.40
1	A	66	CRO	O2-C2	2.88	1.28	1.23
1	A	66	CRO	CA3-C3	-2.61	1.40	1.49

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	66	CRO	O2-C2-CA2	-12.61	122.97	131.02
1	B	66	CRO	C2-N3-C1	-9.25	103.79	108.07
1	B	66	CRO	CA2-C2-N3	8.88	110.95	103.50
1	A	66	CRO	O2-C2-CA2	-8.59	125.54	131.02
1	A	66	CRO	CG2-CB2-CA2	-8.33	119.96	129.87
1	A	66	CRO	CB2-CA2-C2	7.41	131.33	122.36
1	B	66	CRO	O3-C3-CA3	-6.98	94.04	125.47
1	A	66	CRO	CA2-C2-N3	6.43	108.90	103.50
1	A	66	CRO	CB2-CA2-N2	-4.73	122.34	128.76
1	A	66	CRO	C2-N3-C1	-4.26	106.10	108.07
1	A	66	CRO	C2-CA2-N2	-3.66	106.33	108.95
1	B	66	CRO	C2-CA2-N2	-3.42	106.50	108.95
1	B	66	CRO	CB2-CA2-C2	3.30	126.36	122.36
1	B	66	CRO	N3-C1-N2	2.51	113.46	111.48
1	A	66	CRO	O3-C3-CA3	-2.31	115.08	125.47

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	66	CRO	C3-CA3-N3-C2
1	A	66	CRO	N2-C1-CA1-CB1
1	A	66	CRO	N3-C1-CA1-CB1
1	A	66	CRO	N1-CA1-CB1-CG1

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	66	CRO	5	0
1	B	66	CRO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	303	-	5,5,5	0.42	0	5,5,5	0.19	0
3	GOL	B	304	-	5,5,5	0.38	0	5,5,5	0.76	0
2	PO4	B	301	-	4,4,4	0.63	0	6,6,6	0.51	0
3	GOL	B	302	-	5,5,5	0.53	0	5,5,5	0.66	0
3	GOL	B	303	-	5,5,5	0.43	0	5,5,5	0.37	0
3	GOL	A	302	-	5,5,5	0.42	0	5,5,5	0.54	0
3	GOL	A	304	-	5,5,5	0.46	0	5,5,5	0.49	0
2	PO4	A	301	-	4,4,4	0.79	0	6,6,6	0.55	0
3	GOL	B	305	-	5,5,5	0.41	0	5,5,5	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	303	-	-	4/4/4/4	-
3	GOL	B	304	-	-	2/4/4/4	-
3	GOL	B	302	-	-	0/4/4/4	-
3	GOL	B	303	-	-	3/4/4/4	-
3	GOL	A	304	-	-	0/4/4/4	-
3	GOL	A	302	-	-	1/4/4/4	-
3	GOL	B	305	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	303	GOL	O1-C1-C2-C3
3	B	303	GOL	C1-C2-C3-O3
3	B	304	GOL	C1-C2-C3-O3
3	B	304	GOL	O2-C2-C3-O3
3	B	305	GOL	O1-C1-C2-O2
3	B	305	GOL	O1-C1-C2-C3
3	A	303	GOL	C1-C2-C3-O3
3	A	303	GOL	O1-C1-C2-O2
3	B	303	GOL	O2-C2-C3-O3
3	A	302	GOL	O2-C2-C3-O3
3	A	303	GOL	O2-C2-C3-O3
3	B	303	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	305	GOL	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	217/229 (94%)	0.34	14 (6%) 25 13	39, 73, 113, 154	0
1	B	217/229 (94%)	0.39	15 (6%) 23 12	53, 85, 129, 160	0
All	All	434/458 (94%)	0.37	29 (6%) 24 13	39, 80, 127, 160	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	103	ASP	6.9
1	A	68	VAL	5.7
1	B	80	ARG	4.7
1	A	128	ILE	4.1
1	B	129	ASP	4.0
1	B	90	GLU	3.8
1	B	189	GLY	3.7
1	A	129	ASP	3.7
1	A	61	VAL	3.5
1	A	62	THR	3.5
1	B	4	GLY	3.5
1	B	77	HIS	3.1
1	A	222	GLU	2.9
1	A	4	GLY	2.9
1	A	88	MET	2.9
1	A	69	GLN	2.9
1	A	87	ALA	2.8
1	B	188	ILE	2.6
1	A	22	VAL	2.6
1	A	189	GLY	2.5
1	A	227	ALA	2.4
1	B	148	HIS	2.4
1	B	68	VAL	2.4
1	A	89	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	196	PRO	2.3
1	B	156	LYS	2.3
1	B	211	LEU	2.2
1	B	76	ASP	2.2
1	B	99	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CRO	A	66	22/23	0.85	0.23	84,88,91,96	0
1	CRO	B	66	22/23	0.92	0.13	77,82,86,90	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	B	304	6/6	0.47	0.29	107,107,107,107	0
3	GOL	A	302	6/6	0.68	0.27	101,101,101,101	0
2	PO4	A	301	5/5	0.85	0.15	99,99,99,99	0
3	GOL	B	302	6/6	0.86	0.17	82,82,82,82	0
3	GOL	A	303	6/6	0.86	0.16	90,90,90,90	0
3	GOL	B	303	6/6	0.87	0.17	97,97,97,97	0
2	PO4	B	301	5/5	0.87	0.22	118,118,118,118	0
3	GOL	A	304	6/6	0.91	0.13	75,75,75,75	0
3	GOL	B	305	6/6	0.93	0.36	103,103,103,103	0

6.5 Other polymers [i](#)

There are no such residues in this entry.