



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:02 PM UTC

PDB ID : 1W7F / pdb_00001w7f
Title : Crystal structure of the class A beta-lactamase BS3 inhibited with isocitrate
Authors : Petrella, S.; Sauvage, E.; Herman, R.; Charlier, P.
Deposited on : 2004-09-01
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	2% 59% 23% • 17%
1	B	307	10% 53% 28% • 17%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4215 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-LACTAMASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	0	1
			1995	1251	343	399	2			
1	B	256	Total	C	N	O	S	0	0	1
			1995	1251	343	399	2			

- Molecule 2 is ISOCITRIC ACID (CCD ID: ICT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	1	0
			13	6	7		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	119	Total	O	0	0
			119	119		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	93	Total	O	0	0
			93	93		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BETA-LACTAMASE



- Molecule 1: BETA-LACTAMASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.90Å 104.66Å 63.77Å 90.00° 94.33° 90.00°	Depositor
Resolution (Å)	19.88 – 1.80 19.88 – 1.80	Depositor EDS
% Data completeness (in resolution range)	93.1 (19.88-1.80) 93.2 (19.88-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.02 (at 1.80Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.208 , 0.253 0.203 , 0.248	Depositor DCC
R_{free} test set	5369 reflections (10.15%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtriage
Anisotropy	0.285	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4215	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ICT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	1/2025 (0.0%)	0.94	7/2744 (0.3%)
1	B	0.44	1/2025 (0.0%)	0.91	6/2744 (0.2%)
All	All	0.45	2/4050 (0.0%)	0.92	13/5488 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	290	LEU	C-N	-5.54	1.25	1.33
1	B	290	LEU	C-N	-5.53	1.25	1.33

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	ILE	N-CA-C	6.72	117.80	108.12
1	B	233	ASP	N-CA-C	6.03	118.13	109.14
1	B	67	ALA	N-CA-C	-6.02	101.13	110.10
1	B	164	ARG	N-CA-C	5.91	118.39	109.41
1	A	159	VAL	N-CA-C	5.84	117.22	111.67
1	B	46	ILE	N-CA-C	5.71	116.96	108.46
1	A	249	ILE	N-CA-C	-5.69	99.44	107.75
1	A	70	SER	N-CA-C	5.65	119.65	112.87
1	A	67	ALA	N-CA-C	-5.60	101.56	109.96
1	A	216	THR	N-CA-C	5.35	119.92	113.17
1	B	248	ALA	N-CA-C	5.27	116.29	108.60
1	A	104	ASN	N-CA-C	5.19	119.70	112.90
1	B	249	ILE	N-CA-C	-5.11	100.29	107.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1995	0	2005	59	0
1	B	1995	0	2005	76	0
2	A	13	0	5	4	0
3	A	119	0	0	5	0
3	B	93	0	0	15	0
All	All	4215	0	4015	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:GLU:C	1:A:204:ARG:HH22	1.69	1.00
1:B:146:GLU:O	1:B:150:LYS:HG2	1.74	0.86
1:B:201:SER:O	1:B:205:GLU:HG2	1.78	0.84
1:B:190:LEU:HG	1:B:249:ILE:HD11	1.61	0.82
1:A:72:ILE:HD11	1:A:148:LEU:HD21	1.62	0.82
1:B:106:ASN:HB3	1:B:109:THR:OG1	1.82	0.80
1:B:122:LEU:HA	3:B:2031:HOH:O	1.82	0.79
1:B:273:LYS:HD3	1:B:273:LYS:H	1.45	0.79
1:A:107:PRO:HB2	3:A:2038:HOH:O	1.80	0.79
1:A:204:ARG:HH11	1:A:204:ARG:HG2	1.51	0.76
1:A:196:GLU:C	1:A:204:ARG:NH2	2.47	0.72
1:B:269:LYS:HB3	1:B:272:ALA:HB2	1.73	0.71
1:B:194:ALA:HB1	1:B:208:ILE:HD11	1.71	0.70
1:A:277:LYS:O	1:A:281:GLU:HG2	1.92	0.70
1:A:209:ASP:HB3	3:A:2077:HOH:O	1.93	0.67
1:B:99:ARG:HD3	1:B:113:VAL:HG11	1.77	0.67
1:B:113:VAL:HG22	3:B:2030:HOH:O	1.95	0.66
1:A:201:SER:O	1:A:205:GLU:HG2	1.95	0.66
1:B:88:ILE:HD11	1:B:203:LYS:HG2	1.78	0.66
1:A:172:VAL:HA	3:A:2064:HOH:O	1.95	0.66
1:A:72:ILE:CD1	1:A:148:LEU:HD21	2.25	0.66
1:B:269:LYS:HE2	1:B:271:ASP:OD2	1.94	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:SER:OG	2:A:1291:ICT:O5	2.13	0.65
1:A:190:LEU:HD22	1:A:247:ILE:HD12	1.79	0.64
1:A:199:LEU:HB2	1:A:204:ARG:CD	2.29	0.63
1:B:80:LEU:HD22	1:B:138:ILE:HG23	1.80	0.62
2:A:1291:ICT:H2	3:A:2035:HOH:O	2.00	0.62
2:A:1291:ICT:O1	2:A:1291:ICT:H42	1.98	0.62
1:B:72:ILE:HA	3:B:2020:HOH:O	2.00	0.61
1:A:269:LYS:HB2	1:A:272:ALA:HB2	1.83	0.61
1:A:199:LEU:HB2	1:A:204:ARG:NE	2.16	0.60
1:A:149:LYS:HE2	1:A:161:ASN:HD22	1.65	0.60
1:A:72:ILE:O	1:A:72:ILE:HD13	2.03	0.59
1:A:270:LYS:HD2	3:A:2095:HOH:O	2.03	0.59
1:A:150:LYS:HB3	1:A:150:LYS:NZ	2.18	0.58
1:A:197:ASP:N	1:A:204:ARG:HH22	2.00	0.58
1:B:250:ILE:CG1	1:B:259:VAL:HB	2.33	0.58
1:B:106:ASN:O	1:B:110:GLU:HG2	2.03	0.58
1:B:192:ALA:HA	1:B:196:GLU:CG	2.33	0.58
1:B:86:LYS:NZ	1:B:93:GLN:HE22	2.03	0.57
1:A:220:LEU:HD12	1:A:235:THR:HG22	1.87	0.56
1:A:196:GLU:CA	1:A:204:ARG:HH22	2.17	0.56
1:A:119:LEU:HD21	1:A:141:GLN:HG3	1.87	0.56
1:A:149:LYS:HE2	1:A:161:ASN:ND2	2.21	0.56
1:A:196:GLU:O	1:A:204:ARG:NH1	2.36	0.55
1:A:199:LEU:HB2	1:A:204:ARG:HD2	1.88	0.55
1:A:199:LEU:HB2	1:A:204:ARG:HE	1.71	0.55
1:A:231:VAL:HG22	1:A:250:ILE:HG22	1.88	0.55
1:A:150:LYS:HB3	1:A:150:LYS:HZ3	1.71	0.54
1:B:125:ALA:HB3	3:B:2031:HOH:O	2.08	0.53
1:B:91:LEU:HB3	1:B:120:LYS:HB2	1.91	0.53
1:A:204:ARG:HG2	1:A:204:ARG:NH1	2.21	0.53
1:B:146:GLU:HA	3:B:2046:HOH:O	2.09	0.53
1:A:237:ALA:HB3	2:A:1291:ICT:H41	1.91	0.53
1:A:61:ARG:N	1:A:62:PRO:CD	2.71	0.52
1:B:220:LEU:HD12	1:B:235:THR:CG2	2.39	0.52
1:B:153:ARG:HD3	1:B:158:GLU:HA	1.89	0.52
1:B:192:ALA:O	1:B:196:GLU:HB2	2.10	0.52
1:B:43:LYS:O	1:B:265:SER:HA	2.11	0.51
1:A:212:LYS:HE2	1:A:230:GLU:HG2	1.92	0.51
1:A:220:LEU:HD12	1:A:235:THR:CG2	2.40	0.51
1:B:94:ARG:HA	1:B:118:THR:HA	1.92	0.51
1:B:229:TRP:CD1	1:B:254:PRO:HD3	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:LEU:HD12	1:B:235:THR:HG22	1.91	0.51
1:B:152:LEU:O	1:B:155:ILE:HG12	2.11	0.50
1:B:149:LYS:HE3	3:B:2046:HOH:O	2.11	0.50
1:B:86:LYS:HB3	3:B:2023:HOH:O	2.11	0.49
1:A:86:LYS:HD2	1:A:90:ASP:HB3	1.94	0.49
1:A:134:ALA:O	1:A:138:ILE:HG12	2.13	0.49
1:A:197:ASP:N	1:A:204:ARG:NH2	2.59	0.48
1:A:192:ALA:HA	1:A:196:GLU:CG	2.44	0.48
1:B:74:ALA:HA	1:B:127:LEU:HD21	1.95	0.48
1:B:149:LYS:HE2	1:B:161:ASN:ND2	2.29	0.48
1:B:136:ASN:O	1:B:140:LYS:HG3	2.14	0.47
1:A:126:SER:O	1:A:130:SER:HA	2.15	0.47
1:B:86:LYS:HZ2	1:B:93:GLN:HE22	1.61	0.47
1:B:117:MET:HE1	3:B:2027:HOH:O	2.15	0.47
1:A:237:ALA:HA	1:A:243:THR:O	2.15	0.46
1:B:119:LEU:HD21	1:B:141:GLN:HG3	1.96	0.46
1:B:279:ILE:HD12	1:B:279:ILE:N	2.30	0.46
1:B:33:PHE:CE1	1:B:46:ILE:HD13	2.50	0.46
1:B:169:LEU:HD12	1:B:169:LEU:C	2.41	0.46
1:B:251:TRP:NE1	1:B:258:PRO:HB3	2.29	0.46
1:B:192:ALA:HA	1:B:196:GLU:HG2	1.97	0.46
1:B:196:GLU:HA	1:B:196:GLU:OE2	2.16	0.46
1:A:229:TRP:CD1	1:A:254:PRO:HD3	2.50	0.46
1:B:112:HIS:C	1:B:114:ASP:H	2.22	0.46
1:B:250:ILE:HG13	1:B:259:VAL:HB	1.97	0.46
1:B:273:LYS:H	1:B:273:LYS:CD	2.21	0.45
1:B:128:ARG:HD2	1:B:213:ARG:O	2.16	0.45
1:A:151:GLU:OE2	1:A:154:LYS:HD2	2.16	0.45
1:B:35:LYS:HD3	3:B:2003:HOH:O	2.16	0.45
1:B:91:LEU:HD23	3:B:2023:HOH:O	2.16	0.45
1:A:251:TRP:CD1	1:A:258:PRO:HB3	2.51	0.45
1:B:122:LEU:HD23	3:B:2031:HOH:O	2.16	0.45
1:A:138:ILE:O	1:A:141:GLN:HB2	2.17	0.45
1:B:146:GLU:HG3	3:B:2022:HOH:O	2.17	0.44
1:A:277:LYS:O	1:A:281:GLU:CG	2.63	0.44
1:A:149:LYS:NZ	1:A:161:ASN:HD21	2.16	0.44
1:B:194:ALA:HB1	1:B:208:ILE:CD1	2.42	0.44
1:B:86:LYS:NZ	1:B:141:GLN:HE22	2.15	0.43
1:A:74:ALA:HA	1:A:127:LEU:HD21	1.99	0.43
1:B:86:LYS:CB	3:B:2023:HOH:O	2.66	0.43
1:A:198:LYS:N	1:A:198:LYS:HD2	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:249:ILE:N	1:B:249:ILE:HD12	2.33	0.43
1:B:143:GLY:HA3	1:B:147:SER:OG	2.19	0.43
1:B:174:PRO:HD3	1:B:241:TYR:CZ	2.54	0.43
1:A:241:TYR:HA	1:A:269:LYS:O	2.18	0.43
1:B:86:LYS:HB3	1:B:90:ASP:HB2	2.00	0.43
1:B:233:ASP:CB	1:B:248:ALA:HB2	2.49	0.43
1:B:149:LYS:HE2	1:B:161:ASN:HD22	1.84	0.42
1:A:68:PHE:CD1	1:A:72:ILE:HB	2.53	0.42
1:A:128:ARG:HD2	1:A:213:ARG:O	2.20	0.42
1:B:110:GLU:O	1:B:113:VAL:HG13	2.19	0.42
1:B:237:ALA:HA	1:B:243:THR:O	2.19	0.42
1:A:150:LYS:NZ	1:A:150:LYS:CB	2.83	0.42
1:B:39:GLN:NE2	3:B:2003:HOH:O	2.53	0.42
1:B:248:ALA:C	1:B:249:ILE:HD12	2.45	0.42
1:A:48:ALA:HB2	1:A:261:LEU:HD13	2.02	0.41
1:A:199:LEU:O	1:A:204:ARG:HD3	2.20	0.41
1:B:79:VAL:HG21	1:B:148:LEU:HD12	2.02	0.41
1:B:88:ILE:HA	1:B:91:LEU:HD12	2.02	0.41
1:B:65:ARG:HA	1:B:181:SER:O	2.20	0.41
1:B:102:LEU:HB3	1:B:106:ASN:ND2	2.36	0.41
1:A:137:LEU:O	1:A:141:GLN:HG2	2.20	0.41
1:B:88:ILE:CD1	1:B:203:LYS:HG2	2.48	0.41
1:B:241:TYR:CG	1:B:270:LYS:HA	2.56	0.41
1:B:149:LYS:O	1:B:153:ARG:HG2	2.21	0.41
1:A:135:GLN:O	1:A:139:LEU:HB2	2.21	0.41
1:B:102:LEU:HD21	1:B:110:GLU:HA	2.03	0.41
1:B:126:SER:O	1:B:130:SER:HA	2.20	0.41
1:A:204:ARG:NH1	1:A:204:ARG:CG	2.80	0.41
1:B:108:ILE:HB	3:B:2027:HOH:O	2.21	0.40
1:A:43:LYS:HD2	1:A:64:GLU:OE2	2.22	0.40
1:A:169:LEU:HD12	1:A:169:LEU:C	2.47	0.40
1:B:96:THR:O	1:B:97:TYR:HB3	2.22	0.40
1:B:241:TYR:HB3	1:B:267:ARG:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/307 (83%)	244 (96%)	8 (3%)	2 (1%)	16	6
1	B	254/307 (83%)	240 (94%)	13 (5%)	1 (0%)	30	19
All	All	508/614 (83%)	484 (95%)	21 (4%)	3 (1%)	21	11

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	103	VAL
1	A	196	GLU
1	A	103	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	216/258 (84%)	209 (97%)	7 (3%)	34	22
1	B	216/258 (84%)	211 (98%)	5 (2%)	44	33
All	All	432/516 (84%)	420 (97%)	12 (3%)	38	26

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	ILE
1	A	106	ASN
1	A	139	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	158	GLU
1	A	168	GLU
1	A	204	ARG
1	A	206	LEU
1	B	31	ASP
1	B	106	ASN
1	B	139	LEU
1	B	168	GLU
1	B	273	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	82	GLN
1	A	93	GLN
1	A	112	HIS
1	A	141	GLN
1	A	161	ASN
1	B	82	GLN
1	B	93	GLN
1	B	141	GLN
1	B	161	ASN
1	B	170	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ICT	A	1291	-	12,12,12	2.28	5 (41%)	13,16,16	1.76	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ICT	A	1291	-	-	5/16/16/16	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1291	ICT	C3-C6	4.64	1.59	1.51
2	A	1291	ICT	C4-C5	-4.30	1.39	1.51
2	A	1291	ICT	O4-C5	-2.70	1.21	1.30
2	A	1291	ICT	O2-C1	-2.33	1.23	1.30
2	A	1291	ICT	C3-C2	-2.22	1.51	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1291	ICT	C3-C4-C5	5.19	123.66	113.95
2	A	1291	ICT	O5-C6-C3	-2.23	117.74	123.01

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1291	ICT	C6-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1291	ICT	O1-C1-C2-O7
2	A	1291	ICT	O2-C1-C2-O7
2	A	1291	ICT	O1-C1-C2-C3
2	A	1291	ICT	O2-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1291	ICT	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/307 (83%)	0.02	7 (2%) 56 56	14, 24, 41, 59	0
1	B	256/307 (83%)	0.56	30 (11%) 9 7	17, 32, 62, 72	0
All	All	512/614 (83%)	0.29	37 (7%) 21 20	14, 28, 54, 72	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	255	LYS	4.5
1	B	115	THR	3.9
1	B	197	ASP	3.6
1	A	204	ARG	3.5
1	B	96	THR	3.3
1	B	268	ASP	3.3
1	B	105	TYR	3.3
1	B	113	VAL	3.2
1	B	88	ILE	3.1
1	A	291	ASN	3.0
1	B	255	LYS	3.0
1	B	171	GLU	2.7
1	B	196	GLU	2.6
1	B	97	TYR	2.5
1	A	105	TYR	2.5
1	B	91	LEU	2.5
1	B	95	ILE	2.5
1	B	291	ASN	2.5
1	B	288	LYS	2.4
1	B	202	GLU	2.4
1	B	116	GLY	2.4
1	B	112	HIS	2.3
1	B	108	ILE	2.3
1	B	103	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	31	ASP	2.2
1	B	270	LYS	2.2
1	B	87	SER	2.2
1	B	102	LEU	2.2
1	B	90	ASP	2.2
1	B	254	PRO	2.2
1	B	145	PRO	2.1
1	A	205	GLU	2.1
1	A	114	ASP	2.1
1	B	101	ASP	2.1
1	B	199	LEU	2.0
1	B	114	ASP	2.0
1	A	254	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ICT	A	1291	13/13	0.74	0.24	58,65,68,68	1

6.5 Other polymers [i](#)

There are no such residues in this entry.