



Full wwPDB NMR Structure Validation Report ⓘ

Mar 29, 2026 – 05:13 AM UTC

PDB ID : 5W72 / pdb_00005w72
BMRB ID : 30307
Title : Impact of IR active probes on PDZ3 and its ligand binding studied by NMR and X-ray crystallography
Authors : Lehner, F.; Kudlinzki, D.; Schwalbe, H.; Silvers, R.
Deposited on : 2017-06-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 79%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	102	68% 17% 16%

2 Ensemble composition and analysis

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:311-A:318, A:324-A:340, A:342-A:402 (86)	0.77	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	3, 4, 6, 12, 14, 17, 18, 20
2	2, 5, 8, 11, 13, 16, 19
3	1, 7, 9
Single-model clusters	10; 15

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1536 atoms, of which 760 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Disks large homolog 4.

Mol	Chain	Residues	Atoms					Trace
1	A	102	Total	C	H	N	O	0
			1536	484	760	141	151	

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	301	PHE	LEU	conflict	UNP P31016
A	328	ILE	VAL	conflict	UNP P31016
A	341	AZH	ILE	conflict	UNP P31016

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Disks large homolog 4




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Disks large homolog 4




4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: Disks large homolog 4




4.2.3 Score per residue for model 3

- Molecule 1: Disks large homolog 4




4.2.4 Score per residue for model 4

- Molecule 1: Disks large homolog 4




4.2.5 Score per residue for model 5

- Molecule 1: Disks large homolog 4




4.2.6 Score per residue for model 6

- Molecule 1: Disks large homolog 4




4.2.7 Score per residue for model 7

- Molecule 1: Disks large homolog 4




4.2.8 Score per residue for model 8

- Molecule 1: Disks large homolog 4




4.2.9 Score per residue for model 9

- Molecule 1: Disks large homolog 4




4.2.10 Score per residue for model 10

- Molecule 1: Disks large homolog 4




4.2.11 Score per residue for model 11

- Molecule 1: Disks large homolog 4




4.2.12 Score per residue for model 12

- Molecule 1: Disks large homolog 4




4.2.13 Score per residue for model 13

- Molecule 1: Disks large homolog 4




4.2.14 Score per residue for model 14

- Molecule 1: Disks large homolog 4




4.2.15 Score per residue for model 15

- Molecule 1: Disks large homolog 4




4.2.16 Score per residue for model 16

- Molecule 1: Disks large homolog 4




4.2.17 Score per residue for model 17

- Molecule 1: Disks large homolog 4




4.2.18 Score per residue for model 18

- Molecule 1: Disks large homolog 4




4.2.19 Score per residue for model 19

- Molecule 1: Disks large homolog 4



4.2.20 Score per residue for model 20

- Molecule 1: Disks large homolog 4



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 400 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	3.97

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1021
Number of shifts mapped to atoms	1021
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	79%

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AZH

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	654	649	649	13±3
All	All	13080	12980	12980	257

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:338:ILE:HD11	1:A:359:ILE:HD11	0.89	1.44	3	7
1:A:367:LEU:HD13	1:A:370:ALA:HB3	0.83	1.50	17	4
1:A:362:VAL:HG12	1:A:388:ILE:HG22	0.83	1.49	6	2
1:A:353:LEU:HD22	1:A:388:ILE:HD11	0.80	1.52	6	2
1:A:347:ALA:HB1	1:A:353:LEU:HD12	0.77	1.54	15	1
1:A:360:LEU:HD12	1:A:389:ILE:HG21	0.74	1.60	14	3
1:A:382:ALA:HB1	1:A:386:VAL:HG22	0.73	1.60	7	1
1:A:359:ILE:HD12	1:A:388:ILE:HG21	0.72	1.60	16	4
1:A:359:ILE:HG21	1:A:367:LEU:HD12	0.69	1.64	5	5
1:A:338:ILE:HD12	1:A:357:ASP:HB2	0.67	1.66	9	8
1:A:353:LEU:CD2	1:A:388:ILE:HD11	0.64	2.23	6	3
1:A:360:LEU:HD13	1:A:389:ILE:CG2	0.64	2.23	18	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:367:LEU:HD13	1:A:370:ALA:CB	0.64	2.23	7	6
1:A:353:LEU:HD23	1:A:390:ALA:HB2	0.63	1.69	9	1
1:A:338:ILE:HD12	1:A:357:ASP:CB	0.63	2.24	15	7
1:A:327:ILE:HG12	1:A:336:ILE:HD11	0.63	1.71	18	1
1:A:314:ILE:HD11	1:A:350:SER:CB	0.63	2.24	4	1
1:A:327:ILE:HD11	1:A:336:ILE:HG12	0.62	1.72	18	3
1:A:359:ILE:CD1	1:A:388:ILE:HD13	0.62	2.24	2	1
1:A:328:ILE:O	1:A:336:ILE:HD12	0.62	1.94	8	1
1:A:362:VAL:HG13	1:A:388:ILE:CG1	0.62	2.25	17	1
1:A:314:ILE:HG22	1:A:388:ILE:O	0.62	1.95	20	1
1:A:315:VAL:O	1:A:316:ILE:HD13	0.61	1.95	19	5
1:A:359:ILE:CG2	1:A:367:LEU:HD12	0.61	2.26	11	5
1:A:338:ILE:CD1	1:A:359:ILE:HD11	0.60	2.26	1	3
1:A:362:VAL:HG21	1:A:379:LEU:CD2	0.60	2.26	2	1
1:A:316:ILE:HD12	1:A:317:HIS:O	0.60	1.97	10	1
1:A:382:ALA:HB1	1:A:386:VAL:HG21	0.60	1.73	19	1
1:A:347:ALA:CB	1:A:353:LEU:HD12	0.60	2.25	15	1
1:A:360:LEU:HD13	1:A:389:ILE:HG22	0.59	1.73	18	4
1:A:328:ILE:O	1:A:328:ILE:HD12	0.59	1.97	17	3
1:A:314:ILE:O	1:A:387:THR:HG23	0.59	1.98	20	2
1:A:359:ILE:HD12	1:A:388:ILE:CG2	0.59	2.27	1	3
1:A:353:LEU:HD21	1:A:390:ALA:HB2	0.58	1.74	7	2
1:A:328:ILE:HG21	1:A:397:TYR:CE1	0.58	2.33	16	1
1:A:360:LEU:HD12	1:A:389:ILE:CG2	0.58	2.29	12	3
1:A:362:VAL:HG22	1:A:363:ASN:ND2	0.58	2.14	11	2
1:A:353:LEU:HD13	1:A:388:ILE:HD11	0.58	1.74	8	2
1:A:316:ILE:O	1:A:385:THR:HG23	0.58	1.97	1	2
1:A:328:ILE:HG23	1:A:339:SER:HB2	0.58	1.74	5	1
1:A:359:ILE:HG23	1:A:388:ILE:CG2	0.57	2.29	16	1
1:A:314:ILE:HG23	1:A:316:ILE:HD11	0.56	1.77	16	2
1:A:314:ILE:HD13	1:A:352:GLU:HB3	0.56	1.77	19	1
1:A:313:ARG:HB2	1:A:387:THR:HG22	0.56	1.78	7	4
1:A:362:VAL:HG13	1:A:388:ILE:HG12	0.56	1.76	17	1
1:A:382:ALA:HB1	1:A:386:VAL:CG2	0.55	2.31	19	1
1:A:316:ILE:HD11	1:A:353:LEU:CD1	0.55	2.31	8	1
1:A:353:LEU:CD2	1:A:390:ALA:HB2	0.55	2.32	9	2
1:A:361:SER:OG	1:A:389:ILE:HD12	0.55	2.01	17	2
1:A:338:ILE:HD11	1:A:353:LEU:HD22	0.55	1.78	16	2
1:A:362:VAL:HG21	1:A:379:LEU:HD12	0.54	1.78	15	1
1:A:353:LEU:CD1	1:A:388:ILE:HD11	0.54	2.32	8	1
1:A:314:ILE:HD12	1:A:352:GLU:HB2	0.54	1.78	4	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:353:LEU:HD21	1:A:388:ILE:HD11	0.53	1.81	18	2
1:A:362:VAL:CG1	1:A:367:LEU:HD11	0.53	2.33	18	5
1:A:362:VAL:CG2	1:A:367:LEU:HD22	0.53	2.32	20	1
1:A:362:VAL:HG12	1:A:388:ILE:HG12	0.53	1.80	1	2
1:A:362:VAL:HG13	1:A:367:LEU:HD11	0.53	1.80	18	1
1:A:358:GLN:NE2	1:A:360:LEU:HD11	0.52	2.19	13	2
1:A:362:VAL:HG22	1:A:367:LEU:CD2	0.52	2.35	6	3
1:A:382:ALA:CB	1:A:386:VAL:HG22	0.52	2.34	7	1
1:A:359:ILE:HD12	1:A:388:ILE:HD13	0.52	1.80	2	1
1:A:325:PHE:CD2	1:A:347:ALA:HB2	0.52	2.39	14	1
1:A:362:VAL:HG21	1:A:379:LEU:HD21	0.52	1.81	2	1
1:A:362:VAL:HG12	1:A:367:LEU:HD13	0.51	1.82	14	2
1:A:362:VAL:HG13	1:A:388:ILE:HG13	0.51	1.81	13	1
1:A:362:VAL:HA	1:A:388:ILE:HG22	0.51	1.83	4	1
1:A:358:GLN:HE21	1:A:360:LEU:HD11	0.50	1.67	1	1
1:A:338:ILE:HD12	1:A:357:ASP:HB3	0.50	1.84	15	1
1:A:313:ARG:HA	1:A:389:ILE:HD13	0.50	1.83	19	1
1:A:314:ILE:HD11	1:A:350:SER:OG	0.50	2.07	4	1
1:A:362:VAL:HG22	1:A:363:ASN:HD22	0.50	1.67	11	2
1:A:349:LEU:HD12	1:A:350:SER:N	0.50	2.22	19	1
1:A:329:GLY:HA3	1:A:336:ILE:HD12	0.49	1.84	18	1
1:A:359:ILE:HG22	1:A:367:LEU:HD12	0.49	1.85	18	1
1:A:314:ILE:HD12	1:A:353:LEU:HD23	0.49	1.85	2	1
1:A:328:ILE:HD12	1:A:328:ILE:C	0.49	2.33	14	3
1:A:388:ILE:HD12	1:A:388:ILE:O	0.49	2.07	4	1
1:A:357:ASP:HB3	1:A:390:ALA:HB1	0.49	1.84	13	1
1:A:314:ILE:HG21	1:A:353:LEU:HG	0.48	1.84	5	1
1:A:328:ILE:HD12	1:A:339:SER:HB2	0.48	1.85	4	1
1:A:324:GLY:O	1:A:347:ALA:HB3	0.48	2.08	2	1
1:A:382:ALA:HB1	1:A:386:VAL:HB	0.48	1.86	1	1
1:A:362:VAL:HG12	1:A:367:LEU:HD21	0.48	1.86	5	1
1:A:328:ILE:C	1:A:336:ILE:HD12	0.48	2.34	8	2
1:A:376:ALA:HA	1:A:379:LEU:HD12	0.47	1.86	12	2
1:A:316:ILE:CD1	1:A:386:VAL:HG13	0.47	2.40	12	1
1:A:314:ILE:HD11	1:A:350:SER:HB2	0.47	1.85	3	1
1:A:362:VAL:CG2	1:A:367:LEU:HD11	0.46	2.40	3	1
1:A:382:ALA:CB	1:A:386:VAL:HG12	0.46	2.41	13	1
1:A:362:VAL:HG22	1:A:388:ILE:HG22	0.46	1.87	20	2
1:A:314:ILE:HG21	1:A:352:GLU:HG3	0.46	1.87	12	1
1:A:388:ILE:H	1:A:388:ILE:HD13	0.46	1.70	18	1
1:A:362:VAL:HG21	1:A:379:LEU:CD1	0.46	2.41	4	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:363:ASN:HB3	1:A:386:VAL:HG13	0.45	1.88	19	2
1:A:360:LEU:HD12	1:A:389:ILE:HG22	0.45	1.87	3	1
1:A:362:VAL:HG12	1:A:388:ILE:HG13	0.45	1.87	3	1
1:A:328:ILE:HG21	1:A:397:TYR:HE1	0.45	1.72	16	1
1:A:327:ILE:HD13	1:A:327:ILE:H	0.45	1.72	2	1
1:A:366:ASP:O	1:A:367:LEU:HD22	0.45	2.11	10	1
1:A:338:ILE:CG1	1:A:359:ILE:HD11	0.45	2.42	18	1
1:A:360:LEU:HD11	1:A:391:GLN:HB2	0.45	1.87	11	1
1:A:313:ARG:CA	1:A:389:ILE:HD13	0.45	2.41	19	1
1:A:365:VAL:HG21	1:A:378:ALA:HB1	0.44	1.89	2	1
1:A:314:ILE:CG2	1:A:316:ILE:HD11	0.44	2.41	16	2
1:A:316:ILE:HD11	1:A:386:VAL:HB	0.44	1.90	18	1
1:A:359:ILE:HG23	1:A:388:ILE:HG23	0.44	1.88	16	1
1:A:313:ARG:NE	1:A:389:ILE:HD11	0.44	2.28	9	1
1:A:327:ILE:CG1	1:A:336:ILE:HD11	0.44	2.41	18	1
1:A:316:ILE:O	1:A:316:ILE:HD12	0.44	2.12	6	1
1:A:336:ILE:HG23	1:A:336:ILE:O	0.44	2.13	12	2
1:A:314:ILE:HD12	1:A:352:GLU:CB	0.43	2.43	11	2
1:A:379:LEU:O	1:A:379:LEU:HD23	0.43	2.13	11	1
1:A:363:ASN:HB3	1:A:386:VAL:HG23	0.43	1.90	1	1
1:A:327:ILE:HD11	1:A:336:ILE:CG1	0.43	2.43	18	1
1:A:313:ARG:HB3	1:A:387:THR:HG22	0.43	1.90	15	1
1:A:338:ILE:HD13	1:A:357:ASP:HB2	0.43	1.89	20	2
1:A:328:ILE:HD13	1:A:400:PHE:CG	0.43	2.47	20	1
1:A:314:ILE:HD12	1:A:353:LEU:HD21	0.43	1.91	7	1
1:A:327:ILE:O	1:A:327:ILE:HD12	0.42	2.14	3	1
1:A:379:LEU:CD2	1:A:386:VAL:HG21	0.42	2.44	8	1
1:A:316:ILE:HD12	1:A:386:VAL:O	0.42	2.14	16	1
1:A:316:ILE:HB	1:A:386:VAL:HG13	0.42	1.91	2	1
1:A:362:VAL:O	1:A:363:ASN:CG	0.42	2.63	9	4
1:A:338:ILE:HG12	1:A:359:ILE:HD11	0.42	1.91	15	1
1:A:314:ILE:HD12	1:A:352:GLU:HB3	0.42	1.91	5	1
1:A:362:VAL:CG1	1:A:367:LEU:HD21	0.42	2.44	5	1
1:A:361:SER:O	1:A:389:ILE:HD12	0.42	2.14	8	1
1:A:361:SER:OG	1:A:389:ILE:HD13	0.42	2.14	9	1
1:A:362:VAL:HG13	1:A:365:VAL:HG23	0.42	1.90	15	3
1:A:353:LEU:HD23	1:A:390:ALA:CB	0.42	2.44	9	1
1:A:314:ILE:HD12	1:A:352:GLU:HG2	0.42	1.91	13	1
1:A:338:ILE:HD13	1:A:357:ASP:CB	0.42	2.44	20	1
1:A:366:ASP:C	1:A:367:LEU:HD22	0.41	2.40	8	1
1:A:362:VAL:HB	1:A:388:ILE:HG22	0.41	1.90	15	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:331:GLU:O	1:A:332:ASP:C	0.41	2.64	18	1
1:A:362:VAL:O	1:A:362:VAL:HG13	0.41	2.15	16	1
1:A:314:ILE:HD11	1:A:316:ILE:HD11	0.41	1.92	3	1
1:A:360:LEU:HD13	1:A:389:ILE:HG21	0.41	1.93	10	1
1:A:317:HIS:O	1:A:386:VAL:HG12	0.41	2.16	14	1
1:A:362:VAL:HG12	1:A:363:ASN:HD22	0.41	1.76	8	1
1:A:331:GLU:C	1:A:332:ASP:CG	0.41	2.88	18	1
1:A:362:VAL:HG13	1:A:388:ILE:CG2	0.41	2.45	20	1
1:A:347:ALA:HB1	1:A:353:LEU:HB2	0.41	1.92	6	1
1:A:336:ILE:O	1:A:336:ILE:HG23	0.41	2.16	14	1
1:A:314:ILE:HG21	1:A:352:GLU:HB2	0.41	1.92	19	1
1:A:367:LEU:HD11	1:A:375:ALA:CB	0.41	2.46	17	1
1:A:328:ILE:HG22	1:A:337:PHE:O	0.40	2.16	16	1
1:A:342:LEU:HD23	1:A:343:ALA:N	0.40	2.32	4	1
1:A:379:LEU:HD11	1:A:386:VAL:HG13	0.40	1.93	5	1
1:A:313:ARG:HD2	1:A:387:THR:HG22	0.40	1.93	9	1
1:A:316:ILE:HD11	1:A:386:VAL:HG13	0.40	1.93	12	1
1:A:345:GLY:O	1:A:349:LEU:HD12	0.40	2.17	13	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	85/102 (83%)	78±1 (92±1%)	6±1 (7±1%)	0±0 (0±0%)	44	80
All	All	1700/2040 (83%)	1570 (92%)	126 (7%)	4 (0%)	44	80

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	335	GLY	4

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	66/78 (85%)	59±2 (90±3%)	7±2 (10±3%)	9	53
All	All	1320/1560 (85%)	1185 (90%)	135 (10%)	9	53

All 34 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	355	LYS	13
1	A	336	ILE	12
1	A	387	THR	11
1	A	361	SER	9
1	A	312	ARG	8
1	A	339	SER	7
1	A	350	SER	7
1	A	379	LEU	7
1	A	385	THR	7
1	A	313	ARG	5
1	A	401	GLU	5
1	A	327	ILE	3
1	A	352	GLU	3
1	A	367	LEU	3
1	A	384	GLN	3
1	A	354	ARG	3
1	A	368	ARG	2
1	A	399	ARG	2
1	A	358	GLN	2
1	A	316	ILE	2
1	A	398	SER	2
1	A	349	LEU	2
1	A	395	GLU	2
1	A	393	LYS	2
1	A	332	ASP	2
1	A	388	ILE	2
1	A	348	ASP	2
1	A	328	ILE	1
1	A	342	LEU	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	371	SER	1
1	A	334	GLU	1
1	A	360	LEU	1
1	A	373	GLU	1
1	A	362	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
1	AZH	A	341	1	7,8,9	1.80±0.01	2±0 (28±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
1	AZH	A	341	1	3,8,10	0.56±0.01	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	AZH	A	341	1	-	0±0,6,7,9	-

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	341	AZH	NZ-NE	3.64	1.30	1.23	19	20
1	A	341	AZH	NE-ND	2.95	1.30	1.23	15	20

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 79% for the well-defined parts and 76% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *PDZ.str*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1021
Number of shifts mapped to atoms	1021
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	93	-0.12 ± 0.12	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	81	-0.07 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	87	-0.15 ± 0.09	None needed (< 0.5 ppm)
^{15}N	91	-0.44 ± 0.55	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 79%, i.e. 904 atoms were assigned a chemical shift out of a possible 1149. 0 out of 10 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	425/435 (98%)	180/180 (100%)	162/172 (94%)	83/83 (100%)
Sidechain	455/642 (71%)	340/417 (82%)	115/196 (59%)	0/29 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	24/72 (33%)	21/36 (58%)	3/34 (9%)	0/2 (0%)
Overall	904/1149 (79%)	541/633 (85%)	280/402 (70%)	83/114 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 76%, i.e. 1014 atoms were assigned a chemical shift out of a possible 1338. 0 out of 12 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	474/511 (93%)	203/212 (96%)	180/202 (89%)	91/97 (94%)
Sidechain	516/745 (69%)	386/483 (80%)	130/230 (57%)	0/32 (0%)
Aromatic	24/82 (29%)	21/41 (51%)	3/39 (8%)	0/2 (0%)
Overall	1014/1338 (76%)	610/736 (83%)	313/471 (66%)	91/131 (69%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	392	TYR	HE1	0.00	5.59 – 7.82	-30.1
1	A	392	TYR	HE2	0.00	5.58 – 7.83	-29.8
1	A	342	LEU	CG	32.24	21.37 – 32.19	5.0

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

