



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:34 PM UTC

PDB ID : 5W8J / pdb_00005w8j
Title : Crystal Structure of Lactate Dehydrogenase A in complex with inhibitor compound 29
Authors : Lukacs, C.M.; Moulin, A.
Deposited on : 2017-06-21
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	332	3% 96% ..
1	B	332	2% 93% 6%
1	C	332	5% 94% 6%
1	D	332	3% 93% 6%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 12096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-lactate dehydrogenase A chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	12	0
			2600	1662	439	485	14			
1	B	331	Total	C	N	O	S	0	16	0
			2669	1703	457	493	16			
1	C	331	Total	C	N	O	S	0	13	0
			2609	1667	440	486	16			
1	D	331	Total	C	N	O	S	0	15	0
			2625	1676	442	491	16			

- Molecule 2 is 2-{3-(3,4-difluorophenyl)-5-hydroxy-4-[(4-sulfamoylphenyl)methyl]-1H-pyrazo-1-yl}-1,3-thiazole-4-carboxylic acid (CCD ID: 9Y7) (formula: C₂₀H₁₄F₂N₄O₅S₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0
			33	20	2	4	5	2	
2	A	1	Total	C	F	N	O	S	0
			33	20	2	4	5	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	S	0	0
			33	20	2	4	5	2		
2	C	1	Total	C	F	N	O	S	0	0
			33	20	2	4	5	2		
2	C	1	Total	C	F	N	O	S	0	0
			33	20	2	4	5	2		
2	D	1	Total	C	F	N	O	S	0	0
			33	20	2	4	5	2		

- Molecule 3 is MALONIC ACID (CCD ID: MLA) (formula: $C_3H_4O_4$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			7	3 4		
3	B	1	Total	C O	0	0
			7	3 4		
3	B	1	Total	C O	0	0
			7	3 4		
3	C	1	Total	C O	0	0
			7	3 4		
3	D	1	Total	C O	0	0
			7	3 4		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	315	Total	O	0	0
			315	315		
6	B	376	Total	O	0	0
			376	376		
6	C	303	Total	O	0	0
			303	303		
6	D	334	Total	O	0	0
			334	334		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-lactate dehydrogenase A chain




- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	168.53Å 80.77Å 121.09Å 90.00° 118.23° 90.00°	Depositor
Resolution (Å)	46.12 – 1.55 46.12 – 1.55	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.12-1.55) 99.8 (46.12-1.55)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 1.55Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.145 , 0.169 0.146 , 0.169	Depositor DCC
R_{free} test set	10414 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	14.4	Xtriage
Anisotropy	0.294	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12096	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MLA, DMS, GOL, 9Y7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/2650	0.86	1/3591 (0.0%)
1	B	0.79	0/2723	0.90	1/3685 (0.0%)
1	C	0.72	0/2664	0.85	0/3612
1	D	0.80	0/2675	0.89	1/3627 (0.0%)
All	All	0.76	0/10712	0.87	3/14515 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	194	ASP	N-CA-C	5.97	118.56	111.33
1	D	143	THR	N-CA-C	-5.30	105.58	111.36
1	B	14	GLU	N-CA-C	5.27	117.32	107.99

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	14	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2600	0	2638	7	0
1	B	2669	0	2728	18	0
1	C	2609	0	2635	16	0
1	D	2625	0	2660	16	0
2	A	66	0	0	0	0
2	B	33	0	0	0	0
2	C	66	0	0	1	0
2	D	33	0	0	0	0
3	A	7	0	2	0	0
3	B	14	0	4	0	0
3	C	7	0	2	0	0
3	D	7	0	2	0	0
4	A	8	0	12	1	0
4	C	4	0	6	0	0
4	D	8	0	12	1	0
5	A	6	0	8	0	0
5	D	6	0	8	0	0
6	A	315	0	0	1	0
6	B	376	0	0	6	0
6	C	303	0	0	3	0
6	D	334	0	0	5	0
All	All	12096	0	10717	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:LEU:HD23	4:A:505:DMS:H13	1.44	0.96
1:B:72:ARG:NH1	6:B:501:HOH:O	2.00	0.93
1:B:302:LEU:HD13	1:C:11:LEU:HD11	1.68	0.74
1:B:268[B]:ARG:NH1	6:B:502:HOH:O	2.24	0.71
1:C:165[A]:ASP:OD1	6:C:502:HOH:O	2.10	0.69
1:D:200:TRP:CE3	1:D:203[B]:MET:SD	2.88	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19[A]:GLN:NE2	1:C:296:GLN:OE1	2.21	0.67
1:D:160[B]:SER:OG	6:D:502:HOH:O	2.11	0.67
1:D:169:PHE:HZ	1:D:203[B]:MET:SD	2.19	0.66
1:C:200:TRP:CE3	1:C:203[A]:MET:HE1	2.33	0.64
1:D:200:TRP:HE3	1:D:203[B]:MET:SD	2.22	0.62
1:B:111[B]:ARG:NE	6:B:503:HOH:O	2.27	0.61
1:D:232:GLN:HG2	6:D:771:HOH:O	2.00	0.61
1:A:214:HIS:HB2	1:B:3:LEU:HD13	1.84	0.60
1:B:111[B]:ARG:NH2	6:B:503:HOH:O	2.33	0.59
1:A:71:LEU:O	1:A:72[A]:ARG:HD3	2.06	0.56
1:A:254[A]:SER:O	1:A:257[A]:ASP:HB3	2.06	0.55
1:A:293[A]:ILE:HD12	1:A:301:ASP:HB2	1.87	0.55
1:B:327:LYS:HE2	6:B:593:HOH:O	2.07	0.53
1:D:277:LYS:NZ	6:D:506:HOH:O	2.39	0.53
1:C:200:TRP:CZ3	1:C:203[A]:MET:HE1	2.44	0.53
1:D:232:GLN:O	1:D:236[B]:SER:HB2	2.09	0.53
1:B:286:VAL:HG23	1:B:326[B]:GLN:OE1	2.08	0.53
1:D:293[B]:ILE:HD12	1:D:301:ASP:HB2	1.90	0.53
1:A:125:LYS:HE3	1:A:126:TYR:CE2	2.44	0.53
2:C:403:9Y7:O12	2:C:403:9Y7:S28	2.67	0.52
1:C:160[B]:SER:OG	6:C:503:HOH:O	2.18	0.52
1:B:200:TRP:CE3	1:B:203[B]:MET:HE1	2.45	0.52
1:C:200:TRP:CE3	1:C:203[B]:MET:SD	3.03	0.52
1:B:20:ASN:HA	1:B:89:LYS:HD2	1.92	0.50
1:D:296:GLN:NE2	6:D:505:HOH:O	2.34	0.48
1:D:154:LYS:HE2	1:D:275:MET:HE3	1.94	0.48
1:B:279:LEU:HD11	1:B:302:LEU:HD23	1.94	0.48
1:C:27:VAL:O	1:C:56:LYS:HE3	2.14	0.48
1:D:169:PHE:CZ	1:D:203[B]:MET:SD	3.04	0.47
1:B:203[B]:MET:SD	1:B:210:LEU:HD12	2.54	0.47
1:B:111[B]:ARG:CZ	6:B:503:HOH:O	2.61	0.47
1:C:237:ALA:HB3	6:C:609:HOH:O	2.14	0.47
1:B:203[B]:MET:HG2	1:B:210:LEU:HD12	1.97	0.46
1:C:293:ILE:HD12	1:C:301:ASP:HB2	1.96	0.46
1:C:203[A]:MET:SD	1:C:210:LEU:HD12	2.56	0.46
1:A:72[B]:ARG:NH1	6:A:601:HOH:O	2.27	0.44
1:D:137:ASN:O	4:D:403:DMS:H12	2.17	0.43
1:C:203[A]:MET:HE3	1:C:203[A]:MET:HB2	1.67	0.43
1:B:19[A]:GLN:O	1:B:89:LYS:HD2	2.18	0.43
1:B:36:ILE:O	1:B:40[B]:MET:HG2	2.19	0.42
1:B:276:ILE:C	1:B:276:ILE:HD12	2.45	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:108:LEU:C	1:C:108:LEU:HD13	2.45	0.42
1:C:214:HIS:HB2	1:D:3:LEU:HD13	2.02	0.41
1:D:36:ILE:O	1:D:40[B]:MET:HG2	2.20	0.41
1:D:254[A]:SER:OG	6:D:501:HOH:O	1.98	0.41
1:C:82:TYR:CG	1:C:122:ASN:HB3	2.56	0.41
1:D:276:ILE:HD12	1:D:276:ILE:HA	1.90	0.41
1:C:36:ILE:O	1:C:40[B]:MET:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/332 (102%)	333 (99%)	4 (1%)	0	100	100
1	B	345/332 (104%)	335 (97%)	9 (3%)	1 (0%)	36	18
1	C	342/332 (103%)	337 (98%)	4 (1%)	1 (0%)	36	18
1	D	344/332 (104%)	339 (98%)	5 (2%)	0	100	100
All	All	1368/1328 (103%)	1344 (98%)	22 (2%)	2 (0%)	43	26

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	15	GLU
1	C	14	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/288 (100%)	287 (100%)	0	100	100
1	B	296/288 (103%)	295 (100%)	1 (0%)	86	77
1	C	287/288 (100%)	286 (100%)	1 (0%)	86	77
1	D	290/288 (101%)	287 (99%)	3 (1%)	68	47
All	All	1160/1152 (101%)	1155 (100%)	5 (0%)	81	73

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	247	THR
1	C	194	ASP
1	D	12	LEU
1	D	275	MET
1	D	315	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	B	6	GLN
1	B	10	ASN
1	C	10	ASN
1	D	10	ASN
1	D	65	GLN
1	D	326	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	9Y7	C	403	-	36,36,36	2.20	11 (30%)	48,54,54	1.68	10 (20%)
2	9Y7	D	402	-	36,36,36	2.19	13 (36%)	48,54,54	1.80	13 (27%)
4	DMS	A	505	-	3,3,3	0.53	0	3,3,3	0.82	0
4	DMS	A	504	-	3,3,3	0.76	0	3,3,3	0.82	0
2	9Y7	A	501	-	36,36,36	1.97	12 (33%)	48,54,54	1.65	9 (18%)
3	MLA	C	401	-	6,6,6	1.21	1 (16%)	7,7,7	1.17	1 (14%)
2	9Y7	A	502	-	36,36,36	2.95	15 (41%)	48,54,54	1.56	11 (22%)
2	9Y7	B	402	-	36,36,36	2.04	11 (30%)	48,54,54	1.93	11 (22%)
3	MLA	A	503	-	6,6,6	1.21	0	7,7,7	1.05	0
5	GOL	A	506	-	5,5,5	0.40	0	5,5,5	0.56	0
3	MLA	B	403	-	6,6,6	1.08	0	7,7,7	1.61	2 (28%)
3	MLA	B	401	-	6,6,6	1.24	1 (16%)	7,7,7	1.78	2 (28%)
4	DMS	C	404	-	3,3,3	0.77	0	3,3,3	0.98	0
4	DMS	D	403	-	3,3,3	0.65	0	3,3,3	0.87	0
5	GOL	D	405	-	5,5,5	0.32	0	5,5,5	1.02	0
2	9Y7	C	402	-	36,36,36	1.94	10 (27%)	48,54,54	1.69	11 (22%)
4	DMS	D	404	-	3,3,3	0.77	0	3,3,3	0.99	0
3	MLA	D	401	-	6,6,6	1.17	0	7,7,7	1.47	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9Y7	C	403	-	-	4/22/22/22	0/4/4/4
2	9Y7	D	402	-	-	1/22/22/22	0/4/4/4
2	9Y7	A	501	-	-	0/22/22/22	0/4/4/4
3	MLA	C	401	-	-	2/4/4/4	-
2	9Y7	A	502	-	-	2/22/22/22	0/4/4/4
2	9Y7	B	402	-	-	2/22/22/22	0/4/4/4
3	MLA	A	503	-	-	2/4/4/4	-
5	GOL	A	506	-	-	2/4/4/4	-
3	MLA	B	403	-	-	2/4/4/4	-
3	MLA	B	401	-	-	2/4/4/4	-
5	GOL	D	405	-	-	2/4/4/4	-
2	9Y7	C	402	-	-	2/22/22/22	0/4/4/4
3	MLA	D	401	-	-	2/4/4/4	-

All (74) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	502	9Y7	C26-C29	13.49	1.61	1.48
2	C	403	9Y7	C26-C29	7.93	1.55	1.48
2	B	402	9Y7	C26-C29	7.72	1.55	1.48
2	D	402	9Y7	C24-N13	-5.83	1.31	1.40
2	C	402	9Y7	C26-C29	5.71	1.53	1.48
2	C	403	9Y7	C24-N13	-5.59	1.32	1.40
2	A	501	9Y7	C05-S02	-5.10	1.69	1.77
2	C	402	9Y7	C05-S02	-4.83	1.69	1.77
2	A	502	9Y7	C05-S02	-4.59	1.70	1.77
2	D	402	9Y7	C26-C29	4.19	1.52	1.48
2	A	501	9Y7	C22-C21	3.96	1.44	1.37
2	D	402	9Y7	C09-C08	-3.92	1.45	1.51
2	D	402	9Y7	C05-S02	-3.91	1.71	1.77
2	A	501	9Y7	C24-N13	-3.90	1.34	1.40
2	A	502	9Y7	C11-N13	3.43	1.41	1.36
2	D	402	9Y7	S02-N01	3.42	1.67	1.60
2	C	403	9Y7	C22-C21	3.40	1.43	1.37
2	B	402	9Y7	S02-N01	3.36	1.67	1.60
2	A	502	9Y7	C15-N14	3.35	1.38	1.33
2	A	501	9Y7	C09-C08	-3.23	1.46	1.51
2	D	402	9Y7	O31-C29	-3.02	1.22	1.30
2	C	402	9Y7	C22-C21	3.02	1.42	1.37
2	D	402	9Y7	C22-C21	3.01	1.42	1.37
2	A	501	9Y7	C15-N14	2.98	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	403	9Y7	C09-C10	-2.96	1.47	1.51
2	B	402	9Y7	C24-S28	2.94	1.80	1.74
2	B	402	9Y7	C09-C10	-2.91	1.47	1.51
2	C	403	9Y7	C24-S28	2.91	1.80	1.74
2	A	501	9Y7	C27-S28	2.89	1.79	1.71
2	D	402	9Y7	C24-S28	2.89	1.80	1.74
2	B	402	9Y7	C22-C21	2.87	1.42	1.37
2	A	501	9Y7	C09-C10	-2.87	1.47	1.51
2	A	502	9Y7	S02-N01	2.79	1.65	1.60
2	A	502	9Y7	C09-C08	-2.76	1.47	1.51
2	A	501	9Y7	C11-N13	2.70	1.40	1.36
2	C	403	9Y7	S02-N01	2.65	1.65	1.60
2	D	402	9Y7	C11-N13	2.51	1.39	1.36
2	A	501	9Y7	F23-C21	-2.49	1.28	1.35
2	C	402	9Y7	C09-C10	-2.46	1.47	1.51
2	A	502	9Y7	O31-C29	-2.45	1.23	1.30
2	C	403	9Y7	C15-N14	2.44	1.37	1.33
2	A	502	9Y7	C33-C05	2.43	1.42	1.38
2	C	402	9Y7	F23-C21	-2.42	1.29	1.35
2	B	402	9Y7	F23-C21	-2.41	1.29	1.35
2	A	501	9Y7	F20-C19	-2.37	1.29	1.35
2	C	403	9Y7	O31-C29	-2.37	1.24	1.30
2	A	502	9Y7	F20-C19	-2.35	1.29	1.35
2	A	502	9Y7	C16-C15	-2.32	1.44	1.48
2	B	402	9Y7	F20-C19	-2.30	1.29	1.35
2	C	403	9Y7	F23-C21	-2.30	1.29	1.35
2	D	402	9Y7	F23-C21	-2.29	1.29	1.35
2	A	502	9Y7	C27-S28	2.27	1.77	1.71
2	C	402	9Y7	F20-C19	-2.27	1.29	1.35
2	C	402	9Y7	C27-S28	2.27	1.77	1.71
2	C	402	9Y7	C26-N25	2.25	1.43	1.38
2	A	502	9Y7	C26-N25	2.22	1.43	1.38
2	C	402	9Y7	C16-C15	2.20	1.51	1.48
2	A	502	9Y7	C22-C16	2.20	1.42	1.39
2	B	402	9Y7	C22-C16	2.19	1.42	1.39
2	A	501	9Y7	C26-N25	2.19	1.43	1.38
2	A	502	9Y7	F23-C21	-2.17	1.29	1.35
2	D	402	9Y7	F20-C19	-2.14	1.29	1.35
2	C	403	9Y7	C05-S02	-2.13	1.73	1.77
2	A	502	9Y7	C22-C21	2.13	1.41	1.37
3	C	401	MLA	O3A-C3	2.12	1.29	1.22
2	D	402	9Y7	C16-C15	-2.12	1.45	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	403	9Y7	F20-C19	-2.12	1.29	1.35
2	B	402	9Y7	O31-C29	-2.11	1.24	1.30
2	B	402	9Y7	C05-S02	-2.10	1.73	1.77
2	C	402	9Y7	O31-C29	-2.05	1.25	1.30
3	B	401	MLA	O1A-C1	-2.05	1.24	1.30
2	D	402	9Y7	C33-C05	2.04	1.42	1.38
2	A	501	9Y7	C24-S28	2.03	1.78	1.74
2	B	402	9Y7	C06-C05	2.02	1.42	1.38

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	402	9Y7	O30-C29-C26	-5.61	113.16	122.02
2	D	402	9Y7	O30-C29-C26	-5.52	113.31	122.02
2	B	402	9Y7	C15-N14-N13	5.44	109.78	103.97
2	C	402	9Y7	C24-N13-N14	5.13	127.92	117.33
2	A	501	9Y7	O30-C29-C26	-4.97	114.18	122.02
2	C	403	9Y7	O30-C29-C26	-4.48	114.94	122.02
2	D	402	9Y7	C24-N13-N14	4.36	126.34	117.33
2	B	402	9Y7	S28-C24-N25	-4.36	110.88	116.28
2	A	501	9Y7	O12-C11-C10	-4.28	125.57	132.51
2	B	402	9Y7	C10-C15-N14	-4.25	107.02	111.96
2	A	502	9Y7	O30-C29-C26	-4.18	115.42	122.02
2	C	402	9Y7	O30-C29-C26	-4.10	115.55	122.02
2	A	501	9Y7	C24-N13-N14	4.07	125.74	117.33
2	C	403	9Y7	O03-S02-C05	3.96	111.83	107.35
3	B	401	MLA	C3-C2-C1	-3.72	99.82	112.95
2	A	502	9Y7	C15-N14-N13	3.67	107.89	103.97
2	C	402	9Y7	O12-C11-C10	-3.56	126.74	132.51
2	D	402	9Y7	O12-C11-C10	-3.49	126.86	132.51
2	C	403	9Y7	O12-C11-C10	-3.43	126.94	132.51
2	D	402	9Y7	C15-N14-N13	3.42	107.62	103.97
2	B	402	9Y7	C24-N25-C26	3.31	114.69	106.79
2	C	402	9Y7	C10-C15-N14	-3.27	108.15	111.96
2	C	403	9Y7	C24-N13-N14	3.24	124.01	117.33
2	C	402	9Y7	C15-N14-N13	3.17	107.36	103.97
2	C	403	9Y7	C10-C15-N14	-3.12	108.33	111.96
2	A	502	9Y7	C24-N25-C26	3.10	114.20	106.79
2	D	402	9Y7	O31-C29-O30	3.00	131.03	123.90
2	C	402	9Y7	O31-C29-O30	2.95	130.92	123.90
2	B	402	9Y7	O31-C29-O30	2.89	130.77	123.90
2	A	501	9Y7	C10-C15-N14	-2.88	108.61	111.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	502	9Y7	C10-C15-N14	-2.88	108.62	111.96
2	C	402	9Y7	C24-N25-C26	2.84	113.56	106.79
2	A	502	9Y7	S28-C24-N25	-2.81	112.80	116.28
2	A	502	9Y7	O03-S02-C05	2.80	110.52	107.35
2	A	502	9Y7	O12-C11-C10	-2.79	127.98	132.51
2	B	402	9Y7	C08-C09-C10	2.77	119.64	114.24
2	D	402	9Y7	S28-C24-N25	-2.76	112.87	116.28
2	B	402	9Y7	O03-S02-C05	2.74	110.44	107.35
2	C	403	9Y7	O31-C29-O30	2.71	130.35	123.90
2	B	402	9Y7	O12-C11-C10	-2.69	128.14	132.51
2	A	501	9Y7	O31-C29-O30	2.69	130.30	123.90
2	A	501	9Y7	C24-N25-C26	2.62	113.05	106.79
2	C	402	9Y7	S28-C24-N25	-2.61	113.05	116.28
2	C	403	9Y7	O04-S02-O03	-2.59	114.81	118.80
2	B	402	9Y7	C24-N13-N14	2.56	122.61	117.33
2	A	502	9Y7	C08-C09-C10	2.50	119.11	114.24
2	C	403	9Y7	C15-N14-N13	2.49	106.63	103.97
2	D	402	9Y7	C33-C05-C06	-2.45	117.27	120.47
2	A	501	9Y7	C15-N14-N13	2.42	106.56	103.97
2	D	402	9Y7	C16-C15-N14	-2.41	115.38	118.99
2	D	402	9Y7	C06-C05-S02	2.38	122.96	119.72
2	D	402	9Y7	C24-N25-C26	2.38	112.47	106.79
3	B	403	MLA	C3-C2-C1	-2.37	104.58	112.95
2	C	402	9Y7	C32-C33-C05	2.32	121.70	119.44
2	A	501	9Y7	O12-C11-N13	2.31	127.51	121.70
2	C	403	9Y7	C24-N25-C26	2.28	112.22	106.79
2	D	402	9Y7	C16-C15-C10	2.23	134.49	129.69
2	B	402	9Y7	C16-C15-C10	2.21	134.46	129.69
2	C	402	9Y7	O03-S02-C05	2.20	109.84	107.35
2	A	502	9Y7	O31-C29-O30	2.17	129.06	123.90
3	C	401	MLA	C3-C2-C1	-2.17	105.31	112.95
3	D	401	MLA	O1B-C1-C2	-2.16	115.95	122.11
2	A	502	9Y7	C16-C15-C10	2.16	134.35	129.69
2	A	502	9Y7	C27-C26-N25	-2.13	112.51	115.43
2	D	402	9Y7	C05-S02-N01	2.13	111.36	108.40
3	B	403	MLA	O3A-C3-C2	-2.13	116.06	122.11
2	C	403	9Y7	O04-S02-C05	2.12	109.75	107.35
3	D	401	MLA	O1A-C1-C2	2.12	121.08	114.51
3	B	401	MLA	O3B-C3-C2	2.10	121.01	114.51
2	D	402	9Y7	C08-C09-C10	2.05	118.23	114.24
2	A	501	9Y7	O03-S02-C05	2.04	109.66	107.35
2	C	402	9Y7	O04-S02-O03	-2.00	115.72	118.80

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	506	GOL	O1-C1-C2-C3
5	D	405	GOL	O1-C1-C2-C3
5	A	506	GOL	O1-C1-C2-O2
5	D	405	GOL	O1-C1-C2-O2
3	B	401	MLA	O1A-C1-C2-C3
3	B	401	MLA	O1B-C1-C2-C3
2	C	403	9Y7	N25-C26-C29-O30
3	B	403	MLA	C1-C2-C3-O3B
2	C	403	9Y7	C10-C15-C16-C17
2	A	502	9Y7	C10-C15-C16-C17
3	B	403	MLA	C1-C2-C3-O3A
3	D	401	MLA	O1A-C1-C2-C3
2	C	403	9Y7	C10-C15-C16-C22
2	B	402	9Y7	C10-C15-C16-C17
2	A	502	9Y7	C10-C15-C16-C22
3	A	503	MLA	O1A-C1-C2-C3
3	A	503	MLA	O1B-C1-C2-C3
3	C	401	MLA	O1B-C1-C2-C3
3	D	401	MLA	O1B-C1-C2-C3
2	B	402	9Y7	C10-C15-C16-C22
3	C	401	MLA	O1A-C1-C2-C3
2	C	403	9Y7	N25-C26-C29-O31
2	C	402	9Y7	C10-C15-C16-C22
2	C	402	9Y7	N25-C24-N13-N14
2	D	402	9Y7	N25-C24-N13-N14


There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	403	9Y7	1	0
4	A	505	DMS	1	0
4	D	403	DMS	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand 9Y7 A 501









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/332 (99%)	-0.20	9 (2%) 56 64	5, 17, 35, 47	12 (3%)
1	B	331/332 (99%)	-0.43	5 (1%) 72 79	5, 13, 26, 46	16 (4%)
1	C	331/332 (99%)	-0.14	15 (4%) 38 46	5, 17, 36, 51	13 (3%)
1	D	331/332 (99%)	-0.31	10 (3%) 52 61	5, 13, 31, 50	15 (4%)
All	All	1322/1328 (99%)	-0.27	39 (2%) 52 61	5, 15, 33, 51	56 (4%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	279	LEU	4.2
1	C	238[A]	TYR	3.5
1	D	279	LEU	3.5
1	D	281	GLY	3.4
1	C	234	VAL	3.3
1	A	118[A]	PHE	3.3
1	D	15	GLU	3.2
1	B	331	PHE	3.2
1	C	118[A]	PHE	3.2
1	B	118[A]	PHE	3.1
1	C	1	ALA	3.0
1	A	17	THR	3.0
1	D	238	TYR	2.9
1	A	1	ALA	2.9
1	C	236[A]	SER	2.8
1	C	17	THR	2.8
1	D	280	TYR	2.8
1	C	16	GLN	2.7
1	B	15	GLU	2.6
1	C	279	LEU	2.6
1	C	15	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	226	TRP	2.5
1	C	280	TYR	2.5
1	A	100	GLN	2.5
1	C	12	LEU	2.4
1	A	282	ILE	2.4
1	D	17	THR	2.3
1	A	16	GLN	2.3
1	A	13	LYS	2.3
1	C	302	LEU	2.2
1	D	282	ILE	2.2
1	C	9	TYR	2.2
1	B	218	GLY	2.2
1	A	278	GLY	2.1
1	C	221	LYS	2.1
1	B	16	GLN	2.1
1	C	229	VAL	2.1
1	D	221	LYS	2.0
1	D	278	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMS	C	404	4/4	0.75	0.20	40,54,56,61	0
4	DMS	A	505	4/4	0.86	0.15	38,41,58,61	0
5	GOL	A	506	6/6	0.87	0.12	30,35,40,44	0
5	GOL	D	405	6/6	0.90	0.11	17,30,35,36	0
2	9Y7	A	502	33/33	0.91	0.10	19,25,45,58	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	A	504	4/4	0.91	0.14	27,31,38,38	0
4	DMS	D	404	4/4	0.92	0.14	26,34,34,39	0
2	9Y7	B	402	33/33	0.93	0.09	15,25,40,46	0
2	9Y7	C	403	33/33	0.93	0.10	17,27,47,59	0
3	MLA	B	403	7/7	0.94	0.07	17,19,26,28	0
2	9Y7	A	501	33/33	0.95	0.09	17,22,40,43	0
3	MLA	A	503	7/7	0.95	0.07	19,19,25,26	0
4	DMS	D	403	4/4	0.95	0.12	21,24,38,39	0
3	MLA	C	401	7/7	0.96	0.07	16,19,24,25	0
3	MLA	D	401	7/7	0.96	0.08	14,15,19,21	0
2	9Y7	C	402	33/33	0.96	0.07	17,21,33,40	0
3	MLA	B	401	7/7	0.97	0.07	11,13,22,23	0
2	9Y7	D	402	33/33	0.98	0.06	13,16,27,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 9Y7 A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 9Y7 B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 9Y7 C 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 9Y7 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 9Y7 C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 9Y7 D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.