



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 11:31 AM UTC

PDB ID : 5W8K / pdb_00005w8k
Title : Crystal Structure of Lactate Dehydrogenase A in complex with inhibitor compound 29 and NADH
Authors : Lukacs, C.M.; Dranow, D.M.
Deposited on : 2017-06-21
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	332	
1	B	332	
1	C	332	
1	D	332	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	508	-	X	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 11767 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-lactate dehydrogenase A chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	9	0
			2499	1596	424	464	15			
1	B	331	Total	C	N	O	S	0	14	0
			2635	1679	449	491	16			
1	C	328	Total	C	N	O	S	0	11	0
			2559	1636	429	478	16			
1	D	331	Total	C	N	O	S	0	9	0
			2568	1635	434	484	15			

- Molecule 2 is 2-{3-(3,4-difluorophenyl)-5-hydroxy-4-[(4-sulfamoylphenyl)methyl]-1H-pyrazol-1-yl}-1,3-thiazole-4-carboxylic acid (CCD ID: 9Y7) (formula: C₂₀H₁₄F₂N₄O₅S₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0
			33	20	2	4	5	2	
2	C	1	Total	C	F	N	O	S	0
			33	20	2	4	5	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	D	1	Total	C	F	N	O	S	0	0
			33	20	2	4	5	2		

- Molecule 3 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is MALONIC ACID (CCD ID: MLA) (formula: C₃H₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	3	4		
4	B	1	Total	C	O	0	0
			7	3	4		
4	B	1	Total	C	O	0	0
			7	3	4		
4	C	1	Total	C	O	0	0
			7	3	4		
4	D	1	Total	C	O	0	0
			7	3	4		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	258	Total O 258 258	0	0
6	B	296	Total O 296 296	0	0
6	C	252	Total O 252 252	0	0
6	D	306	Total O 306 306	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-lactate dehydrogenase A chain




- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	167.76Å 81.08Å 120.44Å 90.00° 117.14° 90.00°	Depositor
Resolution (Å)	107.18 – 1.60 107.18 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.0 (107.18-1.60) 99.7 (107.18-1.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.138 , 0.161 (Not available) , 0.160	Depositor DCC
R_{free} test set	9476 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	14.7	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11767	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MLA, NAI, GOL, 9Y7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.92	1/2546 (0.0%)	0.98	4/3450 (0.1%)
1	B	0.97	0/2685	0.97	3/3638 (0.1%)
1	C	0.89	0/2605	0.93	1/3535 (0.0%)
1	D	0.97	0/2614	0.94	2/3549 (0.1%)
All	All	0.94	1/10450 (0.0%)	0.96	10/14172 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	257	ASP	CG-OD2	-6.02	1.14	1.25

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	268	ARG	NE-CZ-NH2	10.16	128.35	119.20
1	B	268	ARG	NE-CZ-NH1	-9.94	111.56	121.50
1	A	17	THR	CA-C-N	-6.91	112.87	119.85
1	A	17	THR	C-N-CA	-6.91	112.87	119.85
1	A	276	ILE	N-CA-C	6.15	118.01	112.17
1	A	194	ASP	N-CA-C	6.03	118.63	111.33
1	C	156	ARG	NE-CZ-NH2	5.67	124.31	119.20
1	D	194	ASP	N-CA-C	5.10	117.50	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	109	VAL	N-CA-C	5.08	115.22	110.30
1	D	276	ILE	CB-CG1-CD1	-5.07	103.15	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	96[A]	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2499	0	2530	18	0
1	B	2635	0	2671	20	0
1	C	2559	0	2574	22	0
1	D	2568	0	2581	16	0
2	A	33	0	0	0	0
2	C	33	0	0	0	0
2	D	33	0	0	0	0
3	A	44	0	27	1	0
3	B	44	0	27	0	0
3	C	44	0	27	0	0
3	D	44	0	27	0	0
4	A	7	0	2	0	0
4	B	14	0	4	0	0
4	C	7	0	2	0	0
4	D	7	0	2	0	0
5	A	30	0	40	2	0
5	B	18	0	24	1	0
5	C	18	0	24	0	0
5	D	18	0	24	2	0
6	A	258	0	0	7	0
6	B	296	0	0	0	1
6	C	252	0	0	6	0
6	D	306	0	0	5	0
All	All	11767	0	10586	76	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:ASP:OD2	6:A:601:HOH:O	1.87	0.90
1:A:200:TRP:CE3	1:A:203[B]:MET:HE1	2.14	0.82
1:A:282:ILE:HA	5:A:508:GOL:O2	1.84	0.77
1:B:302:LEU:HD13	1:C:11[A]:LEU:HD11	1.67	0.76
1:C:200:TRP:CZ3	1:C:203[A]:MET:HE1	2.22	0.73
1:C:200:TRP:CE3	1:C:203[A]:MET:HE1	2.24	0.72
5:D:504:GOL:C1	6:D:601:HOH:O	2.37	0.72
5:D:504:GOL:H11	6:D:601:HOH:O	1.91	0.71
1:D:169:PHE:HZ	1:D:203[B]:MET:SD	2.15	0.68
1:A:264:LYS:HE3	6:D:755:HOH:O	1.92	0.67
1:B:200:TRP:CE3	1:B:203[B]:MET:HE1	2.34	0.62
1:C:194:ASP:HB2	6:C:622:HOH:O	2.00	0.61
1:C:280:TYR:O	1:C:316:LYS:HE2	2.02	0.59
1:C:200:TRP:CE3	1:C:203[B]:MET:SD	2.96	0.59
1:D:200:TRP:CE3	1:D:203[B]:MET:SD	2.96	0.58
1:B:173[B]:MET:CE	1:B:203[B]:MET:HG3	2.33	0.58
1:C:297:ASN:OD1	6:C:601:HOH:O	2.17	0.58
1:D:200:TRP:HE3	1:D:203[B]:MET:SD	2.28	0.56
1:D:317:LYS:HD3	6:D:905:HOH:O	2.05	0.56
1:A:160[B]:SER:OG	6:A:602:HOH:O	2.17	0.56
1:B:280:TYR:O	1:B:316:LYS:CE	2.54	0.56
6:A:756:HOH:O	1:D:264:LYS:HE3	2.04	0.56
1:B:203[B]:MET:HG2	1:B:210:LEU:HD12	1.89	0.54
1:C:293[A]:ILE:HD12	1:C:301:ASP:HB2	1.87	0.54
1:A:293[A]:ILE:HD12	1:A:301:ASP:HB2	1.89	0.54
1:B:173[B]:MET:HE3	1:B:203[B]:MET:CG	2.38	0.53
1:D:280:TYR:O	1:D:316:LYS:HE2	2.09	0.53
1:B:170:ARG:HH22	5:B:406:GOL:H32	1.74	0.53
1:D:141:ILE:CG1	1:D:322:LEU:HD22	2.39	0.53
1:C:169:PHE:CZ	1:C:203[A]:MET:HE2	2.45	0.52
1:B:276:ILE:HD12	1:B:288:LEU:HD11	1.91	0.52
1:A:89:LYS:NZ	6:A:604:HOH:O	2.27	0.52
1:A:200:TRP:CZ3	1:A:203[B]:MET:HE1	2.43	0.52
1:A:319:ALA:HB3	5:A:508:GOL:H32	1.91	0.52
1:D:160[B]:SER:OG	6:D:602:HOH:O	2.19	0.51
1:D:169:PHE:CE1	1:D:203[B]:MET:HE3	2.45	0.51
1:A:257:ASP:OD1	6:A:603:HOH:O	2.18	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:TYR:O	1:B:316:LYS:HE2	2.11	0.51
1:A:302:LEU:C	1:A:302:LEU:HD12	2.35	0.50
1:D:302:LEU:HD12	1:D:302:LEU:C	2.35	0.50
1:D:169:PHE:CZ	1:D:203[B]:MET:SD	3.02	0.50
1:C:200:TRP:HE3	1:C:203[B]:MET:SD	2.35	0.49
1:C:276[B]:ILE:O	1:C:276[B]:ILE:HG12	2.13	0.48
1:D:108:LEU:C	1:D:108:LEU:HD13	2.39	0.48
1:D:280:TYR:O	1:D:316:LYS:CE	2.61	0.48
1:A:200:TRP:CE3	1:A:203[B]:MET:CE	2.94	0.47
1:D:203[A]:MET:HE1	1:D:226:TRP:CE3	2.49	0.47
1:B:200:TRP:HE3	1:B:203[B]:MET:HE1	1.80	0.47
1:B:264:LYS:HE2	6:C:740:HOH:O	2.14	0.47
1:B:173[B]:MET:HE3	1:B:203[B]:MET:HG3	1.98	0.46
1:C:200:TRP:CE3	1:C:203[A]:MET:CE	2.96	0.46
1:B:288:LEU:HD12	1:B:288:LEU:C	2.41	0.45
1:C:40[B]:MET:HE3	6:C:762:HOH:O	2.16	0.44
1:B:203[B]:MET:HE3	1:B:203[B]:MET:HB2	1.76	0.44
1:C:131:LYS:NZ	6:C:604:HOH:O	2.43	0.44
1:A:169:PHE:HZ	1:A:203[B]:MET:CE	2.30	0.43
1:B:115[A]:ILE:HG22	1:B:119:ILE:HD12	1.99	0.43
1:B:99:GLN:OE1	1:B:103:GLU:O	2.36	0.43
1:C:117:LYS:HD3	1:C:331:PHE:HA	2.01	0.43
1:D:293[B]:ILE:HD12	1:D:301:ASP:HB2	1.99	0.43
1:C:302:LEU:C	1:C:302:LEU:HD12	2.44	0.43
1:C:169:PHE:HZ	1:C:203[A]:MET:HE2	1.81	0.42
1:B:279:LEU:HD11	1:B:302:LEU:HD23	2.00	0.42
1:A:82:TYR:CG	1:A:122:ASN:HB3	2.54	0.42
1:C:100:GLN:HG2	6:C:602:HOH:O	2.20	0.42
1:A:98:ARG:HD3	3:A:502:NAI:O2N	2.20	0.42
1:C:130:CYS:O	1:C:156:ARG:HD2	2.19	0.42
1:B:329:LEU:HD23	1:B:329:LEU:HA	1.92	0.41
1:B:173[B]:MET:CE	1:B:203[B]:MET:CG	2.99	0.41
1:C:203[A]:MET:HE3	1:C:203[A]:MET:HB2	1.81	0.41
1:A:6:GLN:NE2	6:A:618:HOH:O	2.53	0.41
1:A:13:LYS:HA	6:A:776:HOH:O	2.20	0.41
1:B:302:LEU:HD13	1:C:11[B]:LEU:HD11	2.03	0.41
1:D:272:VAL:O	1:D:289:SER:HA	2.21	0.40
1:C:272:VAL:O	1:C:289:SER:HA	2.21	0.40
1:A:203[B]:MET:HE3	1:A:203[B]:MET:HB2	1.35	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:763:HOH:O	6:B:782:HOH:O[2_656]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	262/332 (79%)	260 (99%)	2 (1%)	0	100	100
1	D	338/332 (102%)	333 (98%)	5 (2%)	0	100	100
All	All	600/664 (90%)	593 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/288 (95%)	273 (100%)	0	100	100
1	B	290/288 (101%)	290 (100%)	0	100	100
1	C	279/288 (97%)	278 (100%)	1 (0%)	84	75
1	D	281/288 (98%)	279 (99%)	2 (1%)	76	63
All	All	1123/1152 (98%)	1120 (100%)	3 (0%)	86	78

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	297	ASN
1	D	12	LEU
1	D	276	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	10	ASN
1	B	10	ASN
1	B	232	GLN
1	B	296	GLN
1	C	19	GLN
1	C	296	GLN
1	D	10	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAI	C	502	-	47,48,48	1.37	7 (14%)	64,73,73	1.65	16 (25%)
2	9Y7	D	501	-	36,36,36	2.48	10 (27%)	48,54,54	2.83	22 (45%)
5	GOL	B	404	-	5,5,5	0.17	0	5,5,5	0.49	0
5	GOL	D	505	-	5,5,5	0.49	0	5,5,5	0.27	0
3	NAI	B	402	-	47,48,48	1.49	5 (10%)	64,73,73	1.93	19 (29%)
5	GOL	C	504	-	5,5,5	0.38	0	5,5,5	0.63	0
5	GOL	C	506	-	5,5,5	0.46	0	5,5,5	1.45	1 (20%)
5	GOL	A	507	-	5,5,5	0.46	0	5,5,5	0.71	0
5	GOL	D	504	-	5,5,5	0.46	0	5,5,5	1.30	1 (20%)
5	GOL	A	504	-	5,5,5	0.81	0	5,5,5	1.59	1 (20%)
2	9Y7	A	501	-	36,36,36	2.95	9 (25%)	48,54,54	2.66	21 (43%)
4	MLA	B	401	-	6,6,6	1.38	1 (16%)	7,7,7	0.63	0
5	GOL	C	505	-	5,5,5	0.41	0	5,5,5	0.46	0
5	GOL	B	406	-	5,5,5	0.37	0	5,5,5	0.72	0
5	GOL	B	405	-	5,5,5	0.41	0	5,5,5	0.50	0
3	NAI	D	502	-	47,48,48	1.35	6 (12%)	64,73,73	1.74	14 (21%)
4	MLA	B	403	-	6,6,6	1.14	0	7,7,7	1.50	1 (14%)
5	GOL	A	505	-	5,5,5	0.41	0	5,5,5	0.45	0
4	MLA	D	503	-	6,6,6	1.00	0	7,7,7	1.36	1 (14%)
4	MLA	C	503	-	6,6,6	1.06	0	7,7,7	1.07	0
3	NAI	A	502	-	47,48,48	1.55	4 (8%)	64,73,73	1.72	13 (20%)
5	GOL	D	506	-	5,5,5	0.41	0	5,5,5	0.51	0
4	MLA	A	503	-	6,6,6	1.08	0	7,7,7	1.11	0
5	GOL	A	508	-	5,5,5	0.83	0	5,5,5	2.01	4 (80%)
5	GOL	A	506	-	5,5,5	0.48	0	5,5,5	0.71	0
2	9Y7	C	501	-	36,36,36	1.94	7 (19%)	48,54,54	2.22	12 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAI	C	502	-	-	3/29/72/72	0/5/5/5
2	9Y7	D	501	-	-	2/22/22/22	0/4/4/4
5	GOL	B	404	-	-	0/4/4/4	-
5	GOL	D	505	-	-	0/4/4/4	-
3	NAI	B	402	-	-	4/29/72/72	0/5/5/5
5	GOL	C	504	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	C	506	-	-	0/4/4/4	-
5	GOL	A	507	-	-	2/4/4/4	-
5	GOL	D	504	-	-	2/4/4/4	-
5	GOL	A	504	-	-	1/4/4/4	-
2	9Y7	A	501	-	-	3/22/22/22	0/4/4/4
4	MLA	B	401	-	-	1/4/4/4	-
5	GOL	C	505	-	-	2/4/4/4	-
5	GOL	B	406	-	-	2/4/4/4	-
5	GOL	B	405	-	-	2/4/4/4	-
3	NAI	D	502	-	-	2/29/72/72	0/5/5/5
4	MLA	B	403	-	-	3/4/4/4	-
5	GOL	A	505	-	-	0/4/4/4	-
4	MLA	D	503	-	-	2/4/4/4	-
4	MLA	C	503	-	-	2/4/4/4	-
3	NAI	A	502	-	-	4/29/72/72	0/5/5/5
5	GOL	D	506	-	-	0/4/4/4	-
4	MLA	A	503	-	-	2/4/4/4	-
5	GOL	A	508	-	-	4/4/4/4	-
5	GOL	A	506	-	-	0/4/4/4	-
2	9Y7	C	501	-	-	3/22/22/22	0/4/4/4

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	9Y7	O03-S02	13.30	1.67	1.43
2	D	501	9Y7	O03-S02	10.73	1.62	1.43
2	C	501	9Y7	O03-S02	7.26	1.56	1.43
3	A	502	NAI	PN-O3	6.52	1.66	1.59
3	B	402	NAI	PN-O3	5.73	1.65	1.59
2	A	501	9Y7	C24-S28	-4.90	1.64	1.74
3	B	402	NAI	C5A-C4A	4.70	1.47	1.39
2	A	501	9Y7	S02-N01	4.60	1.69	1.60
3	D	502	NAI	C5A-C4A	4.51	1.47	1.39
2	D	501	9Y7	S02-N01	4.40	1.69	1.60
2	D	501	9Y7	C24-S28	-4.11	1.66	1.74
3	C	502	NAI	C5A-C4A	4.04	1.46	1.39
2	A	501	9Y7	N13-N14	-4.04	1.31	1.38
3	A	502	NAI	C5A-C4A	3.80	1.45	1.39
3	D	502	NAI	PN-O3	3.61	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	9Y7	N13-N14	-3.59	1.31	1.38
2	A	501	9Y7	O12-C11	3.55	1.41	1.31
3	C	502	NAI	C4A-N9A	-3.16	1.31	1.37
2	D	501	9Y7	C15-N14	-3.15	1.29	1.33
2	C	501	9Y7	O04-S02	3.11	1.49	1.43
2	A	501	9Y7	C16-C15	3.10	1.52	1.48
2	C	501	9Y7	O12-C11	3.09	1.40	1.31
3	D	502	NAI	C8A-N7A	2.98	1.37	1.31
2	D	501	9Y7	N13-N14	-2.95	1.33	1.38
3	C	502	NAI	PA-O3	-2.94	1.56	1.59
2	A	501	9Y7	C11-N13	-2.79	1.32	1.36
2	D	501	9Y7	O12-C11	2.78	1.39	1.31
3	B	402	NAI	C4A-N3A	2.67	1.39	1.34
2	C	501	9Y7	O30-C29	2.65	1.29	1.22
2	D	501	9Y7	C11-N13	-2.61	1.32	1.36
3	C	502	NAI	PN-O3	2.45	1.62	1.59
2	D	501	9Y7	C26-C29	2.40	1.50	1.48
3	C	502	NAI	C4A-N3A	2.38	1.38	1.34
3	A	502	NAI	C4A-N9A	-2.35	1.32	1.37
3	B	402	NAI	C8A-N7A	2.32	1.36	1.31
3	D	502	NAI	C4A-N3A	2.30	1.38	1.34
3	D	502	NAI	C4A-N9A	-2.28	1.32	1.37
2	A	501	9Y7	C26-C29	-2.27	1.46	1.48
2	A	501	9Y7	C15-N14	-2.24	1.30	1.33
3	A	502	NAI	C8A-N7A	2.19	1.35	1.31
2	C	501	9Y7	C11-N13	-2.18	1.33	1.36
2	D	501	9Y7	C06-C05	2.17	1.42	1.38
3	B	402	NAI	C6N-C5N	2.16	1.39	1.33
2	C	501	9Y7	S02-N01	2.16	1.64	1.60
2	D	501	9Y7	C16-C15	2.14	1.51	1.48
3	D	502	NAI	C5A-N7A	-2.10	1.35	1.39
4	B	401	MLA	O3A-C3	2.04	1.28	1.22
3	C	502	NAI	O3D-C3D	2.04	1.48	1.43
3	C	502	NAI	O4B-C1B	-2.00	1.37	1.42

All (126) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	9Y7	O04-S02-O03	-6.84	108.27	118.80
2	D	501	9Y7	O31-C29-C26	6.44	123.73	113.40
2	D	501	9Y7	O30-C29-C26	-6.32	112.05	122.02
2	D	501	9Y7	O12-C11-C10	-6.23	122.41	132.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	9Y7	S28-C24-N25	-6.17	108.64	116.28
2	A	501	9Y7	C26-C27-S28	-6.08	103.22	110.24
2	A	501	9Y7	O04-S02-N01	6.03	116.05	107.35
2	A	501	9Y7	C09-C08-C32	-5.93	112.17	120.89
2	A	501	9Y7	C15-N14-N13	5.62	109.97	103.97
2	C	501	9Y7	C10-C11-N13	-5.48	103.95	107.81
2	D	501	9Y7	C26-C27-S28	-5.31	104.10	110.24
3	A	502	NAI	C4A-N9A-C8A	5.13	111.13	105.74
3	B	402	NAI	C4A-N9A-C8A	5.10	111.09	105.74
3	B	402	NAI	N3A-C2A-N1A	-4.98	121.04	128.58
2	A	501	9Y7	C10-C11-N13	-4.59	104.58	107.81
2	A	501	9Y7	C10-C15-N14	-4.52	106.70	111.96
2	D	501	9Y7	O04-S02-O03	-4.48	111.91	118.80
2	C	501	9Y7	O12-C11-C10	-4.43	125.32	132.51
2	A	501	9Y7	S28-C24-N25	-4.37	110.87	116.28
2	C	501	9Y7	O04-S02-N01	4.26	113.50	107.35
3	B	402	NAI	N9A-C8A-N7A	-4.23	107.93	113.94
2	D	501	9Y7	O12-C11-N13	4.07	131.93	121.70
2	D	501	9Y7	C09-C08-C32	-4.04	114.94	120.89
3	D	502	NAI	C4A-N9A-C8A	4.02	109.96	105.74
3	A	502	NAI	N9A-C8A-N7A	-4.00	108.25	113.94
3	D	502	NAI	N3A-C2A-N1A	-3.93	122.63	128.58
2	A	501	9Y7	O12-C11-C10	-3.90	126.19	132.51
3	B	402	NAI	N3A-C4A-N9A	3.88	133.77	127.17
3	D	502	NAI	O4B-C1B-N9A	3.87	115.53	108.09
2	D	501	9Y7	C27-S28-C24	3.83	95.93	89.41
3	C	502	NAI	C5A-C4A-N3A	-3.80	121.48	126.72
3	C	502	NAI	N3A-C2A-N1A	-3.79	122.84	128.58
2	A	501	9Y7	C32-C08-C07	3.74	123.80	118.23
2	D	501	9Y7	C33-C05-S02	-3.72	114.67	119.72
3	C	502	NAI	C4A-N9A-C8A	3.67	109.59	105.74
2	D	501	9Y7	C24-N25-C26	3.60	115.38	106.79
2	C	501	9Y7	O12-C11-N13	3.59	130.71	121.70
3	A	502	NAI	C5A-C4A-N3A	-3.54	121.84	126.72
2	A	501	9Y7	C06-C07-C08	-3.53	116.36	121.00
3	B	402	NAI	C5A-C4A-N3A	-3.51	121.89	126.72
2	A	501	9Y7	C27-S28-C24	3.48	95.33	89.41
3	A	502	NAI	N3A-C2A-N1A	-3.47	123.33	128.58
2	D	501	9Y7	C15-N14-N13	3.44	107.64	103.97
2	C	501	9Y7	O03-S02-N01	3.39	112.24	107.35
3	B	402	NAI	C5A-N7A-C8A	3.34	108.70	103.45
2	C	501	9Y7	C15-N14-N13	3.27	107.46	103.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	NAI	C4A-C5A-N7A	-3.25	106.87	110.58
3	B	402	NAI	C2A-N1A-C6A	3.20	123.98	118.73
3	A	502	NAI	N3A-C4A-N9A	3.16	132.53	127.17
3	C	502	NAI	O4B-C1B-N9A	3.15	114.13	108.09
2	C	501	9Y7	C26-C27-S28	-3.13	106.63	110.24
3	D	502	NAI	O3-PA-O1A	-3.12	101.31	110.70
3	B	402	NAI	O4B-C1B-N9A	3.11	114.07	108.09
3	A	502	NAI	C6A-C5A-N7A	3.10	138.07	132.09
3	D	502	NAI	O2A-PA-O1A	3.08	126.76	112.44
2	C	501	9Y7	C11-N13-N14	3.07	113.55	110.89
2	D	501	9Y7	C10-C11-N13	-3.06	105.66	107.81
3	B	402	NAI	O3-PA-O1A	-3.03	101.60	110.70
3	C	502	NAI	N3A-C4A-N9A	3.03	132.31	127.17
3	D	502	NAI	C6A-C5A-N7A	3.00	137.88	132.09
2	A	501	9Y7	O12-C11-N13	2.99	129.21	121.70
3	D	502	NAI	N3A-C4A-N9A	2.94	132.18	127.17
5	A	504	GOL	O1-C1-C2	2.93	123.55	110.38
3	D	502	NAI	N9A-C8A-N7A	-2.91	109.80	113.94
2	D	501	9Y7	C32-C08-C07	2.90	122.55	118.23
3	B	402	NAI	C1D-N1N-C2N	-2.88	116.39	121.14
3	A	502	NAI	C2A-N3A-C4A	2.86	118.83	111.83
3	D	502	NAI	C6A-C5A-C4A	-2.86	113.27	117.18
3	A	502	NAI	C5A-N7A-C8A	2.86	107.95	103.45
3	B	402	NAI	C2A-N3A-C4A	2.86	118.81	111.83
2	C	501	9Y7	C10-C15-N14	-2.86	108.64	111.96
2	C	501	9Y7	C17-C16-C22	2.84	122.54	119.25
3	B	402	NAI	C6A-C5A-N7A	2.82	137.53	132.09
3	D	502	NAI	C5A-C4A-N3A	-2.82	122.83	126.72
3	C	502	NAI	N9A-C8A-N7A	-2.80	109.97	113.94
2	A	501	9Y7	C33-C05-C06	2.75	124.06	120.47
5	C	506	GOL	O1-C1-C2	-2.74	98.02	110.38
3	C	502	NAI	C2A-N1A-C6A	2.73	123.22	118.73
3	C	502	NAI	O4D-C1D-C2D	-2.69	100.85	106.62
2	A	501	9Y7	C32-C33-C05	-2.68	116.83	119.44
3	C	502	NAI	O3-PA-O1A	-2.68	102.64	110.70
3	A	502	NAI	O4B-C1B-N9A	2.67	113.22	108.09
2	C	501	9Y7	C09-C08-C32	-2.66	116.98	120.89
3	D	502	NAI	C2A-N3A-C4A	2.63	118.26	111.83
3	C	502	NAI	O2A-PA-O3	2.58	114.25	107.27
3	B	402	NAI	C6N-N1N-C2N	2.58	122.08	119.32
5	A	508	GOL	O3-C3-C2	2.54	121.80	110.38
3	C	502	NAI	C4A-C5A-N7A	-2.54	107.68	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	NAI	O4D-C1D-N1N	2.52	112.89	108.08
3	C	502	NAI	C2A-N3A-C4A	2.51	117.97	111.83
2	D	501	9Y7	C10-C15-N14	-2.48	109.08	111.96
2	D	501	9Y7	C06-C07-C08	-2.47	117.75	121.00
3	B	402	NAI	O7N-C7N-C3N	-2.47	116.25	120.90
3	B	402	NAI	O4D-C1D-C2D	-2.43	101.42	106.62
3	A	502	NAI	O2A-PA-O3	2.43	113.83	107.27
4	B	403	MLA	O1B-C1-C2	-2.37	115.37	122.11
5	D	504	GOL	O1-C1-C2	-2.36	99.76	110.38
3	D	502	NAI	O4D-C1D-C2D	-2.36	101.58	106.62
2	D	501	9Y7	C17-C16-C22	2.33	121.95	119.25
3	D	502	NAI	O7N-C7N-N7N	-2.33	117.66	122.89
2	A	501	9Y7	C24-N25-C26	2.31	112.30	106.79
2	D	501	9Y7	C18-C17-C16	-2.29	118.36	120.80
3	A	502	NAI	O4D-C1D-N1N	2.26	112.40	108.08
3	B	402	NAI	C4A-C5A-N7A	-2.24	108.02	110.58
2	D	501	9Y7	C24-N13-N14	2.23	121.94	117.33
3	D	502	NAI	C2A-N1A-C6A	2.22	122.38	118.73
2	D	501	9Y7	C32-C33-C05	-2.20	117.30	119.44
2	A	501	9Y7	O04-S02-O03	-2.19	115.42	118.80
5	A	508	GOL	O2-C2-C1	-2.19	100.11	109.18
2	A	501	9Y7	O03-S02-C05	-2.15	104.92	107.35
3	C	502	NAI	O2B-C2B-C3B	2.15	118.69	111.82
2	A	501	9Y7	C09-C08-C07	2.14	124.03	120.89
2	A	501	9Y7	O30-C29-C26	-2.13	118.65	122.02
3	C	502	NAI	C6A-C5A-N7A	2.12	136.17	132.09
2	A	501	9Y7	C33-C05-S02	-2.11	116.85	119.72
3	B	402	NAI	C6A-C5A-C4A	-2.07	114.36	117.18
5	A	508	GOL	C3-C2-C1	2.07	119.37	111.80
3	B	402	NAI	C4B-O4B-C1B	-2.06	104.91	109.47
2	A	501	9Y7	O31-C29-C26	2.05	116.68	113.40
2	D	501	9Y7	O04-S02-C05	2.04	109.66	107.35
5	A	508	GOL	O2-C2-C3	-2.03	100.77	109.18
3	A	502	NAI	C3N-C2N-N1N	2.01	126.15	123.20
4	D	503	MLA	O1B-C1-C2	-2.01	116.40	122.11
3	B	402	NAI	C5A-C6A-N6A	-2.00	118.32	123.29
2	D	501	9Y7	C06-C05-S02	2.00	122.45	119.72
3	C	502	NAI	C5A-N7A-C8A	2.00	106.60	103.45

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	405	GOL	O1-C1-C2-O2
5	B	405	GOL	O1-C1-C2-C3
5	C	504	GOL	O1-C1-C2-C3
5	C	505	GOL	C1-C2-C3-O3
5	D	504	GOL	O1-C1-C2-C3
5	C	505	GOL	O2-C2-C3-O3
5	A	507	GOL	C1-C2-C3-O3
5	A	508	GOL	O1-C1-C2-C3
5	A	508	GOL	C1-C2-C3-O3
5	B	406	GOL	C1-C2-C3-O3
5	C	504	GOL	C1-C2-C3-O3
5	D	504	GOL	O1-C1-C2-O2
5	C	504	GOL	O1-C1-C2-O2
5	A	507	GOL	O2-C2-C3-O3
5	A	504	GOL	O1-C1-C2-O2
2	A	501	9Y7	N25-C24-N13-N14
5	A	508	GOL	O1-C1-C2-O2
5	B	406	GOL	O2-C2-C3-O3
5	C	504	GOL	O2-C2-C3-O3
4	B	403	MLA	O1A-C1-C2-C3
3	B	402	NAI	C2D-C1D-N1N-C2N
3	D	502	NAI	C2D-C1D-N1N-C2N
3	A	502	NAI	O4D-C1D-N1N-C2N
3	B	402	NAI	O4D-C1D-N1N-C2N
3	D	502	NAI	O4D-C1D-N1N-C2N
2	A	501	9Y7	C10-C15-C16-C17
2	D	501	9Y7	C10-C15-C16-C22
3	A	502	NAI	C2D-C1D-N1N-C2N
5	A	508	GOL	O2-C2-C3-O3
2	C	501	9Y7	C10-C15-C16-C17
4	B	403	MLA	O1B-C1-C2-C3
3	C	502	NAI	O4D-C1D-N1N-C2N
3	C	502	NAI	C2D-C1D-N1N-C2N
4	C	503	MLA	O1B-C1-C2-C3
3	B	402	NAI	C2D-C1D-N1N-C6N
2	A	501	9Y7	C10-C15-C16-C22
2	D	501	9Y7	C10-C15-C16-C17
3	C	502	NAI	O4B-C4B-C5B-O5B
4	D	503	MLA	C1-C2-C3-O3A
3	A	502	NAI	C2B-C1B-N9A-C8A
3	A	502	NAI	O4B-C4B-C5B-O5B
2	C	501	9Y7	C10-C15-C16-C22
4	B	403	MLA	C1-C2-C3-O3B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	C	503	MLA	O1A-C1-C2-C3
4	A	503	MLA	C1-C2-C3-O3A
4	A	503	MLA	C1-C2-C3-O3B
4	B	401	MLA	O1B-C1-C2-C3
4	D	503	MLA	C1-C2-C3-O3B
2	C	501	9Y7	N25-C24-N13-N14
3	B	402	NAI	O4D-C1D-N1N-C6N

There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	504	GOL	2	0
5	B	406	GOL	1	0
3	A	502	NAI	1	0
5	A	508	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand 9Y7 D 501







Ligand 9Y7 A 501









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/332 (97%)	-0.29	8 (2%) 58 61	5, 15, 33, 45	10 (3%)
1	B	331/332 (99%)	-0.46	5 (1%) 72 76	5, 13, 26, 55	14 (4%)
1	C	328/332 (98%)	-0.29	8 (2%) 59 63	6, 17, 32, 48	11 (3%)
1	D	331/332 (99%)	-0.40	7 (2%) 63 67	5, 13, 32, 62	9 (2%)
All	All	1313/1328 (98%)	-0.36	28 (2%) 63 67	5, 15, 32, 62	44 (3%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	331	PHE	5.8
1	A	108	LEU	5.0
1	A	106	LEU	4.9
1	C	17	THR	4.6
1	A	97	ALA	4.4
1	D	14	GLU	3.5
1	D	15	GLU	3.3
1	D	238	TYR	3.2
1	A	280	TYR	3.1
1	A	279	LEU	3.0
1	A	15	GLU	2.9
1	A	107	ASN	2.9
1	B	102	GLY	2.8
1	D	1	ALA	2.6
1	D	13	LYS	2.5
1	B	16	GLN	2.5
1	C	331	PHE	2.5
1	C	1	ALA	2.5
1	A	16	GLN	2.3
1	C	234	VAL	2.3
1	C	221	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	238	TYR	2.2
1	D	16	GLN	2.2
1	C	279	LEU	2.1
1	B	14	GLU	2.1
1	B	13	LYS	2.1
1	D	12	LEU	2.0
1	C	13	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	A	508	6/6	0.77	0.17	29,36,41,41	0
5	GOL	B	406	6/6	0.77	0.18	46,51,54,57	0
5	GOL	A	507	6/6	0.84	0.15	33,42,45,45	0
5	GOL	C	505	6/6	0.84	0.14	43,44,45,46	0
5	GOL	A	504	6/6	0.87	0.14	31,34,39,43	0
5	GOL	C	506	6/6	0.87	0.13	21,29,31,31	0
5	GOL	D	506	6/6	0.88	0.11	28,30,31,34	0
5	GOL	A	505	6/6	0.89	0.11	31,37,39,40	0
5	GOL	D	504	6/6	0.90	0.10	18,27,29,31	0
2	9Y7	D	501	33/33	0.91	0.14	11,25,46,52	33
2	9Y7	A	501	33/33	0.91	0.12	11,26,31,35	33
5	GOL	D	505	6/6	0.92	0.09	26,30,33,33	0
5	GOL	B	404	6/6	0.92	0.09	31,35,35,39	0
5	GOL	C	504	6/6	0.93	0.10	25,34,37,47	0
5	GOL	B	405	6/6	0.93	0.10	19,28,32,34	0
5	GOL	A	506	6/6	0.94	0.08	23,27,28,31	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MLA	B	403	7/7	0.95	0.07	20,22,25,27	0
4	MLA	C	503	7/7	0.96	0.07	19,20,23,23	0
4	MLA	A	503	7/7	0.97	0.05	19,20,24,24	0
4	MLA	B	401	7/7	0.98	0.05	11,13,17,20	0
3	NAI	A	502	44/44	0.98	0.04	10,13,16,26	0
3	NAI	C	502	44/44	0.98	0.04	11,13,18,19	0
4	MLA	D	503	7/7	0.98	0.06	16,18,18,21	0
3	NAI	D	502	44/44	0.98	0.04	11,14,16,20	0
2	9Y7	C	501	33/33	0.98	0.06	14,17,27,35	0
3	NAI	B	402	44/44	0.99	0.03	7,9,12,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 9Y7 D 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around 9Y7 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAI A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAI C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAI D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 9Y7 C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAI B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.