



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 10:58 AM UTC

PDB ID : 8W8Q / pdb_00008w8q
EMDB ID : EMD-37356
Title : Cryo-EM structure of the GPR101-Gs complex
Authors : Sun, J.P.; Gao, N.; Yu, X.; Wang, G.P.; Yang, F.; Wang, J.Y.; Yang, Z.; Guan, Y.
Deposited on : 2023-09-04
Resolution : 2.89 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12148 (2.39 - 3.39)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	655	 32% 11% 56%
2	A	394	 48% 11% 41%
3	B	339	 73% 26%
4	G	58	 9% 86% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	N	128	 80%20%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Soluble cytochrome b562, Probable G-protein coupled receptor 101.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	287	Total	C	N	O	S	0	0
			2283	1536	365	369	13		

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-146	MET	-	initiating methionine	UNP P0ABE7
C	-145	LYS	-	expression tag	UNP P0ABE7
C	-144	THR	-	expression tag	UNP P0ABE7
C	-143	ILE	-	expression tag	UNP P0ABE7
C	-142	ILE	-	expression tag	UNP P0ABE7
C	-141	ALA	-	expression tag	UNP P0ABE7
C	-140	LEU	-	expression tag	UNP P0ABE7
C	-139	SER	-	expression tag	UNP P0ABE7
C	-138	TYR	-	expression tag	UNP P0ABE7
C	-137	ILE	-	expression tag	UNP P0ABE7
C	-136	PHE	-	expression tag	UNP P0ABE7
C	-135	CYS	-	expression tag	UNP P0ABE7
C	-134	LEU	-	expression tag	UNP P0ABE7
C	-133	VAL	-	expression tag	UNP P0ABE7
C	-132	PHE	-	expression tag	UNP P0ABE7
C	-131	ALA	-	expression tag	UNP P0ABE7
C	-130	ASP	-	expression tag	UNP P0ABE7
C	-129	TYR	-	expression tag	UNP P0ABE7
C	-128	LYS	-	expression tag	UNP P0ABE7
C	-127	ASP	-	expression tag	UNP P0ABE7
C	-126	ASP	-	expression tag	UNP P0ABE7
C	-125	ASP	-	expression tag	UNP P0ABE7
C	-124	ASP	-	expression tag	UNP P0ABE7
C	-123	LYS	-	expression tag	UNP P0ABE7
C	-122	HIS	-	expression tag	UNP P0ABE7
C	-121	HIS	-	expression tag	UNP P0ABE7
C	-120	HIS	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-119	HIS	-	expression tag	UNP P0ABE7
C	-118	HIS	-	expression tag	UNP P0ABE7
C	-117	HIS	-	expression tag	UNP P0ABE7
C	-116	HIS	-	expression tag	UNP P0ABE7
C	-115	HIS	-	expression tag	UNP P0ABE7
C	-114	HIS	-	expression tag	UNP P0ABE7
C	-113	HIS	-	expression tag	UNP P0ABE7
C	-112	GLU	-	expression tag	UNP P0ABE7
C	-111	ASN	-	expression tag	UNP P0ABE7
C	-110	LEU	-	expression tag	UNP P0ABE7
C	-109	TYR	-	expression tag	UNP P0ABE7
C	-108	PHE	-	expression tag	UNP P0ABE7
C	-107	GLN	-	expression tag	UNP P0ABE7
C	-106	GLY	-	expression tag	UNP P0ABE7
C	-99	TRP	MET	conflict	UNP P0ABE7
C	-4	ILE	HIS	conflict	UNP P0ABE7
C	0	LEU	ARG	conflict	UNP P0ABE7

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	232	Total	C	N	O	S	0	0
			1898	1201	345	346	6		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	54	ASN	SER	engineered mutation	UNP P63092
A	60	PHE	MET	engineered mutation	UNP P63092
A	226	ALA	GLY	engineered mutation	UNP P63092
A	268	ALA	GLU	engineered mutation	UNP P63092
A	271	LYS	ASN	engineered mutation	UNP P63092
A	274	ASP	LYS	engineered mutation	UNP P63092
A	280	LYS	ARG	engineered mutation	UNP P63092
A	284	ASP	THR	engineered mutation	UNP P63092
A	285	THR	ILE	engineered mutation	UNP P63092

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	339	Total	C	N	O	S	0	0
			2579	1594	461	503	21		

- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	58	Total	C	N	O	S	0	0
			438	274	76	85	3		


- Molecule 5 is a protein called Nb35.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	N	128	Total	C	N	O	S	0	0
			970	604	170	190	6		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Soluble cytochrome b562, Probable G-protein coupled receptor 101




- Molecule 2: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short





• Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1

Chain B: 73% 26%




• Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2

Chain G: 9% 86% 14%



• Molecule 5: Nb35

Chain N: 80% 20%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	166138	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.152	Depositor
Minimum map value	-0.075	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	201.98401, 201.98401, 201.98401	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.052, 1.052, 1.052	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.25	0/2349	0.44	0/3215
2	A	0.44	0/1933	0.56	0/2598
3	B	0.42	1/2626 (0.0%)	0.59	3/3564 (0.1%)
4	G	0.24	0/444	0.45	0/601
5	N	0.22	0/990	0.36	0/1341
All	All	0.36	1/8342 (0.0%)	0.51	3/11319 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	233	CYS	C-N	-7.03	1.23	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	274	THR	CA-CB-OG1	-6.58	99.74	109.60
3	B	233	CYS	CA-C-N	5.88	129.91	121.50
3	B	233	CYS	C-N-CA	5.88	129.91	121.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2283	0	2373	58	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1898	0	1871	29	0
3	B	2579	0	2472	69	0
4	G	438	0	443	7	0
5	N	970	0	930	16	0
All	All	8168	0	8089	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:66:THR:HG22	1:C:128:ASP:OD1	1.61	1.01
3:B:34:THR:O	3:B:37:ILE:HG22	1.75	0.86
1:C:38:LEU:HD12	1:C:41:PHE:HE2	1.40	0.86
1:C:438:ILE:HD13	1:C:441:TRP:HE1	1.45	0.79
5:N:107:CYS:SG	5:N:110:VAL:HG11	2.24	0.77
1:C:58:ARG:HB3	1:C:59:LYS:HD2	1.67	0.76
3:B:271:CYS:HB2	3:B:290:ASP:HB2	1.68	0.75
3:B:197:ARG:HH21	3:B:214:ARG:HG3	1.52	0.74
2:A:253:TYR:HB3	2:A:266:LEU:HD12	1.73	0.71
3:B:33:ILE:HG22	4:G:38:MET:HE1	1.74	0.69
3:B:57:LYS:NZ	3:B:75:GLN:HG3	2.09	0.68
3:B:112:VAL:HG23	3:B:126:LEU:HD11	1.76	0.67
1:C:143:MET:O	2:A:38:ARG:NH2	2.28	0.67
1:C:93:VAL:HG12	1:C:95:LEU:H	1.59	0.66
1:C:78:LEU:HD12	1:C:81:ILE:HD11	1.78	0.65
1:C:63:LEU:HB3	1:C:66:THR:OG1	1.97	0.65
2:A:208:PHE:HB2	2:A:223:ASP:OD1	1.97	0.65
1:C:438:ILE:HA	1:C:441:TRP:NE1	2.11	0.65
1:C:438:ILE:HA	1:C:441:TRP:HE1	1.62	0.65
5:N:112:SER:O	5:N:118:ARG:NH2	2.26	0.64
3:B:232:ILE:HG13	3:B:243:THR:HG22	1.79	0.63
3:B:152:LEU:HD23	3:B:196:THR:HB	1.80	0.63
1:C:25:PRO:HA	1:C:178:ARG:HA	1.81	0.62
3:B:256:ARG:NH2	4:G:36:ASP:OD2	2.31	0.62
1:C:38:LEU:HD12	1:C:41:PHE:CE2	2.29	0.62
2:A:224:VAL:HG21	2:A:234:TRP:CH2	2.35	0.62
1:C:42:LEU:HD22	1:C:81:ILE:HG22	1.82	0.61
3:B:250:CYS:HB2	3:B:264:TYR:HB2	1.80	0.61
3:B:286:LEU:CD1	3:B:296:VAL:HG22	2.31	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:289:TYR:OH	3:B:297:TRP:CH2	2.52	0.61
1:C:38:LEU:HA	1:C:41:PHE:CD2	2.36	0.60
1:C:58:ARG:NH1	1:C:468:MET:CE	2.64	0.60
3:B:286:LEU:HD13	3:B:296:VAL:HG22	1.83	0.60
1:C:55:VAL:HG21	1:C:465:ILE:HG22	1.83	0.60
2:A:370:GLU:HG3	2:A:374:ARG:HG3	1.84	0.60
3:B:162:GLY:HA2	3:B:186:ASP:HB2	1.84	0.60
3:B:250:CYS:SG	3:B:273:ILE:HD13	2.41	0.59
5:N:40:ALA:HA	5:N:92:ALA:HB2	1.85	0.59
5:N:107:CYS:SG	5:N:110:VAL:CG1	2.90	0.59
5:N:53:GLN:OE1	5:N:53:GLN:N	2.30	0.58
1:C:424:TRP:CE3	1:C:424:TRP:HA	2.38	0.58
5:N:39:GLN:O	5:N:92:ALA:HB1	2.04	0.57
1:C:63:LEU:HD11	1:C:461:ILE:HD11	1.87	0.57
2:A:214:VAL:O	2:A:217:VAL:HG12	2.05	0.57
3:B:289:TYR:OH	3:B:297:TRP:HH2	1.87	0.57
3:B:231:ALA:HB2	3:B:275:SER:HA	1.87	0.57
3:B:294:CYS:HB2	3:B:308:LEU:HB2	1.87	0.56
3:B:160:SER:HB3	3:B:190:LEU:HD23	1.88	0.56
1:C:38:LEU:HA	1:C:41:PHE:CE2	2.41	0.56
3:B:295:ASN:OD1	3:B:304:ARG:HD3	2.05	0.56
4:G:58:GLU:OE2	4:G:58:GLU:N	2.26	0.56
3:B:200:VAL:HG13	3:B:234:PHE:CE2	2.41	0.56
1:C:137:LEU:HD12	2:A:383:ILE:HD12	1.88	0.55
3:B:198:LEU:HD12	3:B:198:LEU:O	2.07	0.55
2:A:206:GLY:HA2	2:A:226:ALA:HB3	1.89	0.55
5:N:69:THR:HG22	5:N:82:GLN:HB3	1.89	0.55
3:B:251:ARG:HD3	3:B:260:GLU:OE2	2.07	0.55
1:C:41:PHE:HD1	1:C:448:CYS:HG	1.55	0.54
2:A:318:TYR:O	2:A:336:ARG:NE	2.30	0.54
2:A:295:ASP:N	2:A:295:ASP:OD1	2.40	0.54
3:B:57:LYS:HZ3	3:B:75:GLN:HG3	1.73	0.53
1:C:200:PHE:O	1:C:408:TYR:OH	2.22	0.53
4:G:47:GLU:N	4:G:47:GLU:OE2	2.42	0.53
3:B:197:ARG:NH2	3:B:214:ARG:HG3	2.24	0.53
1:C:466:GLN:O	1:C:470:LYS:HD2	2.09	0.53
2:A:283:ARG:O	2:A:357:HIS:CD2	2.62	0.53
5:N:3:GLN:NE2	5:N:25:SER:OG	2.39	0.53
1:C:391:ARG:N	1:C:394:GLN:OE1	2.42	0.52
1:C:443:PHE:O	1:C:446:GLN:HG2	2.10	0.52
3:B:198:LEU:HD22	3:B:210:LEU:HD11	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:100:VAL:HA	3:B:116:GLY:HA3	1.91	0.52
1:C:77:ASP:O	1:C:81:ILE:HG12	2.09	0.52
1:C:66:THR:O	1:C:70:ILE:HG12	2.10	0.52
1:C:53:ALA:HB2	1:C:74:LEU:HD21	1.93	0.51
2:A:208:PHE:HE2	2:A:225:GLY:HA3	1.75	0.51
3:B:101:MET:HE1	3:B:145:TYR:CE1	2.46	0.51
1:C:193:THR:HG21	1:C:423:VAL:HG21	1.93	0.51
5:N:39:GLN:C	5:N:92:ALA:HB1	2.36	0.51
1:C:204:PRO:O	1:C:208:MET:HG3	2.11	0.50
3:B:49:ARG:HH21	4:G:61:PHE:HA	1.75	0.50
1:C:163:SER:O	1:C:166:PRO:HD2	2.12	0.50
3:B:33:ILE:HD12	4:G:34:ALA:HB3	1.92	0.50
2:A:277:TRP:CE2	2:A:357:HIS:CE1	3.01	0.49
3:B:3:GLU:O	3:B:6:GLN:HG2	2.12	0.49
1:C:424:TRP:HA	1:C:424:TRP:HE3	1.78	0.49
1:C:108:VAL:HG11	1:C:184:MET:HG2	1.93	0.48
3:B:22:ARG:NE	3:B:258:ASP:O	2.45	0.48
3:B:57:LYS:HZ2	3:B:75:GLN:HG3	1.76	0.48
3:B:58:ILE:HD13	3:B:336:LEU:HG	1.95	0.48
3:B:231:ALA:HB2	3:B:274:THR:O	2.14	0.48
2:A:48:ALA:HB3	2:A:51:SER:HB3	1.95	0.48
1:C:84:VAL:HG11	1:C:111:THR:HG23	1.95	0.48
2:A:315:PHE:HB2	2:A:340:PHE:CE2	2.49	0.48
1:C:37:VAL:O	1:C:40:ILE:HG13	2.14	0.47
3:B:153:ASP:N	3:B:153:ASP:OD1	2.44	0.47
1:C:165:PRO:HB3	1:C:170:TRP:HB3	1.95	0.47
3:B:310:GLY:O	3:B:337:LYS:HE2	2.15	0.47
2:A:324:ALA:HB1	2:A:339:TYR:CZ	2.49	0.47
1:C:58:ARG:NH1	1:C:468:MET:HE1	2.29	0.47
2:A:210:THR:HG23	2:A:221:MET:HB3	1.96	0.47
3:B:57:LYS:HG3	3:B:75:GLN:HG3	1.95	0.47
3:B:235:PHE:CD2	3:B:237:ASN:HB3	2.50	0.47
3:B:231:ALA:CB	3:B:275:SER:HA	2.44	0.47
3:B:146:LEU:HD11	3:B:159:THR:HB	1.97	0.47
1:C:133:ILE:HD11	2:A:391:TYR:HD2	1.80	0.46
2:A:207:ILE:HD11	2:A:222:PHE:HB3	1.98	0.46
3:B:331:SER:OG	3:B:332:TRP:N	2.47	0.46
2:A:376:PHE:CE2	2:A:380:ARG:HD2	2.51	0.46
3:B:251:ARG:CD	3:B:260:GLU:OE2	2.64	0.45
2:A:223:ASP:OD1	2:A:223:ASP:N	2.50	0.45
3:B:260:GLU:O	3:B:260:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:58:ILE:O	3:B:316:SER:OG	2.29	0.45
5:N:65:LYS:HE3	5:N:65:LYS:HB2	1.50	0.45
1:C:178:ARG:HD3	1:C:428:GLU:OE1	2.17	0.44
3:B:61:MET:HE2	3:B:61:MET:HB2	1.87	0.44
3:B:123:ILE:HG13	3:B:171:ILE:HD12	1.98	0.44
3:B:220:GLN:HA	4:G:22:GLU:HG3	1.99	0.44
3:B:250:CYS:SG	3:B:273:ILE:CD1	3.05	0.44
3:B:101:MET:HE1	3:B:145:TYR:CD1	2.52	0.44
1:C:58:ARG:HH12	1:C:468:MET:CE	2.29	0.44
1:C:165:PRO:HA	1:C:168:TYR:CE1	2.53	0.44
3:B:145:TYR:CD1	3:B:145:TYR:O	2.70	0.44
1:C:85:ALA:O	1:C:89:VAL:HG22	2.18	0.44
2:A:210:THR:HG21	2:A:221:MET:HE3	1.98	0.44
2:A:46:LEU:HD23	2:A:46:LEU:HA	1.79	0.44
3:B:235:PHE:HD2	3:B:237:ASN:HB3	1.82	0.44
5:N:2:VAL:HG11	5:N:98:ARG:HH21	1.83	0.44
1:C:99:LEU:HD22	1:C:103:PHE:CD2	2.53	0.44
3:B:112:VAL:CG2	3:B:126:LEU:HD11	2.46	0.44
3:B:16:ASN:OD1	3:B:19:ARG:NH2	2.52	0.43
3:B:95:LEU:HD13	3:B:100:VAL:HG11	2.01	0.43
1:C:184:MET:HE3	1:C:184:MET:HB3	1.84	0.43
1:C:26:ILE:HG13	1:C:30:HIS:HB3	2.00	0.43
1:C:42:LEU:HD22	1:C:81:ILE:CG2	2.49	0.43
3:B:262:MET:HE3	3:B:262:MET:HB3	1.79	0.43
3:B:161:SER:OG	3:B:162:GLY:N	2.50	0.43
1:C:216:PHE:CE2	1:C:220:ARG:HD2	2.54	0.43
3:B:22:ARG:HB3	3:B:259:GLN:OE1	2.19	0.43
3:B:45:MET:HB2	3:B:308:LEU:HD11	2.00	0.42
5:N:67:ARG:NH1	5:N:86:LEU:HA	2.34	0.42
1:C:209:ILE:HD13	1:C:209:ILE:HA	1.92	0.42
3:B:323:ASP:OD2	3:B:325:MET:HB2	2.19	0.42
5:N:61:THR:HG22	5:N:64:VAL:HG22	2.01	0.42
3:B:232:ILE:HD11	3:B:241:PHE:CE2	2.55	0.42
1:C:42:LEU:HD23	1:C:42:LEU:HA	1.91	0.42
1:C:134:ILE:O	1:C:136:PRO:HD3	2.20	0.42
2:A:10:GLU:H	2:A:10:GLU:HG3	1.70	0.42
5:N:29:PHE:O	5:N:72:ARG:NH2	2.52	0.42
5:N:32:TYR:CG	5:N:98:ARG:HD2	2.55	0.42
3:B:79:LEU:HB3	3:B:93:ILE:HB	2.02	0.41
3:B:289:TYR:HB2	3:B:293:ASN:O	2.20	0.41
2:A:300:LYS:HD3	2:A:306:SER:OG	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:205:LEU:HD23	1:C:205:LEU:HA	1.84	0.41
3:B:166:CYS:HB2	3:B:180:PHE:HB2	2.02	0.41
1:C:58:ARG:HH12	1:C:468:MET:HE2	1.84	0.41
1:C:463:LYS:NZ	1:C:466:GLN:OE1	2.51	0.41
2:A:280:LYS:HA	2:A:283:ARG:HG3	2.01	0.41
1:C:41:PHE:O	1:C:448:CYS:SG	2.78	0.41
1:C:52:LEU:HD23	1:C:74:LEU:HD12	2.02	0.41
1:C:469:LEU:HD23	1:C:469:LEU:HA	1.89	0.41
2:A:327:GLU:HB3	2:A:330:GLU:HG2	2.01	0.41
1:C:88:VAL:O	1:C:91:THR:OG1	2.29	0.41
1:C:226:LEU:HD23	1:C:226:LEU:HA	1.92	0.41
3:B:26:ALA:HB2	3:B:259:GLN:NE2	2.36	0.41
3:B:127:LYS:HA	3:B:127:LYS:HD3	1.78	0.41
3:B:192:LEU:HD23	3:B:199:PHE:HB3	2.03	0.41
2:A:296:LEU:O	2:A:299:GLU:HG3	2.20	0.41
2:A:357:HIS:CD2	2:A:357:HIS:N	2.89	0.40
3:B:30:LEU:HD23	3:B:262:MET:CG	2.51	0.40
5:N:34:MET:HB3	5:N:79:LEU:HD22	2.02	0.40
3:B:249:THR:HG22	3:B:265:SER:CB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	283/655 (43%)	277 (98%)	6 (2%)	0	100	100
2	A	226/394 (57%)	223 (99%)	3 (1%)	0	100	100
3	B	337/339 (99%)	332 (98%)	5 (2%)	0	100	100
4	G	56/58 (97%)	56 (100%)	0	0	100	100
5	N	126/128 (98%)	124 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1028/1574 (65%)	1012 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	252/575 (44%)	246 (98%)	6 (2%)	43	75
2	A	200/349 (57%)	197 (98%)	3 (2%)	57	84
3	B	276/282 (98%)	272 (99%)	4 (1%)	59	85
4	G	46/47 (98%)	45 (98%)	1 (2%)	45	77
5	N	104/106 (98%)	103 (99%)	1 (1%)	68	89
All	All	878/1359 (65%)	863 (98%)	15 (2%)	52	82

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	59	LYS
1	C	157	ILE
1	C	181	LEU
1	C	222	GLN
1	C	421	LEU
1	C	439	ILE
2	A	53	LYS
2	A	214	VAL
2	A	357	HIS
3	B	59	TYR
3	B	198	LEU
3	B	219	ARG
3	B	234	PHE
4	G	37	LEU
5	N	93	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	61	GLN
1	C	145	GLN
1	C	458	HIS
2	A	35	GLN
2	A	218	ASN
2	A	357	HIS
3	B	88	ASN
3	B	293	ASN
5	N	77	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37356. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 96




Y Index: 96




Z Index: 96


6.2.2 Raw map



X Index: 96



Y Index: 96




Z Index: 96


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 97




Y Index: 63




Z Index: 74


6.3.2 Raw map



X Index: 97



Y Index: 63




Z Index: 105


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 60 nm^3 ; this corresponds to an approximate mass of 54 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.346 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.346 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.89	-	-
Author-provided FSC curve	2.88	3.49	2.97
Unmasked-calculated*	3.17	3.83	3.24

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37356 and PDB model 8W8Q. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8500	0.5640
A	0.8360	0.5610
B	0.9220	0.6020
C	0.7650	0.5180
G	0.7320	0.5090
N	0.9410	0.6030

