



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 04:22 AM UTC

PDB ID : 1W9C / pdb_00001w9c
Title : Proteolytic fragment of CRM1 spanning six C-terminal HEAT repeats
Authors : Petosa, C.; Schoehn, G.; Askjaer, P.; Bauer, U.; Moulin, M.; Steuerwald, U.; Soler-Lopez, M.; Baudin, F.; Mattaj, I.W.; Muller, C.W.
Deposited on : 2004-10-08
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	9% 73% 24% .
1	B	321	10% 75% 23% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5300 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRM1 PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2554	1650	424	467	13			
1	B	321	Total	C	N	O	S	0	0	0
			2554	1650	424	467	13			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	93	Total	O	0	0
			93	93		
2	B	99	Total	O	0	0
			99	99		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CRM1 PROTEIN



• Molecule 1: CRM1 PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	118.87Å 62.87Å 114.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	90.9 (30.00-2.30) 90.9 (30.00-2.30)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.10Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.229 , 0.277 0.228 , 0.279	Depositor DCC
R_{free} test set	1788 reflections (4.47%)	wwPDB-VP
Wilson B-factor (Å ²)	27.1	Xtriage
Anisotropy	0.261	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 53.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.008 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5300	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.15 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1927e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2611	0.91	9/3549 (0.3%)
1	B	0.39	0/2611	0.91	9/3549 (0.3%)
All	All	0.41	0/5222	0.91	18/7098 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	784	VAL	N-CA-C	10.94	120.76	111.90
1	A	784	VAL	N-CA-C	8.44	121.40	112.96
1	B	834	ILE	N-CA-C	6.79	117.65	111.81
1	B	826	VAL	N-CA-C	6.42	119.95	113.47
1	B	713	ILE	N-CA-C	6.41	119.31	113.10
1	A	918	TYR	N-CA-C	6.38	122.14	113.97
1	A	784	VAL	CB-CA-C	-6.14	105.65	111.06
1	A	991	ASP	N-CA-C	5.96	118.27	111.11
1	A	857	SER	N-CA-C	5.88	118.92	111.69
1	B	819	ILE	CB-CA-C	-5.81	108.19	114.35
1	A	1021	GLN	N-CA-C	-5.78	106.84	112.97
1	A	892	THR	N-CA-C	-5.69	105.06	112.23
1	A	850	LEU	N-CA-C	-5.45	105.42	111.36
1	B	892	THR	N-CA-C	-5.36	105.52	111.36
1	A	1008	ILE	CB-CA-C	-5.24	108.72	113.70
1	B	970	ASN	N-CA-C	-5.21	105.77	111.82
1	B	850	LEU	N-CA-C	-5.14	105.76	111.36
1	B	918	TYR	N-CA-C	5.08	120.86	114.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2554	0	2563	59	1
1	B	2554	0	2563	60	1
2	A	93	0	0	7	0
2	B	99	0	0	8	0
All	All	5300	0	5126	118	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:749:ARG:HH21	1:A:795:ALA:HA	1.45	0.80
1:B:739:VAL:HG12	1:B:745:ILE:HG13	1.65	0.79
1:A:804:MET:HE2	1:A:822:ILE:HG21	1.66	0.78
1:A:753:ARG:HG3	1:A:799:GLU:CD	2.11	0.75
1:A:745:ILE:HD13	1:A:748:MET:HE3	1.69	0.74
1:A:953:VAL:HG21	1:A:974:LEU:HD22	1.70	0.73
1:A:958:ILE:HG21	1:A:962:LEU:HD21	1.75	0.69
1:A:745:ILE:HD13	1:A:748:MET:CE	2.23	0.68
1:B:966:ASN:O	1:B:968:VAL:HG23	1.93	0.68
1:B:731:ALA:HB1	1:B:739:VAL:HG11	1.74	0.68
1:B:828:GLU:HG3	2:B:2047:HOH:O	1.93	0.68
1:B:753:ARG:HD2	2:B:2012:HOH:O	1.94	0.67
1:A:968:VAL:HG12	1:A:969:ASN:H	1.60	0.67
1:A:966:ASN:O	1:A:968:VAL:HG23	1.95	0.66
1:B:965:GLY:C	1:B:967:PRO:HD3	2.20	0.66
1:A:804:MET:CE	1:A:822:ILE:HD13	2.26	0.65
1:B:760:SER:HB3	1:B:806:ILE:HD12	1.79	0.63
1:B:965:GLY:O	1:B:967:PRO:HD3	1.99	0.63
1:B:931:THR:HG23	1:B:986:PHE:HZ	1.62	0.63
1:A:804:MET:HE2	1:A:822:ILE:CG2	2.29	0.62
1:A:965:GLY:O	1:A:967:PRO:HD3	2.00	0.61
1:A:867:PRO:HG2	1:A:870:GLN:HB2	1.81	0.61
1:A:965:GLY:C	1:A:967:PRO:HD3	2.25	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:808:VAL:HA	1:B:815:ILE:HD11	1.83	0.60
1:B:732:ILE:C	1:B:734:ALA:H	2.10	0.59
1:B:968:VAL:HG12	1:B:969:ASN:H	1.68	0.58
1:A:979:ALA:O	1:A:983:LYS:HG3	2.04	0.57
1:A:935:HIS:O	1:A:935:HIS:ND1	2.37	0.57
1:B:836:LYS:O	1:B:837:ASP:C	2.49	0.56
1:A:828:GLU:HG3	2:A:2045:HOH:O	2.06	0.55
1:A:836:LYS:O	1:A:837:ASP:C	2.50	0.55
1:A:971:GLN:O	1:A:975:GLN:HG3	2.06	0.54
1:B:931:THR:HG23	1:B:986:PHE:CZ	2.41	0.54
1:A:1021:GLN:O	1:A:1021:GLN:HG2	2.07	0.54
1:B:953:VAL:HG21	1:B:974:LEU:HD22	1.90	0.54
1:B:749:ARG:HH21	1:B:795:ALA:HA	1.72	0.54
1:B:836:LYS:O	1:B:838:PHE:N	2.41	0.53
1:B:796:ARG:O	1:B:844:HIS:HE1	1.91	0.53
1:B:753:ARG:HG3	1:B:799:GLU:CD	2.33	0.53
1:A:845:ARG:HD2	2:A:2051:HOH:O	2.08	0.53
1:A:892:THR:O	1:A:896:ILE:HG13	2.08	0.53
1:A:1008:ILE:HB	1:A:1009:PRO:HD3	1.91	0.53
1:A:899:THR:HG22	1:A:903:ASN:HD21	1.73	0.52
1:B:900:LEU:O	1:B:904:VAL:HG23	2.09	0.52
1:A:788:TYR:CE1	1:A:796:ARG:HB3	2.45	0.52
1:A:866:ILE:HB	1:A:867:PRO:HD2	1.91	0.52
1:B:841:TYR:HB3	1:B:844:HIS:CD2	2.44	0.52
1:B:707:VAL:HG12	1:B:707:VAL:O	2.10	0.52
1:A:931:THR:HG23	1:A:986:PHE:CZ	2.45	0.52
1:B:860:PHE:HB3	1:B:861:PRO:HD3	1.91	0.52
1:A:739:VAL:HG12	1:A:745:ILE:HG13	1.91	0.52
1:A:804:MET:HE2	1:A:822:ILE:HD13	1.91	0.52
1:A:882:PHE:HA	1:A:890:ALA:HA	1.93	0.50
1:B:1020:VAL:C	1:B:1022:ILE:H	2.20	0.50
1:A:908:GLU:HG2	2:A:2066:HOH:O	2.11	0.49
1:B:936:THR:HG22	1:B:936:THR:O	2.13	0.49
1:B:879:ILE:HD13	1:B:925:HIS:CD2	2.47	0.49
1:A:935:HIS:C	1:A:937:ALA:H	2.20	0.48
1:A:745:ILE:HA	1:A:748:MET:HE3	1.95	0.48
1:B:742:GLN:HB3	2:B:2009:HOH:O	2.12	0.48
1:B:793:PRO:HB3	1:B:833:MET:HE3	1.95	0.48
1:A:713:ILE:HD13	1:B:723:CYS:HB3	1.95	0.48
1:A:808:VAL:HA	1:A:815:ILE:HD11	1.96	0.48
1:B:938:GLY:HA2	2:B:2079:HOH:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:938:GLY:HA2	2:A:2077:HOH:O	2.14	0.47
1:B:882:PHE:HA	1:B:890:ALA:HA	1.97	0.47
1:B:804:MET:O	1:B:808:VAL:HG23	2.14	0.47
1:B:769:PRO:HB2	1:B:814:HIS:CD2	2.49	0.47
1:A:935:HIS:C	1:A:937:ALA:N	2.72	0.47
1:B:853:GLN:HG3	2:B:2055:HOH:O	2.15	0.47
1:B:860:PHE:HE2	1:B:907:GLU:HG3	1.80	0.46
1:A:1020:VAL:C	1:A:1022:ILE:H	2.24	0.46
1:B:739:VAL:CG1	1:B:745:ILE:HG13	2.41	0.46
1:B:760:SER:HB3	1:B:806:ILE:CD1	2.46	0.46
1:A:838:PHE:O	1:A:840:GLU:N	2.44	0.46
1:A:990:GLN:HB3	1:A:993:GLN:HG3	1.98	0.45
1:A:794:ALA:HB2	2:A:2007:HOH:O	2.15	0.45
1:B:935:HIS:O	1:B:935:HIS:ND1	2.44	0.45
1:A:853:GLN:HG3	2:A:2055:HOH:O	2.16	0.45
1:B:813:GLY:HA2	1:B:816:THR:OG1	2.16	0.45
1:B:732:ILE:O	1:B:734:ALA:N	2.48	0.45
1:A:936:THR:O	1:A:936:THR:HG22	2.16	0.44
1:B:749:ARG:HH11	1:B:749:ARG:HB3	1.81	0.44
1:B:875:LEU:HD22	1:B:918:TYR:CD2	2.53	0.43
1:B:838:PHE:O	1:B:840:GLU:N	2.49	0.43
1:B:882:PHE:CD1	1:B:882:PHE:C	2.97	0.43
1:A:931:THR:HG23	1:A:986:PHE:HZ	1.83	0.43
1:A:940:THR:HA	1:A:1012:LYS:HE2	2.00	0.43
1:B:900:LEU:C	1:B:900:LEU:HD23	2.43	0.43
1:B:951:ASN:O	1:B:955:GLU:HG3	2.19	0.43
1:B:749:ARG:HB3	1:B:749:ARG:NH1	2.33	0.43
1:B:969:ASN:HB2	1:B:972:ILE:HG13	2.01	0.43
1:B:892:THR:O	1:B:896:ILE:HG13	2.19	0.43
1:A:749:ARG:NH2	1:A:795:ALA:HA	2.23	0.43
1:B:940:THR:HA	1:B:1012:LYS:HD3	2.01	0.43
1:A:778:PRO:HB2	1:A:779:PRO:CD	2.49	0.42
1:A:793:PRO:HB3	1:A:833:MET:HE3	2.00	0.42
1:A:804:MET:CE	1:A:807:ILE:HD11	2.49	0.42
1:B:732:ILE:C	1:B:734:ALA:N	2.75	0.42
1:A:759:ILE:O	1:A:763:VAL:HG23	2.20	0.42
1:A:867:PRO:HG2	1:A:870:GLN:CB	2.47	0.42
1:B:1024:GLU:C	1:B:1026:ALA:H	2.28	0.42
1:A:971:GLN:HG3	2:A:2084:HOH:O	2.19	0.42
1:B:769:PRO:HD3	2:B:2087:HOH:O	2.19	0.42
1:B:723:CYS:HB2	2:B:2005:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:745:ILE:O	1:B:749:ARG:HG3	2.20	0.42
1:A:839:GLU:OE1	1:A:886:MET:HE2	2.20	0.41
1:A:974:LEU:O	1:A:978:VAL:HG23	2.20	0.41
1:B:841:TYR:N	1:B:842:PRO:CD	2.83	0.41
1:A:841:TYR:N	1:A:842:PRO:CD	2.84	0.41
1:B:736:GLY:O	1:B:739:VAL:HG23	2.20	0.41
1:B:788:TYR:CE1	1:B:796:ARG:HB3	2.56	0.41
1:A:882:PHE:CD1	1:A:882:PHE:C	2.99	0.41
1:A:777:VAL:O	1:A:781:LEU:HG	2.21	0.41
1:A:707:VAL:O	1:A:707:VAL:HG12	2.20	0.40
1:A:934:SER:O	1:A:935:HIS:HB2	2.20	0.40
1:B:788:TYR:CD2	1:B:826:VAL:HG12	2.56	0.40
1:B:841:TYR:HA	2:B:2051:HOH:O	2.20	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1026:ALA:O	1:B:1026:ALA:O[2_535]	2.02	0.18
1:A:712:ARG:NH2	1:A:712:ARG:NH2[2_645]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	319/321 (99%)	297 (93%)	15 (5%)	7 (2%)	5	4
1	B	319/321 (99%)	293 (92%)	21 (7%)	5 (2%)	7	7
All	All	638/642 (99%)	590 (92%)	36 (6%)	12 (2%)	6	5

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	935	HIS
1	B	837	ASP
1	B	935	HIS
1	A	887	ARG
1	B	733	GLN
1	B	839	GLU
1	A	837	ASP
1	A	839	GLU
1	A	934	SER
1	A	740	THR
1	A	967	PRO
1	B	967	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/283 (100%)	277 (98%)	6 (2%)	47	66
1	B	283/283 (100%)	278 (98%)	5 (2%)	51	70
All	All	566/566 (100%)	555 (98%)	11 (2%)	50	69

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	708	ILE
1	A	749	ARG
1	A	888	ASN
1	A	913	SER
1	A	921	ASP
1	A	931	THR
1	B	791	ASN
1	B	921	ASP
1	B	924	GLN
1	B	931	THR
1	B	968	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	814	HIS
1	A	821	GLN
1	A	844	HIS
1	A	853	GLN
1	A	895	GLN
1	A	924	GLN
1	A	942	HIS
1	A	951	ASN
1	A	993	GLN
1	A	1006	GLN
1	A	1021	GLN
1	B	791	ASN
1	B	814	HIS
1	B	821	GLN
1	B	844	HIS
1	B	853	GLN
1	B	895	GLN
1	B	903	ASN
1	B	916	GLN
1	B	924	GLN
1	B	951	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	321/321 (100%)	0.24	28 (8%)	16 17	15, 37, 81, 112	0
1	B	321/321 (100%)	0.23	32 (9%)	12 14	16, 35, 82, 121	0
All	All	642/642 (100%)	0.24	60 (9%)	14 16	15, 36, 82, 121	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	838	PHE	6.5
1	A	838	PHE	6.4
1	B	936	THR	5.5
1	B	1025	PHE	4.9
1	A	967	PRO	4.6
1	B	1026	ALA	4.6
1	B	707	VAL	4.5
1	B	708	ILE	4.5
1	B	968	VAL	4.3
1	B	1021	GLN	4.1
1	A	1025	PHE	4.0
1	A	936	THR	3.9
1	B	837	ASP	3.9
1	A	837	ASP	3.9
1	B	967	PRO	3.8
1	B	935	HIS	3.8
1	A	968	VAL	3.7
1	B	1024	GLU	3.6
1	A	707	VAL	3.6
1	A	935	HIS	3.6
1	A	966	ASN	3.4
1	B	966	ASN	3.4
1	B	933	THR	3.3
1	B	964	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	734	ALA	3.2
1	B	1022	ILE	3.2
1	A	933	THR	3.2
1	A	969	ASN	3.1
1	B	969	ASN	3.0
1	A	1027	GLY	2.9
1	A	1026	ALA	2.9
1	A	1022	ILE	2.9
1	A	738	MET	2.9
1	B	839	GLU	2.9
1	A	909	ALA	2.9
1	B	1020	VAL	2.9
1	B	733	GLN	2.8
1	B	937	ALA	2.6
1	B	1027	GLY	2.6
1	B	965	GLY	2.6
1	B	709	GLN	2.5
1	B	934	SER	2.5
1	A	839	GLU	2.4
1	A	1021	GLN	2.4
1	B	888	ASN	2.4
1	A	934	SER	2.4
1	A	1020	VAL	2.3
1	A	884	HIS	2.3
1	A	734	ALA	2.3
1	B	909	ALA	2.3
1	A	887	ARG	2.3
1	A	964	PRO	2.2
1	A	937	ALA	2.2
1	A	990	GLN	2.2
1	A	1024	GLU	2.2
1	B	715	LEU	2.1
1	B	735	ASN	2.1
1	A	886	MET	2.1
1	B	884	HIS	2.0
1	B	887	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.