



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2026 – 02:14 AM UTC

PDB ID : 5WAU / pdb_00005wau
Title : Crystal Structure of CO-bound Cytochrome c Oxidase determined by Synchrotron X-Ray Crystallography at 100 K
Authors : Fromme, R.; Ishigami, I.; Yeh, S.Y.; Zatsepin, N.; Grant, T.; Fromme, P.; Rousseau, D.
Deposited on : 2017-06-27
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	2% 94% 6%
1	a	514	7% 93% 7%
2	B	227	7% 92% 8%
2	b	227	13% 89% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	261	
3	c	261	
4	D	147	
4	d	147	
5	E	109	
5	e	109	
6	F	98	
6	f	98	
7	G	85	
7	g	85	
8	H	85	
8	h	85	
9	I	73	
9	i	73	
10	J	59	
10	j	59	
11	K	56	
11	k	56	
12	L	47	
12	l	47	
13	M	46	
13	m	46	

2 Entry composition

There are 28 unique types of molecules in this entry. The entry contains 32575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			
1	a	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			
2	b	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			
3	c	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			
4	d	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			

- Molecule 5 is a protein called Cytochrome c oxidase subunit 5A, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			
5	e	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			

- Molecule 6 is a protein called Cytochrome c oxidase subunit 5B, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			
6	f	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			

- Molecule 7 is a protein called Cytochrome c oxidase subunit 6A2, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
7	G	84	Total 675	C 431	N 129	O 113	P 1	S 1	0	0	0
7	g	84	Total 675	C 431	N 129	O 113	P 1	S 1	0	0	0

- Molecule 8 is a protein called Cytochrome c oxidase subunit 6B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			
8	h	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			

- Molecule 9 is a protein called Cytochrome c oxidase subunit 6C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			
9	i	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			

- Molecule 10 is a protein called Cytochrome c oxidase subunit 7A1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	j	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

- Molecule 11 is a protein called Cytochrome c oxidase subunit 7B, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			
11	k	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			


- Molecule 12 is a protein called Cytochrome c oxidase subunit 7C, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			
12	l	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			

- Molecule 13 is a protein called Cytochrome c oxidase subunit 8B, mitochondrial.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	43	Total	C	N	O	0	0	0
			335	223	53	59			
13	m	43	Total	C	N	O	0	0	0
			335	223	53	59			

- Molecule 14 is HEME-A (CCD ID: HEA) (formula: $C_{49}H_{56}FeN_4O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	A	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	A	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	a	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	a	1	Total 60	C 49	Fe 1	N 4	O 6	0	0

- Molecule 15 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	1	Total	Cu	0	0
			1	1		
15	a	1	Total	Cu	0	0
			1	1		


- Molecule 16 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1	Total	Mg	0	0
			1	1		
16	a	1	Total	Mg	0	0
			1	1		

- Molecule 17 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	1	Total	Na	0	0
			1	1		
17	a	1	Total	Na	0	0
			1	1		

- Molecule 18 is (1R)-2-{{[[[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (CCD ID: PGV) (formula: C₄₀H₇₇O₁₀P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
18	A	1	Total	C	O	P	0	0
			51	40	10	1		
18	A	1	Total	C	O	P	0	0
			51	40	10	1		
18	C	1	Total	C	O	P	0	0
			51	40	10	1		
18	C	1	Total	C	O	P	0	0
			51	40	10	1		
18	a	1	Total	C	O	P	0	0
			51	40	10	1		
18	a	1	Total	C	O	P	0	0
			51	40	10	1		
18	c	1	Total	C	O	P	0	0
			51	40	10	1		
18	c	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 19 is TRISTEAROYLGLYCEROL (CCD ID: TGL) (formula: C₅₇H₁₁₀O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	A	1	Total	C	O	0	0
			63	57	6		
19	A	1	Total	C	O	0	0
			63	57	6		
19	D	1	Total	C	O	0	0
			63	57	6		
19	b	1	Total	C	O	0	0
			63	57	6		
19	d	1	Total	C	O	0	0
			63	57	6		
19	l	1	Total	C	O	0	0
			63	57	6		

- Molecule 20 is CARBON MONOXIDE (CCD ID: CMO) (formula: CO).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
20	A	1	Total	C	O	0	0
			2	1	1		
20	a	1	Total	C	O	0	0
			2	1	1		

- Molecule 21 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	B	1	Total	Cu	0	0
			2	2		
21	b	1	Total	Cu	0	0
			2	2		

- Molecule 22 is CHOLIC ACID (CCD ID: CHD) (formula: $C_{24}H_{40}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
22	B	1	Total	C	O	0	0
			29	24	5		
22	C	1	Total	C	O	0	0
			29	24	5		
22	C	1	Total	C	O	0	0
			29	24	5		
22	G	1	Total	C	O	0	0
			29	24	5		
22	J	1	Total	C	O	0	0
			29	24	5		
22	c	1	Total	C	O	0	0
			29	24	5		
22	c	1	Total	C	O	0	0
			29	24	5		
22	j	1	Total	C	O	0	0
			29	24	5		

- Molecule 23 is (1S)-2-{[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(STEAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE (CCD ID: PEK) (formula: $C_{43}H_{78}NO_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
23	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
23	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
23	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
23	c	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
23	c	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
23	c	1	Total	C	N	O	P	0	0
			53	43	1	8	1		

- Molecule 24 is CARDIOLIPIN (CCD ID: CDL) (formula: C₈₁H₁₅₆O₁₇P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
24	C	1	Total	C	O	P	0	0
			100	81	17	2		
24	G	1	Total	C	O	P	0	0
			100	81	17	2		
24	c	1	Total	C	O	P	0	0
			100	81	17	2		
24	g	1	Total	C	O	P	0	0
			100	81	17	2		

- Molecule 25 is DECYL-BETA-D-MALTOPYRANOSIDE (CCD ID: DMU) (formula: $C_{22}H_{42}O_{11}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
25	C	1	Total	C	O	0	0
			33	22	11		
25	M	1	Total	C	O	0	0
			33	22	11		
25	c	1	Total	C	O	0	0
			33	22	11		
25	m	1	Total	C	O	0	0
			33	22	11		

- Molecule 26 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (CCD ID: PSC) (formula: C₄₂H₈₁NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
26	E	1	Total	C	N	O	P	0	0
			52	42	1	8	1		
26	b	1	Total	C	N	O	P	0	0
			52	42	1	8	1		

- Molecule 27 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	F	1	Total	Zn	0	0
			1	1		
27	f	1	Total	Zn	0	0
			1	1		

- Molecule 28 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
28	A	243	Total O 243 243	0	0
28	B	180	Total O 180 180	0	0
28	C	122	Total O 122 122	0	0
28	D	125	Total O 125 125	0	0
28	E	100	Total O 100 100	0	0
28	F	104	Total O 104 104	0	0
28	G	57	Total O 57 57	0	0
28	H	57	Total O 57 57	0	0
28	I	33	Total O 33 33	0	0
28	J	36	Total O 36 36	0	0
28	K	41	Total O 41 41	0	0
28	L	47	Total O 47 47	0	0
28	M	29	Total O 29 29	0	0
28	a	187	Total O 187 187	0	0
28	b	109	Total O 109 109	0	0
28	c	96	Total O 96 96	0	0
28	d	37	Total O 37 37	0	0
28	e	56	Total O 56 56	0	0
28	f	62	Total O 62 62	0	0
28	g	27	Total O 27 27	0	0
28	h	36	Total O 36 36	0	0
28	i	23	Total O 23 23	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	j	14	Total 14	O 14	0	0
28	k	7	Total 7	O 7	0	0
28	l	8	Total 8	O 8	0	0
28	m	5	Total 5	O 5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1




- Molecule 1: Cytochrome c oxidase subunit 1



- Molecule 2: Cytochrome c oxidase subunit 2



- Molecule 2: Cytochrome c oxidase subunit 2







- Molecule 3: Cytochrome c oxidase subunit 3





- Molecule 3: Cytochrome c oxidase subunit 3




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1, mitochondrial




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1, mitochondrial




- Molecule 5: Cytochrome c oxidase subunit 5A, mitochondrial



- Molecule 5: Cytochrome c oxidase subunit 5A, mitochondrial







- Molecule 6: Cytochrome c oxidase subunit 5B, mitochondrial





- Molecule 6: Cytochrome c oxidase subunit 5B, mitochondrial





- Molecule 7: Cytochrome c oxidase subunit 6A2, mitochondrial





- Molecule 7: Cytochrome c oxidase subunit 6A2, mitochondrial




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 10: Cytochrome c oxidase subunit 7A1, mitochondrial




- Molecule 10: Cytochrome c oxidase subunit 7A1, mitochondrial




- Molecule 11: Cytochrome c oxidase subunit 7B, mitochondrial




- Molecule 11: Cytochrome c oxidase subunit 7B, mitochondrial




- Molecule 12: Cytochrome c oxidase subunit 7C, mitochondrial




- Molecule 12: Cytochrome c oxidase subunit 7C, mitochondrial



- Molecule 13: Cytochrome c oxidase subunit 8B, mitochondrial



- Molecule 13: Cytochrome c oxidase subunit 8B, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	177.92Å 182.56Å 208.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.00 – 1.95 39.00 – 1.95	Depositor EDS
% Data completeness (in resolution range)	94.3 (39.00-1.95) 94.3 (39.00-1.95)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.217 , 0.244 0.225 , 0.249	Depositor DCC
R_{free} test set	23097 reflections (4.72%)	wwPDB-VP
Wilson B-factor (Å ²)	34.5	Xtriage
Anisotropy	0.157	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	32575	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, ZN, DMU, CU, MG, CUA, FME, PEK, PSC, HEA, CHD, PGV, TPO, NA, CMO, TGL, SAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/4156	0.95	2/5678 (0.0%)
1	a	0.67	0/4156	0.92	2/5678 (0.0%)
2	B	0.72	1/1860 (0.1%)	0.90	1/2534 (0.0%)
2	b	0.65	1/1860 (0.1%)	0.88	1/2534 (0.0%)
3	C	0.62	0/2197	0.90	0/3005
3	c	0.62	0/2197	0.83	0/3005
4	D	0.64	0/1229	0.83	0/1658
4	d	0.62	0/1229	0.93	1/1658 (0.1%)
5	E	0.66	0/871	0.89	0/1182
5	e	0.61	0/871	0.94	0/1182
6	F	0.72	0/765	0.84	1/1038 (0.1%)
6	f	0.65	0/765	0.83	0/1038
7	G	0.67	0/690	0.86	0/937
7	g	0.71	0/690	0.87	0/937
8	H	0.66	0/682	0.93	0/921
8	h	0.62	0/682	0.94	1/921 (0.1%)
9	I	0.60	0/605	0.85	1/802 (0.1%)
9	i	0.59	0/605	0.89	0/802
10	J	0.60	0/471	0.85	1/636 (0.2%)
10	j	0.67	0/471	0.88	0/636
11	K	0.72	0/398	1.34	4/546 (0.7%)
11	k	0.60	0/398	0.88	0/546
12	L	0.65	0/393	0.80	0/526
12	l	0.64	0/393	0.85	0/526
13	M	0.66	0/345	1.01	0/470
13	m	0.61	0/345	0.87	0/470
All	All	0.66	2/29324 (0.0%)	0.90	15/39866 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	g	0	1
10	j	0	1
11	K	0	3
All	All	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	198	GLU	C-O	8.48	1.33	1.23
2	b	198	GLU	C-O	7.12	1.31	1.23

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	41	ASN	CA-C-N	-12.40	104.34	119.84
11	K	41	ASN	C-N-CA	-12.40	104.34	119.84
11	K	45	VAL	N-CA-C	6.49	117.17	110.36
1	A	240	HIS	N-CA-CB	6.43	118.00	110.42
9	I	31	PHE	N-CA-C	-5.86	102.38	110.35

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	41	ASN	Peptide
11	K	42	PRO	Peptide
11	K	46	GLY	Peptide
7	g	11	TPO	Peptide
10	j	55	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4027	0	4001	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	4027	0	4001	29	0
2	B	1824	0	1833	13	0
2	b	1824	0	1833	9	0
3	C	2110	0	2027	4	0
3	c	2110	0	2027	6	0
4	D	1195	0	1183	2	0
4	d	1195	0	1183	9	0
5	E	852	0	845	1	0
5	e	852	0	845	0	0
6	F	748	0	728	2	0
6	f	748	0	728	3	0
7	G	675	0	644	1	0
7	g	675	0	643	7	0
8	H	662	0	623	0	0
8	h	662	0	623	1	0
9	I	601	0	613	4	0
9	i	601	0	613	3	0
10	J	460	0	459	0	0
10	j	460	0	459	2	0
11	K	384	0	366	11	0
11	k	384	0	366	2	0
12	L	380	0	380	1	0
12	l	380	0	380	1	0
13	M	335	0	352	8	0
13	m	335	0	352	3	0
14	A	120	0	108	2	0
14	a	120	0	108	1	0
15	A	1	0	0	0	0
15	a	1	0	0	0	0
16	A	1	0	0	0	0
16	a	1	0	0	0	0
17	A	1	0	0	0	0
17	a	1	0	0	0	0
18	A	102	0	152	0	0
18	C	102	0	152	0	0
18	a	102	0	152	1	0
18	c	102	0	152	0	0
19	A	126	0	220	0	0
19	D	63	0	110	0	0
19	b	63	0	110	0	0
19	d	63	0	110	0	0
19	l	63	0	110	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	A	2	0	0	0	0
20	a	2	0	0	1	0
21	B	2	0	0	0	0
21	b	2	0	0	0	0
22	B	29	0	39	0	0
22	C	58	0	78	0	0
22	G	29	0	39	0	0
22	J	29	0	39	0	0
22	c	58	0	78	0	0
22	j	29	0	39	0	0
23	C	106	0	154	0	0
23	G	53	0	77	1	0
23	c	159	0	231	0	0
24	C	100	0	156	0	0
24	G	100	0	156	0	0
24	c	100	0	156	0	0
24	g	100	0	156	0	0
25	C	33	0	42	0	0
25	M	33	0	42	0	0
25	c	33	0	42	3	0
25	m	33	0	42	0	0
26	E	52	0	80	0	0
26	b	52	0	80	0	0
27	F	1	0	0	0	0
27	f	1	0	0	0	0
28	A	243	0	0	1	0
28	B	180	0	0	0	0
28	C	122	0	0	0	0
28	D	125	0	0	0	0
28	E	100	0	0	0	0
28	F	104	0	0	0	0
28	G	57	0	0	0	0
28	H	57	0	0	0	0
28	I	33	0	0	1	0
28	J	36	0	0	0	0
28	K	41	0	0	1	0
28	L	47	0	0	0	0
28	M	29	0	0	0	0
28	a	187	0	0	1	0
28	b	109	0	0	1	0
28	c	96	0	0	1	0
28	d	37	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	e	56	0	0	0	0
28	f	62	0	0	0	0
28	g	27	0	0	0	0
28	h	36	0	0	1	0
28	i	23	0	0	0	0
28	j	14	0	0	0	0
28	k	7	0	0	0	0
28	l	8	0	0	0	0
28	m	5	0	0	0	0
All	All	32575	0	31317	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 117 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:4:PRO:HB3	11:K:42:PRO:CG	1.99	0.92
1:A:466:MET:CE	13:M:26:PHE:HB2	2.10	0.82
2:b:56:MET:SD	28:b:433:HOH:O	2.40	0.78
1:a:171:MET:SD	28:a:863:HOH:O	2.41	0.78
1:A:466:MET:HE3	13:M:26:PHE:CB	2.17	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/514 (100%)	497 (97%)	15 (3%)	0	100	100
1	a	512/514 (100%)	499 (98%)	13 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	225/227 (99%)	218 (97%)	7 (3%)	0	100	100
2	b	225/227 (99%)	215 (96%)	8 (4%)	2 (1%)	14	6
3	C	257/261 (98%)	252 (98%)	4 (2%)	1 (0%)	30	21
3	c	257/261 (98%)	250 (97%)	6 (2%)	1 (0%)	30	21
4	D	142/147 (97%)	139 (98%)	3 (2%)	0	100	100
4	d	142/147 (97%)	135 (95%)	6 (4%)	1 (1%)	18	10
5	E	103/109 (94%)	102 (99%)	1 (1%)	0	100	100
5	e	103/109 (94%)	101 (98%)	2 (2%)	0	100	100
6	F	96/98 (98%)	91 (95%)	2 (2%)	3 (3%)	3	0
6	f	96/98 (98%)	92 (96%)	3 (3%)	1 (1%)	12	5
7	G	81/85 (95%)	69 (85%)	9 (11%)	3 (4%)	2	0
7	g	81/85 (95%)	72 (89%)	8 (10%)	1 (1%)	10	4
8	H	77/85 (91%)	69 (90%)	6 (8%)	2 (3%)	4	1
8	h	77/85 (91%)	70 (91%)	6 (8%)	1 (1%)	9	3
9	I	71/73 (97%)	69 (97%)	1 (1%)	1 (1%)	9	3
9	i	71/73 (97%)	68 (96%)	3 (4%)	0	100	100
10	J	56/59 (95%)	56 (100%)	0	0	100	100
10	j	56/59 (95%)	54 (96%)	1 (2%)	1 (2%)	6	1
11	K	47/56 (84%)	43 (92%)	1 (2%)	3 (6%)	1	0
11	k	47/56 (84%)	45 (96%)	2 (4%)	0	100	100
12	L	44/47 (94%)	42 (96%)	2 (4%)	0	100	100
12	l	44/47 (94%)	43 (98%)	1 (2%)	0	100	100
13	M	41/46 (89%)	41 (100%)	0	0	100	100
13	m	41/46 (89%)	39 (95%)	2 (5%)	0	100	100
All	All	3504/3614 (97%)	3371 (96%)	112 (3%)	21 (1%)	21	12

5 of 21 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	38	ASN
6	F	95	GLN
6	F	96	LEU
11	K	41	ASN
11	K	42	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/426 (100%)	424 (100%)	2 (0%)	81	82
1	a	426/426 (100%)	420 (99%)	6 (1%)	59	56
2	B	210/210 (100%)	205 (98%)	5 (2%)	43	36
2	b	210/210 (100%)	202 (96%)	8 (4%)	29	19
3	C	224/226 (99%)	223 (100%)	1 (0%)	84	85
3	c	224/226 (99%)	223 (100%)	1 (0%)	84	85
4	D	128/129 (99%)	127 (99%)	1 (1%)	73	74
4	d	128/129 (99%)	124 (97%)	4 (3%)	35	26
5	E	92/95 (97%)	91 (99%)	1 (1%)	65	64
5	e	92/95 (97%)	90 (98%)	2 (2%)	45	40
6	F	81/81 (100%)	79 (98%)	2 (2%)	42	34
6	f	81/81 (100%)	78 (96%)	3 (4%)	30	20
7	G	67/68 (98%)	66 (98%)	1 (2%)	57	54
7	g	67/68 (98%)	63 (94%)	4 (6%)	17	7
8	H	71/75 (95%)	68 (96%)	3 (4%)	26	16
8	h	71/75 (95%)	66 (93%)	5 (7%)	14	4
9	I	57/57 (100%)	56 (98%)	1 (2%)	51	47
9	i	57/57 (100%)	57 (100%)	0	100	100
10	J	49/50 (98%)	48 (98%)	1 (2%)	48	43
10	j	49/50 (98%)	48 (98%)	1 (2%)	48	43
11	K	39/46 (85%)	39 (100%)	0	100	100
11	k	39/46 (85%)	39 (100%)	0	100	100
12	L	39/40 (98%)	38 (97%)	1 (3%)	40	33
12	l	39/40 (98%)	38 (97%)	1 (3%)	40	33
13	M	37/38 (97%)	37 (100%)	0	100	100
13	m	37/38 (97%)	37 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3040/3082 (99%)	2986 (98%)	54 (2%)	51 47

5 of 54 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	b	90	ILE
4	d	30	VAL
8	h	60	TYR
2	b	94	SER
2	b	217	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
2	b	91	ASN
4	d	32	ASN
10	j	29	ASN
3	c	56	GLN
6	f	54	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	SAC	I	101	9	7,8,9	1.58	1 (14%)	7,9,11	1.25	0
7	TPO	g	11	7	8,10,11	1.16	1 (12%)	10,14,16	1.16	1 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	SAC	i	101	9	7,8,9	1.55	1 (14%)	7,9,11	1.03	0
7	TPO	G	11	7	8,10,11	1.39	1 (12%)	10,14,16	1.33	2 (20%)
1	FME	a	1	1	8,9,10	0.49	0	8,9,11	1.68	1 (12%)
2	FME	B	301	2	8,9,10	0.92	0	8,9,11	3.55	3 (37%)
1	FME	A	1	1	8,9,10	0.53	0	8,9,11	2.60	1 (12%)
2	FME	b	1	2	8,9,10	0.62	0	8,9,11	2.10	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	SAC	I	101	9	-	3/7/8/10	-
7	TPO	g	11	7	-	4/9/11/13	-
9	SAC	i	101	9	-	2/7/8/10	-
7	TPO	G	11	7	-	1/9/11/13	-
1	FME	a	1	1	-	4/7/9/11	-
2	FME	B	301	2	-	1/7/9/11	-
1	FME	A	1	1	-	4/7/9/11	-
2	FME	b	1	2	-	1/7/9/11	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	101	SAC	CA-N	3.99	1.52	1.46
9	i	101	SAC	CA-N	3.88	1.52	1.46
7	G	11	TPO	P-OG1	3.12	1.65	1.59
7	g	11	TPO	P-OG1	2.06	1.63	1.59

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	FME	CA-N-CN	-8.81	109.27	122.82
1	A	1	FME	CA-N-CN	-6.68	112.55	122.82
2	b	1	FME	CA-N-CN	-4.54	115.84	122.82
1	a	1	FME	CA-N-CN	-3.81	116.96	122.82
2	B	301	FME	C-CA-N	3.24	115.75	109.50

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	O1-CN-N-CA
1	A	1	FME	C-CA-CB-CG
2	B	301	FME	O1-CN-N-CA
9	I	101	SAC	CB-CA-N-C1A
1	a	1	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 54 ligands modelled in this entry, 8 are monoatomic - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
25	DMU	m	101	-	34,34,34	0.49	0	45,45,45	0.97	4 (8%)
24	CDL	C	305	-	99,99,99	1.00	4 (4%)	105,111,111	1.01	7 (6%)
19	TGL	b	302	-	62,62,62	1.04	3 (4%)	65,65,65	0.96	4 (6%)
26	PSC	E	201	-	51,51,51	1.04	2 (3%)	57,59,59	1.84	10 (17%)
18	PGV	A	606	-	50,50,50	1.04	2 (4%)	53,56,56	0.95	3 (5%)
19	TGL	d	201	-	62,62,62	1.10	3 (4%)	65,65,65	1.16	8 (12%)
18	PGV	a	607	-	50,50,50	0.85	2 (4%)	53,56,56	0.76	2 (3%)
19	TGL	A	608	-	62,62,62	1.10	3 (4%)	65,65,65	0.99	4 (6%)
20	CMO	a	608	14,15	0,1,1	-	-	-	-	-
19	TGL	A	609	-	62,62,62	1.04	3 (4%)	65,65,65	0.99	5 (7%)
24	CDL	G	102	-	99,99,99	1.04	4 (4%)	105,111,111	0.96	6 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	CDL	g	101	-	99,99,99	1.00	4 (4%)	105,111,111	1.04	7 (6%)
25	DMU	C	308	-	34,34,34	0.72	1 (2%)	45,45,45	1.25	6 (13%)
22	CHD	C	301	-	32,32,32	0.65	0	51,51,51	1.11	4 (7%)
18	PGV	C	304	-	50,50,50	1.08	2 (4%)	53,56,56	1.01	4 (7%)
14	HEA	a	602	20,1	67,67,67	2.39	21 (31%)	81,103,103	2.35	28 (34%)
25	DMU	M	101	-	34,34,34	0.53	1 (2%)	45,45,45	0.75	0
23	PEK	c	301	-	52,52,52	0.99	2 (3%)	55,57,57	0.89	3 (5%)
18	PGV	a	606	-	50,50,50	1.07	2 (4%)	53,56,56	1.18	5 (9%)
18	PGV	c	306	-	50,50,50	0.90	2 (4%)	53,56,56	0.82	2 (3%)
18	PGV	C	303	-	50,50,50	0.85	2 (4%)	53,56,56	0.81	1 (1%)
24	CDL	c	307	-	99,99,99	1.00	4 (4%)	105,111,111	1.04	6 (5%)
22	CHD	j	101	-	32,32,32	0.58	0	51,51,51	1.40	10 (19%)
19	TGL	D	201	-	62,62,62	1.10	3 (4%)	65,65,65	0.96	5 (7%)
18	PGV	c	302	-	50,50,50	1.06	2 (4%)	53,56,56	1.23	6 (11%)
20	CMO	A	610	14,15	0,1,1	-	-	-	-	-
21	CUA	B	401	2	0,1,1	-	-	-	-	-
22	CHD	c	308	-	32,32,32	0.52	0	51,51,51	1.07	3 (5%)
23	PEK	C	307	-	52,52,52	1.02	2 (3%)	55,57,57	0.86	3 (5%)
14	HEA	A	601	1	67,67,67	2.17	25 (37%)	81,103,103	2.44	31 (38%)
14	HEA	a	601	1	67,67,67	2.36	23 (34%)	81,103,103	2.32	30 (37%)
23	PEK	C	302	-	52,52,52	0.86	2 (3%)	55,57,57	0.97	4 (7%)
23	PEK	G	101	-	52,52,52	1.01	2 (3%)	55,57,57	1.15	4 (7%)
14	HEA	A	602	20,1	67,67,67	2.20	20 (29%)	81,103,103	2.55	34 (41%)
23	PEK	c	305	-	52,52,52	1.00	2 (3%)	55,57,57	0.93	3 (5%)
22	CHD	B	402	-	32,32,32	0.72	0	51,51,51	1.26	8 (15%)
19	TGL	l	101	-	62,62,62	1.12	3 (4%)	65,65,65	1.11	5 (7%)
22	CHD	c	303	-	32,32,32	0.63	0	51,51,51	1.06	3 (5%)
22	CHD	G	103	-	32,32,32	0.67	0	51,51,51	1.11	4 (7%)
26	PSC	b	303	-	51,51,51	1.04	2 (3%)	57,59,59	1.79	11 (19%)
23	PEK	c	304	-	52,52,52	0.89	2 (3%)	55,57,57	0.85	3 (5%)
18	PGV	A	607	-	50,50,50	0.87	2 (4%)	53,56,56	0.87	3 (5%)
21	CUA	b	301	2	0,1,1	-	-	-	-	-
22	CHD	J	101	-	32,32,32	0.68	0	51,51,51	2.10	16 (31%)
25	DMU	c	309	-	34,34,34	0.96	2 (5%)	45,45,45	1.46	7 (15%)
22	CHD	C	306	-	32,32,32	0.60	0	51,51,51	1.25	5 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	DMU	m	101	-	-	4/19/59/59	0/2/2/2
24	CDL	C	305	-	-	50/110/110/110	-
19	TGL	b	302	-	-	33/65/65/65	-
26	PSC	E	201	-	-	21/55/55/55	-
18	PGV	A	606	-	-	22/55/55/55	-
19	TGL	d	201	-	-	38/65/65/65	-
18	PGV	a	607	-	-	12/55/55/55	-
19	TGL	A	608	-	-	32/65/65/65	-
19	TGL	A	609	-	-	39/65/65/65	-
24	CDL	G	102	-	-	55/110/110/110	-
24	CDL	g	101	-	-	54/110/110/110	-
25	DMU	C	308	-	-	3/19/59/59	0/2/2/2
22	CHD	C	301	-	-	0/9/74/74	0/4/4/4
18	PGV	C	304	-	-	25/55/55/55	-
14	HEA	a	602	20,1	-	5/36/76/76	-
25	DMU	M	101	-	-	5/19/59/59	0/2/2/2
23	PEK	c	301	-	-	22/56/56/56	-
18	PGV	a	606	-	-	27/55/55/55	-
18	PGV	c	306	-	-	11/55/55/55	-
18	PGV	C	303	-	-	13/55/55/55	-
24	CDL	c	307	-	-	54/110/110/110	-
22	CHD	j	101	-	-	8/9/74/74	0/4/4/4
19	TGL	D	201	-	-	29/65/65/65	-
18	PGV	c	302	-	-	32/55/55/55	-
22	CHD	c	308	-	-	2/9/74/74	0/4/4/4
23	PEK	C	307	-	-	17/56/56/56	-
14	HEA	A	601	1	-	4/36/76/76	-
14	HEA	a	601	1	-	3/36/76/76	-
23	PEK	C	302	-	-	21/56/56/56	-
23	PEK	G	101	-	-	24/56/56/56	-
14	HEA	A	602	20,1	-	5/36/76/76	-
23	PEK	c	305	-	-	24/56/56/56	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CHD	B	402	-	-	2/9/74/74	0/4/4/4
19	TGL	l	101	-	-	33/65/65/65	-
22	CHD	c	303	-	-	2/9/74/74	0/4/4/4
22	CHD	G	103	-	-	2/9/74/74	0/4/4/4
26	PSC	b	303	-	-	24/55/55/55	-
23	PEK	c	304	-	-	16/56/56/56	-
18	PGV	A	607	-	-	13/55/55/55	-
22	CHD	J	101	-	-	5/9/74/74	0/4/4/4
25	DMU	c	309	-	-	7/19/59/59	0/2/2/2
22	CHD	C	306	-	-	2/9/74/74	0/4/4/4

The worst 5 of 159 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	602	HEA	FE-ND	6.09	2.13	1.94
14	a	601	HEA	C3B-C2B	5.51	1.47	1.34
14	a	601	HEA	FE-NB	5.33	2.11	1.94
14	a	602	HEA	C4A-NA	5.27	1.49	1.39
14	a	601	HEA	FE-ND	5.17	2.10	1.94

The worst 5 of 317 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	602	HEA	C3D-C4D-ND	6.81	116.93	110.35
14	A	601	HEA	C3D-C4D-ND	6.53	116.66	110.35
26	E	201	PSC	C08-N-C06	-6.45	92.04	108.98
14	A	602	HEA	C2B-C1B-NB	6.35	117.24	109.90
26	b	303	PSC	C08-N-C06	-6.34	92.32	108.98

There are no chirality outliers.

5 of 800 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
18	A	606	PGV	C03-O11-P-O12
18	C	304	PGV	C03-O11-P-O12
18	C	304	PGV	C02-C03-O11-P
18	C	304	PGV	O12-C04-C05-C06
18	C	304	PGV	C04-C05-C06-O06



There are no ring outliers.


8 monomers are involved in 10 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
20	a	608	CMO	1	0
18	a	606	PGV	1	0
14	A	601	HEA	1	0
14	a	601	HEA	1	0
23	G	101	PEK	1	0
14	A	602	HEA	1	0
19	l	101	TGL	1	0
25	c	309	DMU	3	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























Ligand PEK c 301






Ligand PGV a 606
























Ligand PEK c 305




Ligand CHD B 402









Ligand PEK c 304




Ligand PGV A 607




Ligand CHD J 101



Ligand DMU c 309





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/514 (99%)	-0.06	9 (1%) 67 75	21, 27, 36, 72	0
1	a	513/514 (99%)	0.83	37 (7%) 21 25	27, 39, 52, 76	0
2	B	226/227 (99%)	0.50	15 (6%) 24 28	23, 34, 55, 89	0
2	b	226/227 (99%)	1.24	30 (13%) 7 8	35, 45, 70, 104	0
3	C	259/261 (99%)	0.24	9 (3%) 47 53	26, 32, 44, 79	0
3	c	259/261 (99%)	0.76	17 (6%) 24 28	30, 39, 55, 79	0
4	D	144/147 (97%)	0.63	6 (4%) 40 47	29, 37, 53, 77	0
4	d	144/147 (97%)	2.19	70 (48%) 0 0	46, 58, 90, 147	0
5	E	105/109 (96%)	0.51	3 (2%) 53 60	32, 40, 60, 107	0
5	e	105/109 (96%)	1.43	25 (23%) 2 2	39, 51, 70, 105	0
6	F	98/98 (100%)	1.18	13 (13%) 7 8	27, 38, 87, 129	0
6	f	98/98 (100%)	1.66	16 (16%) 4 5	34, 48, 103, 143	0
7	G	83/85 (97%)	1.63	25 (30%) 1 1	30, 40, 106, 141	0
7	g	83/85 (97%)	1.96	24 (28%) 1 1	32, 49, 103, 118	0
8	H	79/85 (92%)	1.25	13 (16%) 4 4	29, 42, 89, 120	0
8	h	79/85 (92%)	1.61	20 (25%) 1 1	40, 52, 97, 116	0
9	I	72/73 (98%)	0.99	9 (12%) 8 9	32, 45, 63, 75	0
9	i	72/73 (98%)	1.48	17 (23%) 2 2	37, 54, 73, 90	0
10	J	58/59 (98%)	0.93	6 (10%) 12 13	30, 42, 64, 110	0
10	j	58/59 (98%)	2.01	21 (36%) 1 0	42, 53, 77, 130	0
11	K	49/56 (87%)	1.30	8 (16%) 4 5	31, 41, 58, 73	0
11	k	49/56 (87%)	1.98	23 (46%) 0 0	53, 60, 79, 91	0
12	L	46/47 (97%)	0.64	4 (8%) 16 18	28, 34, 54, 88	0
12	l	46/47 (97%)	1.90	17 (36%) 1 0	44, 52, 72, 109	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	43/46 (93%)	0.72	3 (6%) 22 26	31, 35, 62, 88	0
13	m	43/46 (93%)	2.10	19 (44%) 0 0	47, 57, 87, 117	0
All	All	3550/3614 (98%)	0.90	459 (12%) 7 9	21, 40, 73, 147	0

The worst 5 of 459 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
6	f	1	ALA	12.9
6	F	1	ALA	12.3
6	F	96	LEU	11.9
6	f	96	LEU	11.9
6	f	97	ALA	11.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	TPO	g	11	11/12	0.39	0.31	88,116,130,131	0
9	SAC	i	101	9/10	0.46	0.18	100,104,108,108	0
7	TPO	G	11	11/12	0.66	0.25	64,95,111,114	0
9	SAC	I	101	9/10	0.74	0.17	64,68,76,79	0
1	FME	a	1	10/11	0.82	0.21	55,69,82,85	0
1	FME	A	1	10/11	0.83	0.19	39,49,82,85	0
2	FME	B	301	10/11	0.94	0.09	30,33,43,46	0
2	FME	b	1	10/11	0.94	0.12	45,47,58,59	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
25	DMU	c	309	33/33	0.50	0.31	100,119,130,133	0
18	PGV	c	302	51/51	0.66	0.31	63,84,114,117	0
19	TGL	D	201	63/63	0.67	0.32	61,78,87,94	0
23	PEK	C	307	53/53	0.68	0.28	59,86,146,157	0
18	PGV	a	606	51/51	0.69	0.31	62,89,129,134	0
25	DMU	C	308	33/33	0.70	0.23	70,94,111,112	0
23	PEK	c	301	53/53	0.72	0.26	58,93,150,158	0
24	CDL	G	102	100/100	0.72	0.31	62,96,130,139	0
18	PGV	A	606	51/51	0.72	0.29	48,77,123,129	0
23	PEK	G	101	53/53	0.72	0.28	61,84,119,130	0
23	PEK	c	305	53/53	0.73	0.30	63,90,111,120	0
18	PGV	C	304	51/51	0.73	0.30	64,90,105,109	0
16	MG	a	604	1/1	0.73	0.13	47,47,47,47	0
22	CHD	J	101	29/29	0.73	0.21	64,70,84,86	0
19	TGL	A	608	63/63	0.74	0.29	55,79,96,100	0
19	TGL	d	201	63/63	0.74	0.31	67,81,103,111	0
26	PSC	b	303	52/52	0.74	0.33	53,96,136,144	0
24	CDL	g	101	100/100	0.75	0.30	66,102,140,149	0
19	TGL	b	302	63/63	0.75	0.27	68,86,96,97	0
19	TGL	l	101	63/63	0.75	0.32	63,80,110,114	0
24	CDL	c	307	100/100	0.75	0.27	62,96,126,135	0
19	TGL	A	609	63/63	0.76	0.28	50,68,89,94	0
26	PSC	E	201	52/52	0.77	0.27	53,101,160,171	0
24	CDL	C	305	100/100	0.78	0.23	53,87,111,114	0
22	CHD	j	101	29/29	0.82	0.17	86,90,99,103	0
25	DMU	m	101	33/33	0.82	0.19	70,81,91,94	0
22	CHD	c	308	29/29	0.87	0.13	59,62,68,69	0
22	CHD	C	306	29/29	0.90	0.12	50,54,62,64	0
25	DMU	M	101	33/33	0.91	0.12	39,48,58,63	0
23	PEK	c	304	53/53	0.92	0.18	41,63,99,101	0
23	PEK	C	302	53/53	0.93	0.16	31,53,83,89	0
18	PGV	c	306	51/51	0.93	0.14	32,46,82,85	0
22	CHD	B	402	29/29	0.94	0.08	31,32,36,41	0
22	CHD	C	301	29/29	0.94	0.08	31,34,36,38	0
18	PGV	a	607	51/51	0.94	0.14	32,48,74,83	0
22	CHD	G	103	29/29	0.94	0.08	32,35,38,41	0
17	NA	a	605	1/1	0.94	0.07	48,48,48,48	0
22	CHD	c	303	29/29	0.94	0.09	34,36,40,41	0
17	NA	A	605	1/1	0.94	0.14	28,28,28,28	0
20	CMO	a	608	2/2	0.94	0.21	65,65,65,69	0
16	MG	A	604	1/1	0.95	0.06	27,27,27,27	0
18	PGV	A	607	51/51	0.95	0.13	25,42,65,69	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
18	PGV	C	303	51/51	0.95	0.12	27,39,70,76	0
14	HEA	a	602	60/60	0.96	0.10	29,32,40,43	0
20	CMO	A	610	2/2	0.96	0.18	46,46,46,46	0
14	HEA	a	601	60/60	0.96	0.12	32,37,55,62	0
21	CUA	b	301	2/2	0.96	0.05	36,36,36,38	0
14	HEA	A	602	60/60	0.98	0.07	22,24,33,35	0
21	CUA	B	401	2/2	0.98	0.03	24,24,24,24	0
14	HEA	A	601	60/60	0.98	0.07	21,23,45,50	0
27	ZN	F	101	1/1	0.98	0.03	33,33,33,33	0
15	CU	a	603	1/1	0.99	0.02	34,34,34,34	0
27	ZN	f	101	1/1	0.99	0.03	41,41,41,41	0
15	CU	A	603	1/1	1.00	0.01	25,25,25,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PGV c 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TGL D 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK C 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV a 606:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU C 308:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK c 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL G 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PGV A 606:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK G 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK c 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD J 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TGL d 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PSC b 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CDL g 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL b 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL 1 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL c 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PSC E 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CDL C 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD j 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around DMU m 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD c 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU M 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEK c 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV c 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV a 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD G 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CHD c 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV A 607:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEA a 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HEA a 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEA A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.