



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:49 PM UTC

PDB ID : 7WAG / pdb_00007wag
Title : Crystal structure of MurJ squeezed form
Authors : Tsukazaki, T.; Kohga, H.; Tanaka, Y.; Yoshikaie, K.; Taniguchi, K.; Fujimoto, K.
Deposited on : 2021-12-14
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4273 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lipid II flippase MurJ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	522	Total	C	N	O	S	0	0	0
			3987	2650	651	663	23			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLY	-	insertion	UNP P0AF16
A	10	ARG	VAL	engineered mutation	UNP P0AF16
A	11	CYS	SER	engineered mutation	UNP P0AF16
A	512	LEU	-	expression tag	UNP P0AF16
A	513	GLU	-	expression tag	UNP P0AF16
A	514	SER	-	expression tag	UNP P0AF16
A	515	SER	-	expression tag	UNP P0AF16
A	516	GLY	-	expression tag	UNP P0AF16
A	517	GLU	-	expression tag	UNP P0AF16
A	518	ASN	-	expression tag	UNP P0AF16
A	519	LEU	-	expression tag	UNP P0AF16
A	520	TYR	-	expression tag	UNP P0AF16
A	521	PHE	-	expression tag	UNP P0AF16
A	522	GLN	-	expression tag	UNP P0AF16

- Molecule 2 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 25 21 4	0	0
2	A	1	Total C O 25 21 4	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 17 17	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C O 17 13 4	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C O 25 21 4	0	0
2	A	1	Total C O 19 15 4	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C O 25 21 4	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $\text{C}_4\text{H}_{10}\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	60	Total	O	0	0
			60	60		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lipid II flippase MurJ



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.45Å 75.06Å 115.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.70 – 2.55 45.70 – 2.55	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.70-2.55) 99.9 (45.70-2.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.54Å)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.214 , 0.268 0.218 , 0.269	Depositor DCC
R_{free} test set	2004 reflections (9.24%)	wwPDB-VP
Wilson B-factor (Å ²)	43.3	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for k,h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4273	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.18	0/4082	0.43	0/5553

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3987	0	4213	61	0
2	A	219	0	339	17	0
3	A	7	0	10	0	0
4	A	60	0	0	3	0
All	All	4273	0	4562	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:601:OLC:H3A	2:A:612:OLC:H3	1.60	0.83
1:A:247:LEU:HD22	1:A:414:ILE:HD13	1.72	0.72
1:A:151:LEU:HD22	1:A:156:ARG:HD3	1.72	0.71
1:A:319:LEU:HG	1:A:452:VAL:HG21	1.72	0.71
1:A:426:TYR:HD2	2:A:613:OLC:H6	1.59	0.68
1:A:505:GLU:OE2	1:A:509:ARG:NE	2.28	0.66
1:A:423:SER:HA	2:A:614:OLC:H10	1.84	0.59
1:A:208:LEU:HD12	1:A:211:ILE:HD11	1.85	0.58
2:A:609:OLC:H2A	2:A:614:OLC:H2	1.86	0.57
1:A:509:ARG:HB2	1:A:512:LEU:HD23	1.86	0.57
1:A:37:ALA:HB1	1:A:186:VAL:HG11	1.86	0.57
1:A:307:MET:HG2	1:A:435:PHE:CD1	2.40	0.56
1:A:476:TRP:HE3	2:A:612:OLC:H4A	1.71	0.56
1:A:60:PHE:CE2	1:A:233:MET:HE3	2.42	0.55
1:A:442:MET:SD	1:A:442:MET:N	2.76	0.55
1:A:54:ILE:HG23	1:A:59:ALA:HB3	1.87	0.54
1:A:132:LYS:HD3	2:A:606:OLC:H15A	1.88	0.54
1:A:53:ARG:CZ	1:A:273:GLU:HG3	2.38	0.53
1:A:99:THR:HG23	1:A:135:PHE:HB3	1.90	0.53
1:A:229:VAL:O	1:A:233:MET:HG3	2.09	0.53
1:A:511:VAL:HG13	1:A:512:LEU:HD22	1.91	0.52
1:A:78:ASP:OD1	1:A:81:ARG:NH2	2.43	0.51
1:A:426:TYR:HE2	2:A:609:OLC:H21	1.76	0.50
1:A:502:LYS:HB3	1:A:505:GLU:HB3	1.93	0.50
1:A:467:PRO:HG3	2:A:601:OLC:H3	1.93	0.50
1:A:274:PHE:HB3	1:A:275:PRO:HD3	1.94	0.49
1:A:103:MET:HE2	2:A:606:OLC:H13A	1.95	0.49
1:A:442:MET:HE1	2:A:614:OLC:H22	1.94	0.48
1:A:55:PHE:CD2	1:A:145:SER:HA	2.48	0.48
1:A:476:TRP:CE3	2:A:612:OLC:H4A	2.48	0.48
1:A:14:THR:O	1:A:18:ARG:HG2	2.13	0.48
1:A:326:GLY:HA3	2:A:610:OLC:C9	2.44	0.48
1:A:261:SER:N	4:A:714:HOH:O	2.48	0.47
1:A:272:MET:SD	1:A:357:TYR:HB3	2.55	0.47
1:A:302:GLU:OE2	1:A:515:SER:HA	2.14	0.47
1:A:55:PHE:CE2	1:A:145:SER:HA	2.50	0.47
1:A:375:TYR:HE1	1:A:383:PRO:HG2	1.80	0.46
1:A:6:LEU:HD11	1:A:286:ILE:HD11	1.97	0.46
1:A:147:VAL:HA	1:A:150:ILE:HD12	1.97	0.45
1:A:301:ASP:HB3	1:A:305:ARG:NH1	2.31	0.45
1:A:10:ARG:O	1:A:14:THR:HG23	2.17	0.45
1:A:504:LYS:HD2	1:A:508:ARG:HD2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:ILE:HG21	2:A:614:OLC:H15A	2.00	0.44
1:A:60:PHE:CE2	1:A:64:PHE:HB2	2.53	0.44
1:A:377:ARG:NH1	4:A:707:HOH:O	2.38	0.44
1:A:362:ILE:HG22	4:A:724:HOH:O	2.18	0.43
1:A:132:LYS:HE3	1:A:132:LYS:HB2	1.82	0.43
1:A:462:MET:SD	2:A:601:OLC:H15	2.58	0.43
1:A:46:LYS:HE2	1:A:251:THR:OG1	2.17	0.43
1:A:426:TYR:CD2	2:A:613:OLC:H6	2.47	0.43
1:A:171:MET:HA	1:A:192:ALA:HB1	2.00	0.43
1:A:287:LEU:HD21	1:A:369:VAL:HG13	2.00	0.43
1:A:361:LEU:O	1:A:365:ILE:HG12	2.19	0.43
1:A:41:PHE:CE1	1:A:189:LEU:HB3	2.54	0.42
1:A:382:THR:OG1	2:A:611:OLC:H5	2.19	0.42
1:A:272:MET:O	1:A:275:PRO:HD2	2.20	0.41
1:A:309:TRP:CE2	1:A:512:LEU:HD21	2.55	0.41
1:A:467:PRO:HD3	2:A:601:OLC:H5A	2.02	0.41
1:A:509:ARG:HA	1:A:509:ARG:HD3	1.89	0.41
1:A:70:GLU:O	1:A:74:LYS:HG2	2.21	0.41
1:A:22:PHE:HE1	1:A:336:LEU:HB3	1.85	0.41
1:A:270:ARG:NH1	1:A:273:GLU:OE1	2.50	0.41
1:A:304:ASN:ND2	1:A:436:THR:O	2.53	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	520/522 (100%)	509 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/418 (100%)	418 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	ASN
1	A	299	ASN
1	A	398	ASN
1	A	438	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	OLC	A	607	-	16,16,24	0.19	0	15,15,25	0.24	0
2	OLC	A	606	-	12,12,24	0.21	0	11,11,25	0.15	0
2	OLC	A	613	-	9,9,24	0.22	0	8,8,25	0.25	0
2	OLC	A	609	-	16,16,24	0.26	0	17,17,25	0.31	0
3	PEG	A	603	-	6,6,6	0.12	0	5,5,5	0.11	0
2	OLC	A	611	-	24,24,24	0.24	0	25,25,25	0.26	0
2	OLC	A	612	-	18,18,24	0.24	0	19,19,25	0.24	0
2	OLC	A	605	-	7,7,24	0.10	0	6,6,25	0.08	0
2	OLC	A	601	-	24,24,24	0.25	0	25,25,25	0.22	0
2	OLC	A	604	-	10,10,24	0.23	0	9,9,25	0.26	0
2	OLC	A	602	-	24,24,24	0.23	0	25,25,25	0.25	0
2	OLC	A	608	-	12,12,24	0.24	0	11,11,25	0.22	0
2	OLC	A	610	-	10,10,24	0.21	0	9,9,25	0.34	0
2	OLC	A	614	-	24,24,24	0.25	0	25,25,25	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLC	A	607	-	-	6/14/14/24	-
2	OLC	A	606	-	-	4/10/10/24	-
2	OLC	A	613	-	-	1/7/7/24	-
2	OLC	A	609	-	-	9/16/16/24	-
3	PEG	A	603	-	-	2/4/4/4	-
2	OLC	A	611	-	-	5/24/24/24	-
2	OLC	A	612	-	-	3/18/18/24	-
2	OLC	A	605	-	-	0/5/5/24	-
2	OLC	A	601	-	-	5/24/24/24	-
2	OLC	A	604	-	-	1/8/8/24	-
2	OLC	A	602	-	-	8/24/24/24	-
2	OLC	A	608	-	-	3/10/10/24	-
2	OLC	A	610	-	-	2/8/8/24	-
2	OLC	A	614	-	-	3/24/24/24	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	602	OLC	O20-C21-C22-O23
2	A	609	OLC	C21-C22-C24-O25
2	A	609	OLC	O20-C21-C22-C24
2	A	609	OLC	O20-C21-C22-O23
2	A	601	OLC	C4-C5-C6-C7
2	A	609	OLC	O23-C22-C24-O25
2	A	602	OLC	C1-C2-C3-C4
2	A	608	OLC	C11-C10-C9-C8
2	A	602	OLC	O20-C21-C22-C24
2	A	610	OLC	C5-C6-C7-C8
2	A	607	OLC	C13-C14-C15-C16
2	A	609	OLC	C3-C4-C5-C6
2	A	608	OLC	C6-C7-C8-C9
2	A	607	OLC	C12-C13-C14-C15
2	A	612	OLC	C1-C2-C3-C4
2	A	612	OLC	C6-C7-C8-C9
2	A	602	OLC	C3-C4-C5-C6
2	A	609	OLC	C2-C1-O20-C21
2	A	602	OLC	C4-C5-C6-C7
2	A	608	OLC	C7-C8-C9-C10
2	A	611	OLC	C3-C4-C5-C6
2	A	609	OLC	O19-C1-O20-C21
3	A	603	PEG	C1-C2-O2-C3
2	A	614	OLC	C5-C6-C7-C8
2	A	607	OLC	C4-C5-C6-C7
2	A	606	OLC	C6-C7-C8-C9
2	A	606	OLC	C7-C8-C9-C10
2	A	611	OLC	O20-C21-C22-C24
2	A	610	OLC	C9-C10-C11-C12
2	A	609	OLC	C1-C2-C3-C4
2	A	611	OLC	O19-C1-O20-C21
2	A	609	OLC	C4-C5-C6-C7
2	A	602	OLC	C9-C10-C11-C12
2	A	606	OLC	C12-C13-C14-C15
2	A	604	OLC	C9-C10-C11-C12
2	A	607	OLC	C7-C8-C9-C10
2	A	611	OLC	C2-C1-O20-C21

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	A	611	OLC	C5-C6-C7-C8
2	A	602	OLC	C13-C14-C15-C16
2	A	606	OLC	C11-C12-C13-C14
2	A	601	OLC	O19-C1-O20-C21
2	A	601	OLC	C2-C1-O20-C21
2	A	607	OLC	C14-C15-C16-C17
3	A	603	PEG	C4-C3-O2-C2
2	A	601	OLC	C1-C2-C3-C4
2	A	613	OLC	C5-C6-C7-C8
2	A	601	OLC	C7-C8-C9-C10
2	A	614	OLC	O20-C1-C2-C3
2	A	612	OLC	C5-C6-C7-C8
2	A	602	OLC	C2-C3-C4-C5
2	A	614	OLC	O19-C1-C2-C3
2	A	607	OLC	C9-C10-C11-C12


There are no ring outliers.




8 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	606	OLC	2	0
2	A	613	OLC	2	0
2	A	609	OLC	2	0
2	A	611	OLC	1	0
2	A	612	OLC	3	0
2	A	601	OLC	4	0
2	A	610	OLC	1	0
2	A	614	OLC	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	522/522 (100%)	0.32	19 (3%)	46 47	28, 42, 68, 99	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	7	ALA	4.7
1	A	71	TYR	4.1
1	A	6	LEU	3.6
1	A	8	ALA	3.3
1	A	520	TYR	3.1
1	A	22	PHE	3.1
1	A	181	TYR	2.6
1	A	156	ARG	2.4
1	A	10	ARG	2.3
1	A	11	CYS	2.3
1	A	504	LYS	2.3
1	A	380	ILE	2.3
1	A	76	GLY	2.2
1	A	13	MET	2.2
1	A	2	LEU	2.1
1	A	75	GLN	2.1
1	A	5	SER	2.1
1	A	513	GLU	2.1
1	A	30	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	OLC	A	612	19/25	0.68	0.22	58,66,89,90	0
2	OLC	A	601	25/25	0.69	0.17	52,65,84,92	0
2	OLC	A	609	17/25	0.70	0.17	55,72,78,84	0
2	OLC	A	605	8/25	0.73	0.18	41,48,49,60	0
2	OLC	A	606	13/25	0.73	0.18	58,65,70,73	0
2	OLC	A	611	25/25	0.74	0.18	46,63,92,101	0
2	OLC	A	607	17/25	0.77	0.19	47,58,64,64	0
2	OLC	A	613	10/25	0.78	0.20	51,59,63,66	0
2	OLC	A	604	11/25	0.79	0.19	48,52,62,65	0
2	OLC	A	602	25/25	0.79	0.17	38,50,72,82	0
2	OLC	A	610	11/25	0.83	0.17	43,51,58,60	0
3	PEG	A	603	7/7	0.86	0.16	44,46,55,59	0
2	OLC	A	614	25/25	0.87	0.13	41,51,65,72	0
2	OLC	A	608	13/25	0.89	0.14	39,51,61,62	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLC A 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 613:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around OLC A 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLC A 614:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.