



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 10:21 AM UTC

PDB ID : 8WC7 / pdb_00008wc7
EMDB ID : EMD-37433
Title : Cryo-EM structure of the ZH8667-bound mTAAR1-Gs complex
Authors : Rong, N.K.; Guo, L.L.; Zhang, M.H.; Li, Q.; Yang, F.; Sun, J.P.
Deposited on : 2023-09-11
Resolution : 3.10 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	362	
2	B	345	
3	R	332	
4	S	285	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	Y	71	8% 77% 21%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8532 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	227	Total	C	N	O	S	0	0
			1856	1174	333	341	8		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	336	Total	C	N	O	S	0	0
			2523	1560	450	492	21		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	MET	-	initiating methionine	UNP P62873
B	-3	GLY	-	expression tag	UNP P62873
B	-2	SER	-	expression tag	UNP P62873
B	-1	LEU	-	expression tag	UNP P62873
B	0	LEU	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873

- Molecule 3 is a protein called Trace amine-associated receptor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	R	270	Total	C	N	O	S	0	0
			1984	1327	318	326	13		


- Molecule 4 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	S	233	Total	C	N	O	S	0	0
			1769	1124	290	345	10		

- Molecule 5 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	Y	56	Total	C	N	O	S	0	0
			384	241	67	73	3		

- Molecule 6 is 2-[4-(3-fluorophenyl)phenyl]ethanamine (CCD ID: VMK) (formula: C₁₄H₁₄FN).



Mol	Chain	Residues	Atoms				AltConf
6	R	1	Total	C	F	N	0
			16	14	1	1	

SER
ARG
SER
LYS
LEU
PHE
LEU


● Molecule 4: scFv16



MET
LEU
VAL
ASN
GLN
SER
HIS
GLN
GLY
PHE
ASN
LYS
GLU
HIS
THR
SER
LYS
MET
VAL
SER
ALA
ILE
VAL
LEU
TYR
VAL
LEU
LEU
ALA
ALA
ALA
HIS
SER
ALA
PHE
ALA
72
Q3
G9
R18
C22
M34
Q39
A40
K43
I51
S52
I58
T69

170
S71
R72
L79
Q82
A92
D109
F110
A121
GLY
GLY
GLY
SER
GLY
GLY
GLY
GLY
GLY
SER
GLY
GLY
GLY
GLY
GLY
S135
A136
A143
T150
P151
R150
M169
G170
S204
T215
L219
V224
L247

● Molecule 5: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



MET
ALA
SER
ASN
THR
ALA
S8
I9
A10
Q11
A12
R13
K14
E22
F63
LYS
LYS
PHE
PHE
CYS
ALA
ILE
LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	448155	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.875	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.748	Depositor
Minimum map value	-1.707	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.076	Depositor
Recommended contour level	0.262	Depositor
Map size ($\text{\AA}$)	217.6, 217.6, 217.6	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.85, 0.85, 0.85	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VMK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/1889	0.30	0/2541
2	B	0.18	0/2569	0.32	0/3491
3	R	0.41	3/2042 (0.1%)	0.46	2/2799 (0.1%)
4	S	0.10	0/1813	0.29	0/2461
5	Y	0.33	0/390	0.36	0/534
All	All	0.25	3/8703 (0.0%)	0.35	2/11826 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	R	264	PHE	C-O	-8.55	1.14	1.24
3	R	264	PHE	CA-C	-5.63	1.46	1.53
3	R	153	TYR	C-O	-5.61	1.17	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	R	182	SER	CA-C-N	-5.30	114.26	119.93
3	R	182	SER	C-N-CA	-5.30	114.26	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1856	0	1819	21	0
2	B	2523	0	2379	26	0
3	R	1984	0	1859	20	0
4	S	1769	0	1689	17	0
5	Y	384	0	347	1	0
6	R	16	0	0	3	0
All	All	8532	0	8093	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:22:ARG:HG3	2:B:259:GLN:OE1	1.63	0.97
3:R:287:TYR:HD2	6:R:401:VMK:C07	1.79	0.95
3:R:287:TYR:CD2	6:R:401:VMK:C07	2.53	0.91
2:B:22:ARG:HH11	2:B:22:ARG:HG2	1.48	0.79
2:B:22:ARG:CG	2:B:259:GLN:OE1	2.36	0.74
2:B:230:ASN:ND2	2:B:246:ASP:OD1	2.24	0.71
2:B:22:ARG:HH11	2:B:22:ARG:CG	2.04	0.70
2:B:160:SER:HB2	2:B:190:LEU:HD23	1.74	0.69
2:B:22:ARG:HD2	2:B:258:ASP:O	1.92	0.69
4:S:69:THR:HB	4:S:82:GLN:HB3	1.77	0.66
5:Y:22:GLU:HG2	5:Y:22:GLU:O	1.97	0.63
3:R:96:LYS:HB3	3:R:159:PHE:HE1	1.64	0.63
4:S:9:GLY:O	4:S:18:ARG:NH1	2.31	0.62
4:S:224:VAL:HG22	4:S:247:LEU:HD23	1.81	0.62
4:S:40:ALA:HB3	4:S:43:LYS:HB2	1.84	0.59
3:R:183:PRO:HB3	3:R:185:PHE:HE1	1.69	0.57
1:A:348:ASP:OD1	1:A:352:ARG:NH1	2.34	0.57
1:A:309:ARG:HE	1:A:313:LEU:HD11	1.69	0.57
2:B:295:ASN:OD1	2:B:304:ARG:NH1	2.38	0.56
4:S:151:PRO:HA	4:S:219:LEU:HD22	1.87	0.56
3:R:102:ASP:OD2	6:R:401:VMK:N01	2.41	0.54
4:S:51:ILE:HB	4:S:70:ILE:HD12	1.90	0.53
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.91	0.51
1:A:268:VAL:HG21	1:A:301:VAL:HG22	1.92	0.50
4:S:58:ILE:HG23	4:S:70:ILE:HD11	1.94	0.50
1:A:223:PHE:HE2	1:A:243:ILE:HD12	1.78	0.49
1:A:332:CYS:SG	1:A:333:SER:N	2.85	0.49
2:B:266:HIS:HE1	2:B:268:ASN:OD1	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:183:PRO:HB3	3:R:185:PHE:CE1	2.48	0.49
3:R:88:TRP:CZ2	3:R:90:PHE:HB2	2.49	0.48
2:B:38:ASP:OD1	2:B:38:ASP:N	2.46	0.48
1:A:188:LYS:HG2	1:A:197:HIS:CE1	2.48	0.48
4:S:204:SER:OG	4:S:215:THR:OG1	2.32	0.48
4:S:169:ASN:OD1	4:S:170:GLY:N	2.47	0.47
2:B:34:THR:HG21	2:B:300:LEU:HB3	1.96	0.47
4:S:34:MET:HG3	4:S:79:LEU:HD13	1.97	0.47
2:B:279:SER:OG	2:B:280:LYS:N	2.46	0.46
1:A:311:GLU:O	1:A:314:ARG:HG2	2.16	0.46
2:B:254:ASP:OD1	2:B:255:LEU:N	2.48	0.46
1:A:332:CYS:O	1:A:333:SER:C	2.59	0.46
1:A:27:LYS:HA	2:B:55:LEU:HD21	1.98	0.45
2:B:229:ILE:HD12	2:B:243:THR:HG21	1.99	0.45
3:R:261:TRP:NE1	3:R:293:ASN:HD22	2.15	0.45
1:A:288:PRO:HG2	1:A:291:ALA:HB2	1.99	0.45
4:S:109:ASP:OD1	4:S:110:PHE:N	2.49	0.45
2:B:22:ARG:CD	2:B:258:ASP:O	2.64	0.45
3:R:56:PRO:HB3	3:R:139:ILE:HG13	1.98	0.44
3:R:274:LEU:HG	3:R:275:GLY:H	1.82	0.44
1:A:231:ASN:OD1	1:A:232:ARG:HG3	2.17	0.44
3:R:121:TYR:O	3:R:125:CYS:HB2	2.17	0.44
4:S:39:GLN:O	4:S:92:ALA:HB1	2.18	0.44
2:B:275:SER:HB2	2:B:318:LEU:HD13	2.00	0.44
2:B:234:PHE:CE2	2:B:238:GLY:HA2	2.53	0.44
4:S:52:SER:O	4:S:72:ARG:NH1	2.51	0.43
1:A:277:ASP:OD1	1:A:277:ASP:N	2.51	0.43
3:R:88:TRP:CZ3	3:R:95:CYS:HB2	2.53	0.43
4:S:3:GLN:HE21	4:S:3:GLN:HB2	1.70	0.43
2:B:266:HIS:CE1	2:B:268:ASN:OD1	2.71	0.43
1:A:285:TYR:OH	1:A:310:ASP:OD2	2.28	0.43
1:A:313:LEU:HD21	1:A:328:PRO:HG3	1.99	0.43
2:B:220:GLN:NE2	2:B:258:ASP:OD2	2.38	0.43
4:S:22:CYS:HB3	4:S:79:LEU:HB3	2.00	0.43
1:A:231:ASN:OD1	1:A:232:ARG:N	2.52	0.42
1:A:210:LYS:HD3	1:A:210:LYS:HA	1.79	0.42
3:R:70:LEU:HB3	3:R:105:LEU:HD21	2.02	0.42
3:R:112:HIS:O	3:R:116:ILE:HG13	2.20	0.42
1:A:309:ARG:HE	1:A:313:LEU:CD1	2.31	0.42
4:S:135:SER:OG	4:S:136:ALA:N	2.52	0.42
3:R:208:VAL:O	3:R:212:ILE:HG13	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:264:PHE:CD1	3:R:264:PHE:C	2.98	0.42
2:B:233:CYS:O	2:B:241:PHE:HB2	2.20	0.41
2:B:186:ASP:N	2:B:186:ASP:OD1	2.50	0.41
3:R:96:LYS:O	3:R:99:THR:HG22	2.21	0.41
3:R:182:SER:O	3:R:183:PRO:C	2.62	0.41
1:A:229:ASP:HB3	1:A:231:ASN:OD1	2.20	0.41
3:R:119:ASP:OD1	3:R:120:ARG:N	2.53	0.41
2:B:51:LEU:HB2	2:B:336:LEU:HB2	2.03	0.41
3:R:172:ARG:O	3:R:177:ASP:N	2.53	0.41
1:A:27:LYS:HB2	2:B:55:LEU:HD11	2.03	0.41
2:B:22:ARG:CB	2:B:22:ARG:NH1	2.84	0.41
1:A:269:LEU:HB2	1:A:300:ARG:HH21	1.85	0.40
4:S:160:ARG:HE	4:S:160:ARG:HB3	1.71	0.40
1:A:250:ARG:O	1:A:251:THR:OG1	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/362 (60%)	212 (98%)	5 (2%)	0	100	100
2	B	332/345 (96%)	320 (96%)	12 (4%)	0	100	100
3	R	266/332 (80%)	249 (94%)	17 (6%)	0	100	100
4	S	229/285 (80%)	217 (95%)	12 (5%)	0	100	100
5	Y	54/71 (76%)	51 (94%)	3 (6%)	0	100	100
All	All	1098/1395 (79%)	1049 (96%)	49 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/316 (63%)	197 (99%)	2 (1%)	68	79
2	B	264/287 (92%)	262 (99%)	2 (1%)	73	81
3	R	185/295 (63%)	183 (99%)	2 (1%)	65	78
4	S	192/228 (84%)	191 (100%)	1 (0%)	81	85
5	Y	33/58 (57%)	33 (100%)	0	100	100
All	All	873/1184 (74%)	866 (99%)	7 (1%)	70	81

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	321	ASP
1	A	333	SER
2	B	22	ARG
2	B	44	GLN
3	R	96	LYS
3	R	153	TYR
4	S	3	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	234	GLN
2	B	266	HIS
3	R	293	ASN
4	S	194	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	VMK	R	401	-	17,17,17	0.56	0	22,22,22	1.03	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	VMK	R	401	-	-	7/7/7/7	0/2/2/2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	401	VMK	C12-C11-C10	-2.46	119.99	123.23

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	401	VMK	C02-C07-C08-N01
6	R	401	VMK	C04-C05-C09-C10
6	R	401	VMK	C06-C05-C09-C14
6	R	401	VMK	C03-C02-C07-C08
6	R	401	VMK	C04-C05-C09-C14
6	R	401	VMK	C06-C05-C09-C10
6	R	401	VMK	C01-C02-C07-C08

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	R	401	VMK	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37433. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 139




Y Index: 142




Z Index: 101


6.3.2 Raw map



X Index: 140



Y Index: 142




Z Index: 109


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.262. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 69 nm³; this corresponds to an approximate mass of 63 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.47	3.97	3.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.47 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37433 and PDB model 8WC7. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.262 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.262).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.262) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8980	0.5380
A	0.8960	0.5330
B	0.9390	0.5700
R	0.8640	0.5000
S	0.9060	0.5510
Y	0.7780	0.4940

