



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:49 AM UTC

PDB ID : 1WDA / pdb_00001wda
Title : Crystal structure of human peptidylarginine deiminase type4 (PAD4) in complex with benzoyl-L-arginine amide
Authors : Arita, K.; Hashimoto, H.; Shimizu, T.; Nakashima, K.; Yamada, M.; Sato, M.
Deposited on : 2004-05-12
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	670	13% 70% 20% 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein-arginine deiminase type IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	628	Total	C	N	O	S	26	0	0
			4946	3158	829	925	34			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	GLY	-	expression tag	UNP Q9UM07
A	-5	PRO	-	expression tag	UNP Q9UM07
A	-4	LEU	-	expression tag	UNP Q9UM07
A	-3	GLY	-	expression tag	UNP Q9UM07
A	-2	SER	-	expression tag	UNP Q9UM07
A	-1	PRO	-	expression tag	UNP Q9UM07
A	0	GLN	-	expression tag	UNP Q9UM07
A	645	ALA	CYS	engineered mutation	UNP Q9UM07

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	5	Total	Ca	0	0
			5	5		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is N-[(E)-2-AMINO-1-(3-{[AMINO(IMINO)METHYL]AMINO}PROPYL)-2-HYDROXYVINYL]BENZAMIDE (CCD ID: BAG) (formula: $C_{13}H_{19}N_5O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			20	13	5	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	159	Total	O	0	0
			159	159		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein-arginine deiminase type IV



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	146.13Å 60.05Å 115.41Å 90.00° 124.23° 90.00°	Depositor
Resolution (Å)	42.52 – 2.30 42.52 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.9 (42.52-2.30) 97.9 (42.52-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.79 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.210 , 0.252 0.213 , 0.250	Depositor DCC
R_{free} test set	3661 reflections (10.08%)	wwPDB-VP
Wilson B-factor (Å ²)	46.5	Xtriage
Anisotropy	0.782	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5145	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CA, BAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	4/5065 (0.1%)	1.00	11/6873 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	519	LYS	CB-CG	-16.17	1.03	1.52
1	A	520	LYS	CB-CG	-7.51	1.29	1.52
1	A	521	LYS	CB-CG	5.34	1.68	1.52
1	A	381	ILE	CA-CB	5.13	1.61	1.54

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	455	GLN	CB-CA-C	-9.82	97.22	111.95
1	A	284	VAL	CB-CA-C	-8.19	103.86	111.06
1	A	412	VAL	CB-CA-C	-8.03	96.33	110.71
1	A	601	PRO	CA-C-N	-7.47	111.87	122.41
1	A	601	PRO	C-N-CA	-7.47	111.87	122.41
1	A	601	PRO	N-CA-C	-6.88	99.56	111.32
1	A	137	ARG	CA-CB-CG	6.76	127.62	114.10
1	A	455	GLN	CA-C-O	-6.01	115.00	122.03
1	A	203	VAL	CB-CA-C	-5.80	101.41	110.69
1	A	392	VAL	CB-CA-C	-5.30	101.64	111.18
1	A	455	GLN	CA-CB-CG	5.27	124.64	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4946	0	4906	82	0
2	A	5	0	0	0	0
3	A	15	0	0	0	0
4	A	20	0	18	0	0
5	A	159	0	0	5	0
All	All	5145	0	4924	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:662:VAL:O	1:A:662:VAL:HG23	1.83	0.78
1:A:312:SER:HB2	1:A:316:ASN:HD21	1.54	0.73
1:A:311:CYS:HB3	1:A:348:MET:HE2	1.71	0.73
1:A:311:CYS:SG	1:A:311:CYS:O	2.47	0.72
1:A:601:PRO:O	5:A:964:HOH:O	2.08	0.71
1:A:367:VAL:HG21	1:A:384:VAL:HG11	1.71	0.70
1:A:441:ARG:HH11	1:A:441:ARG:HG3	1.57	0.70
1:A:298:MET:HE2	1:A:412:VAL:HG22	1.78	0.66
1:A:312:SER:OG	1:A:320:LEU:HG	1.96	0.64
1:A:367:VAL:HG21	1:A:384:VAL:CG1	2.27	0.64
1:A:484:ARG:O	1:A:485:LYS:HB2	1.99	0.62
1:A:351:GLU:OE2	1:A:372:ARG:HG3	2.00	0.62
1:A:123:ARG:HD3	1:A:659:TRP:CD1	2.36	0.60
1:A:310:ALA:O	1:A:336:ILE:HA	2.01	0.60
1:A:485:LYS:HB2	5:A:952:HOH:O	2.02	0.60
1:A:484:ARG:O	1:A:484:ARG:HG3	2.01	0.59
1:A:311:CYS:HB2	1:A:337:CYS:HB3	1.84	0.59
1:A:354:ILE:CD1	1:A:367:VAL:HG22	2.32	0.59
1:A:354:ILE:HD12	1:A:367:VAL:HG22	1.83	0.58
1:A:662:VAL:O	1:A:662:VAL:CG2	2.52	0.57
1:A:313:ILE:HB	1:A:338:PRO:HA	1.87	0.56
1:A:352:MET:HE3	1:A:354:ILE:HD11	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ASN:HB3	1:A:166:CYS:HB3	1.86	0.56
1:A:484:ARG:O	5:A:952:HOH:O	2.18	0.56
1:A:334:LEU:HD11	1:A:336:ILE:HD11	1.86	0.55
1:A:316:ASN:OD1	1:A:317:GLU:N	2.39	0.55
1:A:67:THR:N	1:A:97:TYR:HH	2.05	0.53
1:A:586:MET:HA	1:A:599:PRO:HG2	1.90	0.53
1:A:26:GLN:OE1	1:A:77:THR:HB	2.07	0.53
1:A:195:THR:HG22	1:A:196:ASN:ND2	2.22	0.53
1:A:45:SER:OG	1:A:90:GLN:NE2	2.41	0.53
1:A:350:ASP:HB3	1:A:406:SER:HB2	1.92	0.52
1:A:307:GLU:OE2	1:A:335:THR:CG2	2.58	0.51
1:A:278:GLU:O	1:A:279:LEU:HD23	2.11	0.51
1:A:484:ARG:O	1:A:485:LYS:CB	2.59	0.51
1:A:600:LYS:NZ	5:A:995:HOH:O	2.43	0.51
1:A:351:GLU:HG3	1:A:376:LEU:HB3	1.93	0.50
1:A:10:THR:HG23	1:A:32:SER:HB3	1.94	0.50
1:A:594:LYS:HD2	1:A:594:LYS:N	2.27	0.50
1:A:203:VAL:HG23	1:A:229:LEU:HD13	1.94	0.50
1:A:203:VAL:CG2	1:A:229:LEU:HD13	2.41	0.50
1:A:298:MET:HE3	1:A:353:GLU:CD	2.37	0.50
1:A:367:VAL:HG23	1:A:389:PHE:CE2	2.48	0.49
1:A:307:GLU:OE2	1:A:335:THR:HG21	2.12	0.49
1:A:366:VAL:HG22	1:A:390:GLY:HA3	1.95	0.48
1:A:535:LEU:HD22	1:A:539:ASN:ND2	2.28	0.48
1:A:201:LEU:HD13	1:A:229:LEU:HD11	1.95	0.48
1:A:10:THR:HG23	1:A:32:SER:CB	2.44	0.48
1:A:514:LEU:HD23	1:A:603:GLY:HA2	1.96	0.47
1:A:311:CYS:CB	1:A:337:CYS:HB3	2.44	0.47
1:A:635:THR:HG23	1:A:636:TYR:HD1	1.80	0.46
1:A:427:ARG:HG2	1:A:460:VAL:HG23	1.97	0.46
1:A:313:ILE:CB	1:A:338:PRO:HA	2.46	0.46
1:A:312:SER:O	1:A:320:LEU:HD11	2.16	0.45
1:A:67:THR:N	1:A:97:TYR:OH	2.50	0.45
1:A:307:GLU:OE1	1:A:650:ARG:NH1	2.51	0.44
1:A:594:LYS:HA	1:A:625:LEU:HD12	2.00	0.44
1:A:139:TRP:CD1	1:A:147:GLY:HA3	2.52	0.44
1:A:632:ASP:OD1	1:A:642:GLU:OE2	2.36	0.44
1:A:354:ILE:HG21	1:A:650:ARG:HG3	2.01	0.43
1:A:542:VAL:HG11	1:A:571:PHE:CD1	2.54	0.43
1:A:29:ILE:CD1	1:A:76:VAL:HG21	2.49	0.43
1:A:312:SER:O	1:A:316:ASN:ND2	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:GLU:O	1:A:187:THR:HA	2.18	0.42
1:A:401:ILE:HD12	1:A:401:ILE:HA	1.84	0.42
1:A:29:ILE:HD11	1:A:42:ILE:HD11	2.01	0.42
1:A:80:MET:CE	1:A:90:GLN:HG3	2.49	0.42
1:A:123:ARG:HG2	1:A:149:ILE:HD13	2.01	0.41
1:A:312:SER:HB2	1:A:320:LEU:CD1	2.50	0.41
1:A:448:GLN:HE22	1:A:461:LYS:HE2	1.84	0.41
1:A:538:HIS:CD2	1:A:573:LEU:H	2.38	0.41
1:A:98:GLY:HA3	1:A:99:PRO:HD2	1.90	0.41
1:A:484:ARG:O	1:A:484:ARG:CG	2.68	0.41
1:A:141:TRP:HB3	1:A:661:MET:O	2.20	0.41
1:A:201:LEU:HD13	1:A:229:LEU:CD1	2.51	0.41
1:A:236:HIS:HE1	5:A:1047:HOH:O	2.03	0.41
1:A:312:SER:HB2	1:A:320:LEU:HD11	2.01	0.41
1:A:231:PRO:O	1:A:232:LYS:HG2	2.21	0.41
1:A:590:LEU:HG	1:A:592:LEU:HD13	2.02	0.41
1:A:583:PHE:HB2	1:A:584:PRO:HD2	2.03	0.40
1:A:441:ARG:HG3	1:A:441:ARG:NH1	2.31	0.40
1:A:583:PHE:O	1:A:584:PRO:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	618/670 (92%)	584 (94%)	29 (5%)	5 (1%)	16 20

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	485	LYS
1	A	484	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	159	LEU
1	A	315	GLU
1	A	458	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	558/592 (94%)	478 (86%)	80 (14%)	3 3

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	10	THR
1	A	24	LEU
1	A	26	GLN
1	A	27	LEU
1	A	38	THR
1	A	39	SER
1	A	51	ASP
1	A	70	LEU
1	A	71	ASP
1	A	77	THR
1	A	79	THR
1	A	86	SER
1	A	105	LYS
1	A	110	LEU
1	A	116	SER
1	A	117	LEU
1	A	138	THR
1	A	150	LEU
1	A	159	LEU
1	A	161	SER
1	A	162	SER
1	A	167	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	169	ASP
1	A	173	ASP
1	A	175	GLU
1	A	185	LEU
1	A	195	THR
1	A	198	THR
1	A	201	LEU
1	A	203	VAL
1	A	227	VAL
1	A	232	LYS
1	A	244	LYS
1	A	275	SER
1	A	276	ASN
1	A	314	PHE
1	A	315	GLU
1	A	316	ASN
1	A	317	GLU
1	A	323	VAL
1	A	331	LYS
1	A	333	LYS
1	A	334	LEU
1	A	335	THR
1	A	343	MET
1	A	376	LEU
1	A	381	ILE
1	A	401	ILE
1	A	404	LEU
1	A	412	VAL
1	A	416	VAL
1	A	427	ARG
1	A	429	LEU
1	A	484	ARG
1	A	489	LEU
1	A	500	LEU
1	A	504	GLN
1	A	514	LEU
1	A	516	GLU
1	A	520	LYS
1	A	522	LYS
1	A	529	ILE
1	A	530	LEU
1	A	535	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	552	LEU
1	A	557	LEU
1	A	570	LEU
1	A	574	LYS
1	A	575	GLU
1	A	584	PRO
1	A	592	LEU
1	A	594	LYS
1	A	606	ILE
1	A	609	ARG
1	A	614	GLU
1	A	625	LEU
1	A	635	THR
1	A	639	ARG
1	A	655	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	178	GLN
1	A	196	ASN
1	A	236	HIS
1	A	246	ASN
1	A	303	GLN
1	A	448	GLN
1	A	509	HIS
1	A	523	GLN
1	A	538	HIS
1	A	626	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 5 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BAG	A	801	-	19,20,20	5.20	12 (63%)	19,25,25	2.43	4 (21%)
3	SO4	A	907	-	4,4,4	0.29	0	6,6,6	0.22	0
3	SO4	A	905	-	4,4,4	0.27	0	6,6,6	0.24	0
3	SO4	A	906	-	4,4,4	0.15	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BAG	A	801	-	-	1/15/19/19	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	801	BAG	C11-C10	9.26	1.53	1.39
4	A	801	BAG	C12-C10	8.72	1.52	1.39
4	A	801	BAG	C13-C11	8.24	1.53	1.38
4	A	801	BAG	C14-C12	8.05	1.52	1.38
4	A	801	BAG	O2-C1	-7.24	1.21	1.30
4	A	801	BAG	C15-C13	6.68	1.52	1.38
4	A	801	BAG	C14-C15	6.17	1.51	1.38
4	A	801	BAG	C17-N16	5.83	1.47	1.35
4	A	801	BAG	CZ-NE	4.41	1.41	1.33
4	A	801	BAG	CZ-NH1	3.68	1.45	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	801	BAG	CZ-NH2	2.52	1.43	1.34
4	A	801	BAG	C8-N16	-2.21	1.34	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	801	BAG	C8-N16-C17	-6.93	117.83	127.92
4	A	801	BAG	C10-C8-N16	5.08	123.58	116.25
4	A	801	BAG	O2-C1-N18	3.73	123.11	117.69
4	A	801	BAG	O9-C8-C10	-2.23	116.48	120.90

There are no chirality outliers.


All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	801	BAG	N16-C17-C3-C4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	628/670 (93%)	0.94	88 (14%) 6 7	24, 45, 69, 83	6 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	313	ILE	6.4
1	A	312	SER	5.9
1	A	4	GLY	4.9
1	A	52	ILE	4.7
1	A	314	PHE	4.6
1	A	159	LEU	4.5
1	A	102	PRO	4.4
1	A	97	TYR	4.2
1	A	101	THR	4.1
1	A	484	ARG	3.9
1	A	125	GLY	3.9
1	A	70	LEU	3.8
1	A	315	GLU	3.6
1	A	345	ASP	3.5
1	A	521	LYS	3.5
1	A	107	LEU	3.5
1	A	342	ASN	3.3
1	A	316	ASN	3.2
1	A	157	ASP	3.2
1	A	69	PRO	3.2
1	A	381	ILE	3.2
1	A	33	ALA	3.1
1	A	26	GLN	3.1
1	A	99	PRO	3.1
1	A	311	CYS	3.1
1	A	608	GLY	3.1
1	A	343	MET	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	520	LYS	3.1
1	A	78	LEU	2.9
1	A	522	LYS	2.9
1	A	124	THR	2.9
1	A	24	LEU	2.9
1	A	49	VAL	2.9
1	A	161	SER	2.9
1	A	6	LEU	2.8
1	A	96	TYR	2.8
1	A	106	ALA	2.8
1	A	347	TRP	2.8
1	A	518	ILE	2.8
1	A	13	GLN	2.8
1	A	136	GLN	2.8
1	A	635	THR	2.8
1	A	76	VAL	2.8
1	A	328	MET	2.7
1	A	275	SER	2.7
1	A	17	ALA	2.7
1	A	601	PRO	2.7
1	A	34	PRO	2.6
1	A	645	ALA	2.5
1	A	38	THR	2.5
1	A	92	VAL	2.5
1	A	83	ALA	2.5
1	A	11	PRO	2.5
1	A	100	LYS	2.5
1	A	95	SER	2.4
1	A	51	ASP	2.4
1	A	631	ASN	2.4
1	A	25	THR	2.4
1	A	50	VAL	2.4
1	A	104	VAL	2.4
1	A	662	VAL	2.4
1	A	455	GLN	2.4
1	A	162	SER	2.3
1	A	35	GLU	2.3
1	A	575	GLU	2.3
1	A	663	PRO	2.3
1	A	406	SER	2.3
1	A	638	ILE	2.3
1	A	23	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	94	ILE	2.3
1	A	160	GLU	2.2
1	A	39	SER	2.2
1	A	634	PHE	2.2
1	A	126	LYS	2.2
1	A	105	LYS	2.1
1	A	46	PRO	2.1
1	A	98	GLY	2.1
1	A	9	VAL	2.1
1	A	7	ILE	2.1
1	A	320	LEU	2.1
1	A	519	LYS	2.1
1	A	68	TRP	2.1
1	A	10	THR	2.0
1	A	217	THR	2.0
1	A	29	ILE	2.0
1	A	41	SER	2.0
1	A	77	THR	2.0
1	A	44	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	906	5/5	0.78	0.17	69,70,72,72	0
3	SO4	A	907	5/5	0.85	0.15	72,73,73,73	0
4	BAG	A	801	20/20	0.87	0.13	40,44,57,57	0
3	SO4	A	905	5/5	0.89	0.11	69,71,71,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	A	903	1/1	0.93	0.08	50,50,50,50	0
2	CA	A	904	1/1	0.95	0.11	47,47,47,47	0
2	CA	A	902	1/1	0.96	0.07	51,51,51,51	0
2	CA	A	901	1/1	0.98	0.11	41,41,41,41	0
2	CA	A	900	1/1	0.99	0.05	35,35,35,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.