



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 01:44 PM EDT

PDB ID : 3WDY / pdb_00003wdy
Title : The complex structure of E113A with cellotetraose
Authors : Cheng, Y.S.; Huang, C.H.; Chen, C.C.; Huang, T.Y.; Ko, T.P.; Huang, J.W.;
Wu, T.H.; Liu, J.R.; Guo, R.T.
Deposited on : 2013-06-25
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	87% 13%
1	B	296	90% 10%
1	C	296	6% 81% 17% .
1	D	296	88% 12%
2	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 50%50%
2	H	2	 50%50%
3	G	4	 50%50%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10122 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-1,3-1,4-glucanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	0	0
			2252	1418	386	437	11			
1	B	296	Total	C	N	O	S	0	0	0
			2252	1418	386	437	11			
1	C	293	Total	C	N	O	S	0	0	0
			2231	1407	382	431	11			
1	D	296	Total	C	N	O	S	0	0	0
			2252	1418	386	437	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	113	ALA	GLU	engineered mutation	UNP E0XN39
B	113	ALA	GLU	engineered mutation	UNP E0XN39
C	113	ALA	GLU	engineered mutation	UNP E0XN39
D	113	ALA	GLU	engineered mutation	UNP E0XN39

- Molecule 2 is an oligosaccharide called beta-D-glucopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	E	2	Total	C	O	0	0	0
			23	12	11			
2	F	2	Total	C	O	0	0	0
			23	12	11			
2	H	2	Total	C	O	0	0	0
			23	12	11			


- Molecule 3 is an oligosaccharide called beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1

-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	G	4	Total	C	O	0	0	0
			45	24	21			

- Molecule 4 is beta-D-glucopyranose (CCD ID: BGC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			12	6	6		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	294	Total	O	0	0
			294	294		
6	B	237	Total	O	0	0
			237	237		
6	C	216	Total	O	0	0
			216	216		
6	D	257	Total	O	0	0
			257	257		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-1,3-1,4-glucanase




• Molecule 1: Beta-1,3-1,4-glucanase




• Molecule 1: Beta-1,3-1,4-glucanase



• Molecule 1: Beta-1,3-1,4-glucanase





- Molecule 2: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain E: 50% 50%



- Molecule 2: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain F: 50% 50%



- Molecule 2: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain H: 50% 50%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain G: 50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.28Å 92.31Å 98.32Å 90.00° 100.57° 90.00°	Depositor
Resolution (Å)	24.67 – 1.94 24.67 – 1.94	Depositor EDS
% Data completeness (in resolution range)	95.4 (24.67-1.94) 95.3 (24.67-1.94)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 1.93Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.184 , 0.222 0.187 , 0.222	Depositor DCC
R_{free} test set	4682 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	23.9	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10122	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0200e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/2321	1.00	11/3163 (0.3%)
1	B	0.47	0/2321	0.99	9/3163 (0.3%)
1	C	0.48	0/2299	0.99	11/3132 (0.4%)
1	D	0.48	0/2321	0.99	6/3163 (0.2%)
All	All	0.48	0/9262	0.99	37/12621 (0.3%)

There are no bond length outliers.

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	60	PRO	N-CA-C	-7.85	98.89	111.14
1	D	100	PHE	N-CA-C	-7.58	96.05	108.41
1	B	60	PRO	N-CA-C	-7.47	99.49	111.14
1	B	100	PHE	N-CA-C	-7.21	96.65	108.41
1	A	59	ASN	N-CA-C	7.10	119.02	110.07
1	D	60	PRO	N-CA-C	-7.01	100.20	111.14
1	C	288	VAL	N-CA-C	6.74	118.55	108.23
1	D	59	ASN	N-CA-C	6.67	118.47	110.07
1	A	281	PHE	N-CA-C	6.66	120.32	112.72
1	A	288	VAL	N-CA-C	6.57	118.28	108.23
1	A	141	ASP	N-CA-C	6.55	119.84	109.81
1	A	100	PHE	N-CA-C	-6.52	97.79	108.41
1	C	6	ASP	N-CA-C	-6.37	98.14	108.52
1	B	59	ASN	N-CA-C	6.32	118.61	110.39
1	B	276	ASP	N-CA-C	6.32	120.99	113.16
1	C	263	CYS	N-CA-C	-6.18	105.74	113.28
1	C	60	PRO	N-CA-C	-6.18	101.50	111.14
1	C	261	GLY	N-CA-C	5.96	127.31	113.18
1	D	276	ASP	N-CA-C	5.96	120.55	113.16
1	A	133	SER	N-CA-C	-5.86	102.98	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	288	VAL	N-CA-C	5.85	117.19	108.23
1	D	281	PHE	N-CA-C	5.76	119.29	112.72
1	C	281	PHE	N-CA-C	5.76	119.29	112.72
1	B	281	PHE	N-CA-C	5.74	119.98	112.92
1	C	59	ASN	N-CA-C	5.68	117.78	110.39
1	C	252	ASP	N-CA-C	5.62	118.94	111.75
1	A	87	ALA	N-CA-C	-5.58	105.97	112.89
1	C	93	VAL	N-CA-C	5.53	116.55	108.58
1	A	276	ASP	N-CA-C	5.48	119.95	113.16
1	C	100	PHE	N-CA-C	-5.42	98.53	108.02
1	A	252	ASP	N-CA-C	5.40	117.87	111.33
1	B	158	GLY	N-CA-C	5.24	120.50	114.16
1	C	276	ASP	N-CA-C	5.23	119.76	113.17
1	B	156	ALA	CA-C-N	5.13	126.25	119.84
1	B	156	ALA	C-N-CA	5.13	126.25	119.84
1	A	250	CYS	CB-CA-C	-5.01	110.78	116.54
1	D	252	ASP	N-CA-C	5.01	117.39	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2252	0	2042	22	0
1	B	2252	0	2042	16	0
1	C	2231	0	2026	33	0
1	D	2252	0	2042	24	0
2	E	23	0	21	1	0
2	F	23	0	21	2	0
2	H	23	0	21	1	0
3	G	45	0	39	0	0
4	C	12	0	12	0	0
5	C	5	0	0	0	0
6	A	294	0	0	5	0
6	B	237	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	216	0	0	3	0
6	D	257	0	0	0	0
All	All	10122	0	8266	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:151:ASN:H	1:D:159:GLN:HE22	1.09	0.91
1:D:260:ILE:HD12	1:D:261:GLY:N	1.92	0.84
1:C:260:ILE:HG23	1:C:261:GLY:N	2.06	0.70
1:A:79:HIS:HE1	1:A:235:GLU:OE1	1.76	0.69
1:C:130:LEU:HB2	1:C:165:CYS:SG	2.32	0.69
1:D:151:ASN:H	1:D:159:GLN:NE2	1.89	0.66
1:A:105:THR:HG21	6:A:632:HOH:O	1.96	0.66
1:C:260:ILE:O	1:C:262:GLY:N	2.26	0.66
1:A:130:LEU:HB2	1:A:165:CYS:SG	2.36	0.65
1:D:151:ASN:N	1:D:159:GLN:HE22	1.91	0.65
1:C:153:TYR:HB3	1:C:156:ALA:HB2	1.79	0.64
1:B:149:THR:HB	1:B:159:GLN:NE2	2.14	0.62
1:C:295:ALA:HB2	6:C:611:HOH:O	2.00	0.60
1:A:147:LEU:C	1:A:147:LEU:HD23	2.26	0.59
1:A:102:THR:HB	1:A:241:GLN:HB3	1.83	0.59
1:A:239:ASN:HB2	6:A:565:HOH:O	2.02	0.58
1:C:210:VAL:HG13	1:C:211:LEU:HG	1.85	0.58
1:D:260:ILE:HD12	1:D:260:ILE:C	2.30	0.57
1:B:79:HIS:HE1	1:B:235:GLU:OE1	1.87	0.57
1:A:260:ILE:HG13	1:A:261:GLY:N	2.18	0.56
1:A:235:GLU:OE1	1:A:235:GLU:HA	2.06	0.56
1:A:162:ASN:ND2	6:A:693:HOH:O	2.38	0.55
1:D:162:ASN:HD22	2:H:1:BGC:H5	1.72	0.54
1:C:138:ILE:HD11	1:C:147:LEU:HD11	1.88	0.54
1:D:138:ILE:HG22	1:D:234:TRP:HH2	1.73	0.54
1:A:159:GLN:HG3	1:B:260:ILE:CG2	2.38	0.53
1:D:130:LEU:HB2	1:D:165:CYS:SG	2.49	0.53
1:A:36:ASP:HB3	6:A:681:HOH:O	2.09	0.52
1:B:151:ASN:H	1:B:159:GLN:HE22	1.58	0.52
1:C:144:THR:OG1	1:C:224:ALA:HA	2.09	0.52
1:C:194:ASN:HD22	1:C:194:ASN:N	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:207:PRO:HG2	1:D:210:VAL:HB	1.92	0.52
1:A:159:GLN:HG3	1:B:260:ILE:HG22	1.93	0.51
1:C:75:ASN:ND2	6:C:494:HOH:O	2.44	0.51
1:D:217:PRO:HA	1:D:220:TRP:CD2	2.46	0.51
1:D:140:ASN:O	1:D:141:ASP:HB3	2.10	0.50
1:C:154:VAL:HG23	1:C:155:TYR:CD2	2.47	0.50
1:C:102:THR:HB	1:C:241:GLN:HB3	1.92	0.50
1:C:71:LEU:HD12	1:C:71:LEU:N	2.27	0.49
1:B:130:LEU:HB2	1:B:165:CYS:SG	2.53	0.49
1:D:138:ILE:HG22	1:D:234:TRP:CH2	2.47	0.49
1:D:79:HIS:HE1	1:D:235:GLU:OE1	1.96	0.49
1:C:122:ASP:OD2	1:C:261:GLY:O	2.31	0.48
1:C:99:ALA:HA	1:C:117:ILE:O	2.13	0.48
1:B:61:ALA:HB3	1:B:275:ARG:HA	1.95	0.48
1:A:192:THR:HB	1:A:193:PRO:HD2	1.95	0.48
1:A:76:THR:HG22	1:A:242:ARG:HB3	1.96	0.47
1:C:101:TRP:HB3	1:C:115:ASP:HA	1.97	0.47
1:C:134:ASP:OD1	1:C:135:GLY:N	2.48	0.47
1:A:79:HIS:CE1	1:A:235:GLU:OE1	2.63	0.46
1:B:147:LEU:HD23	1:B:147:LEU:C	2.40	0.46
1:A:217:PRO:HA	1:A:220:TRP:CD2	2.51	0.46
1:B:102:THR:HB	1:B:241:GLN:HB3	1.98	0.46
1:B:79:HIS:CE1	1:B:235:GLU:OE1	2.67	0.46
1:B:239:ASN:HB2	6:B:523:HOH:O	2.16	0.46
1:C:217:PRO:HA	1:C:220:TRP:CD2	2.51	0.45
1:A:246:ASP:OD1	1:A:246:ASP:C	2.59	0.45
1:C:194:ASN:N	1:C:194:ASN:ND2	2.64	0.45
1:D:147:LEU:C	1:D:147:LEU:HD23	2.42	0.45
1:A:130:LEU:HG	1:A:227:PHE:CD2	2.53	0.44
1:C:138:ILE:HG22	1:C:234:TRP:CH2	2.53	0.44
1:C:202:PRO:HD2	1:C:205:SER:OG	2.18	0.44
1:B:235:GLU:OE1	1:B:235:GLU:HA	2.17	0.44
1:C:140:ASN:HB3	6:C:495:HOH:O	2.18	0.44
1:D:71:LEU:N	1:D:71:LEU:HD12	2.33	0.44
2:F:1:BGC:H6C2	2:F:2:BGC:O2	2.18	0.44
1:D:76:THR:HG22	1:D:242:ARG:HB3	2.00	0.43
1:B:160:ASP:HB3	2:F:2:BGC:H4	2.01	0.43
1:C:71:LEU:O	1:C:244:ILE:HA	2.19	0.43
1:C:130:LEU:HG	1:C:227:PHE:CD2	2.53	0.43
1:C:103:LEU:HD23	1:C:242:ARG:NH2	2.34	0.43
1:A:155:TYR:CE2	1:D:154:VAL:HG21	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ASP:HB2	1:A:30:VAL:CG1	2.49	0.42
1:A:211:LEU:HA	6:A:420:HOH:O	2.18	0.42
1:C:140:ASN:HB2	1:C:147:LEU:HD22	2.00	0.42
1:C:193:PRO:O	1:C:234:TRP:HB2	2.19	0.42
1:A:160:ASP:CB	2:E:2:BGC:H4	2.49	0.42
1:C:154:VAL:O	1:C:162:ASN:HA	2.20	0.42
1:C:257:VAL:O	1:C:260:ILE:HG22	2.19	0.42
1:D:257:VAL:O	1:D:260:ILE:HG13	2.19	0.42
1:C:138:ILE:HG22	1:C:234:TRP:HH2	1.85	0.42
1:D:71:LEU:O	1:D:244:ILE:HA	2.20	0.42
1:B:217:PRO:HA	1:B:220:TRP:CD2	2.55	0.41
1:D:79:HIS:CE1	1:D:193:PRO:HG3	2.56	0.41
1:B:76:THR:HB	1:B:240:ALA:HB1	2.03	0.41
1:D:102:THR:HA	1:D:242:ARG:O	2.19	0.41
1:C:76:THR:HG22	1:C:242:ARG:HB3	2.03	0.41
1:C:200:PHE:CE2	1:C:202:PRO:HG3	2.56	0.41
1:B:287:LEU:HD12	1:B:287:LEU:HA	1.88	0.40
1:C:102:THR:HA	1:C:242:ARG:O	2.20	0.40
1:D:102:THR:HB	1:D:241:GLN:HB3	2.03	0.40
1:D:103:LEU:HD23	1:D:242:ARG:NH2	2.37	0.40
1:D:260:ILE:C	1:D:260:ILE:CD1	2.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	294/296 (99%)	287 (98%)	7 (2%)	0	100	100
1	B	294/296 (99%)	287 (98%)	7 (2%)	0	100	100
1	C	289/296 (98%)	276 (96%)	11 (4%)	2 (1%)	18	9
1	D	294/296 (99%)	285 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1171/1184 (99%)	1135 (97%)	34 (3%)	2 (0%)	43 37

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	261	GLY
1	C	260	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	228/228 (100%)	226 (99%)	2 (1%)	70 67
1	B	228/228 (100%)	226 (99%)	2 (1%)	70 67
1	C	226/228 (99%)	226 (100%)	0	100 100
1	D	228/228 (100%)	225 (99%)	3 (1%)	61 54
All	All	910/912 (100%)	903 (99%)	7 (1%)	73 71

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	ASP
1	A	148	LYS
1	B	5	ASP
1	B	246	ASP
1	D	78	GLU
1	D	109	PRO
1	D	127	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	75	ASN
1	A	79	HIS
1	B	75	ASN
1	B	79	HIS
1	B	140	ASN
1	B	159	GLN
1	B	256	ASN
1	C	75	ASN
1	C	162	ASN
1	C	194	ASN
1	C	214	ASN
1	C	241	GLN
1	C	269	ASN
1	D	27	HIS
1	D	75	ASN
1	D	79	HIS
1	D	159	GLN
1	D	194	ASN
1	D	216	ASN
1	D	219	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	E	1	2	12,12,12	1.02	1 (8%)	17,17,17	0.79	0
2	BGC	E	2	2	11,11,12	0.97	1 (9%)	15,15,17	0.83	0
2	BGC	F	1	2	12,12,12	1.02	0	17,17,17	0.79	0
2	BGC	F	2	2	11,11,12	1.17	2 (18%)	15,15,17	0.78	0
3	BGC	G	1	3	12,12,12	0.89	0	17,17,17	1.06	0
3	BGC	G	2	3	11,11,12	0.71	0	15,15,17	0.80	0
3	BGC	G	3	3	11,11,12	1.13	1 (9%)	15,15,17	0.93	1 (6%)
3	BGC	G	4	3	11,11,12	0.91	1 (9%)	15,15,17	0.96	1 (6%)
2	BGC	H	1	2	12,12,12	0.94	0	17,17,17	0.81	0
2	BGC	H	2	2	11,11,12	1.02	0	15,15,17	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	E	1	2	-	2/2/22/22	0/1/1/1
2	BGC	E	2	2	-	0/2/19/22	0/1/1/1
2	BGC	F	1	2	-	2/2/22/22	0/1/1/1
2	BGC	F	2	2	-	0/2/19/22	0/1/1/1
3	BGC	G	1	3	-	0/2/22/22	0/1/1/1
3	BGC	G	2	3	-	0/2/19/22	0/1/1/1
3	BGC	G	3	3	-	0/2/19/22	0/1/1/1
3	BGC	G	4	3	-	0/2/19/22	0/1/1/1
2	BGC	H	1	2	-	2/2/22/22	0/1/1/1
2	BGC	H	2	2	-	0/2/19/22	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	3	BGC	O5-C1	2.58	1.48	1.43
2	F	2	BGC	O5-C1	2.35	1.47	1.43
2	E	1	BGC	O5-C1	2.14	1.48	1.42
3	G	4	BGC	O5-C1	2.13	1.47	1.43
2	F	2	BGC	O5-C5	2.09	1.47	1.43
2	E	2	BGC	O5-C1	2.07	1.47	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	G	4	BGC	C1-C2-C3	-2.38	106.19	109.64
3	G	3	BGC	C1-O5-C5	-2.16	109.29	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	1	BGC	O5-C5-C6-O6
2	H	1	BGC	O5-C5-C6-O6
2	H	1	BGC	C4-C5-C6-O6
2	E	1	BGC	C4-C5-C6-O6
2	F	1	BGC	C4-C5-C6-O6
2	F	1	BGC	O5-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	2	BGC	1	0
2	H	1	BGC	1	0
2	F	1	BGC	1	0
2	F	2	BGC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BGC	C	301	-	12,12,12	0.46	0	17,17,17	0.40	0
5	SO4	C	303	-	4,4,4	0.52	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BGC	C	301	-	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	296/296 (100%)	-0.17	4 (1%) 73 79	17, 24, 38, 47	0
1	B	296/296 (100%)	-0.11	3 (1%) 79 84	17, 25, 42, 56	0
1	C	293/296 (98%)	0.33	17 (5%) 29 32	19, 30, 47, 62	0
1	D	296/296 (100%)	-0.07	3 (1%) 79 84	17, 26, 41, 47	0
All	All	1181/1184 (99%)	-0.01	27 (2%) 61 68	17, 26, 43, 62	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	260	ILE	4.7
1	D	260	ILE	4.4
1	C	161	ALA	4.3
1	C	261	GLY	3.5
1	A	260	ILE	3.2
1	B	158	GLY	3.0
1	C	157	PRO	2.8
1	C	138	ILE	2.8
1	D	150	SER	2.6
1	C	112	GLY	2.5
1	C	147	LEU	2.5
1	C	257	VAL	2.5
1	C	163	ALA	2.4
1	C	269	ASN	2.4
1	C	140	ASN	2.4
1	C	150	SER	2.4
1	C	259	GLY	2.3
1	C	162	ASN	2.3
1	A	127	HIS	2.2
1	C	239	ASN	2.2
1	D	127	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	161	ALA	2.1
1	A	261	GLY	2.1
1	C	214	ASN	2.1
1	B	127	HIS	2.1
1	C	229	GLY	2.0
1	A	159	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	F	2	11/12	0.59	0.17	70,72,74,74	0
2	BGC	F	1	12/12	0.72	0.22	66,70,73,74	0
2	BGC	E	1	12/12	0.76	0.18	57,61,63,64	0
2	BGC	E	2	11/12	0.77	0.15	63,64,67,70	0
2	BGC	H	2	11/12	0.77	0.15	68,70,70,70	0
2	BGC	H	1	12/12	0.82	0.20	60,63,67,67	0
3	BGC	G	1	12/12	0.86	0.12	38,44,47,49	0
3	BGC	G	2	11/12	0.89	0.08	39,40,41,43	0
3	BGC	G	3	11/12	0.91	0.08	33,36,37,37	0
3	BGC	G	4	11/12	0.92	0.08	33,35,37,39	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BGC	C	301	12/12	0.74	0.16	80,81,81,81	0
5	SO4	C	303	5/5	0.94	0.10	27,31,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.