



wwPDB EM Validation Summary Report ⓘ

Mar 29, 2026 – 04:20 AM UTC

PDB ID : 6WDI / pdb_00006wdi
EMDB ID : EMD-21637
Title : Cryo-EM of elongating ribosome with EF-Tu*GTP elucidates tRNA proof-reading (Non-cognate Structure IV-B2)
Authors : Loveland, A.B.; Demo, G.; Korostelev, A.A.
Deposited on : 2020-03-31
Resolution : 4.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	7587 (3.50 - 4.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	b	271	
2	c	209	
3	d	201	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	e	177	
5	f	176	
6	g	149	
7	h	131	
8	i	141	
9	j	142	
10	k	122	
11	l	143	
12	m	136	
13	n	120	
14	o	116	
15	p	114	
16	q	117	
17	r	103	
18	s	110	
19	t	93	
20	u	102	
21	v	94	
22	w	75	
23	x	77	
24	y	63	
25	z	58	
26	B	56	
27	C	50	
28	D	46	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	E	64	
30	F	38	
31	G	225	
32	H	206	
33	I	205	
34	J	157	
35	K	100	
36	L	151	
37	M	129	
38	N	127	
39	O	98	
40	P	116	
41	Q	123	
42	R	114	
43	S	100	
44	T	88	
45	U	82	
46	V	80	
47	W	65	
48	X	79	
49	Y	85	
50	Z	65	
51	a	223	
52	3	1539	
53	1	2903	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	2	120	53%39%8%
55	5	77	5% 66%30% .
55	6	77	8% 71%26% .
56	4	18	72%28%
57	7	76	18% 70%21%5% .

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 149628 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	b	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	c	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	d	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	e	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	f	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	g	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	h	131	Total	C	N	O	S	0	0
			989	625	175	184	5		

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	i	71	Total	C	N	O	S	0	0
			511	313	93	102	3		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	j	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	k	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	l	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	m	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	n	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	t	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	u	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	B	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 27 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	C	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	D	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	E	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 30 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	F	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 31 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	G	225	Total	C	N	O	S	0	0
			1757	1111	315	323	8		

- Molecule 32 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	H	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 33 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	I	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 34 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	J	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 35 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	K	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 36 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	L	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 37 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	M	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 38 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	N	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 39 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	O	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 40 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	P	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 41 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Q	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 42 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	R	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 43 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 44 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 45 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 46 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	V	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 47 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	W	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 48 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	X	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 49 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 50 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Z	65	Total	C	N	O	S	0	0
			545	335	117	92	1		

- Molecule 51 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	a	134	Total	C	N	O	S	0	0
			1027	645	186	194	2		

- Molecule 52 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	3	1539	Total	C	N	O	P	0	0
			33012	14725	6052	10697	1538		

- Molecule 53 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	1	2903	Total	C	N	O	P	0	0
			62317	27801	11468	20146	2902		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 802133627

- Molecule 54 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	2	120	Total	C	N	O	P	0	0
			2568	1145	471	833	119		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	-	insertion	GB 1266961702

- Molecule 55 is a RNA chain called tRNA^{fMet}.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	5	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		
55	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		


- Molecule 56 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	4	18	Total	C	N	O	P	0	0
			388	175	77	119	17		

- Molecule 57 is a RNA chain called tRNA^{Phe}.


Mol	Chain	Residues	Atoms					AltConf	Trace
57	7	73	Total	C	N	O	P	0	0
			1557	695	279	511	72		

- Molecule 58 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: C₆H₁₁NO₃S).




Mol	Chain	Residues	Atoms					AltConf
58	5	1	Total	C	N	O	S	0
			10	6	1	2	1	


- Molecule 4: 50S ribosomal protein L5




- Molecule 5: 50S ribosomal protein L6




- Molecule 6: 50S ribosomal protein L9




- Molecule 7: 50S ribosomal protein L10




- Molecule 8: 50S ribosomal protein L11







• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14



• Molecule 11: 50S ribosomal protein L15



• Molecule 12: 50S ribosomal protein L16



• Molecule 13: 50S ribosomal protein L17







- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19



- Molecule 16: 50S ribosomal protein L20



- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22



- Molecule 19: 50S ribosomal protein L23

Chain t:  72% 26%



- Molecule 20: 50S ribosomal protein L24

Chain u:  70% 28%




- Molecule 21: 50S ribosomal protein L25

Chain v:  67% 33%




- Molecule 22: 50S ribosomal protein L27

Chain w:  63% 36%



- Molecule 23: 50S ribosomal protein L28

Chain x:  61% 39%



- Molecule 24: 50S ribosomal protein L29

Chain y:  67% 32%




- Molecule 25: 50S ribosomal protein L30


Chain z:  71% 29%




- Molecule 26: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L36



- Molecule 31: 30S ribosomal protein S2







- Molecule 32: 30S ribosomal protein S3

Chain H: 75% 23%





- Molecule 33: 30S ribosomal protein S4

Chain I: 18% 62% 38%




- Molecule 34: 30S ribosomal protein S5

Chain J: 64% 34%




- Molecule 35: 30S ribosomal protein S6


Chain K: 48% 50%




- Molecule 36: 30S ribosomal protein S7




- Molecule 37: 30S ribosomal protein S8




- Molecule 38: 30S ribosomal protein S9



- Molecule 39: 30S ribosomal protein S10



- Molecule 40: 30S ribosomal protein S11



P122
P123
K124
K125
R126
R127

- Molecule 41: 30S ribosomal protein S12

Chain Q:  60% 36%

A1 T2 V3 N4 R8 P10 R11 K17 L23 E24 P27 Q28 K29 R30 G31 C33 C34 T34 R35 V36 T39 T40 K43 L48 R49 K50 V51 C52 R53 V54 R55 L56 F60 G68 E69 G70 H71 N72 L73 H76 S77 V78 I79 L80 I81 R82 R85

D88 L89 R93 T96 V97 R98 G99 A100 C103 R109 K110 Q111 S114 K115 Y116 G117 V118 K119 R120 A123

- Molecule 42: 30S ribosomal protein S13

Chain R:  62% 35%

A1 R2 I3 A4 G5 I6 W7 I8 P9 V15 I16 A17 L18 I21 Y22 G23 V24 Q25 R26 T27 R28 I44 R56 V63 V64 E65 G66 D67 L68 R69 R70 S73 M74 S75 I76 K77 R78 L79 M80 D81 L82 Y85 R86 G87 L88 R89 H90 R91 R92 G93 L94 P95

Q99 R100 T101 K102 T103 R112 K113 P114

- Molecule 43: 30S ribosomal protein S14

Chain S:  59% 40%

A1 K2 Q3 S4 R5 K6 A7 R8 E9 V10 Y19 F20 A21 K22 R23 A24 E25 I29 I30 S31 D32 V33 N34 A35 S36 D37 E38 R39 R40 W41 N42 A43 V44 T49 R52 D53 S54 S55 R58 M61 R62 C63 R64 Q65 T66 G67 R68 P69 R74 K75 L78

I81 R89 G90 E91 I92 L95 M100


- Molecule 44: 30S ribosomal protein S15

Chain T:  70% 30%

S1 L2 A18 M19 D20 V26 L30 Q34 A43 E44 H45 K46 K47 D48 H49 H50 L55 L56 L57 R58 V59 S60 Q61 R64 L65 V68 K72 A75 R76 Y77 T78 L86 R87 R88

- Molecule 45: 30S ribosomal protein S16



Chain U:  55% 45%




- Molecule 46: 30S ribosomal protein S17




- Molecule 47: 30S ribosomal protein S18




- Molecule 48: 30S ribosomal protein S19



- Molecule 49: 30S ribosomal protein S20




- Molecule 50: 30S ribosomal protein S21




- Molecule 51: 50S ribosomal protein L1








• Molecule 53: 23S ribosomal RNA








• Molecule 54: 5S ribosomal RNA

Chain 2: 53% 39% 8%




• Molecule 55: tRNA^{fMet}

Chain 5: 5% 66% 30%



• Molecule 55: tRNA^{fMet}

Chain 6: 8% 71% 26%




• Molecule 56: mRNA

Chain 4: 72% 28%



• Molecule 57: tRNA^{Phe}

Chain 7: 18% 70% 21% 5%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	1924	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	18.983	Depositor
Minimum map value	-10.992	Depositor
Average map value	0.128	Depositor
Map value standard deviation	0.905	Depositor
Recommended contour level	1	Depositor
Map size (Å)	383.904, 383.904, 383.904	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.333, 1.333, 1.333	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	b	0.30	0/2122	0.99	8/2852 (0.3%)
2	c	0.31	0/1586	0.88	2/2134 (0.1%)
3	d	0.29	0/1571	0.90	2/2113 (0.1%)
4	e	0.32	0/1435	0.92	6/1926 (0.3%)
5	f	0.30	0/1343	0.90	7/1816 (0.4%)
6	g	0.31	0/1122	0.94	3/1515 (0.2%)
7	h	0.35	0/1002	1.00	5/1350 (0.4%)
8	i	0.34	0/513	0.99	7/684 (1.0%)
9	j	0.29	0/1152	0.85	2/1551 (0.1%)
10	k	0.31	0/948	0.92	2/1268 (0.2%)
11	l	0.30	0/1054	0.92	5/1403 (0.4%)
12	m	0.31	0/1093	0.93	6/1460 (0.4%)
13	n	0.32	0/974	0.89	3/1301 (0.2%)
14	o	0.29	0/902	0.89	2/1209 (0.2%)
15	p	0.32	0/929	0.96	5/1242 (0.4%)
16	q	0.29	0/960	0.90	4/1278 (0.3%)
17	r	0.30	0/829	0.94	3/1107 (0.3%)
18	s	0.28	0/864	0.89	0/1156
19	t	0.29	0/745	0.88	2/994 (0.2%)
20	u	0.30	0/788	0.92	3/1051 (0.3%)
21	v	0.28	0/766	0.96	2/1025 (0.2%)
22	w	0.29	0/582	0.90	1/769 (0.1%)
23	x	0.28	0/635	0.89	1/848 (0.1%)
24	y	0.27	0/510	0.97	2/677 (0.3%)
25	z	0.28	0/453	0.83	0/605
26	B	0.31	0/450	0.95	1/599 (0.2%)
27	C	0.33	0/417	0.77	0/554
28	D	0.33	0/380	0.93	0/498
29	E	0.30	0/513	0.82	0/676
30	F	0.36	0/303	1.01	0/397
31	G	0.32	0/1788	0.96	6/2408 (0.2%)
32	H	0.30	0/1652	0.89	6/2225 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	I	0.29	0/1665	0.95	9/2227 (0.4%)
34	J	0.33	0/1170	0.99	6/1573 (0.4%)
35	K	0.31	0/836	0.98	2/1128 (0.2%)
36	L	0.30	0/1196	0.93	3/1602 (0.2%)
37	M	0.29	0/989	0.94	4/1326 (0.3%)
38	N	0.30	0/1034	0.91	2/1375 (0.1%)
39	O	0.33	0/797	0.93	3/1077 (0.3%)
40	P	0.34	0/886	0.93	3/1195 (0.3%)
41	Q	0.32	0/969	0.92	4/1300 (0.3%)
42	R	0.32	0/893	0.90	1/1193 (0.1%)
43	S	0.30	0/817	0.95	5/1088 (0.5%)
44	T	0.28	0/722	0.88	1/964 (0.1%)
45	U	0.33	0/659	0.90	1/884 (0.1%)
46	V	0.31	0/658	0.89	1/881 (0.1%)
47	W	0.32	0/545	0.99	6/731 (0.8%)
48	X	0.32	0/653	1.00	5/877 (0.6%)
49	Y	0.29	0/671	1.02	3/888 (0.3%)
50	Z	0.33	0/551	1.02	2/728 (0.3%)
51	a	0.31	0/1034	0.81	2/1387 (0.1%)
52	3	0.41	0/36963	0.51	3/57662 (0.0%)
53	1	0.40	0/69796	0.51	1/108888 (0.0%)
54	2	0.41	0/2872	0.50	0/4479
55	5	0.41	0/1832	0.50	0/2855
55	6	0.41	0/1832	0.51	0/2855
56	4	0.42	0/436	0.52	0/679
57	7	0.40	0/1740	0.49	0/2712
All	All	0.38	0/162597	0.64	163/243245 (0.1%)

There are no bond length outliers.

The worst 5 of 163 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	G	220	VAL	N-CA-C	-9.59	103.56	111.81
36	L	79	VAL	N-CA-C	-9.09	104.62	113.53
34	J	117	ALA	N-CA-C	-8.09	103.20	113.23
1	b	239	PHE	N-CA-C	-7.95	101.46	112.12
17	r	50	GLY	N-CA-C	-7.83	103.42	112.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	b	2083	0	2157	90	0
2	c	1565	0	1616	63	0
3	d	1552	0	1619	53	0
4	e	1411	0	1447	58	0
5	f	1323	0	1374	38	0
6	g	1111	0	1148	42	0
7	h	989	0	1025	56	0
8	i	511	0	544	18	0
9	j	1129	0	1162	36	0
10	k	939	0	1012	48	0
11	l	1045	0	1117	41	0
12	m	1074	0	1157	40	0
13	n	961	0	1000	36	0
14	o	892	0	923	21	0
15	p	917	0	965	37	0
16	q	947	0	1022	23	0
17	r	816	0	839	30	0
18	s	857	0	922	21	0
19	t	739	0	807	22	0
20	u	780	0	834	21	0
21	v	753	0	780	22	0
22	w	575	0	592	31	0
23	x	625	0	655	24	0
24	y	509	0	543	13	0
25	z	449	0	491	13	0
26	B	444	0	461	17	0
27	C	410	0	440	13	0
28	D	377	0	418	12	0
29	E	504	0	574	18	0
30	F	302	0	343	13	0
31	G	1757	0	1787	44	0
32	H	1625	0	1699	37	0
33	I	1643	0	1710	59	0
34	J	1157	0	1199	42	0
35	K	818	0	808	37	0
36	L	1182	0	1240	37	0
37	M	979	0	1034	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	N	1022	0	1070	46	0
39	O	787	0	828	32	0
40	P	870	0	878	32	0
41	Q	955	0	1019	41	0
42	R	884	0	944	38	0
43	S	805	0	847	33	0
44	T	714	0	737	16	0
45	U	649	0	666	27	0
46	V	649	0	691	18	0
47	W	536	0	552	7	0
48	X	638	0	665	18	0
49	Y	665	0	714	25	0
50	Z	545	0	579	32	0
51	a	1027	0	1092	41	0
52	3	33012	0	16618	410	0
53	1	62317	0	31346	793	0
54	2	2568	0	1303	57	0
55	5	1640	0	836	15	0
55	6	1640	0	837	14	0
56	4	388	0	197	3	0
57	7	1557	0	789	9	0
58	5	10	0	10	0	0
All	All	149628	0	100682	2486	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 2486 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
53:1:45:G:H5''	53:1:46:G:H5'	1.28	1.15
11:l:48:ARG:HD2	53:1:666:A:H4'	1.44	0.99
31:G:112:ARG:HH12	52:3:1104:G:H5'	1.26	0.99
28:D:14:ARG:HG2	53:1:125:A:H5'	1.43	0.98
55:5:13:C:H2'	55:5:14:A:H5''	1.48	0.94

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	b	269/271 (99%)	224 (83%)	40 (15%)	5 (2%)	6	34
2	c	207/209 (99%)	179 (86%)	25 (12%)	3 (1%)	9	39
3	d	199/201 (99%)	176 (88%)	22 (11%)	1 (0%)	24	60
4	e	175/177 (99%)	155 (89%)	20 (11%)	0	100	100
5	f	174/176 (99%)	155 (89%)	19 (11%)	0	100	100
6	g	147/149 (99%)	127 (86%)	17 (12%)	3 (2%)	6	33
7	h	129/131 (98%)	97 (75%)	27 (21%)	5 (4%)	2	22
8	i	69/141 (49%)	65 (94%)	4 (6%)	0	100	100
9	j	140/142 (99%)	122 (87%)	18 (13%)	0	100	100
10	k	120/122 (98%)	98 (82%)	18 (15%)	4 (3%)	3	24
11	l	141/143 (99%)	115 (82%)	21 (15%)	5 (4%)	3	23
12	m	134/136 (98%)	121 (90%)	11 (8%)	2 (2%)	8	38
13	n	118/120 (98%)	102 (86%)	16 (14%)	0	100	100
14	o	114/116 (98%)	98 (86%)	14 (12%)	2 (2%)	6	34
15	p	112/114 (98%)	87 (78%)	25 (22%)	0	100	100
16	q	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
17	r	101/103 (98%)	86 (85%)	14 (14%)	1 (1%)	12	45
18	s	108/110 (98%)	93 (86%)	15 (14%)	0	100	100
19	t	91/93 (98%)	79 (87%)	12 (13%)	0	100	100
20	u	100/102 (98%)	82 (82%)	16 (16%)	2 (2%)	6	33
21	v	92/94 (98%)	84 (91%)	8 (9%)	0	100	100
22	w	73/75 (97%)	66 (90%)	6 (8%)	1 (1%)	9	39
23	x	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
24	y	61/63 (97%)	55 (90%)	5 (8%)	1 (2%)	7	37
25	z	56/58 (97%)	53 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	B	54/56 (96%)	49 (91%)	4 (7%)	1 (2%)	6	34
27	C	48/50 (96%)	41 (85%)	7 (15%)	0	100	100
28	D	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
29	E	62/64 (97%)	57 (92%)	4 (6%)	1 (2%)	7	37
30	F	36/38 (95%)	29 (81%)	6 (17%)	1 (3%)	4	27
31	G	223/225 (99%)	196 (88%)	25 (11%)	2 (1%)	14	48
32	H	204/206 (99%)	186 (91%)	15 (7%)	3 (2%)	8	38
33	I	203/205 (99%)	178 (88%)	20 (10%)	5 (2%)	4	29
34	J	155/157 (99%)	124 (80%)	27 (17%)	4 (3%)	4	29
35	K	98/100 (98%)	76 (78%)	19 (19%)	3 (3%)	3	25
36	L	149/151 (99%)	126 (85%)	21 (14%)	2 (1%)	9	41
37	M	127/129 (98%)	109 (86%)	18 (14%)	0	100	100
38	N	125/127 (98%)	100 (80%)	21 (17%)	4 (3%)	3	25
39	O	96/98 (98%)	76 (79%)	14 (15%)	6 (6%)	1	15
40	P	114/116 (98%)	91 (80%)	20 (18%)	3 (3%)	4	29
41	Q	121/123 (98%)	97 (80%)	19 (16%)	5 (4%)	2	21
42	R	112/114 (98%)	98 (88%)	11 (10%)	3 (3%)	4	28
43	S	98/100 (98%)	82 (84%)	16 (16%)	0	100	100
44	T	86/88 (98%)	77 (90%)	7 (8%)	2 (2%)	5	31
45	U	80/82 (98%)	71 (89%)	7 (9%)	2 (2%)	4	29
46	V	78/80 (98%)	62 (80%)	13 (17%)	3 (4%)	2	22
47	W	63/65 (97%)	54 (86%)	8 (13%)	1 (2%)	7	37
48	X	77/79 (98%)	60 (78%)	16 (21%)	1 (1%)	9	41
49	Y	83/85 (98%)	80 (96%)	3 (4%)	0	100	100
50	Z	63/65 (97%)	43 (68%)	14 (22%)	6 (10%)	0	9
51	a	130/223 (58%)	121 (93%)	9 (7%)	0	100	100
All	All	5849/6112 (96%)	5024 (86%)	732 (12%)	93 (2%)	10	37

5 of 93 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	b	240	GLY
3	d	83	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	g	9	VAL
7	h	81	LEU
12	m	58	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	b	216/216 (100%)	213 (99%)	3 (1%)	59	71
2	c	164/164 (100%)	161 (98%)	3 (2%)	51	68
3	d	165/165 (100%)	165 (100%)	0	100	100
4	e	148/148 (100%)	146 (99%)	2 (1%)	59	71
5	f	137/137 (100%)	137 (100%)	0	100	100
6	g	114/114 (100%)	114 (100%)	0	100	100
7	h	100/100 (100%)	99 (99%)	1 (1%)	68	76
8	i	53/109 (49%)	53 (100%)	0	100	100
9	j	116/116 (100%)	115 (99%)	1 (1%)	70	76
10	k	103/103 (100%)	102 (99%)	1 (1%)	68	76
11	l	102/102 (100%)	102 (100%)	0	100	100
12	m	109/109 (100%)	109 (100%)	0	100	100
13	n	100/100 (100%)	99 (99%)	1 (1%)	68	76
14	o	86/86 (100%)	86 (100%)	0	100	100
15	p	99/99 (100%)	98 (99%)	1 (1%)	68	76
16	q	89/89 (100%)	89 (100%)	0	100	100
17	r	84/84 (100%)	84 (100%)	0	100	100
18	s	93/93 (100%)	93 (100%)	0	100	100
19	t	80/80 (100%)	80 (100%)	0	100	100
20	u	83/83 (100%)	83 (100%)	0	100	100
21	v	78/78 (100%)	78 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	w	57/57 (100%)	56 (98%)	1 (2%)	51	68
23	x	67/67 (100%)	67 (100%)	0	100	100
24	y	55/55 (100%)	55 (100%)	0	100	100
25	z	48/48 (100%)	48 (100%)	0	100	100
26	B	47/47 (100%)	47 (100%)	0	100	100
27	C	45/45 (100%)	44 (98%)	1 (2%)	45	65
28	D	38/38 (100%)	38 (100%)	0	100	100
29	E	51/51 (100%)	51 (100%)	0	100	100
30	F	34/34 (100%)	33 (97%)	1 (3%)	37	58
31	G	186/186 (100%)	184 (99%)	2 (1%)	65	74
32	H	170/170 (100%)	169 (99%)	1 (1%)	78	81
33	I	172/172 (100%)	172 (100%)	0	100	100
34	J	119/119 (100%)	119 (100%)	0	100	100
35	K	87/87 (100%)	86 (99%)	1 (1%)	65	74
36	L	124/124 (100%)	124 (100%)	0	100	100
37	M	104/104 (100%)	104 (100%)	0	100	100
38	N	105/105 (100%)	105 (100%)	0	100	100
39	O	86/86 (100%)	85 (99%)	1 (1%)	63	73
40	P	89/89 (100%)	89 (100%)	0	100	100
41	Q	103/103 (100%)	103 (100%)	0	100	100
42	R	92/92 (100%)	92 (100%)	0	100	100
43	S	83/83 (100%)	83 (100%)	0	100	100
44	T	76/76 (100%)	76 (100%)	0	100	100
45	U	65/65 (100%)	64 (98%)	1 (2%)	57	70
46	V	74/74 (100%)	74 (100%)	0	100	100
47	W	56/56 (100%)	56 (100%)	0	100	100
48	X	70/70 (100%)	70 (100%)	0	100	100
49	Y	65/65 (100%)	65 (100%)	0	100	100
50	Z	55/55 (100%)	53 (96%)	2 (4%)	31	53
51	a	110/174 (63%)	110 (100%)	0	100	100
All	All	4852/4972 (98%)	4828 (100%)	24 (0%)	78	82

5 of 24 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	C	45	HIS
31	G	67	LEU
31	G	46	VAL
32	H	102	ILE
4	e	24	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 116 such sidechains are listed below:

Mol	Chain	Res	Type
18	s	40	ASN
48	X	56	HIS
24	y	27	ASN
47	W	51	GLN
41	Q	4	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
52	3	1538/1539 (99%)	137 (8%)	2 (0%)
53	1	2902/2903 (99%)	319 (10%)	8 (0%)
54	2	119/120 (99%)	11 (9%)	1 (0%)
55	5	76/77 (98%)	11 (14%)	0
55	6	76/77 (98%)	8 (10%)	0
56	4	17/18 (94%)	2 (11%)	0
57	7	72/76 (94%)	12 (16%)	0
All	All	4800/4810 (99%)	500 (10%)	11 (0%)

5 of 500 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
52	3	6	G
52	3	7	A
52	3	9	G
52	3	22	G
52	3	31	G

5 of 11 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
53	1	2296	U
53	1	2326	C
54	2	88	C
53	1	2391	G
53	1	1020	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	FME	5	101	55	8,9,10	0.58	0	8,9,11	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	FME	5	101	55	-	1/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	5	101	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21637. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 150




Y Index: 148




Z Index: 143


6.3.2 Raw map



X Index: 134



Y Index: 128




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2317 nm³; this corresponds to an approximate mass of 2093 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.250 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.00	-	-
Author-provided FSC curve	4.03	5.70	4.13
Unmasked-calculated*	5.78	9.42	6.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.78 differs from the reported value 4.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-21637 and PDB model 6WDI. Per-residue inclusion information can be found in section 3 on page 15.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9150	 0.2610
1	 0.9470	 0.2830
2	 0.9530	 0.2440
3	 0.9400	 0.2270
4	 0.8330	 0.1390
5	 0.8310	 0.1170
6	 0.7630	 0.1000
7	 0.6690	 0.0980
B	 0.8580	 0.3150
C	 0.7390	 0.2170
D	 0.8790	 0.3530
E	 0.8780	 0.3620
F	 0.8360	 0.3110
G	 0.8240	 0.2250
H	 0.8660	 0.2540
I	 0.7330	 0.1880
J	 0.8760	 0.2610
K	 0.9370	 0.2610
L	 0.9100	 0.2220
M	 0.8910	 0.2640
N	 0.8780	 0.2070
O	 0.7570	 0.2130
P	 0.9290	 0.2700
Q	 0.9020	 0.2940
R	 0.8870	 0.1930
S	 0.8440	 0.2250
T	 0.9410	 0.2710
U	 0.8610	 0.2170
V	 0.9070	 0.2370
W	 0.9050	 0.2820
X	 0.9030	 0.2090
Y	 0.8920	 0.2310
Z	 0.8300	 0.2430
a	 0.8130	 0.1390
b	 0.9260	 0.3630



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.9230	 0.3620
d	 0.9130	 0.3200
e	 0.9020	 0.1870
f	 0.9360	 0.2450
g	 0.5170	 0.1680
h	 0.4110	 0.0970
i	 0.7430	 0.1220
j	 0.9190	 0.3600
k	 0.9190	 0.3530
l	 0.9310	 0.3380
m	 0.8660	 0.3360
n	 0.9190	 0.3470
o	 0.9280	 0.2960
p	 0.9240	 0.3350
q	 0.8890	 0.3510
r	 0.9210	 0.3390
s	 0.9010	 0.3360
t	 0.9020	 0.3160
u	 0.9530	 0.3280
v	 0.9360	 0.3130
w	 0.8930	 0.3460
x	 0.9220	 0.3480
y	 0.9090	 0.2830
z	 0.8950	 0.3030