



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:06 PM UTC

PDB ID : 6WEP / pdb_00006wep
Title : Crystal structure of TS-DHFR from *Cryptosporidium hominis* with Apo-TS site
Authors : Czyzyk, D.J.; Ruiz, V.G.; Kumar, V.P.; Jorgensen, W.L.; Anderson, K.S.
Deposited on : 2020-04-02
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	16% 83% 13% .
1	B	521	19% 81% 16% .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	503	Total	C	N	O	S	0	0	0
			3904	2510	660	714	20			
1	B	503	Total	C	N	O	S	0	0	0
			3926	2517	665	725	19			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is METHOTREXATE (CCD ID: MTX) (formula: $C_{20}H_{22}N_8O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	B	1	Total	C	N	O	0	0
			33	20	8	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	9	Total	O	0	0
			9	9		
4	B	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.82Å 118.11Å 153.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.27 – 2.79 49.27 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.27-2.79) 99.6 (49.27-2.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.20	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.93 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.239 , 0.285 (Not available) , 0.270	Depositor DCC
R_{free} test set	1765 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	73.8	Xtriage
Anisotropy	0.127	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8009	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, MTX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.11	0/3999	0.31	0/5438
1	B	0.12	0/4021	0.31	0/5466
All	All	0.11	0/8020	0.31	0/10904

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3904	0	3693	46	0
1	B	3926	0	3713	58	0
2	A	48	0	26	1	0
2	B	48	0	26	2	0
3	A	33	0	20	4	0
3	B	33	0	20	2	0
4	A	9	0	0	1	0
4	B	8	0	0	0	0
All	All	8009	0	7498	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:LYS:HE2	1:A:101:LEU:HA	1.64	0.78
1:A:25:LEU:HD11	3:A:602:MTX:H7	1.68	0.75
1:B:441:LEU:HA	1:B:444:MET:HE2	1.68	0.74
1:A:368:LEU:HD21	1:A:496:ILE:HG21	1.71	0.73
1:A:254:ARG:NH2	1:B:410:VAL:O	2.20	0.73
1:A:410:VAL:O	1:B:254:ARG:NH2	2.21	0.73
1:B:285:LYS:HB3	1:B:514:THR:HG22	1.71	0.72
1:A:425:CYS:HG	1:A:431:SER:HG	1.36	0.71
1:B:25:LEU:HD11	3:B:602:MTX:H7	1.73	0.71
1:A:225:ASN:O	1:A:233:ARG:NH2	2.24	0.69
1:B:256:ASN:ND2	1:B:260:ILE:O	2.28	0.67
1:A:52:LEU:HD11	1:A:70:ARG:HD2	1.76	0.66
1:B:52:LEU:HD11	1:B:70:ARG:HD2	1.81	0.63
1:B:4:LYS:HE3	1:B:101:LEU:HA	1.81	0.62
1:B:225:ASN:O	1:B:233:ARG:NH2	2.28	0.61
1:B:288:ILE:HD11	1:B:440:ILE:HD11	1.83	0.60
1:B:257:ARG:NH1	1:B:327:ARG:HH12	2.01	0.59
1:A:270:MET:HE2	1:A:460:ILE:HD11	1.85	0.58
1:A:285:LYS:HB3	1:A:514:THR:HG22	1.86	0.58
1:A:349:TYR:HH	1:B:349:TYR:HH	1.53	0.56
1:B:341:ILE:HA	1:B:397:MET:HE3	1.86	0.56
1:B:116:GLU:HB3	1:B:146:TYR:O	2.06	0.55
1:A:468:ASN:O	1:A:472:GLN:NE2	2.40	0.54
1:B:131:ILE:HB	1:B:175:PHE:HB2	1.90	0.54
1:B:299:ILE:O	1:B:347:ARG:NH1	2.39	0.54
1:B:403:HIS:HB3	1:B:420:LEU:HD11	1.91	0.53
1:A:37:SER:OG	3:A:602:MTX:O1	2.27	0.52
1:A:14:VAL:HG13	1:A:15:LEU:HD13	1.91	0.52
1:A:423:ARG:HB3	1:B:385:ILE:HD11	1.91	0.52
1:A:455:GLU:OE2	1:B:215:ARG:NH1	2.43	0.52
2:A:601:NDP:H42N	3:A:602:MTX:N5	2.24	0.52
1:A:464:HIS:CD2	1:B:382:ARG:HH22	2.28	0.52
1:A:346:TRP:HE1	1:A:388:ALA:HB2	1.73	0.52
1:A:420:LEU:HD23	1:A:458:ILE:HD12	1.91	0.52
1:B:397:MET:HE1	1:B:401:PRO:HD3	1.90	0.52
1:B:420:LEU:HD23	1:B:458:ILE:HD12	1.92	0.51
1:A:444:MET:HE3	1:A:499:PHE:CD2	2.47	0.50
1:A:131:ILE:HB	1:A:175:PHE:HB2	1.93	0.50
1:A:306:ASN:HA	1:A:309:ILE:HG12	1.93	0.50
1:A:201:ASP:OD1	4:A:701:HOH:O	2.20	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:ARG:HH12	1:B:327:ARG:HH12	1.60	0.49
1:A:341:ILE:HG12	1:A:342:TYR:H	1.78	0.49
1:B:422:GLN:NE2	1:B:425:CYS:SG	2.85	0.49
1:B:9:VAL:HG12	3:B:602:MTX:N3	2.29	0.48
2:B:601:NDP:H8A	2:B:601:NDP:H52A	1.94	0.48
1:B:18:GLY:HA2	1:B:146:TYR:HA	1.95	0.48
1:A:116:GLU:HB3	1:A:146:TYR:O	2.14	0.48
1:A:494:GLU:OE1	1:A:494:GLU:N	2.39	0.48
1:B:6:VAL:HG22	1:B:110:ILE:HB	1.96	0.47
1:A:207:PHE:HB3	1:A:210:ARG:HB2	1.94	0.47
1:B:518:ASP:OD1	1:B:518:ASP:N	2.48	0.47
1:A:212:MET:SD	1:B:273:ASP:HB2	2.55	0.47
1:A:425:CYS:SG	1:A:431:SER:OG	2.54	0.47
1:B:4:LYS:NZ	1:B:107:ILE:O	2.29	0.47
1:B:26:PRO:HB3	1:B:141:ILE:HD11	1.97	0.47
1:B:425:CYS:SG	1:B:431:SER:OG	2.56	0.47
1:A:160:SER:HA	1:A:234:GLU:HB3	1.97	0.46
1:B:487:LEU:HD11	1:B:504:ILE:HG23	1.97	0.46
1:A:500:LYS:HE2	1:A:502:GLU:HB2	1.98	0.46
1:B:158:TYR:OH	1:B:234:GLU:OE1	2.25	0.45
1:A:9:VAL:HG12	3:A:602:MTX:N3	2.31	0.45
1:B:491:ARG:NH2	1:B:498:ASP:O	2.49	0.45
1:B:346:TRP:HE1	1:B:388:ALA:HB2	1.81	0.45
1:B:393:ALA:O	1:B:397:MET:HG3	2.16	0.45
1:A:244:LEU:HD11	1:A:473:LEU:HD13	1.97	0.45
1:A:462:ASP:O	1:B:382:ARG:NH2	2.50	0.45
1:B:270:MET:HE2	1:B:460:ILE:HD11	1.99	0.45
1:B:346:TRP:CG	1:B:386:LEU:HD11	2.51	0.45
1:A:391:PRO:HD2	1:B:349:TYR:CE2	2.52	0.45
1:A:385:ILE:HG23	1:A:405:LEU:HD11	1.98	0.44
1:B:385:ILE:HG23	1:B:405:LEU:HD11	2.00	0.44
1:A:464:HIS:CD2	1:B:382:ARG:NH2	2.86	0.44
1:A:346:TRP:NE1	1:A:388:ALA:HB2	2.32	0.44
1:B:256:ASN:HD21	1:B:260:ILE:HG13	1.82	0.43
1:A:422:GLN:NE2	1:A:425:CYS:SG	2.92	0.43
1:A:233:ARG:NH1	1:A:242:ASP:OD1	2.52	0.43
1:B:56:ARG:HB2	1:B:76:SER:HB2	2.01	0.43
1:A:54:MET:HA	1:A:114:GLY:HA3	2.00	0.43
1:B:324:TYR:CE1	1:B:327:ARG:NH2	2.87	0.43
1:A:316:TRP:CH2	1:A:341:ILE:HD11	2.54	0.43
1:A:37:SER:O	1:A:41:ASN:ND2	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:MET:HA	1:B:114:GLY:HA3	2.01	0.42
1:B:408:TYR:HB3	1:B:416:LEU:HD11	2.01	0.42
1:B:368:LEU:HD21	1:B:496:ILE:HG21	2.01	0.42
1:B:19:ILE:O	2:B:601:NDP:H2N	2.20	0.42
1:B:263:TYR:O	1:B:464:HIS:HA	2.20	0.41
1:A:216:HIS:HE2	1:B:455:GLU:CD	2.24	0.41
1:B:58:THR:HG21	1:B:114:GLY:HA2	2.03	0.41
1:B:411:THR:OG1	1:B:415:CYS:HB2	2.21	0.41
1:B:340:PRO:O	1:B:397:MET:HG2	2.20	0.41
1:B:135:ARG:O	1:B:170:TYR:HA	2.21	0.41
1:A:389:TRP:HE3	1:A:401:PRO:HG2	1.86	0.40
1:B:274:MET:HE1	1:B:442:THR:HG21	2.03	0.40
1:B:346:TRP:CD2	1:B:386:LEU:HD21	2.55	0.40
1:A:49:LYS:O	1:A:107:ILE:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	499/521 (96%)	465 (93%)	34 (7%)	0	100	100
1	B	499/521 (96%)	468 (94%)	31 (6%)	0	100	100
All	All	998/1042 (96%)	933 (94%)	65 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/470 (86%)	401 (100%)	1 (0%)	87	96
1	B	408/470 (87%)	406 (100%)	2 (0%)	81	93
All	All	810/940 (86%)	807 (100%)	3 (0%)	84	94

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	403	HIS
1	B	224	TYR
1	B	403	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	41	ASN
1	A	377	ASN
1	B	109	ASN
1	B	357	HIS
1	B	403	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MTX	A	602	-	35,35,35	1.62	5 (14%)	47,49,49	1.87	10 (21%)
2	NDP	A	601	-	51,52,52	1.95	11 (21%)	71,80,80	1.47	11 (15%)
3	MTX	B	602	-	35,35,35	1.63	5 (14%)	47,49,49	1.80	8 (17%)
2	NDP	B	601	-	51,52,52	1.95	12 (23%)	71,80,80	1.51	12 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTX	A	602	-	-	8/25/25/25	0/3/3/3
2	NDP	A	601	-	-	7/34/77/77	0/5/5/5
3	MTX	B	602	-	-	9/25/25/25	0/3/3/3
2	NDP	B	601	-	-	8/34/77/77	0/5/5/5

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NDP	C6A-N6A	5.77	1.48	1.34
2	B	601	NDP	C6A-N6A	5.76	1.48	1.34
3	A	602	MTX	C2-NA2	5.49	1.44	1.33
3	B	602	MTX	C2-NA2	5.38	1.44	1.33
3	B	602	MTX	C-N	4.77	1.45	1.34
2	B	601	NDP	C4N-C3N	-4.73	1.41	1.50
2	A	601	NDP	C4N-C3N	-4.72	1.41	1.50
3	A	602	MTX	C-N	4.64	1.45	1.34
2	A	601	NDP	C3B-C2B	-3.91	1.44	1.53
2	B	601	NDP	C2D-C3D	-3.86	1.42	1.53
2	A	601	NDP	C2D-C3D	-3.80	1.43	1.53
2	B	601	NDP	C3B-C2B	-3.77	1.44	1.53
2	A	601	NDP	C7N-N7N	3.73	1.44	1.33
2	B	601	NDP	C7N-N7N	3.70	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	NDP	C4N-C5N	-3.28	1.40	1.49
2	A	601	NDP	C4N-C5N	-3.27	1.40	1.49
2	B	601	NDP	C2B-C1B	-3.17	1.45	1.53
2	A	601	NDP	C2B-C1B	-3.11	1.45	1.53
3	B	602	MTX	C4-NA4	2.55	1.43	1.34
3	B	602	MTX	C14-N10	2.53	1.46	1.38
3	A	602	MTX	C4-NA4	2.48	1.43	1.34
3	A	602	MTX	C14-N10	2.46	1.45	1.38
2	A	601	NDP	C4A-N3A	2.35	1.38	1.34
3	B	602	MTX	C7-N8	2.33	1.35	1.31
2	B	601	NDP	C3B-C4B	-2.31	1.47	1.53
2	B	601	NDP	C4A-N3A	2.31	1.38	1.34
2	A	601	NDP	C3B-C4B	-2.31	1.47	1.53
3	A	602	MTX	C7-N8	2.31	1.35	1.31
2	A	601	NDP	C3D-C4D	-2.23	1.47	1.53
2	A	601	NDP	C6N-C5N	2.21	1.39	1.33
2	B	601	NDP	C3D-C4D	-2.20	1.47	1.53
2	B	601	NDP	C6N-C5N	2.19	1.39	1.33
2	B	601	NDP	C2N-C3N	2.02	1.40	1.35

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NDP	C5A-C4A-N3A	-5.39	119.29	126.72
3	B	602	MTX	C6-C7-N8	-5.27	118.08	123.14
3	A	602	MTX	C6-C7-N8	-5.17	118.18	123.14
2	B	601	NDP	C5A-C4A-N3A	-5.15	119.63	126.72
3	A	602	MTX	N8-C8A-N1	4.49	120.66	115.77
3	B	602	MTX	N8-C8A-N1	4.14	120.28	115.77
3	A	602	MTX	N1-C2-N3	-4.12	121.97	127.21
3	B	602	MTX	N1-C2-N3	-4.03	122.09	127.21
2	B	601	NDP	N3A-C2A-N1A	-3.87	122.73	128.58
2	A	601	NDP	N3A-C2A-N1A	-3.74	122.92	128.58
3	B	602	MTX	C2-N1-C8A	3.72	119.49	115.48
2	A	601	NDP	N3A-C4A-N9A	3.68	133.42	127.17
3	A	602	MTX	CG-CB-CA	3.61	119.82	113.16
3	A	602	MTX	C2-N1-C8A	3.59	119.35	115.48
2	B	601	NDP	N3A-C4A-N9A	3.54	133.19	127.17
2	A	601	NDP	C2A-N3A-C4A	3.33	119.96	111.83
2	B	601	NDP	C2A-N3A-C4A	3.30	119.90	111.83
3	B	602	MTX	CG-CB-CA	3.26	119.17	113.16
2	B	601	NDP	N9A-C8A-N7A	-3.25	109.32	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NDP	N9A-C8A-N7A	-3.05	109.61	113.94
2	A	601	NDP	C4A-C5A-N7A	-3.01	107.14	110.58
2	B	601	NDP	C4A-C5A-N7A	-2.99	107.16	110.58
2	A	601	NDP	C5A-N7A-C8A	2.98	108.13	103.45
2	B	601	NDP	C5A-N7A-C8A	2.97	108.12	103.45
2	B	601	NDP	O5D-C5D-C4D	2.77	118.42	108.99
3	A	602	MTX	C6-C9-N10	-2.71	108.30	112.95
3	A	602	MTX	C7-N8-C8A	2.57	120.78	117.20
3	B	602	MTX	C7-N8-C8A	2.51	120.70	117.20
2	A	601	NDP	O5D-C5D-C4D	2.46	117.38	108.99
2	B	601	NDP	C2B-C1B-N9A	-2.46	109.71	113.75
2	B	601	NDP	C4A-N9A-C8A	2.36	108.22	105.74
2	B	601	NDP	O5B-C5B-C4B	2.25	116.66	108.99
2	B	601	NDP	C3N-C7N-N7N	2.21	121.59	117.67
3	A	602	MTX	C11-C-N	2.13	120.99	117.04
3	B	602	MTX	O2-CT-CA	2.12	120.68	113.51
3	B	602	MTX	C6-C9-N10	-2.09	109.37	112.95
3	A	602	MTX	CM-N10-C9	2.08	120.51	115.11
2	A	601	NDP	O5B-C5B-C4B	2.07	116.04	108.99
2	A	601	NDP	C3N-C7N-N7N	2.05	121.31	117.67
3	A	602	MTX	O2-CT-CA	2.05	120.45	113.51
2	A	601	NDP	C4A-N9A-C8A	2.00	107.84	105.74

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	MTX	N-CA-CB-CG
3	B	602	MTX	N-CA-CB-CG
3	A	602	MTX	C13-C14-N10-CM
3	B	602	MTX	C13-C14-N10-CM
3	A	602	MTX	C15-C14-N10-CM
3	B	602	MTX	C15-C14-N10-CM
3	A	602	MTX	CT-CA-CB-CG
3	B	602	MTX	CT-CA-CB-CG
2	B	601	NDP	C3D-C4D-C5D-O5D
2	A	601	NDP	PA-O3-PN-O5D
2	B	601	NDP	PA-O3-PN-O5D
3	A	602	MTX	C6-C9-N10-CM
3	B	602	MTX	C6-C9-N10-CM
2	A	601	NDP	C5B-O5B-PA-O1A
2	B	601	NDP	C5B-O5B-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	601	NDP	C5D-O5D-PN-O2N
2	B	601	NDP	O4D-C4D-C5D-O5D
3	B	602	MTX	C15-C14-N10-C9
2	A	601	NDP	C3D-C4D-C5D-O5D
2	A	601	NDP	O4D-C1D-N1N-C2N
2	B	601	NDP	O4D-C1D-N1N-C2N
2	A	601	NDP	C4D-C5D-O5D-PN
2	B	601	NDP	C4D-C5D-O5D-PN
3	B	602	MTX	OE1-CD-CG-CB
3	A	602	MTX	OE1-CD-CG-CB
3	A	602	MTX	C15-C14-N10-C9
3	B	602	MTX	OE2-CD-CG-CB
3	A	602	MTX	OE2-CD-CG-CB
2	A	601	NDP	O4D-C4D-C5D-O5D
2	A	601	NDP	C2B-O2B-P2B-O1X
2	B	601	NDP	C2B-O2B-P2B-O1X
3	B	602	MTX	C13-C14-N10-C9


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	MTX	4	0
2	A	601	NDP	1	0
3	B	602	MTX	2	0
2	B	601	NDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	503/521 (96%)	1.07	81 (16%) 4 4	43, 67, 109, 135	0
1	B	503/521 (96%)	1.08	98 (19%) 3 2	42, 67, 117, 145	0
All	All	1006/1042 (96%)	1.07	179 (17%) 4 3	42, 67, 115, 145	0

All (179) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	302	ASP	5.7
1	A	103	ASN	5.6
1	B	351	GLY	5.4
1	B	101	LEU	5.4
1	B	102	MET	5.3
1	A	336	ASN	4.8
1	B	343	GLY	4.6
1	B	193	LEU	4.6
1	B	337	ASP	4.6
1	A	101	LEU	4.4
1	B	84	ALA	4.4
1	A	178	GLN	4.2
1	B	342	TYR	4.0
1	A	399	LEU	4.0
1	B	309	ILE	3.9
1	A	297	TRP	3.8
1	A	99	GLU	3.8
1	A	338	LEU	3.8
1	B	321	SER	3.8
1	A	361	THR	3.7
1	B	316	TRP	3.7
1	A	84	ALA	3.7
1	B	357	HIS	3.6
1	A	258	THR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	353	TYR	3.6
1	B	356	MET	3.5
1	A	256	ASN	3.5
1	A	114	GLY	3.5
1	A	398	ALA	3.5
1	B	325	LEU	3.4
1	A	193	LEU	3.3
1	B	382	ARG	3.3
1	B	359	ASP	3.3
1	A	394	LEU	3.3
1	B	99	GLU	3.3
1	B	306	ASN	3.3
1	A	3	GLU	3.2
1	A	341	ILE	3.2
1	A	404	VAL	3.2
1	A	493	VAL	3.2
1	B	319	ASN	3.2
1	A	502	GLU	3.2
1	A	171	ASP	3.2
1	A	255	GLU	3.2
1	B	259	GLY	3.2
1	B	315	ILE	3.2
1	B	3	GLU	3.1
1	A	102	MET	3.1
1	B	518	ASP	3.1
1	B	326	GLU	3.1
1	B	394	LEU	3.1
1	B	323	GLU	3.1
1	A	519	MET	3.0
1	B	519	MET	3.0
1	A	298	PHE	3.0
1	A	140	ASP	3.0
1	B	260	ILE	3.0
1	B	250	ASN	3.0
1	A	359	ASP	3.0
1	A	393	ALA	3.0
1	B	258	THR	3.0
1	B	298	PHE	3.0
1	A	422	GLN	2.9
1	A	342	TYR	2.9
1	B	328	ILE	2.9
1	A	301	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	334	GLU	2.9
1	B	494	GLU	2.9
1	B	317	SER	2.9
1	B	287	ALA	2.9
1	B	341	ILE	2.9
1	B	333	ARG	2.9
1	B	350	ASN	2.9
1	A	141	ILE	2.9
1	A	260	ILE	2.8
1	B	314	TYR	2.8
1	B	340	PRO	2.8
1	B	338	LEU	2.7
1	B	397	MET	2.7
1	B	352	GLU	2.7
1	B	330	LEU	2.7
1	A	357	HIS	2.7
1	A	127	PHE	2.7
1	B	313	VAL	2.7
1	B	388	ALA	2.7
1	A	5	ASN	2.7
1	A	294	GLU	2.6
1	B	310	GLU	2.6
1	B	312	LYS	2.6
1	B	358	ASP	2.6
1	A	315	ILE	2.6
1	A	351	GLY	2.6
1	B	322	LYS	2.6
1	A	313	VAL	2.6
1	B	363	VAL	2.6
1	A	126	ASN	2.6
1	B	103	ASN	2.6
1	A	16	SER	2.5
1	A	209	ILE	2.5
1	B	299	ILE	2.5
1	A	295	LEU	2.5
1	A	354	LYS	2.5
1	A	365	VAL	2.5
1	A	98	ILE	2.5
1	B	404	VAL	2.5
1	B	355	THR	2.4
1	A	259	GLY	2.4
1	B	336	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	316	TRP	2.4
1	A	326	GLU	2.4
1	B	398	ALA	2.4
1	B	387	THR	2.4
1	B	405	LEU	2.4
1	A	82	ASP	2.4
1	A	105	ASP	2.4
1	A	309	ILE	2.4
1	B	361	THR	2.4
1	A	320	GLY	2.4
1	A	353	TYR	2.3
1	A	335	GLU	2.3
1	B	105	ASP	2.3
1	B	324	TYR	2.3
1	B	380	LYS	2.3
1	B	96	ASP	2.3
1	A	383	ARG	2.3
1	A	388	ALA	2.3
1	A	250	ASN	2.3
1	A	397	MET	2.3
1	A	495	ASN	2.3
1	B	100	ASN	2.3
1	B	85	ASP	2.3
1	B	305	GLY	2.3
1	A	113	CYS	2.2
1	B	393	ALA	2.2
1	B	335	GLU	2.2
1	A	100	ASN	2.2
1	A	319	ASN	2.2
1	B	304	ASN	2.2
1	A	433	PHE	2.2
1	A	129	ASP	2.2
1	B	295	LEU	2.2
1	B	308	LEU	2.2
1	B	141	ILE	2.2
1	B	504	ILE	2.2
1	B	438	TYR	2.2
1	A	104	ASP	2.2
1	B	5	ASN	2.2
1	A	94	LEU	2.2
1	B	290	SER	2.2
1	B	118	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	403	HIS	2.2
1	B	127	PHE	2.2
1	A	296	ILE	2.1
1	A	518	ASP	2.1
1	B	291	ILE	2.1
1	B	492	LYS	2.1
1	B	81	GLN	2.1
1	A	343	GLY	2.1
1	B	339	GLY	2.1
1	A	45	ASP	2.1
1	A	346	TRP	2.1
1	A	311	LYS	2.1
1	B	365	VAL	2.1
1	A	306	ASN	2.1
1	B	495	ASN	2.1
1	A	428	GLY	2.1
1	B	113	CYS	2.1
1	B	98	ILE	2.1
1	A	333	ARG	2.0
1	B	77	SER	2.0
1	B	395	SER	2.0
1	B	311	LYS	2.0
1	B	297	TRP	2.0
1	B	487	LEU	2.0
1	B	171	ASP	2.0
1	B	17	SER	2.0
1	B	472	GLN	2.0
1	A	461	GLY	2.0
1	A	324	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MTX	B	602	33/33	0.85	0.14	51,61,83,85	0
3	MTX	A	602	33/33	0.88	0.14	46,58,80,84	0
2	NDP	B	601	48/48	0.91	0.11	53,70,95,107	0
2	NDP	A	601	48/48	0.95	0.09	49,62,78,83	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around MTX A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NDP A 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.