



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:33 PM UTC

PDB ID : 5WFV / pdb_00005wfv
Title : Kelch domain of human Keap1 bound to Nrf2 ETGE peptide
Authors : Carolan, J.P.; Lynch, A.J.; Allen, K.N.
Deposited on : 2017-07-12
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	18% 73% 12% 15%
1	B	336	5% 76% 10% 14%
2	P	9	78% 22%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	284	Total	C	N	O	S	0	1	0
			2184	1359	396	413	16			
1	B	289	Total	C	N	O	S	0	2	0
			2228	1386	404	421	17			

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	289	MET	-	initiating methionine	UNP Q14145
A	290	GLY	-	expression tag	UNP Q14145
A	291	SER	-	expression tag	UNP Q14145
A	292	SER	-	expression tag	UNP Q14145
A	293	HIS	-	expression tag	UNP Q14145
A	294	HIS	-	expression tag	UNP Q14145
A	295	HIS	-	expression tag	UNP Q14145
A	296	HIS	-	expression tag	UNP Q14145
A	297	HIS	-	expression tag	UNP Q14145
A	298	HIS	-	expression tag	UNP Q14145
A	299	SER	-	expression tag	UNP Q14145
A	300	SER	-	expression tag	UNP Q14145
A	301	GLY	-	expression tag	UNP Q14145
A	302	GLY	-	expression tag	UNP Q14145
A	303	GLU	-	expression tag	UNP Q14145
A	304	ASN	-	expression tag	UNP Q14145
A	305	LEU	-	expression tag	UNP Q14145
A	306	TYR	-	expression tag	UNP Q14145
A	307	PHE	-	expression tag	UNP Q14145
A	308	GLN	-	expression tag	UNP Q14145
A	309	GLY	-	expression tag	UNP Q14145
A	310	HIS	-	expression tag	UNP Q14145
A	311	MET	-	expression tag	UNP Q14145
A	312	LYS	-	expression tag	UNP Q14145
A	313	PRO	-	expression tag	UNP Q14145

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	314	THR	-	expression tag	UNP Q14145
A	315	GLN	-	expression tag	UNP Q14145
A	316	VAL	-	expression tag	UNP Q14145
A	317	MET	-	expression tag	UNP Q14145
A	318	PRO	-	expression tag	UNP Q14145
A	319	SER	-	expression tag	UNP Q14145
A	540	ALA	GLU	engineered mutation	UNP Q14145
A	542	ALA	GLU	engineered mutation	UNP Q14145
A	613	SER	-	expression tag	UNP Q14145
A	614	ARG	-	expression tag	UNP Q14145
A	615	LYS	-	expression tag	UNP Q14145
A	616	GLN	-	expression tag	UNP Q14145
A	617	ILE	-	expression tag	UNP Q14145
A	618	ASP	-	expression tag	UNP Q14145
A	619	GLN	-	expression tag	UNP Q14145
A	620	GLN	-	expression tag	UNP Q14145
A	621	ASN	-	expression tag	UNP Q14145
A	622	SER	-	expression tag	UNP Q14145
A	623	THR	-	expression tag	UNP Q14145
A	624	SER	-	expression tag	UNP Q14145
B	289	MET	-	initiating methionine	UNP Q14145
B	290	GLY	-	expression tag	UNP Q14145
B	291	SER	-	expression tag	UNP Q14145
B	292	SER	-	expression tag	UNP Q14145
B	293	HIS	-	expression tag	UNP Q14145
B	294	HIS	-	expression tag	UNP Q14145
B	295	HIS	-	expression tag	UNP Q14145
B	296	HIS	-	expression tag	UNP Q14145
B	297	HIS	-	expression tag	UNP Q14145
B	298	HIS	-	expression tag	UNP Q14145
B	299	SER	-	expression tag	UNP Q14145
B	300	SER	-	expression tag	UNP Q14145
B	301	GLY	-	expression tag	UNP Q14145
B	302	GLY	-	expression tag	UNP Q14145
B	303	GLU	-	expression tag	UNP Q14145
B	304	ASN	-	expression tag	UNP Q14145
B	305	LEU	-	expression tag	UNP Q14145
B	306	TYR	-	expression tag	UNP Q14145
B	307	PHE	-	expression tag	UNP Q14145
B	308	GLN	-	expression tag	UNP Q14145
B	309	GLY	-	expression tag	UNP Q14145
B	310	HIS	-	expression tag	UNP Q14145

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	311	MET	-	expression tag	UNP Q14145
B	312	LYS	-	expression tag	UNP Q14145
B	313	PRO	-	expression tag	UNP Q14145
B	314	THR	-	expression tag	UNP Q14145
B	315	GLN	-	expression tag	UNP Q14145
B	316	VAL	-	expression tag	UNP Q14145
B	317	MET	-	expression tag	UNP Q14145
B	318	PRO	-	expression tag	UNP Q14145
B	319	SER	-	expression tag	UNP Q14145
B	540	ALA	GLU	engineered mutation	UNP Q14145
B	542	ALA	GLU	engineered mutation	UNP Q14145
B	613	SER	-	expression tag	UNP Q14145
B	614	ARG	-	expression tag	UNP Q14145
B	615	LYS	-	expression tag	UNP Q14145
B	616	GLN	-	expression tag	UNP Q14145
B	617	ILE	-	expression tag	UNP Q14145
B	618	ASP	-	expression tag	UNP Q14145
B	619	GLN	-	expression tag	UNP Q14145
B	620	GLN	-	expression tag	UNP Q14145
B	621	ASN	-	expression tag	UNP Q14145
B	622	SER	-	expression tag	UNP Q14145
B	623	THR	-	expression tag	UNP Q14145
B	624	SER	-	expression tag	UNP Q14145

- Molecule 2 is a protein called Nrf2 ETGE peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	9	Total	C	N	O	0	0	0
			74	46	9	19			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		
4	B	80	Total	O	0	0
			80	80		
4	P	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 2: Nrf2 ETGE peptide



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.92Å 69.25Å 79.23Å 90.00° 118.50° 90.00°	Depositor
Resolution (Å)	52.14 – 1.91 52.14 – 1.91	Depositor EDS
% Data completeness (in resolution range)	92.8 (52.14-1.91) 92.5 (52.14-1.91)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.52 (at 1.69Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.200 , 0.227 0.202 , 0.230	Depositor DCC
R_{free} test set	1996 reflections (2.42%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.162	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 35.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.022 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4606	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/2240	0.53	0/3051
1	B	0.36	1/2288 (0.0%)	0.58	1/3114 (0.0%)
2	P	0.34	0/74	0.45	0/97
All	All	0.32	1/4602 (0.0%)	0.56	1/6262 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	409	MET	SD-CE	-5.40	1.66	1.79

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	409	MET	CG-SD-CE	-7.27	84.91	100.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2184	0	2084	34	0
1	B	2228	0	2131	32	0
2	P	74	0	62	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	5	0	0	0	0
4	A	32	0	0	0	0
4	B	80	0	0	0	0
4	P	3	0	0	0	0
All	All	4606	0	4277	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:LEU:HB2	1:A:566:ILE:HD11	1.60	0.83
1:A:447:ARG:NH1	1:A:449:GLU:OE1	2.12	0.81
1:A:466:ALA:HB1	1:A:514:VAL:HG23	1.69	0.72
1:A:494:ARG:HH22	1:A:496:GLU:CD	2.02	0.67
1:A:347:PRO:HG2	1:A:562:HIS:CE1	2.30	0.66
1:A:444:GLU:OE1	1:A:447:ARG:NH2	2.28	0.65
1:B:494:ARG:NH2	1:B:498:ARG:HH12	1.98	0.62
1:B:436:HIS:HA	1:B:461:ILE:HD11	1.83	0.60
1:A:516:HIS:CD2	1:B:493:GLU:HG3	2.38	0.59
1:A:346:ASN:OD1	1:A:348:SER:N	2.36	0.59
1:A:454:ALA:HB2	1:A:495:ASN:ND2	2.18	0.57
1:A:449:GLU:OE2	1:A:451:HIS:NE2	2.39	0.56
1:A:516:HIS:CG	1:B:493:GLU:HG3	2.41	0.55
1:A:561:VAL:HG22	1:A:566:ILE:HD12	1.87	0.55
1:B:557:LEU:H	1:B:557:LEU:HD23	1.72	0.54
1:A:355:LEU:HD23	1:A:396:TYR:OH	2.08	0.54
1:A:562:HIS:CE1	1:A:563:GLN:HG3	2.43	0.54
1:B:436:HIS:ND1	1:B:461:ILE:HG13	2.22	0.54
1:A:415:ARG:NH2	2:P:79:GLU:OE1	2.38	0.54
1:B:409:MET:HE1	1:B:413:ARG:HD2	1.89	0.53
1:B:468:LEU:HB2	1:B:519:ILE:HD11	1.91	0.53
1:B:431:SER:HB3	1:B:461:ILE:HD12	1.91	0.51
1:B:494:ARG:HH21	1:B:498:ARG:HH12	1.59	0.50
1:A:443:TYR:OH	1:A:448:ASP:OD1	2.25	0.50
1:B:365:LEU:H	1:B:365:LEU:HD23	1.77	0.49
1:A:421:ILE:HD11	1:A:472:LEU:HB2	1.96	0.48
1:B:494:ARG:NH2	1:B:498:ARG:NH1	2.61	0.48
1:B:518:CYS:HB3	1:B:536:ARG:HG3	1.96	0.47
1:B:515:LEU:HD22	1:B:566:ILE:HG13	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:ARG:HB3	1:B:336:ARG:CZ	2.45	0.47
1:A:345:TYR:CG	1:A:346:ASN:N	2.83	0.46
1:B:585:ASP:HB3	1:B:588:THR:CG2	2.46	0.46
1:B:409:MET:HE1	1:B:427:ALA:HB1	1.98	0.46
1:A:365:LEU:HD23	1:A:365:LEU:H	1.81	0.46
1:A:345:TYR:HB2	1:A:352:TRP:CZ3	2.51	0.46
1:B:409:MET:CE	1:B:427:ALA:CB	2.95	0.45
1:B:472:LEU:HB3	1:B:490:TYR:HB3	1.98	0.45
1:A:454:ALA:HB2	1:A:495:ASN:HD21	1.80	0.44
1:B:498:ARG:HH11	1:B:498:ARG:HG3	1.83	0.44
1:B:416:ILE:HD11	1:B:427:ALA:HB1	2.00	0.44
1:A:345:TYR:HB2	1:A:352:TRP:CH2	2.53	0.44
1:B:336:ARG:HB3	1:B:336:ARG:NH1	2.33	0.44
1:B:426:TYR:CZ	1:B:442:ARG:HD3	2.52	0.44
1:A:346:ASN:HA	1:A:347:PRO:HD2	1.87	0.44
1:A:400:THR:OG1	1:A:402:GLN:HG3	2.18	0.44
1:A:554:ARG:HG3	1:A:557:LEU:HD22	2.00	0.44
1:A:431:SER:HB3	1:A:461:ILE:HG21	2.00	0.43
1:B:470:ARG:NE	1:B:470:ARG:N	2.65	0.43
1:A:335:PHE:C	1:A:337:GLN:H	2.26	0.43
1:A:514:VAL:O	1:A:561:VAL:HG21	2.18	0.43
1:A:347:PRO:HG2	1:A:562:HIS:ND1	2.33	0.43
1:A:494:ARG:NH2	1:A:496:GLU:CD	2.73	0.42
1:A:561:VAL:HG22	1:A:566:ILE:CD1	2.49	0.42
1:B:388:THR:HG22	1:B:389:ASP:O	2.20	0.42
1:B:409:MET:HE1	1:B:427:ALA:CB	2.50	0.42
1:B:512:VAL:HA	1:B:520:TYR:O	2.20	0.41
1:A:557:LEU:HD23	1:A:557:LEU:H	1.83	0.41
1:B:520:TYR:CZ	1:B:536:ARG:HD3	2.56	0.41
1:A:334:TYR:CE1	2:P:82:GLU:HA	2.56	0.41
1:B:498:ARG:NH1	1:B:498:ARG:HG3	2.36	0.41
1:B:494:ARG:HH21	1:B:498:ARG:NH1	2.18	0.41
1:B:361:PRO:C	1:B:362:ARG:HG3	2.46	0.41
1:A:416:ILE:HD11	1:A:427:ALA:HB1	2.02	0.40
1:B:365:LEU:HD12	1:B:376:ALA:HB1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/336 (84%)	271 (96%)	12 (4%)	0	100	100
1	B	289/336 (86%)	283 (98%)	6 (2%)	0	100	100
2	P	7/9 (78%)	7 (100%)	0	0	100	100
All	All	579/681 (85%)	561 (97%)	18 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/275 (84%)	230 (100%)	0	100	100
1	B	235/275 (86%)	235 (100%)	0	100	100
2	P	8/8 (100%)	8 (100%)	0	100	100
All	All	473/558 (85%)	473 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	337	GLN
1	A	381	ASN
1	A	414	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	516	HIS
1	A	517	ASN
1	B	381	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	701	-	4,4,4	0.28	0	6,6,6	0.17	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	284/336 (84%)	1.11	61 (21%) 2 2	23, 40, 66, 93	1 (0%)
1	B	289/336 (86%)	0.18	17 (5%) 28 32	13, 28, 49, 70	2 (0%)
2	P	9/9 (100%)	0.52	0 100 100	27, 33, 38, 46	0
All	All	582/681 (85%)	0.64	78 (13%) 7 9	13, 33, 61, 93	3 (0%)

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	353	LEU	4.6
1	A	371	GLY	4.2
1	A	447	ARG	3.9
1	A	399	MET	3.7
1	B	613	SER	3.7
1	A	351	THR	3.6
1	A	562	HIS	3.6
1	A	329	TYR	3.6
1	A	352	TRP	3.5
1	A	422	ASP	3.5
1	A	346	ASN	3.5
1	B	336	ARG	3.5
1	A	491	TYR	3.3
1	A	493	GLU	3.3
1	A	370	VAL	3.3
1	A	575	HIS	3.2
1	A	373	LEU	3.2
1	A	345	TYR	3.1
1	A	347	PRO	3.1
1	A	452	LEU	3.1
1	A	344	ALA	3.1
1	A	396	TYR	3.0
1	A	495	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	539	VAL	3.0
1	A	395	CYS	3.0
1	A	369	VAL	2.9
1	A	451	HIS	2.9
1	A	327	LEU	2.9
1	A	472	LEU	2.9
1	A	400	THR	2.8
1	A	576	THR	2.8
1	A	403	TRP	2.8
1	A	594	VAL	2.8
1	A	498	ARG	2.7
1	A	372	GLY	2.7
1	A	566	ILE	2.7
1	B	610	MET	2.7
1	A	468	LEU	2.7
1	A	545	THR	2.6
1	B	552	HIS	2.6
1	B	470	ARG	2.6
1	A	421	ILE	2.6
1	A	588	THR	2.6
1	A	453	VAL	2.6
1	B	384	PRO	2.5
1	A	326	ARG	2.5
1	A	494	ARG	2.5
1	B	386	GLY	2.5
1	B	588	THR	2.5
1	B	542	ALA	2.4
1	A	420	VAL	2.4
1	A	445	PRO	2.4
1	A	455	PRO	2.4
1	A	423	GLY	2.4
1	A	471	LEU	2.3
1	A	356	ALA	2.3
1	A	424	HIS	2.3
1	B	399	MET	2.3
1	A	595	THR	2.3
1	B	498	ARG	2.2
1	A	404	SER	2.2
1	A	608	VAL	2.2
1	A	398	PRO	2.2
1	A	492	PRO	2.2
1	A	567	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	551	LYS	2.2
1	A	446	GLU	2.1
1	A	444	GLU	2.1
1	A	397	ASN	2.1
1	B	502	ALA	2.1
1	A	592	SER	2.1
1	B	325	GLY	2.1
1	A	539	VAL	2.1
1	B	494	ARG	2.0
1	A	496	GLU	2.0
1	B	493	GLU	2.0
1	B	461	ILE	2.0
1	A	563	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	701	5/5	0.91	0.12	54,62,65,66	0

6.5 Other polymers [i](#)

There are no such residues in this entry.