



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:34 AM UTC

PDB ID : 3WG9 / pdb_00003wg9
Title : Crystal structure of RSP, a Rex-family repressor
Authors : Zheng, Y.; Ko, T.-P.; Guo, R.-T.
Deposited on : 2013-08-03
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	9% 74% 15% • 7%
1	B	224	8% 72% 17% • • 5%
1	C	224	6% 70% 20% • 8%
1	D	224	10% 71% 17% • • 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	902	-	-	X	-
2	SO4	D	301	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7554 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Redox-sensing transcriptional repressor rex.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	0	0
			1682	1076	289	313	4			
1	B	212	Total	C	N	O	S	0	0	0
			1706	1091	293	318	4			
1	C	207	Total	C	N	O	S	0	0	0
			1666	1065	287	310	4			
1	D	209	Total	C	N	O	S	0	0	0
			1682	1075	289	314	4			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	174	Total	O	0	0
			174	174		
3	B	223	Total	O	0	0
			223	223		
3	C	180	Total	O	0	0
			180	180		
3	D	216	Total	O	0	0
			216	216		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Redox-sensing transcriptional repressor rex



- Molecule 1: Redox-sensing transcriptional repressor rex




- Molecule 1: Redox-sensing transcriptional repressor rex



- Molecule 1: Redox-sensing transcriptional repressor rex





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.41Å 90.10Å 171.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 1.97 25.00 – 1.97	Depositor EDS
% Data completeness (in resolution range)	100.0 (25.00-1.97) 96.1 (25.00-1.97)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.12 (at 1.98Å)	Xtriage
Refinement program	CNS, REFMAC 5.5.0109	Depositor
R, R_{free}	0.198 , 0.252 0.218 , 0.264	Depositor DCC
R_{free} test set	3945 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.712	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7554	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2397e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.92	0/1707	1.13	3/2300 (0.1%)
1	B	0.99	0/1733	1.12	4/2337 (0.2%)
1	C	0.87	0/1690	1.08	5/2277 (0.2%)
1	D	0.94	0/1707	1.11	3/2301 (0.1%)
All	All	0.93	0/6837	1.11	15/9215 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	ALA	N-CA-C	-8.54	101.97	112.38
1	B	159	ALA	N-CA-C	8.11	119.89	111.14
1	A	64	TYR	N-CA-C	-6.72	105.84	112.97
1	C	138	VAL	N-CA-C	6.42	117.94	110.62
1	B	128	ARG	N-CA-C	-6.32	104.86	112.58
1	C	178	LEU	N-CA-C	6.12	117.78	110.07
1	C	184	VAL	N-CA-C	-5.82	104.42	109.19
1	C	204	TYR	N-CA-C	-5.79	104.88	111.07
1	C	157	ASP	N-CA-C	5.78	119.51	112.23
1	D	125	LEU	CA-C-N	-5.52	115.38	123.00
1	D	125	LEU	C-N-CA	-5.52	115.38	123.00
1	B	103	THR	N-CA-C	5.28	119.44	113.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	107	LYS	N-CA-C	-5.26	104.97	111.33
1	A	69	GLU	N-CA-C	-5.04	105.86	111.36
1	B	10	ALA	N-CA-C	-5.03	105.88	111.36

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	103	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1682	0	1722	44	1
1	B	1706	0	1738	45	0
1	C	1666	0	1710	31	1
1	D	1682	0	1717	52	0
2	A	10	0	0	2	0
2	C	10	0	0	1	0
2	D	5	0	0	5	0
3	A	174	0	0	8	0
3	B	223	0	0	10	1
3	C	180	0	0	1	1
3	D	216	0	0	4	0
All	All	7554	0	6887	173	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:104:SER:HA	1:B:107:LYS:HB2	1.33	1.08
1:A:36:ARG:NH1	3:A:1169:HOH:O	1.87	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:902:SO4:O1	3:A:1032:HOH:O	1.73	1.03
1:B:144:ARG:HD3	3:B:420:HOH:O	1.63	0.98
1:B:34:SER:OG	1:B:37:GLU:HG3	1.66	0.95
1:B:17:ARG:NH1	3:B:459:HOH:O	1.95	0.93
1:D:156:LYS:H	1:D:156:LYS:HE3	1.37	0.88
1:A:25:LEU:HD13	1:A:33:ILE:HD13	1.58	0.85
1:A:39:SER:HB2	1:A:46:ALA:HA	1.62	0.80
1:D:101:ASN:OD1	3:D:581:HOH:O	2.01	0.78
1:D:127:ILE:O	1:D:130:VAL:HG23	1.82	0.78
1:B:104:SER:HA	1:B:107:LYS:CB	2.15	0.76
1:D:106:GLU:O	1:D:108:SER:O	2.04	0.74
1:A:45:THR:OG1	1:A:47:SER:HB3	1.89	0.73
1:A:156:LYS:HG3	1:A:178:LEU:HD11	1.72	0.71
1:B:158:ASN:N	3:B:442:HOH:O	2.17	0.71
1:B:97:GLN:HG2	1:B:127:ILE:HD13	1.73	0.71
1:B:125:LEU:HG	1:B:126:LYS:N	2.08	0.69
1:D:120:PRO:HA	1:D:123:PHE:CZ	2.29	0.68
1:D:104:SER:C	1:D:106:GLU:H	2.02	0.67
1:A:17:ARG:HG2	1:A:42:MET:CE	2.25	0.66
1:A:48:GLN:O	1:A:52:ASP:N	2.20	0.66
1:B:17:ARG:HB3	1:B:42:MET:HE1	1.78	0.66
1:D:17:ARG:HB3	1:D:42:MET:HE1	1.77	0.66
1:D:120:PRO:HA	1:D:123:PHE:CE2	2.32	0.65
1:B:109:GLY:HA3	3:B:411:HOH:O	1.97	0.64
1:C:34:SER:OG	1:C:37:GLU:HG3	1.97	0.64
1:B:64:TYR:HB3	3:B:327:HOH:O	1.98	0.64
1:D:156:LYS:H	1:D:156:LYS:CE	2.09	0.64
1:D:101:ASN:ND2	1:D:128:ARG:HD3	2.13	0.63
1:D:156:LYS:HE3	1:D:156:LYS:N	2.12	0.63
1:A:17:ARG:NH1	3:A:1147:HOH:O	2.07	0.63
1:A:64:TYR:HA	3:A:1100:HOH:O	1.98	0.63
1:D:65:GLY:N	2:D:301:SO4:O1	2.32	0.63
1:D:107:LYS:O	1:D:108:SER:C	2.40	0.63
1:B:107:LYS:O	1:B:109:GLY:N	2.32	0.62
1:A:39:SER:HB2	1:A:46:ALA:CA	2.28	0.62
1:D:104:SER:HA	1:D:107:LYS:HB2	1.82	0.62
1:C:22:LEU:HD12	1:C:75:LEU:HD12	1.81	0.62
1:D:34:SER:OG	1:D:37:GLU:HG3	1.98	0.62
1:B:104:SER:CA	1:B:107:LYS:HB2	2.18	0.62
1:D:101:ASN:HD22	1:D:128:ARG:HD3	1.66	0.61
1:C:44:VAL:HG12	1:C:48:GLN:HB3	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:THR:C	1:A:47:SER:N	2.54	0.59
1:B:156:LYS:HD2	1:B:180:ILE:CD1	2.32	0.59
1:B:156:LYS:HD2	1:B:180:ILE:HD12	1.84	0.59
1:C:35:SER:O	1:C:39:SER:HB3	2.04	0.58
1:D:125:LEU:HD23	1:D:127:ILE:HD11	1.86	0.58
1:C:17:ARG:HG2	1:C:17:ARG:HH21	1.69	0.58
1:C:22:LEU:HD12	1:C:75:LEU:CD1	2.32	0.58
1:D:109:GLY:HA3	3:D:571:HOH:O	2.05	0.57
1:C:154:ILE:O	1:C:178:LEU:HD21	2.03	0.57
1:B:107:LYS:HE2	1:B:112:LEU:H	1.69	0.56
1:B:103:THR:HA	1:B:106:GLU:HB2	1.87	0.56
1:B:106:GLU:OE1	3:B:486:HOH:O	2.18	0.56
1:D:25:LEU:HD11	1:D:33:ILE:HD13	1.88	0.56
1:B:204:TYR:CD2	1:B:204:TYR:C	2.85	0.55
1:B:214:LYS:O	1:B:215:LEU:C	2.50	0.55
1:C:17:ARG:NH2	2:C:301:SO4:O2	2.40	0.54
1:D:107:LYS:O	1:D:109:GLY:N	2.40	0.54
1:B:127:ILE:O	1:B:128:ARG:HB3	2.08	0.54
1:D:100:ALA:O	1:D:103:THR:HB	2.07	0.53
1:D:123:PHE:CD1	1:D:123:PHE:N	2.74	0.53
1:A:33:ILE:HG22	1:A:34:SER:O	2.09	0.53
1:C:18:TYR:CD1	1:C:42:MET:HE2	2.44	0.52
1:D:154:ILE:O	1:D:178:LEU:HD22	2.09	0.52
1:D:140:ASP:OD1	1:D:144:ARG:NH1	2.42	0.52
1:A:36:ARG:NH2	1:A:46:ALA:HB2	2.24	0.52
1:B:159:ALA:HB2	1:B:178:LEU:HD11	1.90	0.52
1:D:159:ALA:HB2	1:D:178:LEU:HD11	1.91	0.52
1:A:17:ARG:HG2	1:A:42:MET:HE2	1.92	0.52
1:A:172:LYS:HB3	3:A:1068:HOH:O	2.08	0.52
1:B:22:LEU:CD1	1:B:71:LEU:HG	2.40	0.51
1:B:123:PHE:CD1	1:B:123:PHE:N	2.76	0.51
1:C:22:LEU:CD1	1:C:75:LEU:HD12	2.41	0.51
1:C:118:ILE:HG22	1:C:135:VAL:HG11	1.93	0.51
1:A:17:ARG:NE	2:A:902:SO4:O2	2.41	0.51
1:A:45:THR:C	1:A:47:SER:H	2.19	0.51
1:D:106:GLU:OE1	1:D:106:GLU:HA	2.11	0.50
1:B:17:ARG:CB	1:B:42:MET:HE1	2.42	0.50
1:C:23:GLU:HG2	1:C:27:LYS:HE2	1.93	0.49
1:A:45:THR:O	1:A:46:ALA:C	2.56	0.49
1:D:107:LYS:HE3	1:D:111:ASN:HA	1.93	0.49
1:D:104:SER:HA	1:D:107:LYS:CB	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:LYS:HE3	1:A:156:LYS:H	1.78	0.49
1:D:17:ARG:CB	1:D:42:MET:HE1	2.43	0.48
1:A:33:ILE:HG23	1:A:37:GLU:HB2	1.95	0.48
1:B:64:TYR:HE1	3:B:521:HOH:O	1.97	0.48
1:B:122:LEU:O	1:B:124:GLY:N	2.47	0.48
1:B:27:LYS:HE3	1:B:27:LYS:HB2	1.62	0.48
1:D:121:ARG:HD2	3:D:452:HOH:O	2.12	0.48
1:A:161:TYR:CE2	1:A:165:ARG:HD2	2.49	0.48
1:B:209:GLU:HG2	3:B:423:HOH:O	2.13	0.48
1:C:17:ARG:HH21	1:C:17:ARG:CG	2.26	0.48
1:D:21:TYR:CZ	1:D:41:LYS:HG2	2.50	0.47
1:D:127:ILE:O	1:D:130:VAL:CG2	2.58	0.47
1:C:140:ASP:OD1	1:C:140:ASP:N	2.44	0.47
1:A:48:GLN:HG2	3:A:1057:HOH:O	2.12	0.47
1:B:22:LEU:HD13	1:B:71:LEU:HG	1.97	0.47
1:B:144:ARG:HG2	3:B:407:HOH:O	2.14	0.47
1:C:152:LEU:HD12	1:C:182:LEU:HD11	1.97	0.47
1:D:115:ILE:HD12	1:D:127:ILE:HD12	1.97	0.47
1:C:21:TYR:CE2	1:C:41:LYS:HG3	2.50	0.47
1:D:21:TYR:CE1	1:D:41:LYS:HG2	2.50	0.47
1:A:18:TYR:CE1	1:A:42:MET:HG3	2.50	0.46
1:A:25:LEU:HD13	1:A:33:ILE:CD1	2.35	0.46
1:A:156:LYS:H	1:A:156:LYS:CE	2.29	0.46
1:D:35:SER:HB3	2:D:301:SO4:S	2.55	0.46
1:A:36:ARG:HA	1:A:36:ARG:NE	2.31	0.46
1:C:158:ASN:OD1	1:C:161:TYR:HB3	2.16	0.46
1:A:40:GLU:OE1	1:A:41:LYS:HD2	2.15	0.46
1:C:51:GLN:O	1:C:54:ASN:HB2	2.16	0.45
1:C:154:ILE:O	1:C:178:LEU:HD11	2.17	0.45
1:C:214:LYS:NZ	1:C:214:LYS:HB2	2.32	0.45
1:A:18:TYR:OH	1:A:52:ASP:OD2	2.29	0.45
1:A:47:SER:O	1:A:51:GLN:N	2.44	0.45
1:B:12:ILE:O	1:B:16:PRO:HD3	2.17	0.45
1:D:107:LYS:HZ1	1:D:112:LEU:H	1.65	0.45
1:A:36:ARG:NH2	3:A:1033:HOH:O	2.48	0.45
1:B:124:GLY:O	1:B:125:LEU:C	2.59	0.44
1:D:64:TYR:HA	2:D:301:SO4:O2	2.17	0.44
1:B:28:ASN:ND2	3:B:519:HOH:O	2.30	0.44
1:A:7:VAL:HG12	1:A:8:SER:N	2.32	0.44
1:B:209:GLU:HG3	1:B:210:GLU:H	1.82	0.44
1:A:156:LYS:HG2	1:A:180:ILE:HG21	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:MET:O	1:A:43:GLY:C	2.59	0.44
1:C:34:SER:HG	1:C:37:GLU:HG3	1.83	0.44
1:C:37:GLU:O	1:C:41:LYS:HG2	2.17	0.44
1:D:215:LEU:HA	1:D:215:LEU:HD23	1.63	0.44
1:B:120:PRO:HA	1:B:123:PHE:CE2	2.53	0.44
1:D:119:ASN:C	1:D:121:ARG:N	2.75	0.44
1:D:104:SER:O	1:D:107:LYS:HB2	2.18	0.44
1:D:65:GLY:HA2	2:D:301:SO4:O1	2.18	0.43
1:A:113:LYS:HA	1:A:113:LYS:HD2	1.76	0.43
1:D:122:LEU:O	1:D:124:GLY:N	2.51	0.43
1:C:35:SER:HB2	1:C:46:ALA:HB1	1.99	0.43
1:D:204:TYR:CD2	1:D:204:TYR:C	2.95	0.43
1:C:106:GLU:HG2	3:C:535:HOH:O	2.18	0.43
1:A:30:VAL:HG11	1:A:33:ILE:HD11	2.01	0.43
1:D:156:LYS:O	1:D:157:ASP:C	2.62	0.43
1:D:107:LYS:NZ	1:D:112:LEU:H	2.16	0.43
1:A:63:GLY:N	3:A:1149:HOH:O	2.52	0.43
1:A:18:TYR:HE1	1:A:42:MET:HG3	1.83	0.43
1:B:104:SER:C	1:B:106:GLU:H	2.27	0.42
1:C:145:ASN:O	1:C:146:LYS:C	2.61	0.42
1:C:34:SER:OG	1:C:37:GLU:CG	2.66	0.42
1:C:139:GLU:OE2	1:C:168:ARG:NH1	2.52	0.42
1:A:204:TYR:CD1	1:A:204:TYR:C	2.97	0.42
1:A:156:LYS:HE3	1:A:156:LYS:N	2.34	0.42
1:C:41:LYS:HB3	1:C:41:LYS:HE2	1.80	0.42
1:C:22:LEU:HD11	1:C:71:LEU:HD23	2.00	0.42
1:D:65:GLY:CA	2:D:301:SO4:O1	2.67	0.42
1:A:45:THR:O	1:A:47:SER:N	2.53	0.42
1:D:12:ILE:O	1:D:16:PRO:HD3	2.20	0.42
1:B:106:GLU:OE1	1:B:106:GLU:HA	2.20	0.41
1:A:156:LYS:HA	1:A:178:LEU:HD21	2.02	0.41
1:D:154:ILE:HB	1:D:155:PRO:CD	2.50	0.41
1:B:104:SER:C	1:B:106:GLU:N	2.77	0.41
1:B:127:ILE:O	1:B:130:VAL:HB	2.20	0.41
1:C:22:LEU:HD11	1:C:71:LEU:CD2	2.50	0.41
1:B:178:LEU:C	1:B:180:ILE:H	2.29	0.41
1:A:21:TYR:OH	1:A:41:LYS:HD3	2.21	0.41
1:B:90:ILE:HG21	1:B:162:THR:HG21	2.03	0.41
1:D:115:ILE:HD13	1:D:115:ILE:HG21	1.87	0.41
1:B:125:LEU:HD23	1:B:132:VAL:HG21	2.03	0.41
1:D:214:LYS:O	1:D:215:LEU:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:LYS:C	1:B:109:GLY:N	2.78	0.41
1:C:178:LEU:HA	1:C:179:PRO:HD3	1.79	0.41
1:B:124:GLY:C	1:B:125:LEU:O	2.65	0.40
1:D:156:LYS:CD	3:D:592:HOH:O	2.70	0.40
1:D:104:SER:C	1:D:106:GLU:N	2.72	0.40
1:A:140:ASP:OD1	1:A:140:ASP:N	2.33	0.40
1:A:48:GLN:O	1:A:49:ILE:C	2.63	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:466:HOH:O	3:C:401:HOH:O[4_456]	2.11	0.09
1:A:210:GLU:OE2	1:C:51:GLN:NE2[4_556]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/224 (92%)	196 (96%)	7 (3%)	2 (1%)	12	5
1	B	210/224 (94%)	200 (95%)	5 (2%)	5 (2%)	4	1
1	C	203/224 (91%)	199 (98%)	4 (2%)	0	100	100
1	D	205/224 (92%)	196 (96%)	5 (2%)	4 (2%)	6	1
All	All	823/896 (92%)	791 (96%)	21 (3%)	11 (1%)	9	3

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	ASP
1	B	123	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	157	ASP
1	B	214	LYS
1	D	103	THR
1	D	106	GLU
1	D	123	PHE
1	B	108	SER
1	B	125	LEU
1	D	214	LYS
1	A	43	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/196 (94%)	173 (94%)	12 (6%)	15	6
1	B	187/196 (95%)	172 (92%)	15 (8%)	11	3
1	C	184/196 (94%)	169 (92%)	15 (8%)	10	3
1	D	185/196 (94%)	171 (92%)	14 (8%)	12	4
All	All	741/784 (94%)	685 (92%)	56 (8%)	12	4

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	33	ILE
1	A	35	SER
1	A	40	GLU
1	A	45	THR
1	A	83	LYS
1	A	107	LYS
1	A	113	LYS
1	A	129	ASP
1	A	140	ASP
1	A	156	LYS
1	A	183	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	27	LYS
1	B	31	LYS
1	B	35	SER
1	B	62	GLN
1	B	104	SER
1	B	107	LYS
1	B	118	ILE
1	B	128	ARG
1	B	129	ASP
1	B	154	ILE
1	B	158	ASN
1	B	178	LEU
1	B	209	GLU
1	B	213	LYS
1	B	214	LYS
1	C	17	ARG
1	C	29	ASP
1	C	33	ILE
1	C	39	SER
1	C	41	LYS
1	C	47	SER
1	C	83	LYS
1	C	84	THR
1	C	129	ASP
1	C	156	LYS
1	C	171	ILE
1	C	172	LYS
1	C	180	ILE
1	C	183	LYS
1	C	214	LYS
1	D	33	ILE
1	D	40	GLU
1	D	70	GLU
1	D	103	THR
1	D	106	GLU
1	D	107	LYS
1	D	118	ILE
1	D	121	ARG
1	D	122	LEU
1	D	128	ARG
1	D	156	LYS
1	D	171	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	178	LEU
1	D	180	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	94	ASN
1	B	62	GLN
1	B	94	ASN
1	B	111	ASN
1	B	158	ASN
1	C	51	GLN
1	C	55	ASN
1	C	94	ASN
1	C	101	ASN
1	D	62	GLN
1	D	94	ASN
1	D	101	ASN
1	D	111	ASN
1	D	194	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	C	302	-	4,4,4	0.30	0	6,6,6	0.48	0
2	SO4	A	901	-	4,4,4	0.42	0	6,6,6	0.38	0
2	SO4	A	902	-	4,4,4	0.22	0	6,6,6	0.39	0
2	SO4	D	301	-	4,4,4	0.23	0	6,6,6	0.35	0
2	SO4	C	301	-	4,4,4	0.36	0	6,6,6	0.46	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	902	SO4	2	0
2	D	301	SO4	5	0
2	C	301	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	209/224 (93%)	0.70	21 (10%)	12 18	26, 48, 76, 95	0
1	B	212/224 (94%)	0.38	19 (8%)	15 21	24, 42, 75, 89	0
1	C	207/224 (92%)	0.66	14 (6%)	23 31	28, 51, 70, 84	0
1	D	209/224 (93%)	0.47	23 (11%)	10 14	28, 44, 75, 93	0
All	All	837/896 (93%)	0.55	77 (9%)	14 20	24, 47, 75, 95	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	105	PHE	5.1
1	A	21	TYR	4.9
1	B	105	PHE	4.7
1	A	44	VAL	4.7
1	A	217	GLY	4.1
1	D	102	TYR	4.0
1	A	51	GLN	3.8
1	B	215	LEU	3.8
1	A	64	TYR	3.8
1	B	60	GLY	3.6
1	C	21	TYR	3.5
1	B	58	GLY	3.4
1	B	64	TYR	3.4
1	B	107	LYS	3.2
1	D	62	GLN	3.2
1	A	45	THR	3.1
1	D	58	GLY	3.0
1	A	48	GLN	3.0
1	D	129	ASP	2.9
1	A	57	GLY	2.9
1	A	63	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	43	GLY	2.9
1	D	103	THR	2.9
1	A	47	SER	2.9
1	A	140	ASP	2.9
1	D	215	LEU	2.9
1	B	124	GLY	2.9
1	C	48	GLN	2.9
1	B	104	SER	2.8
1	C	44	VAL	2.8
1	D	157	ASP	2.8
1	C	47	SER	2.7
1	C	54	ASN	2.7
1	A	54	ASN	2.7
1	D	106	GLU	2.6
1	A	215	LEU	2.6
1	D	57	GLY	2.6
1	B	121	ARG	2.5
1	B	59	PHE	2.5
1	D	104	SER	2.5
1	A	210	GLU	2.5
1	C	161	TYR	2.4
1	B	106	GLU	2.4
1	B	157	ASP	2.4
1	C	46	ALA	2.4
1	D	64	TYR	2.4
1	B	118	ILE	2.4
1	C	58	GLY	2.4
1	D	108	SER	2.4
1	D	214	LYS	2.4
1	B	125	LEU	2.3
1	D	25	LEU	2.3
1	A	56	PHE	2.3
1	D	158	ASN	2.3
1	D	74	ASN	2.3
1	A	214	LYS	2.3
1	C	57	GLY	2.2
1	C	158	ASN	2.2
1	A	33	ILE	2.2
1	A	55	ASN	2.2
1	D	180	ILE	2.2
1	A	165	ARG	2.2
1	B	180	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	122	LEU	2.1
1	B	214	LYS	2.1
1	C	42	MET	2.1
1	D	33	ILE	2.1
1	D	35	SER	2.1
1	A	38	LEU	2.1
1	C	215	LEU	2.1
1	B	158	ASN	2.0
1	C	26	LEU	2.0
1	D	178	LEU	2.0
1	A	42	MET	2.0
1	B	123	PHE	2.0
1	B	127	ILE	2.0
1	D	123	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	C	301	5/5	0.84	0.11	64,65,67,67	0
2	SO4	D	301	5/5	0.85	0.11	73,74,75,77	0
2	SO4	A	902	5/5	0.86	0.10	69,71,72,73	0
2	SO4	C	302	5/5	0.94	0.11	50,51,55,55	0
2	SO4	A	901	5/5	0.96	0.14	39,44,46,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.