



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:06 PM UTC

PDB ID : 2WHR / pdb_00002whr
Title : Crystal structure of acetylcholinesterase in complex with K027
Authors : Ekstrom, F.; Hornberg, A.; Artursson, E.; Hammarstrom, L.-G.; Schneider, G.; Pang, Y.-P.
Deposited on : 2009-05-06
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	548	% 78% 19% ..
1	B	548	76% 19% ..

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 9160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ACETYLCHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	535	Total	C	N	O	S	0	1	0
			4188	2685	729	760	14			
1	B	534	Total	C	N	O	S	0	1	1
			4169	2676	722	757	14			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	544	ALA	-	expression tag	UNP P21836
A	545	THR	-	expression tag	UNP P21836
A	546	GLU	-	expression tag	UNP P21836
A	547	ALA	-	expression tag	UNP P21836
A	548	PRO	-	expression tag	UNP P21836
B	544	ALA	-	expression tag	UNP P21836
B	545	THR	-	expression tag	UNP P21836
B	546	GLU	-	expression tag	UNP P21836
B	547	ALA	-	expression tag	UNP P21836
B	548	PRO	-	expression tag	UNP P21836

- Molecule 2 is 4-carbamoyl-1-(3-{4-[(E)-(hydroxyimino)methyl]pyridinium-1-yl}propyl)pyridinium (CCD ID: K27) (formula: C₁₅H₁₈N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			21	15	4	2		
2	B	1	Total	C	N	O	0	0
			21	15	4	2		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is BROMIDE ION (CCD ID: BR) (formula: Br).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Br	0	0
			1	1		
4	B	1	Total	Br	0	0
			1	1		

- Molecule 5 is 1-ETHOXY-2-(2-ETHOXYETHOXY)ETHANE (CCD ID: P4G) (formula: C₈H₁₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	8	3		
5	B	1	Total	C	O	0	0
			11	8	3		
5	B	1	Total	C	O	0	0
			11	8	3		

- Molecule 6 is CARBONATE ION (CCD ID: CO3) (formula: CO₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 1 3	0	0
6	B	1	Total C O 4 1 3	0	0


- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-

ETHOXY]-ETHOXY}-ETHANOL (CCD ID: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			23	15	8		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	376	Total O 376 376	0	0
9	B	284	Total O 284 284	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ACETYLCHOLINESTERASE



• Molecule 1: ACETYLCHOLINESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.32Å 111.41Å 226.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.81 – 2.54 19.81 – 2.54	Depositor EDS
% Data completeness (in resolution range)	98.3 (19.81-2.54) 98.1 (19.81-2.54)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.38 (at 2.56Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.170 , 0.219 (Not available) , 0.196	Depositor DCC
R_{free} test set	1292 reflections (2.00%)	wwPDB-VP
Wilson B-factor (Å ²)	43.3	Xtriage
Anisotropy	0.045	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 67.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9160	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BR, PEG, P4G, K27, PE4, NAG, CO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/4311	0.77	4/5889 (0.1%)
1	B	0.35	1/4293 (0.0%)	0.78	0/5868
All	All	0.35	1/8604 (0.0%)	0.78	4/11757 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	543	THR	C-N	-6.90	1.23	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	167	ALA	CA-C-N	6.25	125.81	119.19
1	A	167	ALA	C-N-CA	6.25	125.81	119.19
1	A	390	ASP	CA-C-N	5.13	124.75	119.05
1	A	390	ASP	C-N-CA	5.13	124.75	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4188	0	4075	85	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4169	0	4053	101	0
2	A	21	0	18	2	0
2	B	21	0	18	3	0
3	A	28	0	26	0	0
4	A	1	0	0	1	0
4	B	1	0	0	0	0
5	A	11	0	18	2	0
5	B	22	0	36	5	0
6	A	4	0	0	0	0
6	B	4	0	0	0	0
7	B	7	0	10	0	0
8	B	23	0	29	8	0
9	A	376	0	0	4	0
9	B	284	0	0	9	0
All	All	9160	0	8283	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:527:GLN:HG3	8:B:1548:PE4:H41	1.41	1.02
1:A:3:ARG:HH11	1:A:3:ARG:HG3	1.27	0.98
1:A:48:MET:HA	1:A:48:MET:HE2	1.45	0.98
1:B:197:VAL:H	1:B:223:HIS:CD2	1.84	0.96
1:B:197:VAL:H	1:B:223:HIS:HD2	0.96	0.91
1:A:210:GLY:HA3	1:A:232:PRO:HG3	1.51	0.91
1:A:197:VAL:H	1:A:223:HIS:HD2	1.14	0.91
1:A:439:TRP:HE3	1:A:443:MET:HE1	1.38	0.89
1:A:197:VAL:H	1:A:223:HIS:CD2	1.95	0.83
1:B:210:GLY:HA3	1:B:232:PRO:HG3	1.58	0.82
1:B:161:LEU:HD11	1:B:269:LEU:HD22	1.61	0.82
1:B:166:GLU:HG2	1:B:270:ILE:HD13	1.62	0.81
1:A:439:TRP:CE3	1:A:443:MET:HE1	2.17	0.79
1:B:348:LYS:O	1:B:440:PRO:HG3	1.82	0.78
1:B:525:ARG:CG	1:B:525:ARG:HH11	1.98	0.77
1:B:48:MET:HA	1:B:48:MET:HE2	1.64	0.77
1:A:524:LEU:HB2	9:A:2343:HOH:O	1.87	0.74
1:B:381:HIS:HA	8:B:1548:PE4:H61	1.70	0.74
1:B:24:ALA:HB3	1:B:140:GLN:HG3	1.70	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320:ASP:OD1	1:B:322:GLN:HG2	1.92	0.69
1:A:3:ARG:HG3	1:A:3:ARG:NH1	1.94	0.68
1:A:440:PRO:HD2	1:A:443:MET:CE	2.23	0.68
1:A:369:GLN:HG3	9:A:2254:HOH:O	1.93	0.68
1:B:470:ARG:O	1:B:474:GLN:HG3	1.94	0.68
1:A:440:PRO:HD2	1:A:443:MET:HE3	1.74	0.68
1:A:376:GLU:O	1:A:380:LEU:HG	1.94	0.67
1:B:161:LEU:HD12	1:B:270:ILE:HD11	1.77	0.66
1:B:197:VAL:N	1:B:223:HIS:HD2	1.82	0.65
1:A:210:GLY:CA	1:A:232:PRO:HG3	2.26	0.64
1:B:525:ARG:HH11	1:B:525:ARG:HG2	1.62	0.64
1:B:253:ARG:CG	1:B:253:ARG:HH11	2.10	0.64
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.32	0.64
1:B:50:PRO:HG3	1:B:175:ASP:OD1	1.98	0.64
1:B:68:VAL:HG23	1:B:90:ARG:HB2	1.81	0.62
1:B:210:GLY:CA	1:B:232:PRO:HG3	2.31	0.60
1:A:48:MET:HA	1:A:48:MET:CE	2.27	0.60
1:B:48:MET:HE1	1:B:165:ARG:O	2.01	0.60
1:A:369:GLN:NE2	1:A:369:GLN:H	2.00	0.59
8:B:1548:PE4:H131	9:B:2281:HOH:O	2.03	0.59
1:A:245:ARG:O	1:A:249:THR:HG23	2.03	0.59
1:A:414:LEU:HG	1:A:418:LEU:HD22	1.85	0.58
1:B:219:ARG:NH1	5:B:1550:P4G:H13	2.18	0.58
1:A:48:MET:HE1	1:A:165:ARG:O	2.05	0.57
1:A:113:PRO:HG2	1:A:485:ARG:HG2	1.86	0.57
1:A:463:LEU:O	1:A:464:ASN:HB2	2.03	0.57
1:B:496:LYS:HB3	9:B:2247:HOH:O	2.04	0.57
1:A:3:ARG:HH11	1:A:3:ARG:CG	2.10	0.56
1:B:161:LEU:HD12	1:B:270:ILE:CD1	2.36	0.56
1:B:458:PRO:HA	1:B:465:TYR:CD2	2.40	0.56
1:A:65:PHE:HB2	1:A:90[B]:ARG:HD2	1.88	0.55
1:B:216:LEU:HB3	1:B:217:PRO:HD3	1.87	0.55
1:B:390:ASP:OD2	1:B:393[B]:HIS:CD2	2.60	0.54
1:B:219:ARG:HH12	5:B:1550:P4G:H13	1.71	0.54
1:A:166:GLU:HB2	1:A:270:ILE:HD13	1.89	0.54
1:B:328:VAL:O	1:B:427:ALA:HA	2.06	0.54
1:A:439:TRP:HB3	1:A:443:MET:HE3	1.88	0.54
1:A:41:PRO:HG3	1:A:97:LEU:CD1	2.38	0.54
1:B:324:LEU:HD13	5:B:1550:P4G:H31	1.90	0.54
1:B:41:PRO:HG3	1:B:97:LEU:CD1	2.38	0.53
1:A:535:PHE:CD2	8:B:1548:PE4:H91	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:245:ARG:O	1:B:249:THR:HG23	2.09	0.52
1:B:494:ASP:OD2	1:B:497:SER:HB3	2.10	0.52
1:A:216:LEU:HB3	1:A:217:PRO:HD3	1.91	0.52
1:A:124:TYR:OH	2:A:1543:K27:H22C	2.09	0.52
1:B:369:GLN:HG3	9:B:2176:HOH:O	2.10	0.52
1:A:329:GLY:HA3	1:A:428:TYR:CE2	2.45	0.52
1:A:328:VAL:O	1:A:427:ALA:HA	2.09	0.52
1:B:525:ARG:CG	1:B:525:ARG:NH1	2.64	0.51
1:B:535:PHE:CE2	8:B:1548:PE4:H102	2.45	0.51
1:A:535:PHE:CE2	8:B:1548:PE4:H91	2.45	0.51
1:A:219:ARG:NH2	5:A:1547:P4G:H22	2.26	0.51
1:A:48:MET:HE3	1:A:166:GLU:O	2.11	0.50
1:A:326:VAL:HG12	1:A:328:VAL:HG13	1.92	0.50
1:B:67:ASN:ND2	9:B:2044:HOH:O	2.43	0.50
1:A:380:LEU:HD12	1:B:535:PHE:HB2	1.92	0.50
1:B:253:ARG:CG	1:B:253:ARG:NH1	2.73	0.50
1:A:213:ILE:O	5:A:1547:P4G:H13	2.10	0.50
1:A:269:LEU:HD23	1:A:269:LEU:C	2.37	0.50
1:A:440:PRO:CD	1:A:443:MET:HE3	2.42	0.50
1:A:336:SER:HB2	1:A:443:MET:HG2	1.93	0.49
1:B:219:ARG:HG3	5:B:1550:P4G:H41	1.92	0.49
1:B:326:VAL:HG12	1:B:328:VAL:HG13	1.94	0.49
1:A:329:GLY:HA3	1:A:428:TYR:CZ	2.48	0.48
1:B:66:GLN:HG3	1:B:98:TYR:CD1	2.48	0.48
1:B:48:MET:HE3	1:B:166:GLU:C	2.39	0.48
1:B:166:GLU:CG	1:B:270:ILE:HD13	2.39	0.48
1:A:444:GLY:O	1:A:446:PRO:HD3	2.14	0.48
1:B:444:GLY:O	1:B:446:PRO:HD3	2.14	0.48
1:B:329:GLY:HA3	1:B:428:TYR:CZ	2.47	0.48
1:A:433:ARG:NH2	1:A:440:PRO:O	2.47	0.48
1:A:541:SER:O	1:A:542:ALA:HB2	2.14	0.48
1:B:197:VAL:N	1:B:223:HIS:CD2	2.67	0.48
1:B:48:MET:HE2	1:B:49:PRO:HD3	1.95	0.48
1:A:48:MET:HE3	1:A:166:GLU:C	2.39	0.47
1:B:211:MET:HG3	1:B:232:PRO:HB3	1.96	0.47
1:B:453:PHE:HB3	1:B:476:LEU:HD12	1.96	0.47
1:B:12:VAL:HG23	1:B:14:GLY:H	1.79	0.47
1:B:48:MET:HA	1:B:48:MET:CE	2.39	0.47
1:B:253:ARG:HH11	1:B:253:ARG:HG3	1.80	0.47
1:B:80:PHE:CE2	1:B:82:GLY:HA3	2.49	0.47
1:B:531:PHE:HD1	8:B:1548:PE4:H111	1.80	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:495:SER:O	1:B:496:LYS:HB3	2.16	0.46
1:B:289:LEU:HA	1:B:290:PRO:HD3	1.82	0.46
1:B:113:PRO:HG2	1:B:485:ARG:HG2	1.98	0.46
1:B:214:LEU:HD21	1:B:316:ILE:HG22	1.98	0.46
1:B:40:PRO:HA	9:B:2081:HOH:O	2.16	0.46
1:A:243:GLU:OE1	1:A:290:PRO:HG3	2.16	0.46
1:A:393:HIS:HD2	9:A:2301:HOH:O	1.97	0.45
1:A:393:HIS:CD2	9:A:2301:HOH:O	2.69	0.45
1:B:365:ILE:O	1:B:368:PRO:HD3	2.15	0.45
1:B:40:PRO:HA	1:B:41:PRO:HD3	1.81	0.45
1:B:313:GLU:H	1:B:313:GLU:CD	2.23	0.45
1:A:385:TRP:HD1	1:B:527:GLN:OE1	2.00	0.45
1:B:200:PHE:CB	1:B:226:VAL:HB	2.46	0.45
1:B:11:ARG:HB2	1:B:11:ARG:NH1	2.32	0.45
1:B:525:ARG:HH11	1:B:525:ARG:HG3	1.79	0.45
1:A:453:PHE:HB3	1:A:476:LEU:HD12	1.99	0.45
1:A:161:LEU:HD11	1:A:269:LEU:HD22	1.99	0.44
1:A:373:LEU:HD23	1:A:539:LEU:HD11	1.99	0.44
1:B:369:GLN:H	1:B:369:GLN:NE2	2.15	0.44
1:B:497:SER:H	1:B:498:PRO:HA	1.82	0.44
1:B:531:PHE:CZ	1:B:536:LEU:HD23	2.52	0.44
1:A:104:PRO:HG3	1:A:143:GLY:HA2	1.99	0.44
1:B:491:ASP:HA	1:B:492:PRO:HD3	1.79	0.44
1:A:32:PHE:HB3	1:A:35:ILE:HD11	2.00	0.44
1:A:380:LEU:HB2	8:B:1548:PE4:H121	1.98	0.44
1:B:341:TYR:CE2	2:B:1545:K27:H11C	2.53	0.44
1:B:525:ARG:NH1	1:B:525:ARG:HG3	2.32	0.44
1:A:322:GLN:HE21	1:A:322:GLN:HB2	1.66	0.44
1:B:390:ASP:OD2	1:B:393[B]:HIS:HD2	2.00	0.44
5:B:1550:P4G:H72	9:B:2142:HOH:O	2.18	0.44
1:B:166:GLU:HG2	1:B:270:ILE:CD1	2.39	0.43
1:A:17:LEU:HD23	1:A:60:LEU:HB3	2.01	0.43
1:B:19:GLY:HA3	1:B:32:PHE:CD2	2.52	0.43
1:B:329:GLY:HA3	1:B:428:TYR:CE2	2.53	0.43
1:B:395:ARG:CZ	1:B:442:TRP:HB2	2.48	0.43
1:B:112:THR:HG21	1:B:143:GLY:O	2.18	0.43
1:B:202:GLU:HA	1:B:228:GLN:O	2.18	0.43
1:A:177:ARG:CZ	1:A:217:PRO:HB2	2.48	0.43
1:A:142:GLU:HG3	1:A:481:THR:HG21	2.00	0.43
1:A:187:ILE:HD12	1:A:187:ILE:HA	1.84	0.43
1:A:369:GLN:H	1:A:369:GLN:HE21	1.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:GLY:O	1:B:344:PRO:HD3	2.18	0.43
1:B:300:VAL:HB	1:B:301:PRO:HD2	2.01	0.43
1:B:338:PHE:CE2	2:B:1545:K27:H4	2.54	0.42
1:A:380:LEU:CD1	1:B:535:PHE:HB2	2.49	0.42
1:B:122:GLY:O	1:B:123:PHE:HB2	2.18	0.42
1:B:243:GLU:OE1	1:B:290:PRO:HG3	2.20	0.42
1:A:300:VAL:HB	1:A:301:PRO:HD2	2.01	0.42
1:B:166:GLU:HB2	1:B:270:ILE:HG21	2.01	0.42
1:A:528:THR:O	1:A:531:PHE:HB3	2.20	0.42
2:A:1543:K27:H9	4:A:1546:BR:BR	2.75	0.42
1:B:304:ASP:OD2	1:B:306:ASP:HB3	2.19	0.42
1:A:511:VAL:HB	1:A:518:LEU:HD22	2.00	0.42
1:A:395:ARG:HD2	1:A:396:ASP:OD1	2.19	0.42
1:A:523:GLY:HA3	1:B:386:LEU:HD21	2.01	0.42
1:B:187:ILE:HD12	1:B:187:ILE:HA	1.91	0.42
1:A:386:LEU:HD22	9:B:2268:HOH:O	2.20	0.41
1:B:177:ARG:HD2	9:B:2125:HOH:O	2.20	0.41
1:A:159:LEU:C	1:A:159:LEU:HD23	2.45	0.41
1:B:124:TYR:CD1	1:B:124:TYR:C	2.99	0.41
1:B:384:ASP:C	1:B:384:ASP:OD1	2.63	0.41
1:A:161:LEU:HD12	1:A:270:ILE:HD11	2.03	0.41
1:B:177:ARG:CZ	1:B:217:PRO:HB2	2.51	0.41
1:A:54:ARG:HA	1:A:55:PRO:HD3	1.98	0.41
1:A:68:VAL:HG23	1:A:90[B]:ARG:HB2	2.03	0.41
1:A:354:ILE:O	1:A:391:PRO:HA	2.20	0.41
1:A:386:LEU:HA	1:A:386:LEU:HD23	1.76	0.41
1:B:124:TYR:OH	2:B:1545:K27:H22C	2.21	0.41
1:B:253:ARG:NH1	1:B:253:ARG:HG2	2.36	0.41
1:B:271:ALA:O	1:B:275:THR:HG23	2.20	0.41
1:A:89:ASN:O	1:A:90[A]:ARG:NH1	2.53	0.41
1:B:219:ARG:HB2	9:B:2139:HOH:O	2.20	0.41
1:A:66:GLN:HG3	1:A:98:TYR:CD1	2.56	0.40
1:A:105:TYR:HA	1:A:106:PRO:C	2.46	0.40
1:A:408:VAL:HG11	1:A:525:ARG:HG3	2.03	0.40
1:A:457:LEU:N	1:A:458:PRO:CD	2.83	0.40
1:A:161:LEU:HD12	1:A:270:ILE:CG1	2.51	0.40
1:B:390:ASP:HA	1:B:391:PRO:HD3	1.95	0.40
1:A:170:ASN:OD1	1:A:301:PRO:HA	2.21	0.40
1:B:354:ILE:O	1:B:391:PRO:HB3	2.21	0.40
1:B:497:SER:HB2	1:B:498:PRO:O	2.21	0.40
1:A:5:ASP:HA	1:A:6:PRO:HD3	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:463:LEU:HD23	1:A:463:LEU:HA	1.88	0.40
1:B:134:ASP:OD1	1:B:136:ARG:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/548 (97%)	510 (96%)	20 (4%)	2 (0%)	30	39
1	B	531/548 (97%)	509 (96%)	18 (3%)	4 (1%)	16	22
All	All	1063/1096 (97%)	1019 (96%)	38 (4%)	6 (1%)	21	29

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	494	ASP
1	B	497	SER
1	B	543	THR
1	B	496	LYS
1	A	342	GLY
1	B	342	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/446 (99%)	430 (98%)	10 (2%)	44	62
1	B	439/446 (98%)	421 (96%)	18 (4%)	27	41
All	All	879/892 (98%)	851 (97%)	28 (3%)	34	51

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	13	ARG
1	A	246	ARG
1	A	291	GLN
1	A	332	LYS
1	A	369	GLN
1	A	413	GLN
1	A	418	LEU
1	A	524	LEU
1	A	536	LEU
1	B	48	MET
1	B	166	GLU
1	B	180	LEU
1	B	200	PHE
1	B	246	ARG
1	B	253	ARG
1	B	281	LEU
1	B	291	GLN
1	B	293	SER
1	B	296	ARG
1	B	313	GLU
1	B	360	LEU
1	B	369	GLN
1	B	437	LEU
1	B	495	SER
1	B	497	SER
1	B	525	ARG
1	B	536	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	181	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	223	HIS
1	A	279	GLN
1	A	291	GLN
1	A	322	GLN
1	A	369	GLN
1	B	16	GLN
1	B	223	HIS
1	B	284	HIS
1	B	291	GLN
1	B	369	GLN
1	B	405	HIS
1	B	499	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	P4G	B	1549	-	10,10,10	0.55	0	9,9,9	0.24	0
5	P4G	A	1547	-	10,10,10	0.56	0	9,9,9	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	1545	1	14,14,15	0.51	0	17,19,21	0.71	0
6	CO3	A	1548	-	3,3,3	0.91	0	2,3,3	0.24	0
8	PE4	B	1548	-	22,22,23	0.46	0	21,21,22	0.52	0
2	K27	A	1543	-	22,22,22	0.55	0	28,28,28	1.14	2 (7%)
3	NAG	A	1544	1	14,14,15	0.49	0	17,19,21	0.86	1 (5%)
6	CO3	B	1551	-	3,3,3	0.90	0	2,3,3	0.21	0
5	P4G	B	1550	-	10,10,10	0.57	0	9,9,9	0.44	0
7	PEG	B	1547	-	6,6,6	0.45	0	5,5,5	0.32	0
2	K27	B	1545	-	22,22,22	0.55	0	28,28,28	1.12	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	P4G	B	1549	-	-	3/8/8/8	-
5	P4G	A	1547	-	-	3/8/8/8	-
3	NAG	A	1545	1	-	0/6/23/26	0/1/1/1
8	PE4	B	1548	-	-	12/20/20/21	-
2	K27	A	1543	-	-	2/13/13/13	0/2/2/2
3	NAG	A	1544	1	-	2/6/23/26	0/1/1/1
5	P4G	B	1550	-	-	4/8/8/8	-
7	PEG	B	1547	-	-	3/4/4/4	-
2	K27	B	1545	-	-	2/13/13/13	0/2/2/2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1545	K27	O10-N9-C8	4.64	119.85	111.83
2	A	1543	K27	O10-N9-C8	4.54	119.67	111.83
3	A	1544	NAG	C1-O5-C5	2.72	115.83	112.19
2	A	1543	K27	C11-C14-N15	2.09	120.32	117.74

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1547	P4G	C3-C4-O3-C5
5	B	1550	P4G	O2-C3-C4-O3
8	B	1548	PE4	O3-C5-C6-O4
8	B	1548	PE4	O6-C11-C12-O7
8	B	1548	PE4	O6-C10-C9-O5
5	B	1550	P4G	O3-C5-C6-O4
3	A	1544	NAG	C8-C7-N2-C2
3	A	1544	NAG	O7-C7-N2-C2
8	B	1548	PE4	O2-C3-C4-O3
8	B	1548	PE4	O4-C7-C8-O5
8	B	1548	PE4	O1-C1-C2-O2
5	B	1549	P4G	O2-C3-C4-O3
2	A	1543	K27	C6-C5A-C8-N9
7	B	1547	PEG	O2-C3-C4-O4
5	B	1549	P4G	C1-C2-O2-C3
8	B	1548	PE4	O7-C13-C14-O8
2	A	1543	K27	C4-C5A-C8-N9
8	B	1548	PE4	C14-C13-O7-C12
5	A	1547	P4G	C1-C2-O2-C3
8	B	1548	PE4	C5-C6-O4-C7
8	B	1548	PE4	C6-C5-O3-C4
7	B	1547	PEG	C1-C2-O2-C3
7	B	1547	PEG	C4-C3-O2-C2
8	B	1548	PE4	C10-C9-O5-C8
8	B	1548	PE4	C7-C8-O5-C9
5	A	1547	P4G	O2-C3-C4-O3
2	B	1545	K27	C6-C5A-C8-N9
2	B	1545	K27	C4-C5A-C8-N9
5	B	1550	P4G	C5-C6-O4-C7
5	B	1550	P4G	C1-C2-O2-C3
5	B	1549	P4G	C5-C6-O4-C7


There are no ring outliers.

5 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1547	P4G	2	0
8	B	1548	PE4	8	0
2	A	1543	K27	2	0
5	B	1550	P4G	5	0
2	B	1545	K27	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	535/548 (97%)	-0.79	4 (0%)	84 86	17, 36, 58, 128	1 (0%)
1	B	534/548 (97%)	-0.66	1 (0%)	91 93	23, 40, 63, 108	1 (0%)
All	All	1069/1096 (97%)	-0.73	5 (0%)	87 89	17, 38, 63, 128	2 (0%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	497	SER	6.5
1	A	495	SER	2.4
1	A	496	LYS	2.2
1	A	542	ALA	2.0
1	A	3	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	1544	14/15	0.64	0.19	67,81,104,105	0
3	NAG	A	1545	14/15	0.69	0.15	71,113,130,134	0
5	P4G	B	1550	11/11	0.74	0.21	47,62,73,76	0
5	P4G	A	1547	11/11	0.78	0.20	51,64,68,73	0
5	P4G	B	1549	11/11	0.82	0.17	49,58,76,82	0
7	PEG	B	1547	7/7	0.84	0.14	54,58,80,90	0
6	CO3	B	1551	4/4	0.86	0.12	58,64,64,81	0
6	CO3	A	1548	4/4	0.91	0.11	50,51,64,66	0
8	PE4	B	1548	23/24	0.91	0.12	32,52,64,79	0
2	K27	B	1545	21/21	0.96	0.07	29,42,56,60	0
2	K27	A	1543	21/21	0.97	0.07	29,35,45,48	0
4	BR	B	1546	1/1	0.99	0.02	46,46,46,46	0
4	BR	A	1546	1/1	1.00	0.01	38,38,38,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around K27 B 1545:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around K27 A 1543:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.