



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 11:36 AM EDT

PDB ID : 2WHW / pdb_00002whw
Title : Selective oxidation of carbolide C-H bonds by engineered macrolide P450 monooxygenase
Authors : Li, S.; Chaulagain, M.R.; Knauff, A.R.; Podust, L.M.; Montgomery, J.; Sherman, D.H.
Deposited on : 2009-05-07
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	436	
1	B	436	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME P450 MONOOXYGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	7	0
			3125	1975	564	573	13			
1	B	393	Total	C	N	O	S	0	9	0
			3116	1974	557	571	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	ASN	ASP	engineered mutation	UNP O87605
B	50	ASN	ASP	engineered mutation	UNP O87605

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is CYCLOTRIDECYL 3,4,6-TRIDEOXY-3-(DIMETHYLAMINO)-BETA-D-X YLO-HEXOPYRANOSIDE (CCD ID: 1D4) (formula: C₂₁H₄₁NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			25	21	1	3		
3	B	1	Total	C	N	O	0	0
			25	21	1	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	355	Total	O	0	0
			355	355		
5	B	356	Total	O	0	0
			356	356		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CYTOCHROME P450 MONOOXYGENASE



• Molecule 1: CYTOCHROME P450 MONOOXYGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.18Å 109.54Å 153.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	89.09 – 2.20 89.09 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (89.09-2.20) 99.8 (89.09-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.14 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.177 , 0.256 0.171 , 0.248	Depositor DCC
R_{free} test set	2666 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.223	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7098	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, HEM, 1D4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.32	9/3214 (0.3%)	1.23	18/4386 (0.4%)
1	B	1.34	7/3213 (0.2%)	1.19	9/4382 (0.2%)
All	All	1.33	16/6427 (0.2%)	1.21	27/8768 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	405	TRP	C-O	-20.62	0.99	1.23
1	A	50	ASN	C-N	-11.03	1.18	1.33
1	B	405	TRP	C-N	-8.77	1.21	1.33
1	B	49	GLY	C-N	-8.54	1.21	1.33
1	B	152	LEU	CA-C	6.97	1.60	1.52
1	B	285	ARG	CD-NE	-6.36	1.37	1.46
1	A	285	ARG	CD-NE	-6.35	1.37	1.46
1	A	64	VAL	CA-C	5.89	1.60	1.52
1	B	127	VAL	CA-C	5.77	1.59	1.52
1	A	318	VAL	CA-C	-5.72	1.48	1.53
1	B	224	ASP	C-O	5.66	1.29	1.23
1	A	156	VAL	C-O	-5.40	1.18	1.24
1	A	320	ALA	CA-CB	-5.26	1.45	1.53
1	A	149	ALA	C-O	-5.08	1.18	1.24
1	A	219	ARG	CA-CB	5.06	1.61	1.53
1	A	220	THR	CA-CB	5.05	1.61	1.53

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	405	TRP	O-C-N	-13.99	106.55	122.92
1	A	20	LEU	N-CA-C	8.71	124.55	112.45
1	B	285	ARG	NE-CZ-NH2	-7.09	112.81	119.20
1	A	249	VAL	CB-CA-C	-6.57	103.47	111.88
1	A	12	PRO	N-CA-CB	6.37	110.00	103.00
1	A	162	GLY	CA-C-N	-6.15	118.16	122.59
1	A	162	GLY	C-N-CA	-6.15	118.16	122.59
1	B	405	TRP	CA-C-O	6.04	127.76	121.36
1	A	392	ASN	CA-C-N	-6.00	113.79	120.45
1	A	392	ASN	C-N-CA	-6.00	113.79	120.45
1	B	305	ASP	CB-CA-C	-5.83	103.61	111.89
1	A	388	VAL	N-CA-C	5.74	116.15	108.11
1	A	41	ALA	N-CA-C	5.63	118.27	108.76
1	A	262	HIS	CA-C-N	5.60	125.97	119.47
1	A	262	HIS	C-N-CA	5.60	125.97	119.47
1	A	321	ASP	N-CA-C	-5.49	105.31	112.23
1	A	241	LEU	N-CA-C	5.47	117.33	111.36
1	A	237	ALA	N-CA-C	-5.43	105.36	111.28
1	B	67	ASP	CA-C-O	5.41	123.63	119.46
1	B	392	ASN	N-CA-C	5.37	117.33	109.71
1	A	38	GLU	N-CA-C	5.35	118.03	111.82
1	B	362	LEU	N-CA-C	-5.22	105.28	110.97
1	B	79	THR	CA-C-N	-5.19	115.00	120.66
1	B	79	THR	C-N-CA	-5.19	115.00	120.66
1	A	49	GLY	CA-C-N	5.17	129.49	122.19
1	A	49	GLY	C-N-CA	5.17	129.49	122.19
1	A	247	THR	N-CA-C	-5.01	105.41	112.12

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	21	GLY	Peptide
1	A	22	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3125	0	3104	74	0
1	B	3116	0	3116	79	0
2	A	43	0	30	2	0
2	B	43	0	30	0	0
3	A	25	0	41	6	0
3	B	25	0	41	6	0
4	B	10	0	0	0	0
5	A	355	0	0	12	1
5	B	356	0	0	21	0
All	All	7098	0	6362	161	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:PHE:CE2	1:A:194:MET:HE1	1.32	1.60
1:A:150[B]:TRP:CE2	1:A:154:ILE:HD11	1.40	1.56
1:A:178:PHE:HE2	1:A:194:MET:CE	1.40	1.34
1:A:150[B]:TRP:NE1	1:A:154:ILE:CD1	1.99	1.26
1:A:150[B]:TRP:CE2	1:A:154:ILE:CD1	2.24	1.21
1:A:178:PHE:CE2	1:A:194:MET:CE	2.20	1.15
1:B:145[B]:MET:HE1	1:B:398:LEU:HB2	1.22	1.14
1:B:150[A]:TRP:HD1	5:B:2162:HOH:O	1.32	1.12
1:A:150[B]:TRP:CZ2	1:A:154:ILE:HD11	1.85	1.12
1:A:150[B]:TRP:CZ2	1:A:172:ARG:HG3	1.97	1.00
1:B:392:ASN:OD1	1:B:393:PRO:HD2	1.61	0.98
1:A:150[B]:TRP:NE1	1:A:154:ILE:HD12	1.76	0.98
1:A:21:GLY:HA3	1:A:22:GLN:HB2	1.42	0.98
1:B:161[B]:LEU:HD23	1:B:241:LEU:HG	1.47	0.97
1:B:211[B]:GLU:OE2	5:B:2219:HOH:O	1.87	0.92
1:B:145[B]:MET:HE1	1:B:398:LEU:CB	2.00	0.92
1:A:150[B]:TRP:NE1	1:A:154:ILE:HD11	1.73	0.91
1:B:390:TYR:HD2	1:B:399:LYS:HE2	1.35	0.91
1:B:150[A]:TRP:CD1	5:B:2162:HOH:O	2.12	0.89
3:B:1410:1D4:H113	5:B:2090:HOH:O	1.73	0.87
1:B:287[B]:GLU:HB2	5:B:2269:HOH:O	1.74	0.87
3:B:1410:1D4:O3	3:B:1410:1D4:H142	1.78	0.83
1:B:344:HIS:HD2	1:B:346:ALA:H	1.27	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:GLN:H	1:A:24:PHE:H	1.24	0.82
1:A:200[B]:ARG:NH1	5:A:2217:HOH:O	2.12	0.80
1:B:154[A]:ILE:HD12	1:B:245:HIS:CE1	2.16	0.80
1:A:22:GLN:H	1:A:24:PHE:N	1.81	0.79
3:B:1410:1D4:H12C	3:B:1410:1D4:H151	1.63	0.79
1:A:150[B]:TRP:CD1	1:A:154:ILE:HD12	2.16	0.78
1:B:200:ARG:NE	5:B:2201:HOH:O	1.94	0.77
1:B:200:ARG:NH2	5:B:2201:HOH:O	2.15	0.77
1:B:22:GLN:OE1	1:B:25:ALA:HB3	1.88	0.74
1:A:282:GLU:OE1	1:A:285:ARG:HD3	1.89	0.73
1:A:344:HIS:HD2	1:A:346:ALA:H	1.37	0.73
1:A:150[B]:TRP:HE1	1:A:154:ILE:CD1	2.00	0.72
1:B:181:PRO:HB3	1:B:187:ALA:HB2	1.73	0.71
1:B:154[A]:ILE:HD11	5:B:2179:HOH:O	1.92	0.70
1:B:145[B]:MET:HE2	1:B:253:ALA:HB1	1.74	0.70
1:B:406:ARG:C	5:B:2352:HOH:O	2.34	0.69
1:B:196:GLY:O	5:B:2197:HOH:O	2.11	0.68
1:B:282:GLU:OE1	1:B:285:ARG:HD3	1.93	0.68
1:B:390:TYR:HD2	1:B:399:LYS:CE	2.05	0.68
1:B:285:ARG:HD2	1:B:339:ARG:HD2	1.77	0.67
1:B:154[B]:ILE:HG13	5:B:2163:HOH:O	1.94	0.66
1:A:388:VAL:HG22	1:A:399:LYS:HD2	1.78	0.66
1:B:196:GLY:HA2	5:B:2197:HOH:O	1.95	0.65
1:B:175:THR:HG22	1:B:246:GLU:OE2	1.96	0.65
1:A:23:ASP:HB2	5:A:2007:HOH:O	1.95	0.64
1:B:161[B]:LEU:HD23	1:B:241:LEU:CG	2.24	0.64
1:A:21:GLY:CA	1:A:22:GLN:HB2	2.24	0.63
1:B:150[A]:TRP:CZ2	1:B:172:ARG:HD2	2.34	0.63
1:B:265:GLN:NE2	1:B:337:ILE:H	1.97	0.63
1:B:154[A]:ILE:CD1	5:B:2179:HOH:O	2.47	0.62
1:A:150[B]:TRP:HZ2	1:A:172:ARG:HG3	1.57	0.62
1:B:199:SER:HB2	5:B:2197:HOH:O	2.00	0.62
1:A:186:GLN:HB2	5:A:2202:HOH:O	2.00	0.61
1:A:249:VAL:HG23	5:A:2265:HOH:O	2.01	0.61
1:A:150[B]:TRP:CE2	1:A:172:ARG:HG3	2.36	0.61
1:B:249[B]:VAL:HG23	5:B:2252:HOH:O	2.01	0.59
1:A:150[B]:TRP:CD1	1:A:172:ARG:NH1	2.71	0.59
1:A:21:GLY:HA3	1:A:22:GLN:CB	2.27	0.59
1:A:250:ASN:HB2	1:A:289:PRO:HB3	1.84	0.58
1:B:145[B]:MET:CE	1:B:398:LEU:HB2	2.15	0.58
3:B:1410:1D4:O3	3:B:1410:1D4:H112	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:VAL:HA	5:A:2198:HOH:O	2.04	0.57
1:B:150[A]:TRP:CE2	1:B:172:ARG:HD2	2.41	0.56
1:B:203:ASP:OD2	5:B:2203:HOH:O	2.18	0.56
1:B:390:TYR:CD2	1:B:399:LYS:HE2	2.27	0.55
1:A:150[B]:TRP:CZ2	1:A:154:ILE:CD1	2.73	0.55
1:A:22:GLN:N	1:A:24:PHE:H	1.99	0.55
1:A:263:PRO:HB3	1:B:267:ALA:HB2	1.90	0.54
1:A:28:PRO:HB2	1:A:32:TYR:CE1	2.43	0.54
1:B:145[B]:MET:HE3	1:B:401:LEU:HB2	1.88	0.54
1:B:383:SER:O	1:B:384:PRO:C	2.50	0.54
1:A:238:HIS:O	1:A:242[A]:VAL:HG23	2.08	0.54
1:B:161[B]:LEU:CD2	1:B:241:LEU:HG	2.29	0.54
3:A:1410:1D4:H142	3:A:1410:1D4:H22C	1.90	0.53
1:B:14:VAL:HG22	1:B:43:ARG:HG2	1.91	0.53
1:B:392:ASN:O	5:B:2346:HOH:O	2.18	0.53
1:A:388:VAL:CG2	1:A:399:LYS:HD2	2.37	0.53
1:A:150[B]:TRP:CZ2	1:A:172:ARG:CG	2.84	0.52
1:B:282:GLU:OE1	1:B:285:ARG:CD	2.57	0.52
1:B:200:ARG:CZ	5:B:2201:HOH:O	2.36	0.52
1:B:157:ILE:HG13	1:B:161[B]:LEU:HD22	1.91	0.52
1:B:29:TYR:HB2	1:B:30:PRO:HD3	1.91	0.52
1:B:60:ARG:NH2	1:B:305:ASP:OD1	2.44	0.51
1:A:175:THR:HG22	1:A:194:MET:SD	2.51	0.50
1:A:259:LEU:HD22	1:A:283:MET:CE	2.42	0.50
1:B:154[A]:ILE:CD1	1:B:245:HIS:CE1	2.92	0.50
1:A:178:PHE:CZ	1:A:194:MET:HE1	2.26	0.50
1:B:144:LEU:HD23	1:B:401:LEU:HD23	1.94	0.50
1:A:181:PRO:O	1:A:182:ASP:CB	2.59	0.50
1:B:177:ALA:HB1	1:B:186:GLN:HG2	1.94	0.49
1:A:171:PHE:O	1:A:175:THR:HG23	2.12	0.49
1:B:145[A]:MET:SD	1:B:249[A]:VAL:CG2	3.01	0.49
1:A:114:ARG:NH1	5:A:2139:HOH:O	2.46	0.48
1:B:392:ASN:OD1	1:B:393:PRO:CD	2.49	0.48
3:A:1410:1D4:H11C	3:A:1410:1D4:O1	2.13	0.48
1:B:390:TYR:CE1	1:B:397:GLY:HA3	2.49	0.48
1:B:211[A]:GLU:OE2	5:B:2215:HOH:O	2.20	0.47
1:B:270[A]:ARG:NH1	1:B:372:LEU:O	2.48	0.47
1:A:144:LEU:HD23	1:A:401:LEU:HD23	1.97	0.47
1:A:77:SER:HB2	1:A:297:PHE:CD2	2.49	0.47
1:A:178:PHE:HE1	5:A:2264:HOH:O	1.98	0.46
3:B:1410:1D4:O3	3:B:1410:1D4:H103	2.13	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:HIS:CD2	1:A:346:ALA:H	2.25	0.46
1:B:76:ASN:O	1:B:312:GLY:HA2	2.16	0.46
1:A:165:GLU:HG3	1:A:166:PRO:N	2.30	0.46
1:A:150[B]:TRP:CZ3	1:A:245:HIS:O	2.69	0.46
1:B:287[A]:GLU:OE2	1:B:396:ARG:NH2	2.43	0.46
1:A:22:GLN:HB3	5:A:2007:HOH:O	2.15	0.46
1:A:194:MET:HB2	1:A:194:MET:HE2	1.43	0.45
1:B:250:ASN:HB2	1:B:289:PRO:HB3	1.98	0.45
1:A:21:GLY:CA	1:A:22:GLN:CB	2.92	0.45
1:A:281:GLU:OE1	1:A:344:HIS:HE1	2.00	0.45
1:B:154[A]:ILE:CD1	1:B:245:HIS:NE2	2.80	0.44
1:B:196:GLY:CA	5:B:2197:HOH:O	2.62	0.44
1:B:138:PRO:HD2	5:B:2157:HOH:O	2.16	0.44
1:B:281:GLU:OE1	1:B:344:HIS:HE1	1.99	0.44
3:B:1410:1D4:H172	3:B:1410:1D4:H202	1.48	0.44
1:B:383:SER:O	1:B:385:GLY:N	2.50	0.44
1:A:265:GLN:NE2	1:A:337:ILE:H	2.14	0.44
1:A:145:MET:HE2	1:A:145:MET:HB3	1.79	0.44
1:B:145[B]:MET:HE3	1:B:400:ALA:C	2.42	0.44
1:B:175:THR:OG1	1:B:194:MET:HE1	2.18	0.43
1:A:160:LEU:HD12	1:A:160:LEU:HA	1.76	0.43
1:B:344:HIS:CD2	1:B:346:ALA:H	2.20	0.43
1:A:25:ALA:O	1:A:396:ARG:NH1	2.51	0.43
1:A:407:ARG:CB	5:A:2172:HOH:O	2.66	0.43
1:A:150[B]:TRP:CD1	1:A:154:ILE:CD1	2.82	0.43
1:A:172:ARG:NH1	5:A:2199:HOH:O	2.52	0.43
1:A:289:PRO:HG2	2:A:1407:HEM:HMB2	2.00	0.43
1:B:45:ARG:HA	1:B:50:ASN:O	2.19	0.43
1:A:243:ALA:HB2	3:A:1410:1D4:H202	2.00	0.43
1:B:257:TYR:CE1	1:B:387:LEU:CD1	3.02	0.42
1:B:150[A]:TRP:CZ3	1:B:245:HIS:O	2.72	0.42
1:B:119:LEU:O	1:B:120:ARG:C	2.63	0.42
1:A:172:ARG:C	5:A:2198:HOH:O	2.62	0.42
1:A:265:GLN:NE2	1:A:337:ILE:HG12	2.34	0.42
1:A:282:GLU:OE1	1:A:285:ARG:CD	2.64	0.42
1:B:22:GLN:OE1	1:B:25:ALA:CB	2.64	0.42
1:A:259:LEU:HD22	1:A:283:MET:HE2	2.01	0.42
1:B:382:VAL:HG11	1:B:387:LEU:HD21	2.02	0.42
1:A:390:TYR:CZ	1:A:399:LYS:HG2	2.54	0.41
1:A:309:ILE:HA	1:A:310:PRO:HD3	1.92	0.41
3:A:1410:1D4:H142	3:A:1410:1D4:C2	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:ALA:HB3	5:A:2004:HOH:O	2.19	0.41
1:A:344:HIS:CD2	1:A:344:HIS:C	2.99	0.41
1:B:145[B]:MET:CE	1:B:401:LEU:HB2	2.51	0.41
1:B:270[A]:ARG:HH22	1:B:378:LEU:HB3	1.86	0.41
1:B:338:ARG:HH11	1:B:338:ARG:HD3	1.73	0.41
1:B:390:TYR:HE1	1:B:397:GLY:HA3	1.85	0.41
1:A:239:ILE:HD13	2:A:1407:HEM:HMD3	2.03	0.41
1:A:290:VAL:CG2	3:A:1410:1D4:H161	2.51	0.41
1:B:72:LYS:HB3	1:B:72:LYS:NZ	2.36	0.41
1:A:94:GLU:OE2	3:A:1410:1D4:H71C	2.21	0.40
1:B:46:THR:O	1:B:47:PRO:C	2.61	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2248:HOH:O	5:A:2317:HOH:O[4_556]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/436 (92%)	385 (96%)	13 (3%)	3 (1%)	18	19
1	B	400/436 (92%)	388 (97%)	11 (3%)	1 (0%)	36	42
All	All	801/872 (92%)	773 (96%)	24 (3%)	4 (0%)	24	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	23	ASP
1	A	22	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	181	PRO
1	B	384	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/354 (92%)	313 (96%)	14 (4%)	26	35
1	B	329/354 (93%)	312 (95%)	17 (5%)	21	26
All	All	656/708 (93%)	625 (95%)	31 (5%)	25	31

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LEU
1	A	23	ASP
1	A	51	GLU
1	A	106	LEU
1	A	160	LEU
1	A	165	GLU
1	A	175	THR
1	A	239	ILE
1	A	259	LEU
1	A	285	ARG
1	A	287	GLU
1	A	300	GLU
1	A	380	LEU
1	A	388	VAL
1	B	20	LEU
1	B	43	ARG
1	B	51	GLU
1	B	106	LEU
1	B	114	ARG
1	B	116	VAL
1	B	146	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	154[A]	ILE
1	B	154[B]	ILE
1	B	161[A]	LEU
1	B	161[B]	LEU
1	B	172	ARG
1	B	234	LEU
1	B	270[A]	ARG
1	B	270[B]	ARG
1	B	285	ARG
1	B	390	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	186	GLN
1	A	208	GLN
1	A	265	GLN
1	A	344	HIS
1	B	186	GLN
1	B	188	GLN
1	B	208	GLN
1	B	238	HIS
1	B	265	GLN
1	B	344	HIS
1	B	349	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	1D4	B	1410	-	26,26,26	0.66	0	33,33,33	1.66	8 (24%)
2	HEM	A	1407	1	50,50,50	1.89	15 (30%)	67,82,82	1.55	14 (20%)
2	HEM	B	1407	1	50,50,50	2.11	15 (30%)	67,82,82	1.50	7 (10%)
4	SO4	B	1408	-	4,4,4	0.15	0	6,6,6	0.34	0
4	SO4	B	1409	-	4,4,4	0.40	0	6,6,6	0.45	0
3	1D4	A	1410	-	26,26,26	0.71	0	33,33,33	1.95	6 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1D4	B	1410	-	-	21/23/39/39	0/1/2/2
2	HEM	A	1407	1	-	2/14/54/54	-
2	HEM	B	1407	1	-	0/14/54/54	-
3	1D4	A	1410	-	-	14/23/39/39	0/1/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1407	HEM	C3D-C2D	6.23	1.50	1.36
2	B	1407	HEM	FE-ND	6.09	2.13	1.94
2	A	1407	HEM	C3D-C2D	5.68	1.49	1.36
2	A	1407	HEM	FE-ND	5.04	2.10	1.94
2	A	1407	HEM	FE-NB	4.56	2.08	1.94
2	B	1407	HEM	FE-NC	4.44	2.09	1.95
2	B	1407	HEM	CAC-C3C	3.49	1.56	1.47
2	B	1407	HEM	CAB-C3B	3.10	1.55	1.47
2	B	1407	HEM	FE-NB	3.05	2.04	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1407	HEM	FE-NA	2.89	2.04	1.95
2	B	1407	HEM	FE-NA	2.88	2.04	1.95
2	B	1407	HEM	CMA-C3A	2.87	1.56	1.50
2	A	1407	HEM	C2A-C3A	-2.76	1.31	1.38
2	B	1407	HEM	CMD-C2D	2.76	1.56	1.50
2	A	1407	HEM	CMB-C2B	2.74	1.56	1.50
2	A	1407	HEM	CMA-C3A	2.72	1.56	1.50
2	B	1407	HEM	CMB-C2B	2.64	1.56	1.50
2	A	1407	HEM	CMC-C2C	2.45	1.55	1.50
2	A	1407	HEM	CAC-C3C	2.43	1.53	1.47
2	B	1407	HEM	C4D-ND	-2.27	1.36	1.40
2	A	1407	HEM	C4A-NA	-2.20	1.35	1.39
2	B	1407	HEM	C4D-C3D	-2.20	1.41	1.45
2	B	1407	HEM	C2A-C3A	-2.19	1.33	1.38
2	A	1407	HEM	CBA-CGA	2.19	1.55	1.50
2	A	1407	HEM	CAB-C3B	2.19	1.53	1.47
2	B	1407	HEM	C1B-NB	-2.14	1.36	1.40
2	A	1407	HEM	CMD-C2D	2.08	1.55	1.50
2	B	1407	HEM	CMC-C2C	2.06	1.55	1.50
2	A	1407	HEM	FE-NC	2.01	2.01	1.95
2	A	1407	HEM	C3C-C2C	-2.00	1.33	1.37

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1410	1D4	C5-O1-C4	6.28	127.31	114.84
2	B	1407	HEM	C4D-ND-C1D	6.23	112.58	105.21
3	A	1410	1D4	O1-C5-C12	5.15	120.77	108.09
3	B	1410	1D4	O1-C4-C13	4.74	116.64	108.34
3	B	1410	1D4	C5-O1-C4	4.28	123.33	114.84
2	A	1407	HEM	C4D-ND-C1D	4.25	110.24	105.21
2	A	1407	HEM	O2A-CGA-CBA	3.95	126.48	114.00
2	A	1407	HEM	CMD-C2D-C1D	3.74	130.88	125.03
3	A	1410	1D4	O1-C4-C13	3.73	114.89	108.34
2	A	1407	HEM	O2D-CGD-CBD	3.42	124.80	114.00
2	B	1407	HEM	CHC-C4B-NB	3.19	127.85	124.42
3	A	1410	1D4	O1-C5-O2	-3.15	102.41	110.69
2	A	1407	HEM	CBD-CAD-C3D	-3.15	103.83	112.53
2	B	1407	HEM	CMD-C2D-C1D	3.02	129.75	125.03
2	A	1407	HEM	O1D-CGD-CBD	-2.83	114.11	123.09
3	A	1410	1D4	O1-C4-C3	-2.68	103.64	108.34
2	A	1407	HEM	C4B-C3B-C2B	2.67	109.73	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1407	HEM	C1B-NB-C4B	2.64	108.33	105.21
2	A	1407	HEM	C3B-C4B-NB	-2.61	107.59	109.47
2	A	1407	HEM	C1B-NB-C4B	2.58	108.26	105.21
2	A	1407	HEM	CAD-CBD-CGD	-2.47	107.13	113.67
3	A	1410	1D4	C5-C12-C9	-2.44	105.25	109.15
3	B	1410	1D4	C11-N-C10	-2.39	103.46	110.49
3	B	1410	1D4	C11-N-C9	-2.35	106.38	113.15
3	B	1410	1D4	O3-C12-C9	-2.32	105.61	109.87
2	A	1407	HEM	O2A-CGA-O1A	-2.28	117.47	123.33
2	A	1407	HEM	CBC-CAC-C3C	-2.27	116.20	127.53
2	A	1407	HEM	O1A-CGA-CBA	-2.24	115.98	123.09
3	B	1410	1D4	C3-C4-C13	-2.24	104.68	113.69
2	B	1407	HEM	CAC-C3C-C4C	2.20	130.08	124.82
2	B	1407	HEM	CBD-CAD-C3D	-2.17	106.54	112.53
2	B	1407	HEM	CHA-C4D-ND	2.09	126.95	124.37
3	B	1410	1D4	C5-O2-C6	2.06	116.09	112.91
3	B	1410	1D4	O2-C6-C7	2.05	110.72	106.88
2	A	1407	HEM	CHA-C1A-NA	2.01	127.51	123.86

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1407	HEM	C2C-C3C-CAC-CBC
2	A	1407	HEM	C4C-C3C-CAC-CBC
3	A	1410	1D4	C3-C4-O1-C5
3	A	1410	1D4	C14-C13-C4-O1
3	A	1410	1D4	C14-C13-C4-C3
3	B	1410	1D4	C12-C5-O1-C4
3	B	1410	1D4	C12-C9-N-C10
3	B	1410	1D4	C14-C13-C4-O1
3	B	1410	1D4	O2-C5-O1-C4
3	A	1410	1D4	O2-C5-O1-C4
3	A	1410	1D4	C12-C5-O1-C4
3	B	1410	1D4	C17-C18-C19-C20
3	B	1410	1D4	C14-C13-C4-C3
3	B	1410	1D4	C2-C3-C4-C13
3	B	1410	1D4	C8-C9-N-C10
3	B	1410	1D4	C1-C2-C3-C4
3	B	1410	1D4	C16-C17-C18-C19
3	A	1410	1D4	C17-C18-C19-C20
3	B	1410	1D4	C15-C16-C17-C18

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	1410	1D4	C15-C16-C17-C18
3	B	1410	1D4	C2-C3-C4-O1
3	B	1410	1D4	C18-C19-C20-C21
3	A	1410	1D4	C19-C20-C21-C1
3	A	1410	1D4	C14-C15-C16-C17
3	A	1410	1D4	C21-C1-C2-C3
3	B	1410	1D4	C8-C9-N-C11
3	A	1410	1D4	C4-C13-C14-C15
3	A	1410	1D4	C16-C17-C18-C19
3	B	1410	1D4	C21-C1-C2-C3
3	B	1410	1D4	C19-C20-C21-C1
3	A	1410	1D4	C13-C4-O1-C5
3	B	1410	1D4	C13-C4-O1-C5
3	B	1410	1D4	C3-C4-O1-C5
3	B	1410	1D4	C14-C15-C16-C17
3	A	1410	1D4	C13-C14-C15-C16
3	B	1410	1D4	C13-C14-C15-C16
3	B	1410	1D4	C2-C1-C21-C20

There are no ring outliers.


3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1410	1D4	6	0
2	A	1407	HEM	2	0
3	A	1410	1D4	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand HEM A 1407




Ligand HEM B 1407




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	50:ASN	C	51:GLU	N	1.17

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/436 (90%)	-0.38	11 (2%) 55 52	7, 24, 50, 65	7 (1%)
1	B	393/436 (90%)	-0.32	4 (1%) 79 77	9, 24, 53, 71	9 (2%)
All	All	789/872 (90%)	-0.35	15 (1%) 66 63	7, 24, 52, 71	16 (2%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	178	PHE	3.7
1	B	390	TYR	3.0
1	A	245	HIS	2.6
1	A	178	PHE	2.6
1	A	21	GLY	2.5
1	A	244	GLY	2.5
1	A	182	ASP	2.5
1	A	203	ASP	2.3
1	A	177	ALA	2.2
1	A	22	GLN	2.1
1	A	175	THR	2.1
1	B	305	ASP	2.1
1	A	20	LEU	2.0
1	A	183[A]	ASP	2.0
1	B	180	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	B	1409	5/5	0.74	0.18	74,74,76,77	0
4	SO4	B	1408	5/5	0.78	0.17	90,92,93,93	0
3	1D4	A	1410	25/25	0.82	0.19	45,62,79,80	0
3	1D4	B	1410	25/25	0.84	0.16	39,55,69,70	0
2	HEM	A	1407	43/43	0.99	0.04	7,12,14,23	0
2	HEM	B	1407	43/43	0.99	0.03	8,11,16,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 1D4 B 1410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 1407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 1407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.