



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 10:00 AM UTC

PDB ID : 5WHL / pdb_00005whl
Title : Kelch domain of human Keap1 bound to inhibitory small molecule fragment:
hydroxyphenyl propionic acid
Authors : Carolan, J.P.; Lynch, A.J.; Allen, K.N.
Deposited on : 2017-07-17
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	39% 61%23%17%
1	B	336	% 67%18%14%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4418 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	280	Total	C	N	O	S	0	0	0
			2142	1330	389	408	15			
1	B	289	Total	C	N	O	S	0	1	0
			2218	1379	401	422	16			

There are 58 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	289	MET	-	initiating methionine	UNP Q14145
A	290	GLY	-	expression tag	UNP Q14145
A	291	SER	-	expression tag	UNP Q14145
A	292	SER	-	expression tag	UNP Q14145
A	293	HIS	-	expression tag	UNP Q14145
A	294	HIS	-	expression tag	UNP Q14145
A	295	HIS	-	expression tag	UNP Q14145
A	296	HIS	-	expression tag	UNP Q14145
A	297	HIS	-	expression tag	UNP Q14145
A	298	HIS	-	expression tag	UNP Q14145
A	299	SER	-	expression tag	UNP Q14145
A	300	SER	-	expression tag	UNP Q14145
A	301	GLY	-	expression tag	UNP Q14145
A	302	GLY	-	expression tag	UNP Q14145
A	303	GLU	-	expression tag	UNP Q14145
A	304	ASN	-	expression tag	UNP Q14145
A	305	LEU	-	expression tag	UNP Q14145
A	306	TYR	-	expression tag	UNP Q14145
A	307	PHE	-	expression tag	UNP Q14145
A	308	GLN	-	expression tag	UNP Q14145
A	309	GLY	-	expression tag	UNP Q14145
A	310	HIS	-	expression tag	UNP Q14145
A	311	MET	-	expression tag	UNP Q14145
A	319	SER	CYS	engineered mutation	UNP Q14145
A	540	ALA	GLU	engineered mutation	UNP Q14145

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	542	ALA	GLU	engineered mutation	UNP Q14145
A	613	SER	CYS	engineered mutation	UNP Q14145
A	622	SER	CYS	engineered mutation	UNP Q14145
A	624	SER	CYS	engineered mutation	UNP Q14145
B	289	MET	-	initiating methionine	UNP Q14145
B	290	GLY	-	expression tag	UNP Q14145
B	291	SER	-	expression tag	UNP Q14145
B	292	SER	-	expression tag	UNP Q14145
B	293	HIS	-	expression tag	UNP Q14145
B	294	HIS	-	expression tag	UNP Q14145
B	295	HIS	-	expression tag	UNP Q14145
B	296	HIS	-	expression tag	UNP Q14145
B	297	HIS	-	expression tag	UNP Q14145
B	298	HIS	-	expression tag	UNP Q14145
B	299	SER	-	expression tag	UNP Q14145
B	300	SER	-	expression tag	UNP Q14145
B	301	GLY	-	expression tag	UNP Q14145
B	302	GLY	-	expression tag	UNP Q14145
B	303	GLU	-	expression tag	UNP Q14145
B	304	ASN	-	expression tag	UNP Q14145
B	305	LEU	-	expression tag	UNP Q14145
B	306	TYR	-	expression tag	UNP Q14145
B	307	PHE	-	expression tag	UNP Q14145
B	308	GLN	-	expression tag	UNP Q14145
B	309	GLY	-	expression tag	UNP Q14145
B	310	HIS	-	expression tag	UNP Q14145
B	311	MET	-	expression tag	UNP Q14145
B	319	SER	CYS	engineered mutation	UNP Q14145
B	540	ALA	GLU	engineered mutation	UNP Q14145
B	542	ALA	GLU	engineered mutation	UNP Q14145
B	613	SER	CYS	engineered mutation	UNP Q14145
B	622	SER	CYS	engineered mutation	UNP Q14145
B	624	SER	CYS	engineered mutation	UNP Q14145

- Molecule 2 is HYDROXYPHENYL PROPIONIC ACID (CCD ID: HPP) (formula: C₉H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	9	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total 6	O 6	0	0
4	B	25	Total 25	O 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	160.85Å 68.31Å 77.41Å 90.00° 117.68° 90.00°	Depositor
Resolution (Å)	71.22 – 2.50 71.22 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.6 (71.22-2.50) 91.8 (71.22-2.50)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.51Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.230 , 0.284 0.235 , 0.287	Depositor DCC
R_{free} test set	2016 reflections (7.81%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.025 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4418	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HPP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/2194	0.60	0/2989
1	B	0.43	0/2275	0.66	0/3098
All	All	0.38	0/4469	0.63	0/6087

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2142	0	2035	56	0
1	B	2218	0	2114	45	0
2	A	12	0	9	0	0
3	B	15	0	0	1	0
4	A	6	0	0	0	0
4	B	25	0	0	0	0
All	All	4418	0	4158	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:LEU:HB3	1:A:490:TYR:HB3	1.63	0.81
1:A:382:ASN:OD1	1:A:387:ASN:ND2	2.15	0.80
1:A:436:HIS:CD2	1:A:461:ILE:HD11	2.22	0.73
1:A:397:ASN:HB3	1:A:400:THR:HB	1.71	0.73
1:A:370:VAL:HG11	1:A:445:PRO:HG2	1.70	0.72
1:A:457:LEU:HD12	1:A:499:MET:HE2	1.69	0.72
1:A:490:TYR:OH	1:A:495:ASN:OD1	2.08	0.69
1:A:516:HIS:HD1	1:B:493:GLU:HB2	1.59	0.67
1:B:326:ARG:HE	1:B:610:MET:HE2	1.61	0.66
1:B:472:LEU:HB3	1:B:490:TYR:HB3	1.78	0.64
1:A:514:VAL:O	1:A:561:VAL:HG21	1.99	0.62
1:B:490:TYR:CE2	1:B:492:PRO:HA	2.34	0.62
1:B:327:LEU:HD11	1:B:611:GLU:HG3	1.82	0.61
1:A:425:ILE:HB	1:A:443:TYR:HB3	1.86	0.56
1:A:345:TYR:HB2	1:A:352:TRP:CH2	2.40	0.56
1:B:515:LEU:HD22	1:B:566:ILE:HG13	1.88	0.56
1:A:410:SER:OG	1:A:441:GLU:OE2	2.22	0.55
1:B:478:PHE:HD1	1:B:483:ARG:HG3	1.72	0.55
1:A:515:LEU:HG	1:A:516:HIS:CD2	2.42	0.55
1:B:465:VAL:HA	1:B:473:TYR:O	2.07	0.54
1:B:478:PHE:CD1	1:B:483:ARG:HG3	2.42	0.54
1:B:512:VAL:HA	1:B:520:TYR:O	2.07	0.54
1:B:365:LEU:H	1:B:365:LEU:HD23	1.71	0.54
1:B:347:PRO:HG2	1:B:562:HIS:CE1	2.43	0.53
1:B:557:LEU:H	1:B:557:LEU:HD23	1.74	0.53
1:A:369:VAL:HG23	1:A:607:ALA:HB1	1.92	0.52
1:B:490:TYR:HB2	1:B:497:TRP:CH2	2.44	0.52
1:A:515:LEU:HD22	1:A:566:ILE:HG13	1.93	0.51
1:A:362:ARG:HD2	1:A:378:GLY:O	2.11	0.51
1:B:565:ARG:HD3	1:B:583:CYS:SG	2.50	0.51
1:A:562:HIS:HB3	1:A:567:TYR:CE2	2.46	0.51
1:A:582:GLU:HG2	1:A:593:GLU:HG2	1.93	0.50
1:A:538:ASP:OD2	1:B:498:ARG:NH1	2.45	0.50
1:A:415:ARG:HB2	1:A:461:ILE:HG22	1.95	0.49
1:B:490:TYR:HB2	1:B:497:TRP:CZ2	2.48	0.49
1:A:443:TYR:CE1	1:A:448:ASP:HA	2.47	0.49
1:A:490:TYR:HB2	1:A:497:TRP:CH2	2.48	0.49
1:A:347:PRO:HG2	1:A:562:HIS:CE1	2.48	0.49
1:B:584:TYR:OH	1:B:589:ASP:OD1	2.20	0.49
1:A:400:THR:HG22	1:A:402:GLN:HB2	1.94	0.49
1:A:516:HIS:ND1	1:B:493:GLU:HB2	2.26	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:HIS:CD2	1:A:461:ILE:CD1	2.94	0.48
1:B:551:LYS:HB3	1:B:582:GLU:CD	2.39	0.47
1:A:440:VAL:HG21	1:A:497:TRP:HZ2	1.80	0.47
1:B:345:TYR:HB2	1:B:352:TRP:CZ3	2.49	0.47
1:B:373:LEU:HB3	1:B:395:CYS:SG	2.55	0.47
1:A:465:VAL:HA	1:A:473:TYR:O	2.15	0.46
1:A:421:ILE:HG12	1:A:467:VAL:HG11	1.98	0.46
1:A:443:TYR:HB2	1:A:450:TRP:CE2	2.51	0.46
1:A:355:LEU:HD13	1:A:396:TYR:OH	2.15	0.46
1:A:507:ARG:NH2	1:A:535:GLU:OE2	2.36	0.46
1:A:421:ILE:HD11	1:A:472:LEU:HB2	1.97	0.46
1:A:425:ILE:HD12	1:A:443:TYR:HD2	1.81	0.46
1:A:537:TYR:HB2	1:A:544:TRP:CE2	2.51	0.46
1:A:416:ILE:HD11	1:A:427:ALA:HB1	1.98	0.45
1:B:329:TYR:O	1:B:606:VAL:HA	2.16	0.45
1:B:485:ASN:HB3	1:B:506:ILE:HA	1.98	0.45
1:A:412:PRO:HG2	1:A:432:HIS:CE1	2.52	0.45
1:A:491:TYR:CE1	1:A:498:ARG:HD3	2.51	0.44
1:B:425:ILE:HB	1:B:443:TYR:HB3	1.99	0.44
1:B:467:VAL:HG22	1:B:472:LEU:HD12	2.00	0.44
1:A:345:TYR:HB2	1:A:352:TRP:CZ3	2.52	0.44
1:A:393:LEU:HD22	1:A:450:TRP:HZ2	1.83	0.44
1:A:425:ILE:HD12	1:A:443:TYR:CD2	2.53	0.44
1:B:443:TYR:HB2	1:B:450:TRP:CZ3	2.53	0.44
1:B:537:TYR:HB2	1:B:544:TRP:CE3	2.53	0.43
1:A:411:VAL:HG22	1:A:412:PRO:HD2	2.00	0.43
1:B:380:ARG:NH2	1:B:387:ASN:HB3	2.34	0.43
1:A:467:VAL:HA	1:A:471:LEU:O	2.18	0.43
1:A:447:ARG:O	1:A:449:GLU:HG3	2.18	0.43
1:B:456:MET:SD	1:B:460:ARG:HD2	2.58	0.43
1:A:537:TYR:HB2	1:A:544:TRP:CD2	2.54	0.42
1:B:359:GLN:HG3	1:B:360:VAL:HG23	2.00	0.42
1:A:473:TYR:CD1	1:A:519:ILE:HD11	2.54	0.42
1:A:545:THR:HG22	1:A:546:PHE:O	2.18	0.42
1:B:483:ARG:HG2	1:B:508[A]:SER:HB3	2.01	0.42
1:B:345:TYR:HB2	1:B:352:TRP:CH2	2.53	0.42
1:A:584:TYR:HB2	1:A:591:TRP:CH2	2.54	0.42
1:A:569:LEU:HD23	1:A:597:MET:HE3	2.00	0.42
1:A:395:CYS:O	1:A:403:TRP:HA	2.20	0.42
1:B:491:TYR:O	1:B:495:ASN:N	2.53	0.41
1:B:609:THR:OG1	3:B:702:SO4:O4	2.31	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:THR:HG22	1:A:343:GLU:O	2.20	0.41
1:B:443:TYR:HB2	1:B:450:TRP:CE3	2.55	0.41
1:B:443:TYR:HB2	1:B:450:TRP:CH2	2.55	0.41
1:B:584:TYR:HB2	1:B:591:TRP:CZ3	2.55	0.41
1:A:393:LEU:HD22	1:A:450:TRP:CZ2	2.56	0.41
1:A:604:VAL:HG23	1:A:606:VAL:HG23	2.01	0.41
1:B:566:ILE:HB	1:B:584:TYR:HB3	2.02	0.41
1:B:489:CYS:O	1:B:497:TRP:HA	2.21	0.41
1:A:584:TYR:HB2	1:A:591:TRP:CZ2	2.56	0.41
1:B:365:LEU:HD12	1:B:376:ALA:HB1	2.03	0.41
1:B:581:VAL:HB	1:B:595:THR:HG22	2.03	0.41
1:B:328:ILE:O	1:B:344:ALA:HA	2.21	0.41
1:B:346:ASN:HB3	1:B:349:ASP:OD1	2.21	0.40
1:B:519:ILE:O	1:B:536:ARG:HA	2.21	0.40
1:A:461:ILE:HD13	1:A:461:ILE:HG21	1.87	0.40
1:A:333:GLY:HA3	1:A:604:VAL:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/336 (83%)	265 (95%)	13 (5%)	0	100	100
1	B	288/336 (86%)	279 (97%)	8 (3%)	1 (0%)	36	55
All	All	566/672 (84%)	544 (96%)	21 (4%)	1 (0%)	43	63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	492	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/275 (82%)	224 (100%)	1 (0%)	84	93
1	B	234/275 (85%)	232 (99%)	2 (1%)	70	87
All	All	459/550 (84%)	456 (99%)	3 (1%)	76	89

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	609	THR
1	B	463	VAL
1	B	606	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	414	ASN
1	B	387	ASN
1	B	469	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	703	-	4,4,4	0.36	0	6,6,6	0.33	0
3	SO4	B	701	-	4,4,4	0.24	0	6,6,6	0.29	0
3	SO4	B	702	-	4,4,4	0.33	0	6,6,6	0.31	0
2	HPP	A	701	-	12,12,12	0.90	0	15,15,15	2.33	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HPP	A	701	-	-	1/5/5/5	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	HPP	O2-C9-O1	-7.96	102.86	123.33
2	A	701	HPP	O1-C9-C8	-3.71	111.32	123.09

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	HPP	C7-C8-C9-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	702	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	280/336 (83%)	2.03	130 (46%) 0 0	31, 63, 108, 140	0
1	B	289/336 (86%)	0.06	4 (1%) 73 70	20, 35, 54, 76	1 (0%)
All	All	569/672 (84%)	1.03	134 (23%) 2 1	20, 44, 100, 140	1 (0%)

All (134) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	344	ALA	6.7
1	A	609	THR	6.7
1	A	566	ILE	6.5
1	A	562	HIS	6.4
1	A	567	TYR	6.2
1	A	353	LEU	5.9
1	A	590	THR	5.8
1	A	516	HIS	5.8
1	A	564	GLY	5.7
1	A	395	CYS	5.7
1	A	561	VAL	5.3
1	A	420	VAL	5.3
1	A	421	ILE	5.2
1	A	374	LEU	5.1
1	A	608	VAL	5.1
1	A	373	LEU	4.9
1	A	514	VAL	4.5
1	A	345	TYR	4.5
1	A	584	TYR	4.5
1	A	445	PRO	4.5
1	A	424	HIS	4.5
1	A	594	VAL	4.4
1	A	591	TRP	4.4
1	A	468	LEU	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	581	VAL	4.3
1	A	449	GLU	4.3
1	A	355	LEU	4.3
1	A	371	GLY	4.3
1	A	352	TRP	4.3
1	A	423	GLY	4.3
1	A	375	TYR	4.3
1	A	400	THR	4.2
1	A	347	PRO	4.2
1	A	370	VAL	4.2
1	A	563	GLN	4.2
1	A	367	GLY	4.2
1	A	592	SER	4.1
1	A	397	ASN	4.1
1	A	396	TYR	4.1
1	B	613	SER	4.0
1	A	372	GLY	4.0
1	A	369	VAL	4.0
1	A	586	PRO	4.0
1	A	451	HIS	3.9
1	A	494	ARG	3.9
1	A	351	THR	3.9
1	A	568	VAL	3.8
1	A	425	ILE	3.8
1	A	342	LEU	3.8
1	A	398	PRO	3.8
1	A	515	LEU	3.7
1	A	348	SER	3.7
1	A	607	ALA	3.7
1	A	560	THR	3.6
1	A	399	MET	3.6
1	A	518	CYS	3.6
1	A	467	VAL	3.6
1	A	540	ALA	3.6
1	A	583	CYS	3.5
1	A	491	TYR	3.5
1	A	350	GLY	3.5
1	A	580	SER	3.5
1	A	341	TYR	3.4
1	A	401	ASN	3.4
1	A	387	ASN	3.3
1	A	490	TYR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	469	ASN	3.3
1	A	471	LEU	3.2
1	A	552	HIS	3.2
1	A	565	ARG	3.2
1	A	346	ASN	3.1
1	A	470	ARG	3.1
1	A	450	TRP	3.1
1	A	517	ASN	3.1
1	A	356	ALA	3.1
1	A	419	GLY	3.1
1	A	547	VAL	3.1
1	A	444	GLU	3.0
1	A	588	THR	3.0
1	A	551	LYS	3.0
1	A	443	TYR	2.9
1	A	569	LEU	2.9
1	A	593	GLU	2.9
1	A	585	ASP	2.9
1	A	426	TYR	2.9
1	A	582	GLU	2.9
1	A	422	ASP	2.8
1	A	452	LEU	2.8
1	A	447	ARG	2.8
1	A	579	ASP	2.8
1	A	597	MET	2.7
1	A	354	ARG	2.7
1	A	405	PRO	2.7
1	A	595	THR	2.7
1	A	587	ASP	2.7
1	A	403	TRP	2.7
1	A	442	ARG	2.6
1	A	589	ASP	2.6
1	A	368	CYS	2.6
1	A	349	ASP	2.6
1	B	384	PRO	2.6
1	A	519	ILE	2.6
1	A	402	GLN	2.6
1	A	513	CYS	2.6
1	A	599	SER	2.5
1	A	446	GLU	2.5
1	A	448	ASP	2.4
1	A	453	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	496	GLU	2.4
1	A	596	ARG	2.4
1	A	393	LEU	2.4
1	A	408	PRO	2.3
1	A	454	ALA	2.3
1	A	578	LEU	2.3
1	B	494	ARG	2.3
1	A	376	ALA	2.3
1	A	472	LEU	2.3
1	A	473	TYR	2.3
1	A	404	SER	2.2
1	A	406	CYS	2.2
1	A	575	HIS	2.2
1	A	598	THR	2.2
1	A	549	PRO	2.2
1	A	574	GLY	2.2
1	A	498	ARG	2.2
1	B	386	GLY	2.1
1	A	343	GLU	2.1
1	A	377	VAL	2.1
1	A	407	ALA	2.1
1	A	434	CYS	2.1
1	A	492	PRO	2.1
1	A	557	LEU	2.0
1	A	382	ASN	2.0
1	A	600	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	702	5/5	0.85	0.19	60,61,70,76	0
2	HPP	A	701	12/12	0.87	0.16	41,53,64,66	0
3	SO4	B	703	5/5	0.91	0.14	47,47,61,72	0
3	SO4	B	701	5/5	0.96	0.12	38,39,45,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.