



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:16 PM UTC

PDB ID : 5WHX / pdb_00005whx
Title : PREPHENATE DEHYDROGENASE FROM SOYBEAN
Authors : Holland, C.K.; Jez, J.M.
Deposited on : 2017-07-18
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	54% 36% 8%
1	B	271	3% 58% 33% 7%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4718 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prephenate dehydrogenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	10	0
			2042	1295	342	388	17			
1	B	253	Total	C	N	O	S	0	5	0
			2039	1295	345	382	17			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		
3	B	1	Total	C	O	0	0
			13	6	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	273	Total	O	0	0
			273	273		
4	B	242	Total	O	0	0
			242	242		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Prephenate dehydrogenase 1



• Molecule 1: Prephenate dehydrogenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	46.00Å 55.27Å 67.94Å 107.44° 98.91° 103.23°	Depositor
Resolution (Å)	32.41 – 1.69 32.41 – 1.69	Depositor EDS
% Data completeness (in resolution range)	94.6 (32.41-1.69) 94.6 (32.41-1.69)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.153 , 0.182 0.171 , 0.188	Depositor DCC
R_{free} test set	3163 reflections (4.70%)	wwPDB-VP
Wilson B-factor (Å ²)	18.3	Xtriage
Anisotropy	0.309	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4718	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.13	98/2088 (4.7%)	1.14	13/2816 (0.5%)
1	B	2.04	82/2085 (3.9%)	1.07	14/2811 (0.5%)
All	All	2.08	180/4173 (4.3%)	1.11	27/5627 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (180) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	14[A]	ILE	CA-C	8.85	1.63	1.52
1	B	14[B]	ILE	CA-C	8.85	1.63	1.52
1	A	79[A]	SER	CA-C	8.46	1.63	1.52
1	A	79[B]	SER	CA-C	8.46	1.63	1.52
1	A	47	CYS	C-O	-8.34	1.14	1.24
1	A	190[A]	ILE	CA-C	8.32	1.62	1.52
1	A	190[B]	ILE	CA-C	8.32	1.62	1.52
1	A	217	GLU	C-N	-8.30	1.22	1.33
1	A	176	HIS	CG-ND1	-7.91	1.29	1.38
1	A	190[A]	ILE	C-O	-7.75	1.15	1.24
1	A	190[B]	ILE	C-O	-7.75	1.15	1.24
1	A	157	PHE	C-O	-7.70	1.15	1.24
1	A	53	HIS	CG-ND1	-7.60	1.29	1.38
1	A	234	ASN	C-O	-7.57	1.15	1.24
1	A	167	LYS	C-O	-7.44	1.15	1.24
1	A	228[A]	SER	CA-C	7.39	1.62	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	228[B]	SER	CA-C	7.39	1.62	1.52
1	A	100	LEU	C-O	-7.15	1.15	1.23
1	B	75	ILE	C-O	-7.13	1.15	1.24
1	A	79[A]	SER	C-O	-7.00	1.16	1.24
1	A	79[B]	SER	C-O	-7.00	1.16	1.24
1	B	247	ALA	C-O	-6.99	1.16	1.24
1	B	15	VAL	C-O	-6.97	1.16	1.24
1	A	21	GLY	C-O	-6.93	1.15	1.23
1	A	20	PHE	C-O	-6.92	1.15	1.24
1	A	193	THR	C-O	-6.87	1.16	1.24
1	A	139	HIS	CG-ND1	-6.86	1.30	1.38
1	A	79[A]	SER	N-CA	6.86	1.54	1.46
1	A	79[B]	SER	N-CA	6.86	1.54	1.46
1	B	253	GLU	C-O	-6.83	1.16	1.24
1	A	115	PRO	C-O	-6.82	1.15	1.23
1	A	212	LEU	C-O	-6.78	1.16	1.24
1	A	152	VAL	C-O	-6.75	1.16	1.24
1	B	100	LEU	C-O	-6.75	1.15	1.23
1	A	97	VAL	C-O	-6.71	1.17	1.24
1	A	238	ARG	C-O	-6.67	1.16	1.24
1	A	158	ILE	C-O	-6.61	1.16	1.24
1	B	78	LEU	C-O	-6.60	1.16	1.24
1	B	178	ARG	C-O	-6.60	1.16	1.24
1	A	187	THR	C-O	-6.60	1.16	1.24
1	B	246	HIS	CG-ND1	-6.59	1.30	1.38
1	B	94	THR	C-O	-6.59	1.16	1.23
1	A	169	VAL	C-O	-6.56	1.17	1.24
1	A	244	LEU	C-O	-6.55	1.16	1.24
1	A	38	THR	C-O	-6.51	1.15	1.23
1	A	117	ASP	C-N	-6.48	1.24	1.33
1	A	216	LYS	C-O	-6.48	1.16	1.24
1	A	140	THR	C-O	-6.46	1.16	1.23
1	A	27	THR	C-O	-6.44	1.16	1.24
1	A	46	LEU	C-O	-6.43	1.16	1.24
1	B	194	LEU	C-O	-6.40	1.16	1.24
1	A	75	ILE	C-O	-6.37	1.16	1.24
1	A	14	ILE	C-O	-6.36	1.16	1.24
1	B	19	ASN	C-O	-6.34	1.16	1.24
1	B	28	MET	C-O	-6.31	1.16	1.24
1	A	72	CYS	C-N	-6.30	1.24	1.33
1	B	174	GLU	C-O	-6.29	1.16	1.24
1	A	178	ARG	C-O	-6.28	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	234	ASN	C-O	-6.26	1.16	1.24
1	B	202	THR	C-O	-6.25	1.16	1.24
1	B	70	VAL	C-O	-6.24	1.17	1.24
1	A	202	THR	C-O	-6.23	1.16	1.24
1	B	244	LEU	C-O	-6.22	1.16	1.24
1	B	69	ILE	C-O	-6.20	1.17	1.24
1	B	25	ALA	C-O	-6.14	1.16	1.24
1	B	102	VAL	C-O	-6.14	1.17	1.24
1	A	123	THR	C-O	-6.13	1.16	1.23
1	B	171	MET	C-O	-6.06	1.16	1.23
1	A	249	HIS	CG-ND1	-6.05	1.31	1.38
1	A	15	VAL	C-O	-6.02	1.17	1.24
1	A	184	GLN	C-O	-5.99	1.17	1.24
1	A	105	HIS	CG-ND1	-5.98	1.31	1.38
1	B	81	VAL	C-O	-5.98	1.17	1.24
1	B	66	ILE	C-O	-5.97	1.17	1.24
1	B	246	HIS	CD2-NE2	-5.92	1.31	1.37
1	B	176	HIS	CG-ND1	-5.90	1.31	1.38
1	B	139	HIS	CG-ND1	-5.89	1.31	1.38
1	A	162	ALA	C-O	-5.88	1.17	1.24
1	B	139	HIS	CD2-NE2	-5.88	1.31	1.37
1	A	34	THR	C-O	-5.88	1.17	1.24
1	A	102	VAL	C-O	-5.87	1.16	1.23
1	A	19	ASN	C-O	-5.85	1.17	1.24
1	B	233	TYR	C-O	-5.85	1.16	1.24
1	B	146	VAL	C-O	-5.84	1.17	1.24
1	B	56	ARG	C-O	-5.83	1.17	1.24
1	A	53	HIS	C-O	-5.82	1.16	1.24
1	B	33	HIS	CG-ND1	-5.79	1.31	1.38
1	B	186	ILE	C-O	-5.78	1.17	1.24
1	A	24	LEU	C-O	-5.78	1.17	1.24
1	A	200	GLN	C-N	-5.76	1.25	1.33
1	B	167	LYS	C-O	-5.76	1.17	1.24
1	B	97	VAL	C-O	-5.76	1.18	1.24
1	A	93	PRO	C-O	-5.75	1.17	1.23
1	A	227	TYR	C-O	-5.75	1.17	1.24
1	A	228[A]	SER	C-O	-5.74	1.17	1.24
1	A	228[B]	SER	C-O	-5.74	1.17	1.24
1	A	18	GLY	C-O	-5.73	1.18	1.23
1	B	199	ILE	C-O	-5.73	1.17	1.24
1	B	205	ASP	C-O	-5.71	1.17	1.23
1	A	124	HIS	N-CA	-5.69	1.41	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	254	THR	C-O	-5.67	1.17	1.24
1	A	141	PHE	C-O	-5.67	1.17	1.24
1	B	124	HIS	C-O	-5.66	1.18	1.24
1	A	186	ILE	C-O	-5.65	1.17	1.24
1	B	168	MET	C-O	-5.65	1.17	1.24
1	B	49	GLN	C-O	-5.64	1.17	1.24
1	A	69	ILE	C-O	-5.62	1.18	1.24
1	B	106	PRO	C-O	-5.61	1.17	1.24
1	A	53	HIS	CD2-NE2	-5.60	1.31	1.37
1	A	229	GLY	C-O	-5.59	1.17	1.23
1	B	101	SER	C-O	-5.58	1.16	1.24
1	B	29	ILE	C-O	-5.58	1.17	1.24
1	A	105	HIS	CD2-NE2	-5.57	1.31	1.37
1	A	246	HIS	CG-ND1	-5.56	1.32	1.38
1	B	193	THR	C-O	-5.54	1.17	1.24
1	A	137	THR	C-O	-5.53	1.17	1.23
1	A	121	LEU	C-O	-5.52	1.17	1.24
1	B	157	PHE	C-O	-5.52	1.17	1.24
1	B	159[A]	GLN	CA-C	5.51	1.60	1.52
1	B	159[B]	GLN	CA-C	5.51	1.60	1.52
1	A	64	ALA	C-N	-5.50	1.25	1.33
1	A	127	PHE	C-O	-5.50	1.17	1.23
1	B	249	HIS	CG-ND1	-5.48	1.32	1.38
1	A	33	HIS	CG-ND1	-5.48	1.32	1.38
1	A	166	CYS	C-O	-5.47	1.17	1.23
1	A	248	LEU	C-O	-5.47	1.17	1.24
1	B	127	PHE	C-O	-5.47	1.17	1.23
1	B	105	HIS	CG-ND1	-5.46	1.32	1.38
1	A	106	PRO	C-O	-5.46	1.17	1.24
1	B	202	THR	C-N	5.45	1.40	1.34
1	B	169	VAL	C-O	-5.45	1.18	1.24
1	A	74	SER	C-O	-5.44	1.16	1.23
1	A	191	GLY	C-O	-5.44	1.17	1.23
1	A	172	SER	C-O	-5.43	1.16	1.23
1	B	34	THR	C-O	-5.43	1.17	1.24
1	A	55	PHE	C-O	-5.42	1.17	1.24
1	B	45	GLU	C-O	-5.39	1.18	1.24
1	B	38	THR	C-O	-5.39	1.17	1.23
1	A	179	ALA	C-O	-5.35	1.17	1.24
1	B	95	LEU	C-O	-5.35	1.17	1.24
1	B	203	PRO	N-CD	5.34	1.55	1.47
1	A	28	MET	C-O	-5.34	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	172	SER	C-O	-5.33	1.17	1.23
1	B	144	ASP	C-O	-5.31	1.18	1.24
1	A	233	TYR	C-O	-5.31	1.16	1.24
1	B	47	CYS	C-O	-5.31	1.18	1.24
1	A	66	ILE	C-O	-5.30	1.18	1.24
1	B	107	ARG	C-O	-5.29	1.18	1.24
1	B	12	ILE	C-O	-5.28	1.18	1.24
1	A	76	LEU	C-O	-5.28	1.18	1.24
1	B	204	ILE	C-O	-5.26	1.17	1.24
1	B	153	ILE	C-O	-5.26	1.18	1.24
1	B	216	LYS	C-O	-5.25	1.18	1.24
1	B	183	SER	C-O	-5.24	1.17	1.24
1	A	95	LEU	C-O	-5.24	1.17	1.24
1	B	42	ASP	C-O	-5.24	1.17	1.24
1	A	105	HIS	C-O	-5.23	1.19	1.24
1	B	126	MET	C-O	-5.23	1.17	1.24
1	B	148	ILE	C-O	-5.23	1.18	1.24
1	A	144	ASP	C-O	-5.22	1.18	1.24
1	A	35	LEU	C-O	-5.20	1.17	1.24
1	A	10	LEU	C-O	-5.19	1.17	1.23
1	A	68	VAL	C-O	-5.17	1.18	1.24
1	B	181	ALA	C-O	-5.16	1.18	1.24
1	A	204	ILE	C-O	-5.16	1.18	1.24
1	B	92	ARG	C-O	-5.13	1.17	1.24
1	A	108	GLU	C-O	-5.13	1.18	1.24
1	B	195	GLY	C-O	-5.11	1.17	1.23
1	A	225	ASP	C-O	-5.11	1.18	1.24
1	B	14[A]	ILE	N-CA	5.10	1.52	1.46
1	B	14[B]	ILE	N-CA	5.10	1.52	1.46
1	B	16	GLY	C-O	-5.08	1.17	1.23
1	B	44	SER	C-O	-5.07	1.18	1.24
1	B	136	TRP	NE1-CE2	-5.07	1.31	1.37
1	B	80	GLU	C-O	-5.07	1.18	1.24
1	A	12	ILE	C-O	-5.05	1.18	1.24
1	A	230	LEU	C-O	-5.05	1.17	1.24
1	A	104	GLU	C-O	-5.05	1.18	1.24
1	B	68	VAL	C-O	-5.04	1.19	1.24
1	B	39	SER	C-O	-5.00	1.18	1.23

All (27) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	228[A]	SER	CA-C-O	13.27	134.96	120.63
1	A	228[B]	SER	CA-C-O	13.27	134.96	120.63
1	A	228[A]	SER	N-CA-C	7.71	124.09	111.37
1	A	228[B]	SER	N-CA-C	7.71	124.09	111.37
1	A	190[A]	ILE	N-CA-C	7.49	118.25	110.62
1	A	190[B]	ILE	N-CA-C	7.49	118.25	110.62
1	B	159[A]	GLN	N-CA-C	7.18	121.14	112.38
1	B	159[B]	GLN	N-CA-C	7.18	121.14	112.38
1	B	67	ASP	N-CA-C	6.34	118.27	111.36
1	A	78	LEU	CA-C-N	-6.27	111.88	120.28
1	A	78	LEU	C-N-CA	-6.27	111.88	120.28
1	A	154	CYS	O-C-N	-6.20	115.55	122.12
1	B	14[A]	ILE	N-CA-C	6.05	116.83	107.99
1	B	14[B]	ILE	N-CA-C	6.05	116.83	107.99
1	B	14[A]	ILE	CA-C-O	-5.40	114.70	120.59
1	B	14[B]	ILE	CA-C-O	-5.40	114.70	120.59
1	A	134	ASN	N-CA-C	5.33	118.59	112.57
1	B	237	ALA	N-CA-C	5.29	117.13	111.36
1	A	103	LYS	N-CA-C	5.26	120.57	114.04
1	A	79[A]	SER	N-CA-C	5.25	117.00	111.28
1	A	79[B]	SER	N-CA-C	5.25	117.00	111.28
1	B	159[A]	GLN	CA-C-O	5.19	125.77	119.49
1	B	159[B]	GLN	CA-C-O	5.19	125.77	119.49
1	B	227	TYR	N-CA-C	-5.18	105.71	111.36
1	B	202	THR	CA-C-N	-5.16	114.50	119.87
1	B	202	THR	C-N-CA	-5.16	114.50	119.87
1	B	134	ASN	N-CA-C	5.16	119.06	112.26

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	200	GLN	Mainchain
1	A	88	THR	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2042	0	2047	16	0
1	B	2039	0	2057	18	0
2	A	48	0	25	3	0
2	B	48	0	25	2	0
3	A	13	0	5	1	0
3	B	13	0	5	1	0
4	A	273	0	0	0	0
4	B	242	0	0	1	0
All	All	4718	0	4164	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:MET:HA	1:A:256:MET:HE3	1.14	1.13
1:A:108:GLU:OE2	1:A:112:ARG:NH1	1.81	1.12
1:A:256:MET:HA	1:A:256:MET:CE	1.96	0.95
1:A:228[B]:SER:OG	1:B:258:GLN:HG2	1.76	0.86
1:A:48:LEU:C	1:A:48:LEU:HD23	2.13	0.74
1:A:108:GLU:CD	1:A:112:ARG:HH12	1.96	0.73
1:A:256:MET:HE3	1:A:256:MET:CA	2.09	0.69
1:B:56:ARG:HH11	1:B:56:ARG:HG3	1.64	0.63
1:B:63:THR:O	1:B:91:LYS:HE3	1.99	0.61
1:B:250:LYS:O	1:B:254:THR:HG23	2.02	0.60
1:B:108:GLU:OE2	1:B:112:ARG:NH1	2.35	0.60
1:A:11:LYS:NZ	1:A:65[A]:ASP:OD2	2.30	0.59
1:B:40:ARG:O	1:B:56:ARG:NH1	2.33	0.57
1:A:226:LEU:C	1:A:226:LEU:HD23	2.33	0.53
1:A:128:GLY:HA3	2:A:301:NAP:N7N	2.24	0.52
1:B:108:GLU:OE1	1:B:112:ARG:NH1	2.44	0.51
2:A:301:NAP:H4N	3:A:302:CIT:H42	1.94	0.50
2:B:301:NAP:H4N	3:B:302:CIT:H42	1.94	0.50
1:B:128:GLY:HA3	2:B:301:NAP:N7N	2.29	0.48
1:B:226:LEU:C	1:B:226:LEU:HD23	2.39	0.47
1:A:219:MET:HA	1:A:219:MET:HE2	1.96	0.47
1:A:48:LEU:C	1:A:48:LEU:CD2	2.86	0.46
1:B:108:GLU:CD	1:B:112:ARG:NH1	2.73	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:LYS:O	1:B:211:THR:HG23	2.16	0.45
1:A:43:TYR:OH	2:A:301:NAP:O3X	2.27	0.44
1:A:250:LYS:HE2	1:B:196:GLU:OE2	2.19	0.43
1:B:91:LYS:HB2	4:B:473:HOH:O	2.19	0.42
1:B:8:GLN:OE1	1:B:159[B]:GLN:OE1	2.38	0.42
1:B:159[B]:GLN:HG2	1:B:163:THR:HG23	2.02	0.41
1:B:186:ILE:HD13	1:B:186:ILE:HA	1.92	0.41
1:A:139:HIS:CD2	1:B:207:LYS:HE3	2.55	0.41
1:A:87:LEU:HA	1:A:87:LEU:HD23	1.86	0.41
1:B:176:HIS:ND1	1:B:176:HIS:C	2.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/271 (95%)	252 (98%)	6 (2%)	0	100	100
1	B	256/271 (94%)	248 (97%)	8 (3%)	0	100	100
All	All	514/542 (95%)	500 (97%)	14 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/244 (96%)	229 (97%)	6 (3%)	40	23
1	B	233/244 (96%)	230 (99%)	3 (1%)	61	48
All	All	468/488 (96%)	459 (98%)	9 (2%)	48	34

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ASP
1	A	103	LYS
1	A	149	ARG
1	A	171	MET
1	A	256	MET
1	A	257	ILE
1	B	56	ARG
1	B	98	ASP
1	B	103	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	A	301	-	50,52,52	1.52	7 (14%)	71,80,80	1.63	14 (19%)
3	CIT	A	302	-	12,12,12	1.61	2 (16%)	17,17,17	1.45	3 (17%)
2	NAP	B	301	-	50,52,52	1.52	7 (14%)	71,80,80	1.64	14 (19%)
3	CIT	B	302	-	12,12,12	1.61	2 (16%)	17,17,17	1.47	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	301	-	-	9/35/67/67	0/5/5/5
3	CIT	A	302	-	-	0/16/16/16	-
2	NAP	B	301	-	-	9/35/67/67	0/5/5/5
3	CIT	B	302	-	-	2/16/16/16	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAP	C7N-N7N	5.49	1.43	1.33
2	A	301	NAP	C7N-N7N	5.45	1.43	1.33
2	A	301	NAP	C6A-N6A	4.08	1.44	1.34
2	B	301	NAP	C6A-N6A	4.08	1.44	1.34
3	B	302	CIT	C4-C3	-3.30	1.49	1.54
3	A	302	CIT	C4-C3	-3.29	1.49	1.54
2	B	301	NAP	C3B-C2B	-3.19	1.46	1.53
2	A	301	NAP	C3B-C2B	-3.16	1.46	1.53
2	A	301	NAP	C2B-C1B	-2.77	1.46	1.53
2	B	301	NAP	C2B-C1B	-2.73	1.46	1.53
2	B	301	NAP	C8A-N7A	2.61	1.36	1.31
3	B	302	CIT	C3-C6	-2.60	1.50	1.53
2	A	301	NAP	C8A-N7A	2.60	1.36	1.31
3	A	302	CIT	C3-C6	-2.57	1.50	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAP	C2D-C3D	-2.56	1.46	1.53
2	B	301	NAP	C2D-C3D	-2.54	1.46	1.53
2	A	301	NAP	C3D-C4D	-2.11	1.47	1.53
2	B	301	NAP	C3D-C4D	-2.10	1.47	1.53

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NAP	C5A-C4A-N3A	-5.37	119.32	126.72
2	B	301	NAP	C5A-C4A-N3A	-5.36	119.34	126.72
2	B	301	NAP	N3A-C2A-N1A	-4.59	121.63	128.58
2	A	301	NAP	N3A-C2A-N1A	-4.58	121.65	128.58
2	A	301	NAP	N3A-C4A-N9A	3.68	133.43	127.17
2	B	301	NAP	N3A-C4A-N9A	3.66	133.40	127.17
2	B	301	NAP	C2A-N3A-C4A	3.64	120.72	111.83
2	A	301	NAP	C2A-N3A-C4A	3.64	120.71	111.83
2	A	301	NAP	C5N-C4N-C3N	-3.57	116.85	120.36
2	B	301	NAP	C5N-C4N-C3N	-3.55	116.88	120.36
2	B	301	NAP	N9A-C8A-N7A	-3.26	109.31	113.94
2	A	301	NAP	N9A-C8A-N7A	-3.26	109.31	113.94
2	A	301	NAP	C4A-C5A-N7A	-3.02	107.13	110.58
2	B	301	NAP	C4A-C5A-N7A	-3.01	107.14	110.58
3	A	302	CIT	O6-C6-C3	2.97	118.84	113.14
3	B	302	CIT	O6-C6-C3	2.97	118.83	113.14
2	A	301	NAP	C5A-N7A-C8A	2.91	108.02	103.45
2	B	301	NAP	C5A-N7A-C8A	2.90	108.01	103.45
2	B	301	NAP	C2N-C3N-C4N	2.56	121.23	118.26
2	A	301	NAP	C2N-C3N-C4N	2.54	121.21	118.26
2	A	301	NAP	O2A-PA-O3	2.50	114.02	107.27
2	B	301	NAP	O2A-PA-O3	2.48	113.98	107.27
2	A	301	NAP	C4A-N9A-C8A	2.43	108.29	105.74
2	B	301	NAP	C4A-N9A-C8A	2.41	108.27	105.74
2	B	301	NAP	O7N-C7N-N7N	-2.40	119.15	122.62
2	A	301	NAP	O7N-C7N-N7N	-2.38	119.17	122.62
3	B	302	CIT	C3-C2-C1	-2.33	107.54	113.92
3	A	302	CIT	C3-C2-C1	-2.33	107.55	113.92
2	B	301	NAP	O7N-C7N-C3N	2.28	122.39	119.60
2	A	301	NAP	O7N-C7N-C3N	2.24	122.33	119.60
2	B	301	NAP	C4D-O4D-C1D	-2.11	107.99	109.92
3	B	302	CIT	C3-C4-C5	-2.09	108.20	113.92
3	A	302	CIT	C3-C4-C5	-2.09	108.21	113.92
2	A	301	NAP	C4D-O4D-C1D	-2.07	108.03	109.92

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAP	O4D-C1D-N1N-C2N
2	A	301	NAP	O4D-C1D-N1N-C6N
2	B	301	NAP	O4D-C1D-N1N-C2N
2	B	301	NAP	O4D-C1D-N1N-C6N
2	A	301	NAP	C1B-C2B-O2B-P2B
2	B	301	NAP	C1B-C2B-O2B-P2B
2	A	301	NAP	PA-O3-PN-O1N
2	B	301	NAP	PA-O3-PN-O1N
2	B	301	NAP	C3B-C2B-O2B-P2B
3	B	302	CIT	O1-C1-C2-C3
3	B	302	CIT	O2-C1-C2-C3
2	A	301	NAP	PA-O3-PN-O5D
2	B	301	NAP	PA-O3-PN-O5D
2	A	301	NAP	C3B-C2B-O2B-P2B
2	A	301	NAP	C5D-O5D-PN-O3
2	B	301	NAP	C5D-O5D-PN-O3
2	A	301	NAP	C2B-O2B-P2B-O2X
2	B	301	NAP	C2B-O2B-P2B-O2X
2	A	301	NAP	C2B-O2B-P2B-O1X
2	B	301	NAP	C2B-O2B-P2B-O1X


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	NAP	3	0
3	A	302	CIT	1	0
2	B	301	NAP	2	0
3	B	302	CIT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/271 (92%)	-0.11	2 (0%) 82 85	7, 19, 43, 70	10 (4%)
1	B	253/271 (93%)	-0.01	8 (3%) 50 54	8, 20, 44, 62	5 (1%)
All	All	503/542 (92%)	-0.06	10 (1%) 65 69	7, 19, 43, 70	15 (2%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	257	ILE	3.7
1	B	56	ARG	3.6
1	B	218	THR	3.0
1	B	221	ARG	2.5
1	B	222	ASN	2.3
1	B	133	LYS	2.3
1	B	260	THR	2.2
1	B	57	ASP	2.1
1	A	134	ASN	2.0
1	B	8	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CIT	A	302	13/13	0.73	0.20	18,25,43,57	0
3	CIT	B	302	13/13	0.84	0.16	18,33,45,49	0
2	NAP	A	301	48/48	0.89	0.12	10,14,17,22	0
2	NAP	B	301	48/48	0.99	0.04	12,16,20,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.