



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 03:46 PM UTC

PDB ID : 3WI2 / pdb_00003wi2
Title : Crystal structure of PDE10A in complex with inhibitor
Authors : Amano, Y.
Deposited on : 2013-09-04
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	345	
1	B	345	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5335 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	324	Total	C	N	O	S	0	0	0
			2629	1678	447	479	25			
1	B	324	Total	C	N	O	S	0	0	0
			2629	1678	447	479	25			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	445	GLY	-	expression tag	UNP Q9Y233
A	446	SER	-	expression tag	UNP Q9Y233
A	447	HIS	-	expression tag	UNP Q9Y233
A	448	MET	-	expression tag	UNP Q9Y233
B	445	GLY	-	expression tag	UNP Q9Y233
B	446	SER	-	expression tag	UNP Q9Y233
B	447	HIS	-	expression tag	UNP Q9Y233
B	448	MET	-	expression tag	UNP Q9Y233

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 2-([1-phenyl-2-(propan-2-yl)-1H-benzimidazol-6-yl]oxy)methyl)quinoline (CCD ID: P98) (formula: C₂₆H₂₃N₃O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			30	26	3	1		
4	B	1	Total	C	N	O	0	0
			30	26	3	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	O	0	0
			5	5		
5	B	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.12Å 81.63Å 158.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 2.26 19.96 – 2.26	Depositor EDS
% Data completeness (in resolution range)	98.0 (19.96-2.26) 98.0 (19.96-2.26)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.26Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.253 , 0.329 0.252 , 0.328	Depositor DCC
R_{free} test set	1542 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	45.2	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5335	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, P98, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	0/2694	1.17	13/3647 (0.4%)
1	B	0.86	3/2694 (0.1%)	1.26	10/3647 (0.3%)
All	All	0.84	3/5388 (0.1%)	1.22	23/7294 (0.3%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	564	ASP	CB-CG	6.65	1.68	1.52
1	B	630	ILE	CA-CB	6.02	1.61	1.54
1	B	674	ASP	CB-CG	5.61	1.66	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	749	GLU	CA-C-N	-11.88	107.21	120.04
1	B	749	GLU	C-N-CA	-11.88	107.21	120.04
1	A	486	TRP	CA-C-N	-7.43	111.32	119.19
1	A	486	TRP	C-N-CA	-7.43	111.32	119.19
1	A	719	LYS	N-CA-C	6.43	118.83	111.11
1	B	733	VAL	CB-CA-C	-6.41	106.26	111.71
1	B	746	PRO	CA-C-N	-6.39	111.85	119.84
1	B	746	PRO	C-N-CA	-6.39	111.85	119.84
1	A	741	LEU	N-CA-C	6.30	118.95	111.33
1	B	674	ASP	N-CA-C	6.03	118.65	111.71
1	B	630	ILE	CB-CA-C	-5.73	104.51	112.02
1	A	531	VAL	N-CA-C	-5.65	105.59	111.58
1	B	625	ILE	N-CA-C	-5.33	105.52	110.53
1	B	486	TRP	O-C-N	5.30	124.57	120.38
1	A	749	GLU	CA-C-N	-5.27	114.66	119.82
1	A	749	GLU	C-N-CA	-5.27	114.66	119.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	464	LEU	CA-C-N	5.26	125.51	119.83
1	A	464	LEU	C-N-CA	5.26	125.51	119.83
1	B	494	VAL	CB-CA-C	-5.18	105.07	111.70
1	A	718	LYS	CA-C-N	5.14	127.48	120.54
1	A	718	LYS	C-N-CA	5.14	127.48	120.54
1	A	517	LYS	N-CA-C	5.09	117.50	111.33
1	A	671	THR	CB-CA-C	-5.01	103.18	110.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2629	0	2588	61	0
1	B	2629	0	2588	77	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	30	0	23	1	0
4	B	30	0	23	1	0
5	A	5	0	0	0	0
5	B	8	0	0	1	0
All	All	5335	0	5222	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:709:GLN:HE21	1:B:710:PRO:HD2	1.27	0.95
1:A:502:CYS:SG	1:A:554:LYS:HD2	2.12	0.88
1:A:641:ASN:HD22	1:A:664:ARG:HH11	1.11	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:641:ASN:ND2	1:A:664:ARG:HH11	1.72	0.87
1:A:539:ALA:O	1:A:543:ASN:ND2	2.10	0.84
1:B:527:TRP:O	1:B:531:VAL:HG23	1.81	0.80
1:B:554:LYS:O	1:B:558:ILE:HG12	1.84	0.78
1:A:641:ASN:HD22	1:A:664:ARG:NH1	1.81	0.77
1:B:655:ASN:H	1:B:661:HIS:HD2	1.32	0.76
1:A:629:ALA:HB1	1:A:670:MET:HE2	1.69	0.74
1:B:709:GLN:NE2	1:B:710:PRO:HD2	2.02	0.73
1:A:574:TYR:HB2	1:A:699:GLU:OE2	1.89	0.72
1:A:573:SER:O	1:A:577:LYS:HB2	1.91	0.70
1:A:456:TRP:CH2	1:A:506:GLU:HG3	2.26	0.69
1:B:676:CYS:O	1:B:679:THR:OG1	2.07	0.69
1:B:704:LYS:C	1:B:706:LEU:H	2.00	0.69
1:B:761:GLN:O	1:B:765:VAL:HG23	1.92	0.68
1:A:550:ASP:O	1:A:554:LYS:HG2	1.93	0.68
1:A:658:ASN:HD22	1:A:661:HIS:H	1.41	0.67
1:B:448:MET:HE1	1:B:598:GLN:OE1	1.96	0.66
1:B:472:ILE:HG22	1:B:538:TYR:HE2	1.61	0.66
1:A:675:LEU:O	1:A:678:VAL:HG22	1.96	0.65
1:B:563:HIS:O	1:B:595:HIS:CD2	2.51	0.64
1:B:602:ILE:HA	1:B:605:LEU:HD12	1.81	0.63
1:B:765:VAL:HG22	1:B:770:GLU:HB3	1.81	0.62
1:A:486:TRP:CZ3	1:A:528:LYS:HB2	2.34	0.62
1:B:468:LEU:O	1:B:471:GLU:N	2.31	0.62
1:A:490:PHE:O	1:A:494:VAL:HG23	2.00	0.61
1:B:523:PRO:HD2	1:B:695:GLU:HG3	1.82	0.60
1:A:577:LYS:O	1:A:578:PHE:HB3	2.02	0.60
1:B:655:ASN:H	1:B:661:HIS:CD2	2.16	0.60
1:A:578:PHE:CE1	1:A:706:LEU:HD12	2.37	0.59
1:A:761:GLN:O	1:A:765:VAL:HG23	2.03	0.59
1:A:658:ASN:ND2	1:A:661:HIS:H	1.99	0.59
1:B:713:MET:HE2	4:B:803:P98:C1	2.33	0.58
1:B:646:GLU:HA	1:B:646:GLU:OE1	2.03	0.58
1:B:521:ARG:HH11	1:B:521:ARG:HG3	1.67	0.58
1:B:507:LYS:HG2	1:B:607:GLY:O	2.04	0.57
1:A:735:ILE:HG13	1:B:481:PRO:HB3	1.87	0.57
1:B:701:ASP:OD2	1:B:716:ARG:NH2	2.29	0.56
1:A:578:PHE:CG	1:A:578:PHE:O	2.58	0.56
1:B:490:PHE:CD1	1:B:561:LEU:HD13	2.40	0.56
1:B:504:GLU:HG3	1:B:504:GLU:O	2.04	0.56
1:B:702:GLU:O	1:B:706:LEU:HD13	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:537:MET:HE2	1:A:673:CYS:SG	2.47	0.55
1:A:640:GLY:O	1:A:643:LYS:HB3	2.06	0.55
1:A:589:SER:HB3	1:A:592:GLU:HB2	1.90	0.54
1:B:476:HIS:O	1:B:477:PHE:C	2.51	0.54
1:B:704:LYS:O	1:B:706:LEU:N	2.37	0.53
1:A:448:MET:HG3	1:A:601:SER:HB3	1.89	0.53
1:A:535:HIS:C	1:A:535:HIS:ND1	2.65	0.53
1:B:675:LEU:O	1:B:678:VAL:HG22	2.08	0.53
1:B:486:TRP:CH2	1:B:528:LYS:HG3	2.43	0.53
1:B:503:PHE:CE1	1:B:554:LYS:HE2	2.44	0.53
1:B:655:ASN:N	1:B:661:HIS:HD2	2.05	0.52
1:A:578:PHE:O	1:A:578:PHE:CD1	2.62	0.52
1:B:704:LYS:C	1:B:706:LEU:N	2.67	0.52
1:B:727:LEU:HD13	1:B:766:ILE:HD12	1.91	0.52
1:A:591:MET:O	1:A:595:HIS:CD2	2.63	0.52
1:B:457:GLN:O	1:B:461:GLN:HG3	2.11	0.51
1:B:709:GLN:HE21	1:B:709:GLN:HA	1.76	0.51
1:B:483:GLU:HA	1:B:486:TRP:CE2	2.46	0.50
1:A:515:VAL:HG12	1:A:527:TRP:HZ3	1.76	0.50
1:B:472:ILE:HG22	1:B:538:TYR:CE2	2.45	0.50
1:A:578:PHE:HA	1:A:579:ASP:HB2	1.94	0.49
1:A:595:HIS:O	1:A:598:GLN:HB2	2.12	0.49
1:A:730:TYR:HA	1:A:734:ALA:HB3	1.95	0.49
1:B:548:PHE:O	1:B:553:ARG:NH1	2.46	0.49
1:B:688:THR:HG22	1:B:692:ILE:CD1	2.42	0.49
1:A:567:HIS:HA	1:A:591:MET:CE	2.43	0.49
1:B:521:ARG:HG3	1:B:521:ARG:NH1	2.28	0.48
1:A:541:LEU:HD13	1:A:553:ARG:HG2	1.95	0.48
1:B:735:ILE:N	1:B:736:PRO:HD2	2.27	0.48
1:B:511:PHE:O	1:B:515:VAL:HG23	2.13	0.48
1:A:514:SER:O	1:A:517:LYS:HB2	2.14	0.48
1:B:486:TRP:HB2	1:B:487:PRO:HD3	1.96	0.48
1:A:464:LEU:HD12	1:A:465:PRO:HD2	1.96	0.47
1:B:580:HIS:CG	1:B:581:PRO:HD2	2.50	0.47
1:B:700:GLY:HA3	1:B:714:MET:O	2.13	0.47
1:A:472:ILE:HD11	1:A:489:ILE:HG23	1.95	0.47
1:B:524:TYR:CE1	1:B:692:ILE:HD11	2.49	0.47
1:B:682:TRP:CD1	1:B:761:GLN:HE21	2.32	0.46
1:B:645:LEU:HD11	1:B:664:ARG:O	2.15	0.46
1:B:735:ILE:N	1:B:736:PRO:CD	2.78	0.46
1:A:486:TRP:CH2	1:A:528:LYS:HB2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:729:PHE:CE2	4:A:803:P98:H11	2.51	0.46
1:A:569:GLY:HA2	1:A:695:GLU:OE2	2.16	0.45
1:B:746:PRO:HD2	1:B:747:PRO:HD3	1.97	0.45
1:B:568:ARG:NH1	1:B:582:LEU:HD11	2.32	0.45
1:A:492:TYR:CD2	1:A:492:TYR:C	2.95	0.45
1:B:726:GLN:HG3	1:B:762:TRP:CZ2	2.52	0.45
1:A:719:LYS:O	1:A:722:VAL:HG23	2.17	0.45
1:B:453:SER:O	1:B:457:GLN:HB2	2.17	0.45
1:B:750:PRO:HA	1:B:753:LYS:HB2	1.98	0.44
1:A:655:ASN:ND2	1:A:657:ASN:H	2.16	0.44
1:A:656:LEU:HD22	1:A:656:LEU:N	2.31	0.44
1:B:603:LEU:HD23	1:B:603:LEU:HA	1.90	0.44
1:B:763:GLU:HB3	1:B:767:ARG:HH12	1.82	0.44
1:B:468:LEU:O	1:B:469:CYS:C	2.61	0.44
1:B:508:LEU:O	1:B:512:ILE:HG13	2.18	0.44
1:B:592:GLU:OE1	1:B:634:ASP:HB2	2.16	0.44
1:A:515:VAL:HG12	1:A:527:TRP:CZ3	2.52	0.44
1:B:502:CYS:SG	1:B:554:LYS:HE3	2.58	0.44
1:A:709:GLN:HE21	1:A:710:PRO:HD2	1.83	0.43
1:A:483:GLU:HA	1:A:486:TRP:CE2	2.52	0.43
1:A:577:LYS:O	1:A:578:PHE:HD2	2.01	0.43
1:B:448:MET:HE2	1:B:602:ILE:CG1	2.48	0.43
1:A:611:PHE:HB3	1:A:614:LEU:HD12	2.01	0.43
1:B:641:ASN:HD21	1:B:664:ARG:HB3	1.84	0.43
1:A:535:HIS:ND1	1:A:535:HIS:O	2.51	0.43
1:B:687:LEU:HD23	1:B:687:LEU:HA	1.89	0.42
1:A:578:PHE:HA	1:A:579:ASP:CB	2.49	0.42
1:A:656:LEU:HD22	1:A:656:LEU:H	1.83	0.42
1:A:682:TRP:HB3	1:A:683:PRO:HD3	2.00	0.42
1:B:478:ASP:HA	5:B:903:HOH:O	2.19	0.42
1:B:665:VAL:O	1:B:666:ILE:C	2.62	0.42
1:A:504:GLU:H	1:A:504:GLU:HG2	1.48	0.42
1:A:659:GLN:O	1:A:662:ARG:HB2	2.19	0.42
1:B:448:MET:HE2	1:B:602:ILE:HG13	2.00	0.42
1:B:556:LEU:HD23	1:B:556:LEU:HA	1.82	0.42
1:B:578:PHE:CZ	1:B:703:MET:HG2	2.54	0.42
1:A:723:PRO:HB2	1:A:766:ILE:HG13	2.01	0.42
1:B:515:VAL:HG13	1:B:565:LEU:HD21	2.00	0.42
1:B:733:VAL:C	1:B:736:PRO:HD2	2.45	0.42
1:A:515:VAL:O	1:A:516:LYS:C	2.63	0.42
1:A:735:ILE:HD13	1:A:735:ILE:HA	1.96	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:491:VAL:O	1:B:492:TYR:C	2.63	0.41
1:B:591:MET:HE3	1:B:595:HIS:CE1	2.55	0.41
1:A:535:HIS:O	1:A:535:HIS:CG	2.72	0.41
1:A:714:MET:H	1:A:714:MET:HG2	1.50	0.41
1:B:580:HIS:CD2	1:B:581:PRO:HD2	2.56	0.41
1:A:561:LEU:HD12	1:A:561:LEU:HA	1.97	0.41
1:B:456:TRP:HZ3	1:B:460:MET:SD	2.43	0.41
1:B:459:LEU:HD11	1:B:488:GLY:HA2	2.03	0.40
1:A:512:ILE:O	1:A:515:VAL:HB	2.21	0.40
1:B:541:LEU:HD22	1:B:553:ARG:HG2	2.03	0.40
1:B:742:THR:O	1:B:742:THR:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	322/345 (93%)	284 (88%)	35 (11%)	3 (1%)	14	12
1	B	322/345 (93%)	291 (90%)	27 (8%)	4 (1%)	10	7
All	All	644/690 (93%)	575 (89%)	62 (10%)	7 (1%)	11	8

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	578	PHE
1	A	577	LYS
1	B	505	LEU
1	B	705	LYS
1	B	717	ASP
1	A	686	LYS
1	B	579	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/308 (95%)	267 (91%)	26 (9%)	9	7
1	B	293/308 (95%)	276 (94%)	17 (6%)	18	19
All	All	586/616 (95%)	543 (93%)	43 (7%)	13	12

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	467	ARG
1	A	492	TYR
1	A	500	THR
1	A	504	GLU
1	A	517	LYS
1	A	585	LEU
1	A	586	TYR
1	A	588	THR
1	A	600	VAL
1	A	605	LEU
1	A	606	GLU
1	A	612	SER
1	A	622	VAL
1	A	634	ASP
1	A	637	LEU
1	A	650	GLN
1	A	656	LEU
1	A	658	ASN
1	A	692	ILE
1	A	714	MET
1	A	716	ARG
1	A	720	ASP
1	A	736	PRO
1	A	743	GLN
1	A	745	LEU
1	A	769	GLU
1	B	450	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	457	GLN
1	B	463	THR
1	B	484	ASN
1	B	502	CYS
1	B	547	LEU
1	B	579	ASP
1	B	617	SER
1	B	621	GLN
1	B	622	VAL
1	B	623	LEU
1	B	625	ILE
1	B	635	LEU
1	B	638	TYR
1	B	656	LEU
1	B	759	LEU
1	B	764	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	593	GLN
1	A	595	HIS
1	A	641	ASN
1	A	655	ASN
1	A	658	ASN
1	A	690	ASN
1	A	709	GLN
1	A	724	GLN
1	A	743	GLN
1	A	761	GLN
1	B	461	GLN
1	B	484	ASN
1	B	641	ASN
1	B	650	GLN
1	B	655	ASN
1	B	661	HIS
1	B	690	ASN
1	B	709	GLN
1	B	726	GLN
1	B	743	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	P98	A	803	-	34,34,34	1.13	3 (8%)	47,48,48	1.57	11 (23%)
4	P98	B	803	-	34,34,34	1.17	3 (8%)	47,48,48	2.31	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	P98	A	803	-	-	1/13/13/13	0/5/5/5
4	P98	B	803	-	-	1/13/13/13	0/5/5/5

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	803	P98	C22-N19	-3.55	1.39	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	803	P98	C22-N19	-2.99	1.40	1.44
4	A	803	P98	C18-N19	-2.89	1.35	1.40
4	B	803	P98	C11-C12	-2.21	1.38	1.42
4	B	803	P98	C18-N19	-2.13	1.37	1.40
4	A	803	P98	C13-C12	-2.02	1.38	1.41

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	803	P98	C18-N19-C20	12.72	110.34	106.44
4	A	803	P98	C18-N19-C20	5.17	108.02	106.44
4	B	803	P98	C30-C28-C20	3.30	117.96	110.56
4	A	803	P98	C16-C11-C12	3.10	122.61	118.43
4	A	803	P98	C4-C1-C2	3.08	123.24	119.73
4	B	803	P98	C4-C1-C2	3.00	123.16	119.73
4	B	803	P98	C17-C18-N19	-2.99	103.03	105.25
4	A	803	P98	C6-O5-C2	-2.77	111.02	117.62
4	A	803	P98	C1-C4-C17	-2.71	115.46	119.97
4	A	803	P98	C3-C18-C17	2.59	125.58	122.47
4	A	803	P98	C30-C28-C20	2.37	115.89	110.56
4	A	803	P98	C29-C28-C20	-2.35	105.28	110.56
4	B	803	P98	C6-O5-C2	-2.34	112.04	117.62
4	A	803	P98	C18-C3-C2	-2.22	113.49	118.02
4	B	803	P98	C3-C18-C17	2.21	125.13	122.47
4	B	803	P98	C14-C13-C12	2.20	123.11	120.09
4	A	803	P98	C9-C11-C16	-2.20	117.98	123.01
4	A	803	P98	C10-C9-C11	-2.16	117.61	120.84
4	B	803	P98	C27-C22-C23	2.05	123.09	119.18

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	803	P98	C7-C6-O5-C2
4	A	803	P98	C7-C6-O5-C2

There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	803	P98	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	803	P98	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	324/345 (93%)	0.33	10 (3%) 51 51	26, 56, 84, 107	0
1	B	324/345 (93%)	0.25	2 (0%) 85 86	26, 52, 79, 97	0
All	All	648/690 (93%)	0.29	12 (1%) 66 67	26, 54, 82, 107	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	578	PHE	3.9
1	A	585	LEU	3.7
1	A	586	TYR	3.0
1	A	545	HIS	2.6
1	B	570	PHE	2.6
1	A	456	TRP	2.4
1	A	588	THR	2.4
1	A	450	ILE	2.3
1	A	497	SER	2.2
1	B	500	THR	2.2
1	A	605	LEU	2.1
1	A	565	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	P98	B	803	30/30	0.88	0.09	31,40,63,65	0
3	MG	B	802	1/1	0.92	0.07	35,35,35,35	0
4	P98	A	803	30/30	0.92	0.08	36,45,54,56	0
3	MG	A	802	1/1	0.92	0.08	47,47,47,47	0
2	ZN	B	801	1/1	0.95	0.04	35,35,35,35	0
2	ZN	A	801	1/1	0.99	0.03	56,56,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.