



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:28 PM UTC

PDB ID : 2WJO / pdb_00002wjo
Title : human Bace (beta secretase) in complex with Cyclohexanecarboxylic acid
(2-(2-amino-6-phenoxy-4H-quinazolin-3-yl)-2-cyclohexyl-ethyl)-amide
Authors : Mathieu, M.; Dupuy, A.S.
Deposited on : 2009-05-28
Resolution : 2.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	412	5% 60% 26% 6% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3180 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA-SECRETASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	381	2989	1915	497	563	14	0	0	1

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	400	GLY	-	expression tag	UNP P56817
A	401	ASP	-	expression tag	UNP P56817
A	402	LEU	-	expression tag	UNP P56817
A	403	HIS	-	expression tag	UNP P56817
A	404	HIS	-	expression tag	UNP P56817
A	405	HIS	-	expression tag	UNP P56817
A	406	HIS	-	expression tag	UNP P56817
A	407	HIS	-	expression tag	UNP P56817
A	408	HIS	-	expression tag	UNP P56817

- Molecule 2 is 2-AMINO-3-((1R)-1-CYCLOHEXYL-2-[(CYCLOHEXYLCARBONYL)AMINO]ETHYL)-6-PHENOXYQUINAZOLIN-3-IUM (CCD ID: QUD) (formula: C₂₉H₃₇N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			35	29	4	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	156	Total	O	0	0
			156	156		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-SECRETASE 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	93.18Å 126.55Å 105.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	74.95 – 2.50 74.95 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.4 (74.95-2.50) 97.5 (74.95-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.54 (at 2.51Å)	Xtriage
Refinement program	BUSTER-TNT	Depositor
R, R_{free}	0.192 , 0.240 0.195 , 0.243	Depositor DCC
R_{free} test set	1684 reflections (7.84%)	wwPDB-VP
Wilson B-factor (Å ²)	32.8	Xtriage
Anisotropy	1.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3180	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: QUD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	1/3065 (0.0%)	0.96	18/4168 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	387	PRO	C-N	-5.55	1.25	1.33

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	TYR	N-CA-C	-7.45	100.07	110.35
1	A	307	ARG	CA-C-N	7.22	127.63	119.83
1	A	307	ARG	C-N-CA	7.22	127.63	119.83
1	A	233	ASN	N-CA-C	6.76	119.25	110.53
1	A	23	PRO	CA-C-N	6.67	128.18	119.84
1	A	23	PRO	C-N-CA	6.67	128.18	119.84
1	A	342	TYR	N-CA-C	-6.02	98.92	108.73
1	A	341	PHE	N-CA-C	5.58	118.17	109.52
1	A	22	SER	C-N-CD	5.56	132.83	120.60
1	A	0	VAL	N-CA-C	5.47	116.13	110.82
1	A	338	MET	N-CA-C	5.42	117.94	111.71
1	A	178	GLY	N-CA-C	5.33	118.91	111.19
1	A	123	TYR	N-CA-C	5.22	117.27	110.53
1	A	8	GLY	N-CA-C	5.19	118.56	110.88
1	A	328	SER	N-CA-C	-5.17	105.85	113.61
1	A	228	ASP	N-CA-C	5.16	117.20	108.02
1	A	22	SER	CA-C-N	-5.09	114.78	127.00
1	A	22	SER	C-N-CA	-5.09	114.78	127.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2989	0	2907	105	1
2	A	35	0	37	9	0
3	A	156	0	0	4	0
All	All	3180	0	2944	106	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:LYS:HB3	1:A:12:GLN:HG3	1.37	1.03
1:A:149:LEU:HD23	1:A:150:PHE:N	1.90	0.84
1:A:65:LYS:C	1:A:80:LEU:HD12	2.10	0.77
1:A:95:VAL:HG11	1:A:140:LEU:HD12	1.65	0.77
1:A:75:LYS:N	2:A:1389:QUD:H2	1.99	0.77
1:A:1:GLU:HG2	3:A:2002:HOH:O	1.86	0.73
1:A:271:GLN:HG3	1:A:274:THR:HG21	1.69	0.73
1:A:-1:PHE:HB3	3:A:2002:HOH:O	1.89	0.72
1:A:75:LYS:CA	2:A:1389:QUD:H2	2.19	0.72
1:A:156:GLY:O	1:A:170:VAL:HG12	1.90	0.72
1:A:333:MET:CE	1:A:337:ILE:HG21	2.20	0.71
1:A:376:THR:HG22	1:A:379:MET:HG2	1.72	0.71
1:A:196:GLU:HG3	1:A:350:LYS:HE3	1.76	0.68
1:A:70:PRO:HA	1:A:75:LYS:HB3	1.75	0.66
1:A:197:TRP:CG	1:A:198:TYR:H	2.13	0.66
1:A:271:GLN:HG3	1:A:274:THR:CG2	2.24	0.66
1:A:245:VAL:O	1:A:249:LYS:HG3	2.00	0.62
1:A:155:CYS:O	1:A:157:ALA:N	2.30	0.62
1:A:-1:PHE:N	1:A:2:MET:HE3	2.14	0.61
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.81	0.61
1:A:149:LEU:HD23	1:A:149:LEU:C	2.25	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:LYS:HA	2:A:1389:QUD:H2	1.83	0.60
1:A:333:MET:HE2	1:A:337:ILE:HG21	1.81	0.60
1:A:216:ASP:OD2	1:A:218:LYS:HB2	2.02	0.59
1:A:8:GLY:HA2	1:A:15:TYR:CE2	2.38	0.58
1:A:267:LEU:HD22	1:A:319:CYS:HB3	1.86	0.58
1:A:34:GLY:HA3	2:A:1389:QUD:N32	2.20	0.57
1:A:380:GLU:HA	1:A:380:GLU:OE1	2.04	0.56
1:A:190:TYR:CD2	1:A:351:ARG:HG3	2.41	0.56
1:A:271:GLN:O	1:A:274:THR:HG23	2.05	0.56
1:A:272:ALA:O	1:A:274:THR:HG23	2.06	0.55
1:A:70:PRO:HA	1:A:75:LYS:CB	2.37	0.55
1:A:244:ALA:O	1:A:248:ILE:HG13	2.06	0.55
1:A:333:MET:HE3	1:A:337:ILE:HG21	1.89	0.55
1:A:197:TRP:CD1	1:A:198:TYR:H	2.26	0.54
1:A:29:ILE:CG2	1:A:119:LEU:HB2	2.37	0.54
1:A:65:LYS:O	1:A:80:LEU:HD12	2.06	0.54
1:A:386:ILE:HG23	1:A:387:PRO:HD2	1.90	0.54
1:A:65:LYS:HB3	1:A:80:LEU:HD13	1.90	0.53
1:A:75:LYS:HA	2:A:1389:QUD:C2	2.39	0.53
1:A:301:LEU:HB3	1:A:302:PRO:HD2	1.91	0.53
1:A:294:GLN:O	1:A:379:MET:HE1	2.09	0.53
1:A:276:PRO:O	1:A:279:ILE:HG12	2.10	0.52
1:A:235:ARG:HG3	1:A:332:VAL:HB	1.90	0.52
1:A:6:LEU:HB2	1:A:172:GLY:C	2.34	0.52
1:A:29:ILE:HG21	1:A:119:LEU:HB2	1.92	0.52
1:A:157:ALA:HB2	1:A:361:VAL:CG2	2.40	0.51
1:A:72:THR:OG1	1:A:73:GLN:N	2.44	0.50
1:A:-1:PHE:H2	1:A:2:MET:HE3	1.77	0.50
1:A:367:THR:HG23	1:A:368:ALA:O	2.12	0.50
1:A:22:SER:HA	1:A:23:PRO:C	2.35	0.49
1:A:23:PRO:CB	1:A:24:PRO:HD2	2.43	0.49
1:A:197:TRP:CG	1:A:198:TYR:N	2.81	0.49
1:A:-1:PHE:H3	1:A:2:MET:CE	2.26	0.49
1:A:75:LYS:NZ	1:A:77:GLU:OE1	2.37	0.49
1:A:384:TYR:HE2	1:A:386:ILE:CD1	2.24	0.49
1:A:296:PHE:HB2	1:A:371:GLU:O	2.12	0.49
1:A:314:THR:CG2	1:A:315:SER:N	2.75	0.49
1:A:235:ARG:HD2	3:A:2134:HOH:O	2.14	0.48
1:A:9:LYS:HB3	1:A:12:GLN:CG	2.27	0.48
1:A:376:THR:CG2	1:A:379:MET:HG2	2.42	0.48
1:A:268:VAL:HG11	1:A:270:TRP:CH2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:LYS:HB3	1:A:80:LEU:CD1	2.44	0.47
1:A:321:LYS:HE2	3:A:2109:HOH:O	2.13	0.47
1:A:156:GLY:HA2	1:A:170:VAL:CG1	2.44	0.47
1:A:298:ILE:HG22	1:A:370:VAL:HG22	1.96	0.47
1:A:184:TYR:CD2	1:A:355:ALA:HB1	2.50	0.47
1:A:386:ILE:N	1:A:386:ILE:HD13	2.28	0.47
1:A:268:VAL:HG12	1:A:270:TRP:CZ3	2.50	0.47
1:A:277:TRP:HE3	1:A:302:PRO:HB2	1.80	0.47
1:A:314:THR:HG22	1:A:315:SER:N	2.29	0.47
1:A:95:VAL:CG1	1:A:140:LEU:HD12	2.41	0.47
1:A:136:PHE:C	1:A:136:PHE:CD2	2.92	0.46
1:A:68:TYR:HD1	1:A:77:GLU:HG3	1.80	0.46
1:A:245:VAL:HG12	1:A:249:LYS:HE3	1.98	0.45
1:A:149:LEU:C	1:A:149:LEU:CD2	2.90	0.45
1:A:294:GLN:HG2	1:A:373:PRO:HB2	1.98	0.45
1:A:271:GLN:CG	1:A:274:THR:HG21	2.42	0.45
1:A:74:GLY:O	1:A:75:LYS:HB3	2.17	0.44
1:A:213:LEU:HD12	1:A:213:LEU:HA	1.73	0.44
1:A:8:GLY:HA2	1:A:15:TYR:HE2	1.83	0.44
1:A:174:MET:HE3	1:A:176:ILE:HD11	1.99	0.44
1:A:190:TYR:HD2	1:A:351:ARG:HG3	1.83	0.43
1:A:228:ASP:CG	2:A:1389:QUD:H321	2.27	0.43
1:A:309:VAL:HG12	1:A:310:GLU:N	2.33	0.43
1:A:152:LEU:CD2	1:A:174:MET:HG3	2.49	0.43
1:A:283:ILE:O	1:A:299:THR:HA	2.19	0.43
1:A:149:LEU:HD23	1:A:150:PHE:CA	2.49	0.43
1:A:142:LYS:HB3	1:A:142:LYS:HE2	1.84	0.43
1:A:281:PRO:HD2	1:A:305:TYR:OH	2.20	0.42
1:A:384:TYR:HE2	1:A:386:ILE:HD12	1.84	0.42
1:A:75:LYS:HA	2:A:1389:QUD:C5	2.50	0.42
1:A:222:TYR:O	1:A:223:ASP:CB	2.68	0.42
1:A:156:GLY:HA2	1:A:170:VAL:HB	2.01	0.42
1:A:268:VAL:CG1	1:A:270:TRP:CH2	3.03	0.41
1:A:73:GLN:HG2	1:A:107:LYS:CD	2.50	0.41
1:A:-1:PHE:N	1:A:2:MET:CE	2.82	0.41
1:A:204:VAL:HG11	1:A:379:MET:HB3	2.03	0.41
1:A:346:ASP:HB3	1:A:351:ARG:HG2	2.03	0.41
1:A:222:TYR:CD1	1:A:222:TYR:C	2.97	0.41
1:A:277:TRP:CE3	1:A:302:PRO:HB2	2.56	0.41
2:A:1389:QUD:C8	2:A:1389:QUD:H6	2.51	0.41
1:A:84:LEU:C	1:A:85:VAL:HG23	2.46	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ASP:OD2	2:A:1389:QUD:H29	2.21	0.40
1:A:340:GLY:HA2	1:A:360:HIS:HB2	2.02	0.40
1:A:284:SER:C	1:A:285:LEU:HD23	2.47	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:HIS:ND1	1:A:181:HIS:ND1[3_555]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	377/412 (92%)	351 (93%)	20 (5%)	6 (2%)	7 14

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	156	GLY
1	A	223	ASP
1	A	311	ASP
1	A	214	LYS
1	A	316	GLN
1	A	72	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	324/352 (92%)	294 (91%)	30 (9%)	8 18

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	A	12	GLN
1	A	20	VAL
1	A	22	SER
1	A	30	LEU
1	A	77	GLU
1	A	80	LEU
1	A	96	ARG
1	A	99	ILE
1	A	104	GLU
1	A	149	LEU
1	A	173	SER
1	A	235	ARG
1	A	238	LYS
1	A	239	LYS
1	A	267	LEU
1	A	271	GLN
1	A	278	ASN
1	A	294	GLN
1	A	307	ARG
1	A	315	SER
1	A	316	GLN
1	A	329	THR
1	A	336	VAL
1	A	352	ILE
1	A	366	ARG
1	A	367	THR
1	A	378	ASP
1	A	380	GLU
1	A	386	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	28	ASN
1	A	98	ASN
1	A	266	GLN
1	A	271	GLN
1	A	278	ASN
1	A	316	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	QUD	A	1389	-	37,39,39	4.42	19 (51%)	45,53,53	3.24	21 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QUD	A	1389	-	-	1/19/37/37	0/5/5/5

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1389	QUD	C15-N30	12.91	1.55	1.35
2	A	1389	QUD	C3-C1	11.85	1.64	1.38
2	A	1389	QUD	C5-C11	9.34	1.56	1.38
2	A	1389	QUD	C26-C14	7.61	1.64	1.51
2	A	1389	QUD	C8-C12	5.80	1.47	1.37
2	A	1389	QUD	O35-C12	5.47	1.51	1.39
2	A	1389	QUD	C2-C1	-5.43	1.26	1.38
2	A	1389	QUD	C13-N31	5.22	1.45	1.34
2	A	1389	QUD	C8-C9	4.56	1.52	1.42
2	A	1389	QUD	O35-C11	4.23	1.48	1.39
2	A	1389	QUD	C27-C29	3.90	1.61	1.52
2	A	1389	QUD	C23-C26	3.56	1.62	1.53
2	A	1389	QUD	C9-C10	-3.40	1.37	1.42
2	A	1389	QUD	C13-N32	3.24	1.41	1.33
2	A	1389	QUD	C7-C12	-3.01	1.33	1.38
2	A	1389	QUD	C18-C22	2.85	1.60	1.53
2	A	1389	QUD	C22-C26	-2.51	1.46	1.53
2	A	1389	QUD	O34-C14	2.51	1.28	1.23
2	A	1389	QUD	C20-C24	-2.24	1.47	1.53

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1389	QUD	C25-C27-C24	8.89	124.64	109.43
2	A	1389	QUD	C1-C3-C6	-7.11	111.47	120.24
2	A	1389	QUD	C3-C1-C2	6.63	128.95	119.87
2	A	1389	QUD	C4-C7-C12	6.05	127.98	120.13
2	A	1389	QUD	C7-C12-C8	-5.47	113.72	120.83
2	A	1389	QUD	C9-C15-N30	-5.34	114.74	122.54
2	A	1389	QUD	C28-N33-C14	5.06	132.30	122.65
2	A	1389	QUD	C12-O35-C11	-4.37	108.79	118.78
2	A	1389	QUD	C13-N31-C10	4.19	126.66	116.50
2	A	1389	QUD	C21-C25-C27	-3.84	105.04	111.89
2	A	1389	QUD	C18-C22-C26	3.61	117.83	111.24
2	A	1389	QUD	C23-C26-C22	-3.23	103.19	110.00
2	A	1389	QUD	N32-C13-N30	3.16	123.09	119.50
2	A	1389	QUD	N32-C13-N31	3.05	123.70	117.65
2	A	1389	QUD	C15-C9-C8	2.95	125.29	121.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1389	QUD	C23-C26-C14	-2.95	104.57	110.79
2	A	1389	QUD	C4-C10-C9	2.94	121.98	119.04
2	A	1389	QUD	C8-C9-C10	-2.83	114.69	118.31
2	A	1389	QUD	C19-C23-C26	2.56	115.92	111.24
2	A	1389	QUD	C16-C19-C23	-2.43	106.43	111.42
2	A	1389	QUD	O35-C11-C5	-2.06	112.19	119.36

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1389	QUD	C25-C27-C29-N30

There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1389	QUD	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/412 (92%)	0.29	21 (5%) 30 27	21, 35, 65, 130	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	-1	PHE	5.0
1	A	386	ILE	4.9
1	A	313	ALA	4.9
1	A	314	THR	4.8
1	A	311	ASP	4.4
1	A	312	VAL	3.9
1	A	157	ALA	3.7
1	A	0	VAL	3.5
1	A	387	PRO	3.3
1	A	181	HIS	3.3
1	A	388	GLN	3.2
1	A	315	SER	3.0
1	A	167	LEU	2.9
1	A	168	ALA	2.9
1	A	171	GLY	2.8
1	A	8	GLY	2.6
1	A	380	GLU	2.4
1	A	9	LYS	2.4
1	A	73	GLN	2.2
1	A	49	HIS	2.1
1	A	384	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	QUD	A	1389	35/35	0.95	0.08	16,23,31,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.